




QUICK START GUIDE


GUIDE DE DÉMARRAGE RAPIDE

BAR 1000MK2




ONLINE SUPPORT







CONNECTORS




REMOTE CONTROL



WALL MOUNTING




WALL MOUNTING




CONNECT

(FOR eARC TV)




CONNECT


(FOR ARC TV)



POWER ON & CHARGE




SOUND CALIBRATION



1ST
CALIBRATION



1-CALIBRATION



PRESS AGAIN TO CONFIRM




1 - DONE

SOUND CALIBRATION



④




2ND
CALIBRATION

⑤



PRESS CALIBR AGAIN



⑥




2 - CALIBRATION



2 - DONE

APP



Connect your Android™ or iOS device to the Wi-Fi network and follow app instructions to complete speaker setup.



JBL ONE



GET IT ON
Google Play



Download on the
App Store

* The availability of features will vary between countries and not all features may be available in your country.

TECH SPEC

General specification:

- Model: BAR 1000MK2 (soundbar unit)
BAR 1000MK2 SURROUND (detachable speaker)
BAR 1000MK2 SUB (subwoofer unit)
- Sound system: 7.1.4 channel
- Power supply: 100 - 240 V AC, ~ 50/60 Hz
- Total speaker power output* (Max. @THD 1%): 960 W
- Soundbar output power** (Max. @THD 1%): 500 W
- Surround speaker output power*** (Max. @THD 1%): 2 x 80 W
- Subwoofer output power**** (Max. @THD 1%): 300 W
- Soundbar transducer: 6 x (44 x 80) mm racetrack drivers, 2 x 1" (25 mm) tweeters, 2 x 2.75" (70 mm) up-firing full-range drivers
- Surround speaker transducer: 2 x (44 x 90) mm racetrack drivers, 2 x 2.75" (70 mm) up-firing full-range drivers
- Subwoofer transducer: 10" (260 mm)
- Networked standby power: <2.0 W
- Operating temperature: 0 °C - 45 °C
- Lithium battery: 3.635 V, 6600 mAh
- Detachable surround speaker playtime: up to 10 hours (may vary according to content type and volume level)

HDMI specification

- HDMI video input: 3
- HDMI video output (with Enhanced Audio Return Channel, eARC): 1
- HDMI HDCP version: 2.3
- HDR pass through: HDR10+, Dolby Vision

Audio specification

- Frequency response: 33 Hz - 20 kHz (-6 dB)
- Audio inputs: Optical, Bluetooth, USB (USB playback is available in US version. For other versions, USB is for Service only.)

USB specification

- USB port: Type A

- USB rating: 5 V DC, 0.5 A
- Supporting file formats: mp3
- MP3 codec: MPEG 1 Layer 2/3, MPEG 2 Layer 3, MPEG 2.5 Layer 3
- MP3 sampling rate: 16 - 48 kHz
- MP3 bitrate: 80 - 320 kbps

Wireless specification

- Bluetooth version: v5.3
- Bluetooth profile: A2DP v1.3, AVRCP v1.5
- Bluetooth transmitter frequency range: 2400 MHz - 2483.5 MHz
- Bluetooth transmitter power: <15 dBm (EIRP)
- Wi-Fi network: IEEE 802.11 a/b/g/n/ac/ax (2.4 GHz / 5 GHz)
- 2.4G Wi-Fi transmitter frequency range: 2412 - 2472 MHz (2.4 GHz ISM Band, USA 11 Channels, Europe and others 13 Channels)
- 2.4G Wi-Fi transmitter power: <20 dBm (EIRP)
- 2.4G wireless transmitter frequency range: 2406 - 2474 MHz
- 2.4G wireless transmitter power: <10 dBm (EIRP)
- 5G Wi-Fi transmitter frequency range: 5.15 - 5.35 GHz, 5.470 - 5.725 GHz, 5.725 - 5.825 GHz
- 5G Wi-Fi transmitter power: 5.15 - 5.25 GHz <23 dBm, 5.25 - 5.35 GHz & 5.470 - 5.725 GHz <20 dBm, 5.725 - 5.825 GHz <14 dBm (EIRP)

Note: Band 5.6 - 5.64 GHz will be disabled when shipped to Australia / New Zealand.


Dimensions

- Total soundbar dimensions (W x H x D): 1203 x 52 x 128 mm / 47.4" x 2.0" x 5.0"
- Soundbar dimensions (W x H x D): 854 x 52 x 128 mm / 33.6" x 2.0" x 5.0"
- Detachable surround speaker dimensions (each) (W x H x D): 189 x 52 x 128 mm / 7.4" x 2.0" x 5.0"
- Subwoofer dimensions (W x H x D): 325 x 400 x 325 mm / 12.8" x 15.7" x 12.8"
- Soundbar weight: 5.5 kg / 12.1 lbs
- Detachable surround speaker weight (each): 0.9 kg / 2 lbs
- Subwoofer weight: 9.1 kg / 20 lbs
- Packaging dimensions (W x H x D): 980 x 398 x 495 mm / 38.58" x 15.67" x 19.49"
- Packaging weight: 22.6 kg / 49.8 lbs (EMEA/UK/AU/NZ); 19.9 kg / 44.4 lbs (Others)


* RMS @THD 1%: 480 W | ** RMS @THD 1%: 250 W | *** RMS @THD 1%: 2 x 40 W | **** RMS @THD 1%: 150 W

ONLINE SUPPORT

EPO




CONTENU DE LA BOÎTE




* Power cord quantity and plug type vary by regions.

CONNECTORS




* Canal de retour audio amélioré (eARC)

REMOTE CONTROL




WALL MOUNTING

EPO




WALL MOUNTING




CONNECT

(FOR eARC TV)




CONNECT


(FOR ARC TV)



POWER ON & CHARGE




SOUND CALIBRATION



1ST
CALIBRATION



1-CALIBRATION



PRESS AGAIN TO CONFIRM




1 - DONE

SOUND CALIBRATION



④




2ND
CALIBRATION

⑤



PRESS CALIBR AGAIN



⑥




2 - CALIBRATION



2 - DONE

APP



Connect your Android™ or iOS device to the Wi-Fi network and follow app instructions to complete speaker setup.



JBL ONE



GET IT ON

Google Play



Download on the

App Store

* The availability of features will vary between countries and not all features may be available in your country.

SPÉCIFICATIONS TECHNIQUES

General specification:

- Model: BAR 1000MK2 (soundbar unit)
BAR 1000MK2 SURROUND (detachable speaker)
BAR 1000MK2 SUB (subwoofer unit)
- Sound system: 7.1.4 channel
- Power supply: 100 - 240 V AC, ~ 50/60 Hz
- Total speaker power output* (Max. @THD 1%): 960 W
- Soundbar output power** (Max. @THD 1%): 500 W
- Surround speaker output power*** (Max. @THD 1%): 2 x 80 W
- Subwoofer output power**** (Max. @THD 1%): 300 W
- Soundbar transducer: 6 x (44 x 80) mm racetrack drivers, 2 x 1" (25 mm) tweeters, 2 x 2.75" (70 mm) up-firing full-range drivers
- Surround speaker transducer: 2 x (44 x 90) mm racetrack drivers, 2 x 2.75" (70 mm) up-firing full-range drivers
- Subwoofer transducer: 10" (260 mm)
- Networked standby power: <2.0 W
- Operating temperature: 0 °C - 45 °C
- Lithium battery: 3.635 V, 6600 mAh
- Detachable surround speaker playtime: up to 10 hours (may vary according to speaker type and volume level)

HDMI specification

- HDMI video input: 3
- HDMI video output (with Enhanced Audio Return Channel, eARC): 1
- HDMI HDCP version: 2.3
- HDR pass through: HDR10+, Dolby Vision

Audio specification

- Frequency response: 33 Hz - 20 kHz (-6 dB)
- Audio inputs: Optical, Bluetooth, USB (USB playback is available in US version. For other versions, USB is for Service only.)

USB specification

- USB port: Type A

- USB rating: 5 V DC, 0.5 A
- Supporting file formats: mp3
- MP3 codec: MPEG 1 Layer 2/3, MPEG 2 Layer 3, MPEG 2.5 Layer 3
- MP3 sample rate: 32, 44.1, 48 kHz
- MP3 bit rate: 80 - 320 kbps

Wireless specification

- Bluetooth version: v5.3
- Bluetooth profile: A2DP v1.3, AVRCP v1.5
- Bluetooth transmitter frequency range: 2400 MHz - 2483.5 MHz
- Bluetooth transmitter power: <10 dBm (EIRP)
- Wi-Fi module: IEEE 802.11 a/b/g/n/ax (2.4 GHz / 5 GHz)
- 2.4G Wi-Fi transmitter frequency range: 2412 - 2472 MHz (2.4 GHz ISM Band, USA 11 Channels, Europe and others 13 Channels)
- 2.4G Wi-Fi transmitter power: <20 dBm (EIRP)
- 2.4G wireless transmitter frequency range: 2406 - 2474 MHz
- 2.4G wireless transmitter power: <10 dBm (EIRP)
- 5G Wi-Fi transmitter frequency range: 5.15 - 5.35 GHz, 5.470 - 5.725 GHz, 5.725 - 5.825 GHz
- 5G Wi-Fi transmitter power: 5.15 - 5.25 GHz <23 dBm, 5.25 - 5.35 GHz & 5.470 - 5.725 GHz <20 dBm, 5.725 - 5.825 GHz <14 dBm (EIRP)

Note: Band 5.6 - 5.64 GHz will be disabled when shipped to Australia / New Zealand.

Dimensions

- Total soundbar dimensions (W x H x D): 1203 x 52 x 128 mm / 47.4" x 2.0" x 5.0"
- Soundbar dimensions (W x H x D): 854 x 52 x 128 mm / 33.6" x 2.0" x 5.0"
- Detachable surround speaker dimensions (each) (W x H x D): 189 x 52 x 128 mm / 7.4" x 2.0" x 5.0"
- Subwoofer dimensions (W x H x D): 325 x 400 x 325 mm / 12.8" x 15.7" x 12.8"
- Soundbar weight: 5.5 kg / 12.1 lbs
- Detachable surround speaker weight (each): 0.9 kg / 2 lbs
- Subwoofer weight: 9.1 kg / 20 lbs
- Packaging dimensions (W x H x D): 980 x 398 x 495 mm / 38.58" x 15.67" x 19.49"
- Packaging weight: 22.6 kg / 49.8 lbs (EMEA/UK/AU/NZ); 19.9 kg / 44.4 lbs (Others)

* RMS @THD 1%: 480 W | ** RMS @THD 1%: 250 W | *** RMS @THD 1%: 2 x 40 W | **** RMS @THD 1%: 150 W

ES

ONLINE SUPPORT

WHAT'S IN THE BOX

* Power cord quantity and plug type vary by regions.

CONNECTORS

1. Power connector
2. USB connector
3. Ethernet
4. HDMI input
5. TV ARC / TV eARC
6. Optical input

REMOTE CONTROL

1. On / Standby
2. Volume
3. Mute / Unmute
4. Dolby Atmos
5. Bass
6. Surround sound (For rear speakers)
7. Sound calibration
8. Moment (Quick access)
9. Playback control
10. HDMI Input source
11. Bluetooth source
12. TV source

WALL MOUNTING

CONNECT (For eARC TV)

CONNECT (For ARC TV)

POWER ON & CHARGE

SOUND CALIBRATION

1st CALIBRATION | 2nd CALIBRATION

APP

Connect your Android or iOS device to the Wi-Fi network and follow app instructions to complete speaker setup.

* The availability of features will vary between countries and not all features may be available in your country.

TECH SPEC

General specification:

- Model: BAR 1000MK2 (soundbar unit)
BAR 1000MK2 SURROUND (detachable speaker)
BAR 1000MK2 SUB (subwoofer unit)
- Sound system: 7.1.4 channel
- Power supply: 100 - 240 V AC, ~50/60 Hz
- Total speaker power output* (Max. @THD 1%): 960 W
- Soundbar output power** (Max. @THD 1%): 480 W
- Surround speaker output power*** (Max. @THD 1%): 250 W
- Subwoofer output power**** (Max. @THD 1%): 300 W
- Subwoofer transducer: 6 x (44 x 90) mm racetrack drivers, 2 x (25 mm) tweeters, 2 x 2.75" (70 mm) up-firing full-range drivers
- Surround speaker transducer: 4 x (44 x 90) mm racetrack drivers, 2 x 2.75" (70 mm) up-firing full-range drivers
- Subwoofer transducer: 2 x (12 x 16) mm drivers
- Network standby power: 0.5 W
- Operating temperature: 0 °C ~ 40 °C
- Lithium-ion battery: 3.635 V, 6600 mAh
- Detachable surround speaker playtime: up to 10 hours (may vary according to content and volume level)

HDMI specification

- HDMI video input: 3
- HDMI video output (with Enhanced Audio Return Channel, eARC): 1
- HDMI ARC version: 2.3
- Video pass through: HDR10+, Dolby Vision

Audio specification

- Frequency response: 33 Hz - 20 kHz (-6 dB)
- Audio input: Optical, Bluetooth, USB (USB playback is available in USB version. For other versions, USB is for Service only.)

USB specification

- USB port: Type A
- USB rating: 5 V DC, 0.5 A
- Supporting file formats: mp3
- MP3 codec: MPEG 1 Layer 2/3, MPEG 2 Layer 3, MPEG 2.5 Layer 3
- MP3 sampling rate: 16 - 48 kHz
- MP3 bitrate: 80 - 320 kbps

Wireless specification

- Bluetooth version: v5.3
 - Bluetooth profile: A2DP v1.3, AVRCP v1.5
 - Bluetooth transmitter frequency range: 2400 MHz - 2483.5 MHz
 - Bluetooth transmitter power: <15 dBm (EIRP)
 - Wi-Fi network: IEEE 802.11 a/b/g/n/ac/ax (2.4 GHz / 5 GHz)
 - 2.4G Wi-Fi transmitter frequency range: 2412 - 2472 MHz (2.4 GHz ISM Band, USA 11 Channels, Europe and others 13 Channels)
 - 2.4G Wi-Fi transmitter power: <20 dBm (EIRP)
 - 2.4G wireless transmitter frequency range: 2406 - 2474 MHz
 - 2.4G wireless transmitter power: <10 dBm (EIRP)
 - 5G Wi-Fi transmitter frequency range: 5.15 - 5.35 GHz, 5.470 - 5.725 GHz, 5.725 - 5.825 GHz
 - 5G Wi-Fi transmitter power: 5.15 - 5.25 GHz <23 dBm, 5.25 - 5.35 GHz & 5.470 - 5.725 GHz <20 dBm, 5.725 - 5.825 GHz <14 dBm (EIRP)
- Note: Band 5.6 - 5.84 GHz will be disabled when shipped to Australia / New Zealand.

Dimensions

- Total soundbar dimensions (W x H x D): 1203 x 52 x 128 mm / 47.4" x 2.0" x 5.0"
- Soundbar dimensions (W x H x D): 854 x 52 x 128 mm / 33.8" x 2.0" x 5.0"
- Detachable surround speaker dimensions (each) (W x H x D): 189 x 52 x 128 mm / 7.4" x 2.0" x 5.0"
- Subwoofer dimensions (W x H x D): 325 x 400 x 325 mm / 12.8" x 15.7" x 12.8"
- Soundbar weight: 5.5 kg / 12.1 lbs
- Detachable surround speaker weight (each): 0.9 kg / 2 lbs
- Subwoofer weight: 9.1 kg / 20 lbs
- Packaging dimensions (W x H x D): 980 x 398 x 495 mm / 38.58" x 15.67" x 19.49"
- Packaging weight: 22.6 kg / 49.8 lbs (EMEA/UK/AU/NZ); 19.9 kg / 44.4 lbs (Others)

* RMS @THD 1%: 480 W | ** RMS @THD 1%: 250 W |

*** RMS @THD 1%: 2 x 40 W | **** RMS @THD 1%: 150 W

ES-MX

ONLINE SUPPORT

WHAT'S IN THE BOX

* Power cord quantity and plug type vary by regions.

CONNECTORS

1. Power connector
2. USB connector
3. Ethernet
4. HDMI input
5. TV ARC / TV eARC
6. Optical input

REMOTE CONTROL

1. On / Standby
2. Volume
3. Mute / Unmute
4. Dolby Atmos
5. Bass
6. Surround sound (For rear speakers)
7. Sound calibration
8. Moment (Quick access)
9. Playback control
10. HDMI Input source
11. Bluetooth source
12. TV source

WALL MOUNTING

CONNECT (For eARC TV)

CONNECT (For ARC TV)

POWER ON & CHARGE

SOUND CALIBRATION

1st CALIBRATION | 2nd CALIBRATION

APP

Connect your Android or iOS device to the Wi-Fi network and follow app instructions to complete speaker setup.

* The availability of features will vary between countries and not all features may be available in your country.

TECH SPEC

General specification:

- Model: BAR 1000MK2 (soundbar unit)
BAR 1000MK2 SURROUND (detachable speaker)
BAR 1000MK2 SUB (subwoofer unit)
- Sound system: 7.1.4 channel
- Power supply: 100 - 240 V AC, ~50/60 Hz
- Total speaker power output* (Max. @THD 1%): 960 W
- Soundbar output power** (Max. @THD 1%): 500 W
- Surround speaker output power*** (Max. @THD 1%): 250 W
- Subwoofer output power**** (Max. @THD 1%): 300 W
- Soundbar transducer: 6 x (44 x 80 mm) racetrack drivers, 2 x 1" (25 mm) tweeters, 2 x 2.75" (70 mm) woofer full-range drivers
- Surround speaker transducer: 2 x (44 x 80 mm) racetrack drivers, 2 x 2.75" (70 mm) up-firing full-range drivers
- Subwoofer transducer: 8" (203 mm) driver
- Networked streaming power: <2.0 W
- Operating temperature: 0 °C - 45 °C
- Lithium battery: 3.7 V, 6600 mAh
- Detachable surround speaker playtime: up to 10 hours (may vary depending to content type and volume level)

Video specification

- HDMI video input: 2
- HDMI video output (with Enhanced Return Channel, eARC): 1
- HDCP version: 2.3
- HDR: High Brightness: HDR10+, Dolby Vision

Audio specification

- Frequency response: 33 Hz - 20 kHz (-6 dB)
- Audio inputs: Optical, Bluetooth, USB (USB playback is available in USB version. For other versions, USB is for Service only.)

USB specification

- USB port: Type A
- USB rating: 5 V DC, 0.5 A
- Supporting file formats: mp3
- MP3 codec: MPEG 1 Layer 2/3, MPEG 2 Layer 3, MPEG 2.5 Layer 3
- MP3 sampling rate: 16 - 48 kHz
- MP3 bitrate: 80 - 320 kbps

Wireless specification

- Bluetooth version: v5.3
 - Bluetooth profile: A2DP v1.3, AVRCP v1.5
 - Bluetooth transmitter frequency range: 2400 MHz - 2483.5 MHz
 - Bluetooth transmitter power: <15 dBm (EIRP)
 - Wi-Fi network: IEEE 802.11 a/b/g/n/ac/ax (2.4 GHz / 5 GHz)
 - 2.4G Wi-Fi transmitter frequency range: 2412 - 2472 MHz (2.4 GHz ISM Band, USA 11 Channels, Europe and others 13 Channels)
 - 2.4G Wi-Fi transmitter power: <20 dBm (EIRP)
 - 2.4G wireless transmitter frequency range: 2406 - 2474 MHz
 - 2.4G wireless transmitter power: <10 dBm (EIRP)
 - 5G Wi-Fi transmitter frequency range: 5.15 - 5.35 GHz, 5.470 - 5.725 GHz, 5.725 - 5.825 GHz
 - 5G Wi-Fi transmitter power: 5.15 - 5.25 GHz <23 dBm, 5.25 - 5.35 GHz & 5.470 - 5.725 GHz <20 dBm, 5.725 - 5.825 GHz <14 dBm (EIRP)
- Note: Band 5.6 - 5.64 GHz will be disabled when shipped to Australia / New Zealand.

Dimensions

- Total soundbar dimensions (W x H x D): 1203 x 52 x 128 mm / 47.4" x 2.0" x 5.0"
- Soundbar dimensions (W x H x D): 854 x 52 x 128 mm / 33.8" x 2.0" x 5.0"
- Detachable surround speaker dimensions (each) (W x H x D): 189 x 52 x 128 mm / 7.4" x 2.0" x 5.0"
- Subwoofer dimensions (W x H x D): 325 x 400 x 325 mm / 12.8" x 15.7" x 12.8"
- Soundbar weight: 5.5 kg / 12.1 lbs
- Detachable surround speaker weight (each): 0.9 kg / 2 lbs
- Subwoofer weight: 9.1 kg / 20 lbs
- Packaging dimensions (W x H x D): 980 x 398 x 495 mm / 38.58" x 15.67" x 19.49"
- Packaging weight: 22.6 kg / 49.8 lbs (EMEA/UK/AU/NZ); 19.9 kg / 44.4 lbs (Others)

* RMS @THD 1%: 480 W | ** RMS @THD 1%: 250 W |

*** RMS @THD 1%: 2 x 40 W | **** RMS @THD 1%: 150 W

FCC/IC Radiation Exposure Statement: This equipment complies with FCC/IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm between the radiator and your body.

FCC/IC Radiation Exposure Statement: This equipment complies with FCC/IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20 cm between the radiator and your body.

Cet équipement est conforme aux limites d'exposition aux radiations FCC/IC CNR-102 établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 20 cm entre le radiateur et votre corps.

This product contains open source software licensed under GPL. For your convenience, the source code and relevant build instruction are also available at https://harman-webpages.s3.amazonaws.com/Harman_One_OS_package_license_list.htm

Please feel free to contact us at:

Harman Deutschland GmbH

ATT: Open Source, Gregor Krapf-Gunther, Parkring 3
85748 Garching bei Munchen, Germany

or OpenSourceSupport@Harman.com if you have additional question regarding the open source software in the product.

Ce produit contient un logiciel source ouverte sous licence GPL. Pour votre commodité, le code source et les instructions de construction correspondantes sont également disponibles à l'adresse https://harman-webpages.s3.amazonaws.com/Harman_One_OS_package_license_list.htm

N'hésitez pas à nous contacter à l'adresse suivante :

Harman Deutschland GmbH

DESTINATAIRE : Open Source, Gregor Krapf-Gunther, Parkring 3
85748 Garching bei Munchen, Allemagne

ou OpenSourceSupport@Harman.com si vous avez d'autres questions concernant le logiciel source ouverte dans le produit.

During sound calibration, environmental sound will be recorded. Hold  for 10 seconds, then press  to play the recorded audio (for US version only).

During sound calibration, environmental sound will be recorded. Hold  for 10 seconds, then press  to play the recorded audio (for US version only).

During sound calibration, environmental sound will be recorded. Hold  for 10 seconds, then press  to play the recorded audio (for US version only).

WARNING: Please refer to the information on exterior bottom enclosure for electrical and safety information before installing or operating the apparatus.

WARNING: Please refer to the information on exterior bottom enclosure for electrical and safety information before installing or operating the apparatus.



This equipment is a Class II or double insulated electrical appliance.

This equipment is a Class II or double insulated electrical appliance.



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.

La marque verbale et les logos Bluetooth® sont des marques déposées appartenant à Bluetooth SIG, Inc. et toute utilisation de ces marques par HARMAN International Industries, Incorporated se fait sous licence. Les autres marques et noms commerciaux sont ceux de leurs propriétaires respectifs.



The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.



The Wi-Fi CERTIFIED™ Logo is a registered trademark of Wi-Fi Alliance®.

The Wi-Fi CERTIFIED™ Logo is a registered trademark of Wi-Fi Alliance®.

COMPATIBLE WITH



Dolby, Dolby Vision, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation. Manufactured under license from Dolby Laboratories. Confidential unpublished works. Copyright © 2012–2024 Dolby Laboratories. All rights reserved.

Dolby, Dolby Vision, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation. Manufactured under license from Dolby Laboratories. Confidential unpublished works. Copyright © 2012–2024 Dolby Laboratories. All rights reserved.



FOR DTS PATENTS, SEE [HTTP://XPERI.COM/DTS-PATENTS/](http://xperi.com/dts-patents/). MANUFACTURED UNDER LICENSE FROM DTS, INC. AND ITS AFFILIATES. DTS, DTS:X, AND THE DTS:X LOGO ARE REGISTERED TRADEMARKS OR TRADEMARKS OF DTS, INC. AND ITS AFFILIATES IN THE UNITED STATES AND/OR OTHER COUNTRIES. © DTS, INC. AND ITS AFFILIATES. ALL RIGHTS RESERVED.

FOR DTS PATENTS, SEE [HTTP://XPERI.COM/DTS-PATENTS/](http://xperi.com/dts-patents/). MANUFACTURED UNDER LICENSE FROM DTS, INC. AND ITS AFFILIATES. DTS, DTS:X, AND THE DTS:X LOGO ARE REGISTERED TRADEMARKS OR TRADEMARKS OF DTS, INC. AND ITS AFFILIATES IN THE UNITED STATES AND/OR OTHER COUNTRIES. © DTS, INC. AND ITS AFFILIATES. ALL RIGHTS RESERVED.



Google, Android, Google Home, Google Cast and other marks are trademarks of Google LLC.

Google Assistant is not available in certain languages and countries. Availability and performance of certain features, services, and applications are device and network dependent and may not be available in all areas.

Google, Android, Google Home et Google Cast sont des marques de commerce de Google LLC.

L'assistant Google n'est pas disponible dans certaines langues et certains pays. La disponibilité et les performances de certaines fonctionnalités, services et applications dépendent de l'appareil et du réseau et peuvent ne pas être disponibles dans toutes les régions.



Use of the Works with Apple badge means that an accessory has been designed to work specifically with the technology identified in the badge and has been certified by the developer to meet Apple performance standards.

Apple®, and AirPlay® are trademarks of Apple Inc., registered in the U.S. and other countries and regions.

To use AirPlay with JBL Bar 1000MK2, the latest version of iOS, iPadOS, or macOS is recommended.

L'utilisation de l'insigne « Works with Apple » signifie qu'un accessoire a été conçu pour fonctionner spécifiquement avec la technologie identifiée dans l'insigne et qu'il a été certifié par le développeur pour répondre aux normes de performance d'Apple.

Apple® et AirPlay® sont des marques commerciales d'Apple Inc. déposées aux États-Unis et dans d'autres pays et régions.

Pour utiliser AirPlay avec JBL Bar 1000MK2, la dernière version d'iOS, iPadOS ou macOS est recommandée.



Use your phone, tablet or computer as a remote control for Spotify.

Go to spotify.com/connect to learn how.

The Spotify Software is subject to third party licenses found here:

<https://www.spotify.com/connect/third-party-licenses>.

Utilisez votre téléphone, votre tablette ou votre ordinateur comme une télécommande pour Spotify. Rendez-vous sur spotify.com/connect pour apprendre à le faire.

Le Logiciel Spotify est soumis à des licences tierces que vous trouverez ici :

<https://www.spotify.com/connect/third-party-licenses>.

ROON READY

Being Roon Ready means that HARMAN uses Roon streaming technology, for an incredible user interface, simple setup, rock-solid daily reliability, and the highest levels of audio performance, without compromise.

Être Roon Ready signifie que HARMAN utilise la technologie de streaming Roon, pour une interface utilisateur incroyable, une installation simple, une fiabilité quotidienne à toute épreuve et les plus hauts niveaux de performance audio, sans compromis.



HA_JBL_Bar 1000MK2_QSG_US_PV_V2