



JBL E45BT/ E55BT



JBL E45BT



JBL E55BT

JBL E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide



What's in the box

E45BT / E55BT x 1



E45BT



E55BT

x1

Charging cable x 1




x1

Detachable audio cable with remote x 1



x1

Warranty card, QSG, Warning card



x1


E45BT / E55BT

Quick Start Guide


Guide de démarrage rapide

2 Overview

a. Buttons & LEDs



b. Connections



E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide


3 Bluetooth Connection

a. To turn on the headphone




b. If connecting for the first time, the headphone will enter the pairing mode automatically after powered on

c. Connect bluetooth devices



Choose "JBL E45BT" to connect



Choose "JBL E55BT" to connect



E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide



Music control





E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide


5

Phone call



6

Wired listening mode




E45BT / E55BT

Quick Start Guide


Guide de démarrage rapide

7 Seamless switch between devices


1. Pair and connect the headphone with the 1st device
(refer to Section 3 Bluetooth Connection)




2. Bluetooth pairing and connection with the 2nd device



3. Connect bluetooth device



Choose "JBL E45BT" to connect




Choose "JBL E55BT" to connect

E45BT / E55BT


Quick Start Guide

Guide de démarrage rapide

4. Go back to the bluetooth device list on the 1st device and click connect



5. Max. 2 devices to be connected at the same time




1. 2nd device will be the main source of music and movie.
2. If you want to change the 1st device to be the main source, stop the music/movie on 2nd device, start the music/movie on the 1st device.
3. If there is phone call from either devices, phone call will take the 1st priority
4. There are maximum 2 devices can be connected at the same time.
5. To switch music source, please pause the music on current device and select play on the second device.
6. Phone call will always take the priority.
7. If one device goes out of bluetooth range or powers off, you may need to manually reconnect the remaining device. See Section 7 Step 3.

E45BT / E55BT

Quick Start Guide
Guide de démarrage rapide

8 LED behaviour



Headphone mode	LED Status
⏻ Power on	● On
📶 BT Pairing	● Fast
📶 BT Connected	● On
	Power / charging LED Red Flash
🔋 Lower battery	● Slow
🔋 Charging Complete	● Off
🔋 Charging in Progress	● On

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

EN

JBL E45BT

- Driver size: 40mm
- Dynamic frequency response range: 20Hz-20kHz
- SPL @1kHz1mW: 96
- Maximum SPL @1V input: 111
- Microphone sensitivity @1kHz: -42
- Impedance: 32ohm
- Bluetooth transmitted power: 0-4dbm
- Bluetooth transmitted modulation: GFSK
- Bluetooth frequency: 2.402GHz-2.48GHz
- Bluetooth profiles: HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version: V4.1
- Battery type: GSP753030
- Charging time: 2hr
- Music play time with BT on: Up to 16hr
- Talk time with BT on: Up to 16hr
- Standby time: 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size: 50mm
- Dynamic frequency response range: 20Hz-20kHz
- SPL @1kHz1mW: 96
- Maximum SPL @1V input: 111
- Microphone sensitivity @1kHz: -42
- Impedance: 32ohm
- Bluetooth transmitted power: 0-4dbm
- Bluetooth transmitted modulation: GFSK
- Bluetooth frequency: 2.402GHz-2.48GHz
- Bluetooth profiles: HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version: V4.1
- Battery type: GSP753030
- Charging time: 2hr
- Music play time with BT on: Up to 20hr
- Talk time with BT on: Up to 20hr
- Standby time: 1year
- Dimension W x H x L (mm)
- Weight (g)

FR

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

ES

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

DE

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

IT

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

NL

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

NO

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

FI

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

SV

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

DA

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

PL

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

HU

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

RU

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

PT

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

ID

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JP

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

KO

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

CHS

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

CHT

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

HE

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

AR

JBL E45BT

- Driver size 40mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 16hr
- Talk time with BT on Up to 16hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

JBL E55BT

- Driver size 50mm
- Dynamic frequency response range 20Hz-20kHz
- SPL @1kHz1mW 96
- Maximum SPL @1V input 111
- Microphone sensitivity @1kHz -42
- Impedance 32ohm
- Bluetooth transmitted power 0-4dbm
- Bluetooth transmitted modulation GFSK
- Bluetooth frequency 2.402GHz-2.48GHz
- Bluetooth profiles HFP v1.6, HSP v1.2, A2DP v1.2, AVRCP v1.4
- Bluetooth version V4.1
- Battery type GSP753030
- Charging time 2hr
- Music play time with BT on Up to 20hr
- Talk time with BT on Up to 20hr
- Standby time 1year
- Dimension W x H x L (mm)
- Weight (g)

E45BT / E55BT

Quick Start Guide

Guide de démarrage rapide

Торговая марка: JBL

Назначение товара: Пользовательские наушники

Изготовитель: Харман Интернешнл Индастриз Инкорпорейтед, США, 06901 Коннектикут, г.Стамфорд, Атлантик Стрит 400, офис 1500

Страна происхождения: Китай

Импортер в Россию: ООО "ХАРМАН РУС СиАйЭс", РОССИЯ, 127018, г.МОСКВА, УЛ. ДВИНЦЕВ, Д.12, КОРПУС 1

Гарантийный период: 1 год

Информация о сервисных центрах: www.harman.com/ru тел. +7-800-700-0467

Срок службы: 2 года


Товар не подлежит обязательной сертификации

Дата производства: Дата изготовления устройства определяется по двум буквенным обозначениям из второй группы символов серийного номера изделия, следующих после разделительного знака «-». Кодировка соответствует порядку букв латинского алфавита, начиная с января 2010 года: 000000-MY0000000, где «М» - месяц производства (А - январь, В - февраль, С - март и т.д.) и «Y» - год производства (А - 2010, В - 2011, С - 2012 и т.д.).

Este equipamento opera em caráter secundário, isto é, não tem direito a proteção contra interferência prejudicial, mesmo de estações do mesmo tipo, e não pode causar interferência a sistemas operando em caráter primário"

Este produto está homologado pela ANATEL, de acordo com os procedimentos regulamentados pela Resolução 242/2000, e atende aos requisitos técnicos aplicados.

Para maiores informações, consulte o site da ANATEL - www.anatel.gov.br



(01)07896359541133



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.