




A.3 SAR Measurement Data

A.3.1 Left Side

									
Cheek/Touch Position		Ear/Tilt Position							
GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3)					Date : May 30, 2007				
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]	
EUT Position	Antenna	Channel	MHz	Start	End				
Cheek/Touch	Fixed	0512	1850.20	--	--	1.6	**	--	
		0661	1880.00	28.96	28.90		0.157	23.0	
		0810	1909.80	--	--		**	--	
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--	
		0661	1880.00	28.96	28.90		0.158	23.0	
		0810	1909.80	--	--		**	--	
NOTES :									
1. Depth of Liquid : 15.0 cm									
2. Transmitter power was measured at the antenna-conducted terminal.									
3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.									
4. Please refer to attachment for the result presentation in plot format.									

A.3.2 Right Side



Cheek/Touch Position


Ear/Tilt Position

GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3)						Date : May 30, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.96	28.90		0.154	23.0
		0810	1909.80	--	--		**	--
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.96	28.90		0.162	23.0
		0810	1909.80	--	--		**	--

NOTES :


1. Depth of Liquid : 15.0 cm
2. Transmitter power was measured at the antenna-conducted terminal.
3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
4. Please refer to attachment for the result presentation in plot format.

A.3.3 Left Side – slide closed style



GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3)						Date : May 30, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.96	28.90		0.359	23.0
		0810	1909.80	--	--		**	--
Ear/Tilt	Fixed	0512	1850.20	28.81	28.77	1.6	0.439	23.0
		0661	1880.00	28.96	28.90		0.466	23.0
		0810	1909.80	28.87	28.83		0.547	23.0
GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3) co-located with Bluetooth								
Ear/Tilt	Fixed	0810	1909.80	28.87	28.83	1.6	0.566	23.0
NOTES :								
<ol style="list-style-type: none"> 1. Depth of Liquid : 15.0 cm 2. Transmitter power was measured at the antenna-conducted terminal. 3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit. 4. Please refer to attachment for the result presentation in plot format. 								

A.3.4 Right Side – slide closed style




Cheek/Touch Position

Ear/Tilt Position

GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3)						Date : May 30, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.96	28.90		0.354	23.0
		0810	1909.80	--	--		**	--
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.96	28.90		0.366	23.0
		0810	1909.80	--	--		**	--

- NOTES :
1. Depth of Liquid : 15.0 cm
 2. Transmitter power was measured at the antenna-conducted terminal.
 3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
 4. Please refer to attachment for the result presentation in plot format.

A.3.5 Body-worn Position



GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3)						Date : May 31, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
Separation	Antenna	Channel	MHz	Start	End			
1.5 cm	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.96	28.90		0.237	23.0
		0810	1909.80	--	--		**	--
GSM 1900 (Duty Cycle: 12.0 %, Crest Factor: 8.3) co-located with Bluetooth								
1.5 cm	Fixed	0661	1880.00	28.96	28.90	1.6	0.249	23.0
GSM 1900 GSM+GPRS (Duty Cycle: 24.0 %, Crest Factor: 4.2)								
1.5 cm	Fixed	0512	1850.20	28.78	28.73	1.6	0.489	23.0
		0661	1880.00	28.92	28.84		0.436	23.0
		0810	1909.80	28.84	28.78		0.397	23.0
NOTES :								
1. Depth of Liquid : 15.0 cm								
2. Transmitter power was measured at the antenna-conducted terminal.								
3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.								
4. The earphone wire connected to the EUT to simulate hand-free operation in a body-worn configuration.								
5. Please refer to attachment for the result presentation in plot format.								