


P	LYR	DESCRIPTION	DATE	DWN	APVD
A3		REVISED	02JUL2007	H. I	H.U

RESTRICTED TO SHARP CORPORATION

RF Antenna



1 FINISH:
 PLATING TO BE $15 \pm 2 \mu\text{m}$ OF ELECTROLESS COPPER
 OVERPLATED WITH $3 \pm 1.5 \mu\text{m}$ OF ELECTROLESS NICKEL
 OVERPLATED WITH $0.1 \mu\text{m}$ MIN OF ELECTROLESS GOLD
 POROSITY SEALING

2 MATERIAL:
 1st SHOT: PC
 2nd SHOT: ABS


- 3. MAXIMUM GATE VESTIGE HEIGHT 0.15 mm FROM SURFACE
- 4. BURR OF EJECTORS SHOULD NOT PROTRUDE
- 5. MAXIMUM ALLOWED BURR IS 0.20mm.

6 DATE STAMP / CAVITY ID SHOULD NOT PROTRUDE.
 (PRODUCTION TOOL ONLY)

7 CAVITY ID CHARACTER (AS PERMITS)

8. DRAWING REFERENCES 'SHARP_JNL120/TOX81_2SHOT V01'

9 MAXIMUM ALLOWED BURR IS 0.1 mm



- 1 ; AS SHOWN

TOLERANCES UNLESS OTHERWISE SPECIFIED	
DIMENSION	TOLERANCE
0 - 100	0.1
100 - 250	0.15
250 - 400	0.2
400 - 500	0.3
500 -	0.5

<small>IF YOU REQUIRE TO CONTROL THE PROPERTY OF THIS DRAWING OR INFORMATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN D NOZUE 09FEB2007 CHK H USUI 09FEB2007 APVD H USUI 09FEB2007		Tyco Electronics AMP K.K. Kawasaki, Japan	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±SEE TABLE 3 PLC ± 4 PLC ± ANGLES # 2		NAME MID ANTENNA FOR 880SH	
MATERIAL 2 FINISH 1		PRODUCT SPEC APPLICATION SPEC		SIZE CAGE CODE DRAWING NO A300779 C-1981745	
RESTRICTED CUSTOMER		WEIGHT 1.14 g		RESTRICTED TO SHP	
		SCALE 2:1		SHEET 1 OF 2 REV A3	