


A.3 SAR Measurement Data

A.3.1 Left Side




WCDMA Band-V (Duty Cycle: 100 %, Crest Factor: 1)						Date : November 30, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Average)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	4132	826.40	23.26	23.26	1.6	0.394	23.0
		4182	836.40	23.29	23.29		0.442	23.0
		4233	846.60	23.01	23.01		0.382	23.0
Ear/Tilt	Fixed	4132	826.40	--	--	1.6	**	--
		4182	836.40	23.29	23.29		0.244	23.0
		4233	846.60	--	--		**	--

NOTES :

1. Depth of Liquid : 15.0 cm
2. Transmitter power was measured at the antenna-conducted terminal.
3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
4. Please refer to attachment for the result presentation in plot format.

A.3.2 Right Side



Cheek/Touch Position


Ear/Tilt Position

WCDMA Band-V (Duty Cycle: 100 %, Crest Factor: 1)						Date : November 30, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Average)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	4132	826.40	--	--	1.6	**	--
		4182	836.40	23.29	23.29		0.383	23.0
		4233	846.60	--	--		**	--
Ear/Tilt	Fixed	4132	826.40	--	--	1.6	**	--
		4182	836.40	23.29	23.29		0.249	23.0
		4233	846.60	--	--		**	--

NOTES :

1. Depth of Liquid : 15.0 cm
2. Transmitter power was measured at the antenna-conducted terminal.
3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
4. Please refer to attachment for the result presentation in plot format.

A.3.3 Body-worn Position



WCDMA Band-V (Duty Cycle: 100 %, Crest Factor: 1)						Date : November 30, 2007		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
Separation	Antenna	Channel	MHz	Start	End			
1.5 cm	Fixed	4132	826.40	23.26	23.26	1.6	0.411	23.0
		4182	836.40	23.29	23.29		0.396	23.0
		4233	846.60	23.01	23.01		0.407	23.0

- NOTES :
1. Depth of Liquid : 15.0 cm
 2. Transmitter power was measured at the antenna-conducted terminal.
 3. The earphone wire connected to the EUT to simulate hand-free operation in a body-worn configuration.
 4. Please refer to attachment for the result presentation in plot format.