


### A.3 SAR Measurement Data

#### A.3.1 Left Side




EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.85	28.85		0.192	22.0
		0810	1909.80	--	--		**	--
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.85	28.85		0.0844	22.0
		0810	1909.80	--	--		**	--

NOTES :


1. Depth of Liquid : 15.0 cm
2. Transmitter power was measured at the antenna-conducted terminal.
3. The SAR result marked at \*\* is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
4. Please refer to attachment for the result presentation in plot format.

**A.3.2 Right Side**



GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8)						Date : January 15, 2008		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	28.85	28.85	1.6	0.235	22.0
		0661	1880.00	28.85	28.85		0.274	22.0
		0810	1909.80	28.83	28.83		0.316	22.0
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.85	28.85		0.0862	22.0
		0810	1909.80	--	--		**	--
GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8) co-located with Bluetooth								
Cheek/Touch	Fixed	0810	1909.80	28.83	28.83	1.6	0.319	22.0
NOTES :								
<ol style="list-style-type: none"> <li>1. Depth of Liquid : 15.0 cm</li> <li>2. Transmitter power was measured at the antenna-conducted terminal.</li> <li>3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.</li> <li>4. Please refer to attachment for the result presentation in plot format.</li> </ol>								

**A.3.3 Body-worn Position**



GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8)						Date : January 16, 2008		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
Separation	Antenna	Channel	MHz	Start	End			
1.5 cm	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.85	28.85		0.164	22.0
		0810	1909.80	--	--		**	--
GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8) co-located with Bluetooth								
1.5 cm	Fixed	0661	1880.00	28.85	28.85	1.6	0.165	22.0
GSM 1900 GSM+GPRS (Duty Cycle: 25.0 %, Crest Factor: 4)								
1.5 cm	Fixed	0512	1850.20	28.79	28.75	1.6	<b>0.362</b>	22.0
		0661	1880.00	28.79	28.75		0.316	22.0
		0810	1909.80	28.77	28.73		0.347	22.0
GSM 1900 GSM+EGPRS (Duty Cycle: 25.0 %, Crest Factor: 4)								
1.5 cm	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.23	28.21		0.134	22.0
		0810	1909.80	--	--		**	--

- NOTES :
1. Depth of Liquid : 15.0 cm
  2. Transmitter power was measured at the antenna-conducted terminal.
  3. The SAR result marked at \*\* is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
  4. The earphone wire connected to the EUT to simulate hand-free operation in a body-worn configuration.
  5. Please refer to attachment for the result presentation in plot format.