


A.3 SAR Measurement Data


A.3.1 Left Side



GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8)						Date : February 5, 2008		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	29.08	29.08		0.352	21.0
		0810	1909.80	--	--		**	--
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	29.08	29.08		0.132	21.0
		0810	1909.80	--	--		**	--


- NOTES :
1. Depth of Liquid : 15.0 cm
 2. Transmitter power was measured at the antenna-conducted terminal.
 3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
 4. Please refer to attachment for the result presentation in plot format.

A.3.2 Right Side



GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8)						Date : February 5, 2008		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
EUT Position	Antenna	Channel	MHz	Start	End			
Cheek/Touch	Fixed	0512	1850.20	29.14	29.14	1.6	0.386	21.0
		0661	1880.00	29.08	29.08		0.461	21.0
		0810	1909.80	29.02	29.02		0.430	21.0
Ear/Tilt	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	29.08	29.08		0.127	21.0
		0810	1909.80	--	--		**	--
GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8) co-located with Bluetooth								
Cheek/Touch	Fixed	0661	1880.00	29.08	29.08	1.6	0.464	21.0
NOTES :								
<ol style="list-style-type: none"> 1. Depth of Liquid : 15.0 cm 2. Transmitter power was measured at the antenna-conducted terminal. 3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit. 4. Please refer to attachment for the result presentation in plot format. 								

A.3.3 Body-worn Position



GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8)						Date : February 6, 2008		
EUT Set-up Configuration		Frequency		Power [dBm] (Peak)		Limit [mW/g]	SAR (1g) [mW/g]	Tissue Temp. [°C]
Separation	Antenna	Channel	MHz	Start	End			
1.5 cm	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	29.08	29.08		0.173	22.0
		0810	1909.80	--	--		**	--
GSM 1900 (Duty Cycle: 12.5 %, Crest Factor: 8) co-located with Bluetooth								
1.5 cm	Fixed	0661	1880.00	29.08	29.08	1.6	0.172	22.0
GSM 1900 GSM+GPRS (Duty Cycle: 25.0 %, Crest Factor: 4)								
1.5 cm	Fixed	0512	1850.20	29.12	29.12	1.6	0.364	22.0
		0661	1880.00	29.06	29.06		0.313	22.0
		0810	1909.80	28.99	28.99		0.367	22.0
GSM 1900 GSM+EGPRS (Duty Cycle: 25.0 %, Crest Factor: 4)								
1.5 cm	Fixed	0512	1850.20	--	--	1.6	**	--
		0661	1880.00	28.47	28.47		0.134	22.0
		0810	1909.80	--	--		**	--

NOTES :

1. Depth of Liquid : 15.0 cm
2. Transmitter power was measured at the antenna-conducted terminal.
3. The SAR result marked at ** is optional, because the SAR measured at the middle channel for that configuration is at least 3.0 dB lower than the SAR limit.
4. The earphone wire connected to the EUT to simulate hand-free operation in a body-worn configuration.
5. Please refer to attachment for the result presentation in plot format.