


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	23FEB2009	H.I	H.U

RESTRICTED TO SHARP CORPORATION



1 FINISH:
 PLATING TO BE 15±2 μm OF ELECTROLESS COPPER
 OVERPLATED WITH 3±1.5 μm OF ELECTROLESS NICKEL
 OVERPLATED WITH 0.1μm MIN OF ELECTROLESS GOLD
 POROSITY SEALING

2 MATERIAL: THERMOPLASTIC
 3. MAXIMUM GATE VESTIGE HEIGHT 0.15 mm FROM SURFACE.
 4. BURR OF EJECTORS SHOULD NOT PROTRUDE.
 5. MAXIMUM ALLOWED BURR IS 0.20mm.

6 DATE STAMP SHOULD NOT PROTRUDE.
 (PRODUCTION TOOL ONLY)

7 CAVITY ID SHOULD NOT PROTRUDE.
 8. DRAWING REFERENCES 'SHARP_C160_2SHOT_V06'

- 1 : AS SHOWN

REVISION HISTORY

REV	DATE	DESCRIPTION
A	23FEB2009	TRAY DRAWING IS ADDED. THE LOW BAND PATTERN IS CUT. AND THE DRAWING IS RELEASED.
1	06JAN2009	PROPOSED

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
 IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
 SHOULD BE CONTACTED FOR THE LATEST REVISION.

TOLERANCES UNLESS OTHERWISE SPECIFIED	
DIMENSION	TOLERANCE
0 - 100	0.1
100 - 250	0.15
250 - 400	0.2
400 - 500	0.3
500 -	0.5

DIMENSIONS: mm	

TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 PLC	±
1 PLC	±
2 PLC	±SEE TABLE
3 PLC	±
4 PLC	±
ANGLES	±2

DWN H. IKEDA 05JAN2009	Tyco Electronics Corporation Kawasaki, Japan	
CHK Y. TAKADA 06JAN2009	Tyco Electronics	
APVD H. USUI 06JAN2009	NAME	
PRODUCT SPEC -	MID ANTENNA FOR C160	
APPLICATION SPEC -	SIZE A300779	DRAWING NO C-2069373
WEIGHT 1.30g	CAGE CODE	RESTRICTED TO SHP
RESTRICTED CUSTOMER	SCALE 2:1	SHEET 1 OF 2 REV A