






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2009
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J		2	REVISED	19OCT2009	T.A H.U

RESTRICTED TO SHARP CORPORATION



AS SHOWN ; - 1



TOLERANCES UNLESS OTHERWISE SPECIFIED	
DIMENSION	TOLERANCE
0 - 100	0.1
100 - 250	0.15
250 - 400	0.2
400 - 500	0.3
500 -	0.5

- 1 FINISH:
PLATING TO BE 15±2 μm OF ELECTROLESS COPPER OVERPLATED WITH 3±1.5 μm OF ELECTROLESS NICKEL OVERPLATED WITH 0.1μm MIN OF ELECTROLESS GOLD POROSITY SEALING
- 2 MATERIAL:THERMOPLASTIC (COLOR WHITE)
- 3. MAXIMUM GATE VESTIGE HEIGHT 0.15 mm FROM SURFACE.
- 4. BURR OF EJECTORS SHOULD NOT PROTRUDE.
- 5. MAXIMUM ALLOWED BURR IS 0.20mm.
- 6 DATE STAMP SHOULD NOT PROTRUDE. (PRODUCTION TOOL ONLY)
- 7 CAVITY ID POSITION
- 8. DRAWING REFERENCES 'SHARP_C185sub_2shot_Ver10'

REVISION HISTORY

REV	DATE	DESCRIPTION
2	19OCT2009	THE ELEMENTS ARE CHANGED THE EXTERNAL SHAPE IS CHANGED
1	4AUG2009	PROPOSED

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN 04AUG2009 T.ABE		Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±SEE TABLE 3 PLC ± 4 PLC ± ANGLES ±2°		APVD 04AUG2009 Y. YAMAMOTO	
MATERIAL 2		FINISH 1		NAME MID ANTENNA C185 SUB	
		PRODUCT SPEC APPLICATION SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO A300779G-1554627 SHP	
		WEIGHT 0.64g		SCALE 2:1 SHEET 1 OF 1 REV 2	
RESTRICTED CUSTOMER					