



### A.3 SAR Measurement Data


#### A.3.1 Left Head

							
<b>Cheek/Touch Position</b>				<b>Ear/Tilt Position</b>			
GSM (Duty Cycle: 12.0 %, Crest Factor: 8.3)						Date : May 10, 2011	
Test Position	Ch No.	Frequency [MHz]	Tx Power [dBm]	Power Drift [dB]	Limit [mW/g]	1g SAR [mW/g]	Tissue Temp. [°C]
Cheek/Touch	661	1880.00	29.05	-0.018	1.6	0.189	23.0
Ear/Tilt	661	1880.00	29.05	-0.040	1.6	0.062	23.0
NOTES : 1. Depth of Liquid : 15.0 cm 2. Transmitter power was measured at the antenna-conducted terminal. 3. Please refer to attachment for the result presentation in plot format.							

### A.3.2 Right Head

							
<b>Cheek/Touch Position</b>				<b>Ear/Tilt Position</b>			
GSM (Duty Cycle: 12.0 %, Crest Factor: 8.3)						Date : May 10, 2011	
Test Position	Ch No.	Frequency [MHz]	Tx Power [dBm]	Power Drift [dB]	Limit [mW/g]	1g SAR [mW/g]	Tissue Temp. [°C]
Cheek/Touch	512	1850.20	28.99	-0.065	1.6	0.239	23.0
	661	1880.00	29.05	-0.025		0.246	23.0
	810	1909.80	29.06	-0.007		<b>0.281</b>	23.0
Ear/Tilt	661	1880.00	29.05	-0.050	1.6	0.068	23.0
NOTES : 1. Depth of Liquid : 15.0 cm 2. Transmitter power was measured at the antenna-conducted terminal. 3. Please refer to attachment for the result presentation in plot format.							

**A.3.3 Body w/ 1.5 cm**

							
<b>Rear Position</b>				<b>Front Position</b>			
GPRS 2 slot (Duty Cycle: 24.0 %, Crest Factor: 4.15)						Date : May 2, 2011	
Test Position	Ch No.	Frequency [MHz]	Tx Power [dBm]	Power Drift [dB]	Limit [mW/g]	1g SAR [mW/g]	Tissue Temp. [°C]
Rear	661	1880.00	28.98	-0.020	1.6	0.394	22.0
Front	512	1850.20	28.91	-0.023	1.6	<b>0.533</b>	22.0
	661	1880.00	28.98	-0.015		0.498	22.0
	810	1909.80	28.99	-0.022		0.527	22.0
Front w/ headset	512	1850.20	28.91	-0.020	1.6	0.392	22.0
NOTES : 1. Depth of Liquid : 15.0 cm 2. Transmitter power was measured at the antenna-conducted terminal. 3. Please refer to attachment for the result presentation in plot format.							