




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 2, Spurious Radiated Emissions Results

Frequency (MHz)	QP Level (dBµV/m)	QP Margin (dBµV/m)	QP Level (µV/m)	QP Margin (µV/m)	Angle (°)	Height (m)	Polarisation
33.736	28.8	-11.2	27.5	-72.5	360	3.92	Vertical
43.414	24.1	-15.9	16.0	-84.0	0	3.38	Vertical
88.513	23.4	-20.1	14.8	-135.2	59	1.00	Vertical
98.200	20.8	-22.7	11.0	-139.0	225	1.00	Vertical
732.884	32.1	-13.9	40.3	-159.7	0	3.67	Vertical
813.642	32.8	-13.2	43.7	-156.3	129	3.98	Vertical

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 2, Spurious Radiated Emissions Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 1 GHz to 40 GHz, Frequency Band 2, Spurious Radiated Emissions Results

Frequency (MHz)	Final Peak (dBµV/m)	Final Average (dBµV/m)	Final Peak (µV/m)	Final Average (µV/m)	Angle (°)	Height (m)	Polarisation
*							

*No emissions were detected within 10 dB of the limit.

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 1 GHz to 7 GHz, Frequency Band 2, Spurious Radiated Emissions Plot




Date: 22.APR.2015 00:10:47




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 7 GHz to 8 GHz, Frequency Band 2, Spurious Radiated Emissions Plot



Date: 26.APR.2015 12:32:05

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 8 GHz to 18 GHz, Frequency Band 2, Spurious Radiated Emissions Plot




Date: 28.APR.2015 17:49:15



Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, MCS0, 18 GHz to 40 GHz, Frequency Band 2, Spurious Radiated Emissions Plot



Date: 3.MAY.2015 11:06:34




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 3, Spurious Radiated Emissions Results

Frequency (MHz)	QP Level (dBµV/m)	QP Margin (dBµV/m)	QP Level (µV/m)	QP Margin (µV/m)	Angle (°)	Height (m)	Polarisation
31.207	30.4	-9.6	33.1	-66.9	295	1.00	Horizontal
34.804	28.6	-11.4	26.9	-73.1	63	2.68	Vertical
88.500	26.5	-17.0	21.1	-128.9	104	1.00	Vertical
98.204	23.4	-20.1	14.8	-135.2	358	1.00	Vertical
764.205	33.7	-12.3	48.4	-151.6	206	3.63	Vertical
870.553	33.6	-12.4	47.9	-152.1	312	3.60	Horizontal

802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 3, Spurious Radiated Emissions Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, MCS0, 1 GHz to 40 GHz, Frequency Band 3, Spurious Radiated Emissions Results

Frequency (MHz)	Final Peak (dBµV/m)	Final Average (dBµV/m)	Final Peak (µV/m)	Final Average (µV/m)	Angle (°)	Height (m)	Polarisation
7346.687	51.61	48.72	380.63	272.90	352	177	Vertical

No other emissions were detected within 10 dB of the limit.

802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, MCS0, 1 GHz to 7 GHz, Frequency Band 3, Spurious Radiated Emissions Plot




Date: 26.APR.2015 04:53:32



Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5510 MHz, MCS0, 18 GHz to 40 GHz, Frequency Band 3, Spurious Radiated Emissions Plot



Date: 3.MAY.2015 11:23:00




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 3, Spurious Radiated Emissions Results

Frequency (MHz)	QP Level (dBµV/m)	QP Margin (dBµV/m)	QP Level (µV/m)	QP Margin (µV/m)	Angle (°)	Height (m)	Polarisation
32.616	29.7	-10.3	30.5	-69.5	143	1.00	Vertical
41.831	25.2	-14.8	18.2	-81.8	25	1.00	Vertical
88.502	26.1	-17.4	20.2	-129.8	165	1.00	Vertical
98.212	26.6	-16.9	21.4	-128.6	360	1.00	Vertical
763.041	33.5	-12.5	47.3	-152.7	188	1.00	Vertical
909.601	34.1	-11.9	50.7	-149.3	0	1.00	Horizontal

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 3, Spurious Radiated Emissions Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 1 GHz to 40 GHz, Frequency Band 3, Spurious Radiated Emissions Results

Frequency (MHz)	Final Peak (dBµV/m)	Final Average (dBµV/m)	Final Peak (µV/m)	Final Average (µV/m)	Angle (°)	Height (m)	Polarisation
*							

*No emissions were detected within 10 dB of the limit.

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 1 GHz to 7 GHz, Frequency Band 3, Spurious Radiated Emissions Plot




Date: 26.APR.2015 05:21:29




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 7 GHz to 8 GHz, Frequency Band 3, Spurious Radiated Emissions Plot



Date: 26.APR.2015 12:39:53

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 8 GHz to 18 GHz, Frequency Band 3, Spurious Radiated Emissions Plot




Date: 28.APR.2015 18:20:56



Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5590 MHz, MCS0, 18 GHz to 40 GHz, Frequency Band 3, Spurious Radiated Emissions Plot



Date: 3.MAY.2015 13:57:48




Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5670 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 3, Spurious Radiated Emissions Results

Frequency (MHz)	QP Level (dBµV/m)	QP Margin (dBµV/m)	QP Level (µV/m)	QP Margin (µV/m)	Angle (°)	Height (m)	Polarisation
32.179	29.8	-10.2	30.9	-69.1	183	1.00	Vertical
44.792	23.9	-16.1	15.7	-84.3	322	1.00	Vertical
88.491	27.1	-16.4	22.6	-127.4	0	1.00	Vertical
98.209	26.5	-17.0	21.1	-128.9	313	1.04	Vertical
597.994	30.4	-15.6	33.1	-166.9	311	1.25	Horizontal
736.418	32.4	-13.6	41.7	-158.3	51	1.00	Horizontal

802.11n - 5 GHz 40 MHz Bandwidth, 5670 MHz, MCS0, 30 MHz to 1 GHz, Frequency Band 3, Spurious Radiated Emissions Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5670 MHz, MCS0, 1 GHz to 40 GHz, Frequency Band 3, Spurious Radiated Emissions Results

Frequency (MHz)	Final Peak (dBµV/m)	Final Average (dBµV/m)	Final Peak (µV/m)	Final Average (µV/m)	Angle (°)	Height (m)	Polarisation
*							

*No emissions were detected within 10 dB of the limit.

802.11n - 5 GHz 40 MHz Bandwidth, 5670 MHz, MCS0, 1 GHz to 7 GHz, Frequency Band 3, Spurious Radiated Emissions Plot




Date: 26.APR.2015 05:52:08



Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5670 MHz, MCS0, 18 GHz to 40 GHz, Frequency Band 3, Spurious Radiated Emissions Plot



Date: 3.MAY.2015 14:09:24

FCC 47 CFR Part 15, Limit Clause 15.407 (b)(1)(2)(3)(4)(6)(7)

Outside the 5.15 GHz to 5.35 GHz band	-27 dBm/MHz
Outside the 5.25 GHz to 5.35 GHz band	-27 dBm/MHz
Outside the 5.47 GHz to 5.725 GHz band	-27 dBm/MHz

FCC 47 CFR Part 15, Limit Clause 15.205

	Peak (dBμV/m)	Average (dBμV/m)
Restricted Bands of Operation	74	54

FCC 47 CFR Part 15, Limit Clause 15.209

Frequency (MHz)	Field Strength			Measurement Distance (m)
	(μV/m)	Average (dBμV/m)	Peak (dBμV/m)	
30-88	100	40.0	60.0	3
88-216	150	43.5	63.5	3
216-960	200	46.0	66.0	3
Above 960	500	54.0	74.0	3



Product Service

2.6 FREQUENCY STABILITY

2.6.1 Specification Reference

FCC 47 CFR Part 15E, Clause 15.407 (g)

2.6.2 Equipment Under Test and Modification State

SHV32 S/N: IMEI 004401115406445 - Modification State 0

2.6.3 Date of Test

29 April 2015, 30 April 2015 & 1 May 2015

2.6.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.6.5 Test Procedure

The spectrum analyser settings were configured as defined in KDB 789033 D02 V01, Section II clause E.2 Method SA-2 Alternative, except the span was adjusted to contain the band edge to determine whether the frequency stability of the emission is maintained within the band of operation under all conditions as specified in the user manual.

For modes which support simultaneous transmissions from multiple outputs, the limit was reduced by 3 dB as specified in KDB 662911 D01 v02r01.

2.6.6 Environmental Conditions

Ambient Temperature	22.7 - 24.7°C
Relative Humidity	32.2%




Product Service


2.6.7 Test Results

Duty cycle : 93.79 %

802.11a, 5180 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11a, 5180 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






802.11a, 5180 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot



Date: 29.APR.2015 16:09:30

802.11a, 5180 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot




Date: 29.APR.2015 12:33:44




Product Service

802.11a, 5320 MHz, -10.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11a, 5320 MHz, -10.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






802.11a, 5320 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot



Date: 29.APR.2015 15:57:11

802.11a, 5320 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot




Date: 29.APR.2015 15:09:28




Product Service

802.11a, 5500 MHz, -10.0, 3.7 V DC, Frequency Band 3, Frequency Stability Plot




802.11a, 5500 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






802.11a, 5500 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:55:56

802.11a, 5500 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




Date: 29.APR.2015 15:12:32




Product Service

802.11a, 5700 MHz, -10.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11a, 5700 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






802.11a, 5700 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:41:06

802.11a, 5700 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:39:51

FCC 47 CFR Part 15, Limit Clause 15.407 (g)


Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

Duty cycle : 94.50%

802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot



Date: 29.APR.2015 16:06:34

802.11ac - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot




Date: 29.APR.2015 15:37:28




Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, -10.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, -10.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot



Date: 29.APR.2015 16:00:47

802.11ac - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot




Date: 29.APR.2015 15:06:39




Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:53:39

802.11ac - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




Date: 29.APR.2015 15:29:29




Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, -10.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot




802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:44:37

802.11ac - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:37:28

FCC 47 CFR Part 15, Limit Clause 15.407 (g)


Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

Duty cycle : 90.60%

802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot





Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5310 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot




802.11ac - 5 GHz 40 MHz Bandwidth, 5310 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot






Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5510 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 40 MHz Bandwidth, 5510 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot





Product Service

802.11ac - 5 GHz 40 MHz Bandwidth, 5670 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 40 MHz Bandwidth, 5670 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot



FCC 47 CFR Part 15, Limit Clause 15.407 (g)


Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.



Product Service

Duty cycle : 81.72%

802.11ac - 5 GHz 80 MHz Bandwidth, 5210 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot



802.11ac - 5 GHz 80 MHz Bandwidth, 5210 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot





Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5290 MHz, +55.0, 3.7 V DC, Frequency Band 2, Frequency Stability Plot



802.11ac - 5 GHz 80 MHz Bandwidth, 5290 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot





Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, -10.0, 3.7 V DC, Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot





Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 80 MHz Bandwidth, 5530 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot





Product Service

802.11ac - 5 GHz 80 MHz Bandwidth, 5610 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



802.11ac - 5 GHz 80 MHz Bandwidth, 5610 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot



FCC 47 CFR Part 15, Limit Clause 15.407 (g)


Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

Duty cycle : 94.95%

802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot



Date: 29.APR.2015 16:07:41

802.11n - 5 GHz 20 MHz Bandwidth, 5180 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot




Date: 29.APR.2015 12:35:46




Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot



Date: 29.APR.2015 15:58:20

802.11n - 5 GHz 20 MHz Bandwidth, 5320 MHz, +55.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot




Date: 29.APR.2015 15:08:13



Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, -10.0, 3.7 V DC, Frequency Band 3, Frequency Stability Plot




802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, -10.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot






Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:50:53

802.11n - 5 GHz 20 MHz Bandwidth, 5500 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot




Date: 29.APR.2015 15:13:38




Product Service

802.11n - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 3.7 V DC Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:42:55

802.11n - 5 GHz 20 MHz Bandwidth, 5700 MHz, +55.0, 4.0 V DC, Frequency Band 3, Frequency Stability Plot



Date: 29.APR.2015 15:38:47

FCC 47 CFR Part 15, Limit Clause 15.407 (g)


Fundamental shall be maintained within the band of operation under all conditions of normal operations as specified in the user's manual.




Product Service

Duty cycle : 91.47%

802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 3.7 V DC, Frequency Band 1, Frequency Stability Plot




802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, -10.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot






Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 3.7 V DC Frequency Band 1, Frequency Stability Plot




802.11n - 5 GHz 40 MHz Bandwidth, 5190 MHz, +55.0, 4.0 V DC, Frequency Band 1, Frequency Stability Plot





Product Service

802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, -10.0, 3.7 V DC Frequency Band 2, Frequency Stability Plot



802.11n - 5 GHz 40 MHz Bandwidth, 5310 MHz, -10.0, 4.0 V DC, Frequency Band 2, Frequency Stability Plot

