

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT
INTENTIONAL RADIATOR CERTIFICATION TO
FCC PART 22 SUBPART H, PART 24 SUBPART E and
PART 27 SUBPART B, C, F, G & H REQUIREMENT

OF

Applicant: Sharp Corporation, Mobile Communication B.U.
2-13-1, Hachihonmatsu-lida, Higashi-hiroshima-shi,
Hiroshima 739-0192, Japan

Manufacturer: Sharp Corporation
1 Takumi-cho, Sakai-ku, Sakai City, Osaka 590-8522, Japan

Product Name: Smart Phone

Report Number: ER/2019/A0070

FCC ID: APYHRO00279

FCC Rule Part: 2, 22H & 24E & 27B, C, F, G & H

Issue Date: Nov. 21, 2019

Date of Test: Oct. 16, 2019 ~ Nov. 15, 2019

Date of EUT Received: Oct. 16, 2019

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.26-2015 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Approved By: _____

Jay Lin

Jay Lin / Asst. Supervisor



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Revision History | | | |
|------------------|-------------|---------------|-------------------------|
| Revision | Description | Issue Date | Remark |
| Rev.00 | Original. | Nov. 21, 2019 | Revised By: Karen Huang |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

| | |
|---|-----|
| 1. GENERAL PRODUCT INFORMATION | 4 |
| 2. SYSTEM TEST CONFIGURATION | 9 |
| 3. SUMMARY OF TEST RESULTS | 12 |
| 4. DESCRIPTION OF TEST MODES | 13 |
| 5. MEASUREMENT UNCERTAINTY | 20 |
| 6. MAXMUM OUTPUT POWER..... | 21 |
| 7. OCCUPIED BANDWIDTH MEASUREMENT..... | 55 |
| 8. OUT OF BAND EMISSION AT ANTENNA TERMINALS | 102 |
| 9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT | 164 |
| 10. FREQUENCY STABILITY MEASUREMENT..... | 235 |
| 11. PEAK TO AVERAGE RATIO..... | 243 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

| | |
|----------------------|---|
| Product Name: | Smart Phone |
| Hardware Version: | DVT |
| Software Version: | N/A |
| Power Supply: | 3.85V from Rechargeable Li-ion Battery |
| Antenna Designation: | Inverted-F Antenna, Gain: -6.6dBi (GSM/GPRS 850, WCDMA B5, LTE B5), -2.6dBi (GSM/GPRS 1900, WCDMA B2, LTE B2), -3.0dBi (WCDMA B4, LTE B4), -8.9dBi (LTE B12, LTE B17), -6.6dBi (LTE B13) |
| IMEI: | 004401116941077 / 004401116941085 / 004401116941093 004401116940848 / 004401116940830 / 004401116940806 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.2. GSM / WCDMA / LTE: Cellular Phone Standards Frequency Range

| Operating Frequency (MHz) | |
|---------------------------|-----------------|
| GSM/GPRS 850 | 824.2 - 848.8 |
| GSM/GPRS 1900 | 1850.2 - 1909.8 |

| Operating Frequency (MHz) | |
|---------------------------|-----------------|
| WCDMA / HSPA+ Band II | 1852.4 - 1907.6 |
| WCDMA / HSPA+ Band IV | 1712.4 - 1752.6 |
| WCDMA / HSPA+ Band V | 826.4 - 846.6 |

| LTE Band | BW (MHz) | Operation Frequency (MHz) |
|----------|----------|---------------------------|
| 2 | 1.4 | 1850.7 - 1909.3 |
| | 3 | 1851.5 - 1908.5 |
| | 5 | 1852.5 - 1907.5 |
| | 10 | 1855.0 - 1905.0 |
| | 15 | 1857.5 - 1902.5 |
| | 20 | 1860.0 - 1900.0 |
| 4 | 1.4 | 1710.7 - 1754.3 |
| | 3 | 1711.5 - 1753.5 |
| | 5 | 1712.5 - 1752.5 |
| | 10 | 1715.0 - 1780.0 |
| | 15 | 1717.5 - 1747.5 |
| | 20 | 1720.0 - 1745.0 |
| 5 | 1.4 | 824.7 - 848.3 |
| | 3 | 825.5 - 847.5 |
| | 5 | 826.5 - 846.5 |
| | 10 | 829.0 - 844.0 |
| 12 | 1.4 | 699.7 - 715.3 |
| | 3 | 700.5 - 714.5 |
| | 5 | 701.5 - 713.5 |
| | 10 | 704.0 - 711.0 |
| 13 | 5 | 779.5 - 784.5 |
| | 10 | 782 |
| 17 | 5 | 706.5 - 713.5 |
| | 10 | 709.0 - 711.0 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

| | ERP / EIRP (dBm) | | (W) | Type of Emission |
|-----------|------------------|------|--------------|------------------|
| GSM 850 | 23.68 | ERP | 0.233 | 243KGXW |
| GPRS 850 | 23.66 | ERP | 0.232 | 244KGXW |
| GSM 1900 | 26.55 | EIRP | 0.452 | 246KGXW |
| GPRS 1900 | 26.52 | EIRP | 0.449 | 248KGXW |

| | ERP / EIRP (dBm) | | (W) | Type of Emission |
|---------------|------------------|------|--------------|------------------|
| WCDMA Band II | 19.91 | EIRP | 0.098 | 4M16F9W |
| HSDPA Band II | 18.89 | EIRP | 0.077 | 4M15F9W |
| HSUPA Band II | 18.96 | EIRP | 0.079 | 4M15F9W |
| WCDMA Band IV | 19.31 | EIRP | 0.085 | 4M16F9W |
| HSDPA Band IV | 18.23 | EIRP | 0.067 | 4M16F9W |
| HSUPA Band IV | 18.25 | EIRP | 0.067 | 4M15F9W |
| WCDMA Band V | 15.21 | ERP | 0.033 | 4M14F9W |
| HSDPA Band V | 14.27 | ERP | 0.027 | 4M15F9W |
| HSUPA Band V | 14.12 | ERP | 0.026 | 4M16F9W |

| LTE Band | BW (MHz) | Modulation | ERP / EIRP (dBm) | | (W) | Type of Emission |
|----------|----------|------------|------------------|------|--------------|------------------|
| 2 | 1.4 | QPSK | 20.12 | EIRP | 0.103 | 1M10G7D |
| | 1.4 | 16QAM | 18.81 | EIRP | 0.076 | 1M10D7W |
| | 1.4 | 64QAM | 17.97 | EIRP | 0.063 | 1M10D7W |
| | 3 | QPSK | 20.04 | EIRP | 0.101 | 2M70G7D |
| | 3 | 16QAM | 19.37 | EIRP | 0.086 | 2M70D7W |
| | 3 | 64QAM | 18.60 | EIRP | 0.072 | 2M70D7W |
| | 5 | QPSK | 20.10 | EIRP | 0.102 | 4M51G7D |
| | 5 | 16QAM | 19.47 | EIRP | 0.089 | 4M51D7W |
| | 5 | 64QAM | 18.60 | EIRP | 0.072 | 4M52D7W |
| | 10 | QPSK | 20.05 | EIRP | 0.101 | 9M02G7D |
| | 10 | 16QAM | 19.42 | EIRP | 0.087 | 8M97D7W |
| | 10 | 64QAM | 18.55 | EIRP | 0.072 | 8M99D7W |
| | 15 | QPSK | 20.09 | EIRP | 0.102 | 13M5G7D |
| | 15 | 16QAM | 19.43 | EIRP | 0.088 | 13M5D7W |
| | 15 | 64QAM | 18.65 | EIRP | 0.073 | 13M5D7W |
| | 20 | QPSK | 20.19 | EIRP | 0.104 | 18M0G7D |
| | 20 | 16QAM | 19.48 | EIRP | 0.089 | 18M0D7W |
| | 20 | 64QAM | 18.68 | EIRP | 0.074 | 18M0D7W |

| LTE Band | BW (MHz) | Modulation | ERP / EIRP (dBm) | | (W) | Type of Emission |
|----------|----------|------------|------------------|------|--------------|------------------|
| 4 | 1.4 | QPSK | 18.73 | EIRP | 0.075 | 1M10G7D |
| | 1.4 | 16QAM | 18.19 | EIRP | 0.066 | 1M10D7W |
| | 1.4 | 64QAM | 17.38 | EIRP | 0.055 | 1M10D7W |
| | 3 | QPSK | 18.76 | EIRP | 0.075 | 2M70G7D |
| | 3 | 16QAM | 18.28 | EIRP | 0.067 | 2M70D7W |
| | 3 | 64QAM | 17.65 | EIRP | 0.058 | 2M70D7W |
| | 5 | QPSK | 18.73 | EIRP | 0.075 | 4M51G7D |
| | 5 | 16QAM | 18.17 | EIRP | 0.066 | 4M51D7W |
| | 5 | 64QAM | 17.71 | EIRP | 0.059 | 4M51D7W |
| | 10 | QPSK | 18.72 | EIRP | 0.074 | 9M02G7D |
| | 10 | 16QAM | 18.18 | EIRP | 0.066 | 8M97D7W |
| | 10 | 64QAM | 17.69 | EIRP | 0.059 | 8M99D7W |
| | 15 | QPSK | 18.79 | EIRP | 0.076 | 13M5G7D |
| | 15 | 16QAM | 18.19 | EIRP | 0.066 | 13M5D7W |
| | 15 | 64QAM | 17.62 | EIRP | 0.058 | 13M5D7W |
| | 20 | QPSK | 18.79 | EIRP | 0.076 | 17M9G7D |
| | 20 | 16QAM | 18.30 | EIRP | 0.068 | 18M0D7W |
| | 20 | 64QAM | 17.76 | EIRP | 0.060 | 17M9D7W |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| LTE Band | BW (MHz) | Modulation | ERP / EIRP (dBm) | | (W) | Type of Emission |
|----------|----------|------------|------------------|-------|--------------|------------------|
| 5 | 1.4 | QPSK | 14.12 | ERP | 0.026 | 1M09G7D |
| | 1.4 | 16QAM | 13.43 | ERP | 0.022 | 1M10D7W |
| | 1.4 | 64QAM | 12.19 | ERP | 0.017 | 1M10D7W |
| | 3 | QPSK | 14.21 | ERP | 0.026 | 2M70G7D |
| | 3 | 16QAM | 13.55 | ERP | 0.023 | 2M70D7W |
| | 3 | 64QAM | 12.85 | ERP | 0.019 | 2M71D7W |
| | 5 | QPSK | 14.16 | ERP | 0.026 | 4M51G7D |
| | 5 | 16QAM | 13.52 | ERP | 0.022 | 4M51D7W |
| | 5 | 64QAM | 12.80 | ERP | 0.019 | 4M51D7W |
| | 10 | QPSK | 14.24 | ERP | 0.027 | 9M01G7D |
| | 10 | 16QAM | 13.59 | ERP | 0.023 | 8M97D7W |
| | 10 | 64QAM | 12.86 | ERP | 0.019 | 9M01D7W |
| | 12 | 1.4 | QPSK | 11.65 | ERP | 0.015 |
| 1.4 | | 16QAM | 10.61 | ERP | 0.012 | 1M11D7W |
| 1.4 | | 64QAM | 10.09 | ERP | 0.010 | 1M10D7W |
| 3 | | QPSK | 11.92 | ERP | 0.016 | 2M68G7D |
| 3 | | 16QAM | 11.24 | ERP | 0.013 | 2M70D7W |
| 3 | | 64QAM | 10.82 | ERP | 0.012 | 2M68D7W |
| 5 | | QPSK | 12.03 | ERP | 0.016 | 4M50G7D |
| 5 | | 16QAM | 11.25 | ERP | 0.013 | 4M50D7W |
| 5 | | 64QAM | 10.85 | ERP | 0.012 | 4M50D7W |
| 10 | | QPSK | 12.04 | ERP | 0.016 | 9M01G7D |
| 10 | | 16QAM | 11.30 | ERP | 0.013 | 8M98D7W |
| 10 | | 64QAM | 10.94 | ERP | 0.012 | 9M00D7W |

| LTE Band | BW (MHz) | Modulation | ERP / EIRP (dBm) | | (W) | Type of Emission |
|----------|----------|------------|------------------|-------|--------------|------------------|
| 13 | 5 | QPSK | 14.39 | ERP | 0.027 | 4M49G7D |
| | 5 | 16QAM | 13.11 | ERP | 0.020 | 4M51D7W |
| | 5 | 64QAM | 12.63 | ERP | 0.018 | 4M51D7W |
| | 10 | QPSK | 14.51 | ERP | 0.028 | 8M98G7D |
| | 10 | 16QAM | 13.56 | ERP | 0.023 | 8M94D7W |
| | 10 | 64QAM | 12.85 | ERP | 0.019 | 8M98D7W |
| | 17 | 5 | QPSK | 11.93 | ERP | 0.016 |
| 5 | | 16QAM | 11.25 | ERP | 0.013 | 4M51D7W |
| 5 | | 64QAM | 10.36 | ERP | 0.011 | 4M52D7W |
| 10 | | QPSK | 12.06 | ERP | 0.016 | 9M00G7D |
| 10 | | 16QAM | 11.40 | ERP | 0.014 | 8M98D7W |
| 10 | | 64QAM | 10.42 | ERP | 0.011 | 8M98D7W |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.5. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Designation number: TW0001

1.6. Special Accessories

No special accessories were used during testing.

1.7. Equipment Modifications

There were no modifications incorporated into the EUT.

1.8. Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

| | RF cable loss (dB) | Attenuation factor(dB) | offset(dB) |
|-------------------------|--------------------|------------------------|------------|
| Low Band (Below 1GHz) | 0.2 | 14.8 | 15 |
| High Band (Above 1 GHz) | 0.5 | 14.5 | 15 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.5. Final Amplifier Voltage and Current Information:

| Test Mode | DC voltage (V) | DC current (mA) |
|-------------|----------------|-----------------|
| GPRS 850 | 3.85 | 967 |
| GPRS 1900 | | 976 |
| HSDPA B2 | | 861 |
| HSDPA B4 | | 953 |
| HSUPA B5 | | 943 |
| LTE Band 2 | | 1461 |
| LTE Band 4 | | 1441 |
| LTE Band 5 | | 1444 |
| LTE Band 12 | | 1404 |
| LTE Band 13 | | 1428 |
| LTE Band 17 | | 1444 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

| Item | Equipment | Mfr/Brand | Model/ Type No. | Series No. | Data Cable | Power Cord |
|------|------------------------------|-----------|--------------------|------------|------------|------------|
| 1. | Radio Communication Analyzer | Anritsu | MT8820C | 6200995019 | N/A | N/A |
| 2. | Radio Communication Analyzer | Anritsu | MT8815B | 6200711454 | N/A | N/A |
| 3. | DC Power Supply | Agilent | E3640A | MY52410006 | N/A | N/A |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3. SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|--|--|-----------|
| §2.1046(a) | RF Power Output | Compliant |
| §2.1046(a) §22.913(a)(5) §24.232(c) §27.50(a)(3) §27.50(c)(10) | ERP/ EIRP measurement | Compliant |
| §2.1049(h) | 99% & 26dB Occupied Bandwidth | Compliant |
| §2.1051 §22.917(a) §24.238(a) §27.53(g) §27.50(c)(5) §27.53(h) | Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements | Compliant |
| §2.1053 §22.917(a) §24.238(a) §27.53(c)(2),(4) §27.50(c)(5) §27.53(f) §27.53(g) §27.53(h) | Field Strength of Spurious Radiation | Compliant |
| §24.232(d) §27.50((B) | Peak to Average Ratio | Compliant |
| §2.1055(a)(1) §22.355 §24.235 §27.54 | Frequency Stability | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

| BAND | RADIATED EMISSION |
|--------------------|-------------------|
| GSM/GPRS 850 | H-plan |
| GSM/GPRS 1900 | H-plan |
| WCDMA/HSPA Band II | H-plan |
| WCDMA/HSPA Band IV | H-plan |
| WCDMA/HSPA Band V | H-plan |
| LTE Band 2 | H-plan |
| LTE Band 4 | H-plan |
| LTE Band 5 | H-plan |
| LTE Band 12 | H-plan |
| LTE Band 13 | H-plan |
| LTE Band 17 | H-plan |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM/GPRS MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | MODE |
|-----------------------|--------------------------|--------------------------------|-------------------------------|
| ERP | 128 to 251 | 128, 190, 251 | GSM/GPRS 850 |
| EIRP | 512 to 810 | 512, 661, 810 | GSM/GPRS 1900 |
| FREQUENCY STABILITY | 128 to 251 512 to 810 | 190 661 | GPRS 850 GPRS 1900 |
| OCCUPIED BANDWIDTH | 128 to 251 512 to 810 | 190 661 | GSM/GPRS 850 GSM/GPRS 1900 |
| PEAK TO AVERAGE RATIO | 512 to 810 | 512, 661, 810 | GSM/GPRS 1900 |
| BAND EDGE | 128 to 251 512 to 810 | 128, 251 512, 810 | GSM/GPRS 850 GSM/GPRS 1900 |
| CONDCUDED EMISSION | 128 to 251 512 to 810 | 128, 190, 251 512, 661, 810 | GSM/GPRS 850 GSM/GPRS 1900 |
| RADIATED EMISSION | 128 to 251 512 to 810 | 128, 190, 251 512, 661, 810 | GSM 850 GSM 1900 |

WCDMA/HSPA MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | MODE |
|-----------------------|--|--|---|
| ERP | 4132 to 4233 | 4132, 4183, 4233 | WCDMA/HSPA Band V |
| EIRP | 9262 to 9538 1312 to 1513 | 1312, 1413, 1513 9262, 9400, 9538 | WCDMA/HSPA Band II WCDMA/HSPA Band IV |
| FREQUENCY STABILITY | 4132 to 4233 1312 to 1513 9262 to 9538 | 4183 1413 9400 | WCDMA Band II WCDMA Band IV WCDMA Band V |
| OCCUPIED BANDWIDTH | 4132 to 4233 1312 to 1513 9262 to 9538 | 4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9538 | WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V |
| PEAK TO AVERAGE RATIO | 4132 to 4233 1312 to 1513 | 4132, 4183, 4233 1312, 1413, 1513 | WCDMA/HSPA Band II WCDMA/HSPA Band IV |
| BAND EDGE | 4132 to 4233 1312 to 1513 9262 to 9538 | 4132, 4233 1312, 1513 9262, 9538 | WCDMA Band II WCDMA Band IV WCDMA Band V |
| CONDCUDED EMISSION | 4132 to 4233 1312 to 1513 9262 to 9538 | 4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9538 | WCDMA Band II WCDMA Band IV WCDMA Band V |
| RADIATED EMISSION | 4132 to 4233 1312 to 1513 9262 to 9538 | 4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9538 | WCDMA Band II WCDMA Band IV WCDMA Band V |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 2 MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | CHANNEL BANDWIDTH | MODULATION | MODE |
|-----------------------|-------------------|---------------------|-------------------|--------------------|---------------------------------|
| EIRP | 18607 to 19193 | 18607, 18900, 19193 | 1.4MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,5 RB Offest |
| | 18615 to 19185 | 18615, 18900, 19185 | 3MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,14 RB Offest |
| | 18625 to 19175 | 18625, 18900, 19175 | 5MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,24 RB Offest |
| | 18650 to 19150 | 18650, 18900, 19150 | 10MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,49 RB Offest |
| | 18675 to 19125 | 18675, 18900, 19125 | 15MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,74 RB Offest |
| | 18700 to 19100 | 18700, 18900, 19100 | 20MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,99 RB Offest |
| FREQUENCY STABILITY | 18650 to 19150 | 18900 | 10MHz | QPSK | Full RB |
| OCCUPIED BANDWIDTH | 18607 to 19193 | 18607, 18900, 19193 | 1.4MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 18615 to 19185 | 18615, 18900, 19185 | 3MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 18625 to 19175 | 18625, 18900, 19175 | 5MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 18650 to 19150 | 18650, 18900, 19150 | 10MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 18675 to 19125 | 18675, 18900, 19125 | 15MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 18700 to 19100 | 18700, 18900, 19100 | 20MHz | QPSK, 16QAM, 64QAM | Full RB |
| PEAK TO AVERAGE RATIO | 18607 to 19193 | 18607, 18900, 19193 | 1.4MHz | 64QAM | Full RB |
| | 18615 to 19185 | 18615, 18900, 19185 | 3MHz | 64QAM | Full RB |
| | 18625 to 19175 | 18625, 18900, 19175 | 5MHz | 64QAM | Full RB |
| | 18650 to 19150 | 18650, 18900, 19150 | 10MHz | 64QAM | Full RB |
| | 18675 to 19125 | 18675, 18900, 19125 | 15MHz | 64QAM | Full RB |
| | 18700 to 19100 | 18700, 18900, 19100 | 20MHz | 64QAM | Full RB |
| BAND EDGE | 18607 to 19193 | 18607, 19193 | 1.4MHz | QPSK | 1 RB/ 0,5 RB Offes Full RB |
| | 18615 to 19185 | 18615, 19185 | 3MHz | QPSK | 1 RB/ 0,14 RB Offest Full RB |
| | 18625 to 19175 | 18625, 19175 | 5MHz | QPSK | 1 RB/ 0,24 RB Offest Full RB |
| | 18650 to 19150 | 18650, 19150 | 10MHz | QPSK | 1 RB/ 0,49 RB Offest Full RB |
| | 18675 to 19125 | 18675, 19125 | 15MHz | QPSK | 1 RB/ 0,74 RB Offest Full RB |
| | 18700 to 19100 | 18700, 19100 | 20MHz | QPSK | 1 RB/ 0,99 RB Offest Full RB |
| CONDCUDED EMISSION | 18607 to 19193 | 18607, 18900, 19193 | 1.4MHz | QPSK | 1 RB, 0 RB Offest |
| | 18615 to 19185 | 18615, 18900, 19185 | 3MHz | QPSK | 1 RB, 0 RB Offest |
| | 18625 to 19175 | 18625, 18900, 19175 | 5MHz | QPSK | 1 RB, 0 RB Offest |
| | 18650 to 19150 | 18650, 18900, 19150 | 10MHz | QPSK | 1 RB, 0 RB Offest |
| | 18675 to 19125 | 18675, 18900, 19125 | 15MHz | QPSK | 1 RB, 0 RB Offest |
| | 18700 to 19100 | 18700, 18900, 19100 | 20MHz | QPSK | 1 RB, 0 RB Offest |
| RADIATED EMISSION | 18700 to 19100 | 18700, 18900, 19100 | 20MHz | QPSK | 1 RB, 0 RB Offest |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4 MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | CHANNEL BANDWIDTH | MODULATION | MODE |
|-----------------------|-------------------|---------------------|-------------------|--------------------|---------------------------------|
| EIRP | 19957 to 19393 | 19957, 20175, 19393 | 1.4MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,5 RB Offest |
| | 19965 to 22385 | 19965, 20175, 22385 | 3MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,14 RB Offest |
| | 19975 to 20375 | 19975, 20175, 20375 | 5MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,24 RB Offest |
| | 20000 to 20350 | 20000, 20175, 20350 | 10MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,49 RB Offest |
| | 20025 to 20325 | 20025, 20175, 20325 | 15MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,74 RB Offest |
| | 20050 to 20300 | 20050, 20175, 20300 | 20MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,99 RB Offest |
| FREQUENCY STABILITY | 20000 to 20350 | 20175 | 10MHz | QPSK | Full RB |
| OCCUPIED BANDWIDTH | 19957 to 19393 | 19957, 20175, 19393 | 1.4MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 19965 to 22385 | 19965, 20175, 22385 | 3MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 19975 to 20375 | 19975, 20175, 20375 | 5MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 20000 to 20350 | 20000, 20175, 20350 | 10MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 20025 to 20325 | 20025, 20175, 20325 | 15MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 20050 to 20300 | 20050, 20175, 20300 | 20MHz | QPSK, 16QAM, 64QAM | Full RB |
| PEAK TO AVERAGE RATIO | 19957 to 19393 | 19957, 20175, 19393 | 1.4MHz | 64QAM | Full RB |
| | 19965 to 22385 | 19965, 20175, 22385 | 3MHz | 64QAM | Full RB |
| | 19975 to 20375 | 19975, 20175, 20375 | 5MHz | 64QAM | Full RB |
| | 20000 to 20350 | 20000, 20175, 20350 | 10MHz | 64QAM | Full RB |
| | 20025 to 20325 | 20025, 20175, 20325 | 15MHz | 64QAM | Full RB |
| | 20050 to 20300 | 20050, 20175, 20300 | 20MHz | 64QAM | Full RB |
| BAND EDGE | 19957 to 19393 | 19957, 19393 | 1.4MHz | QPSK | 1 RB/ 0,5 RB Offes Full RB |
| | 19965 to 22385 | 19965, 22385 | 3MHz | QPSK | 1 RB/ 0,14 RB Offest Full RB |
| | 19975 to 20375 | 19975, 20375 | 5MHz | QPSK | 1 RB/ 0,24 RB Offest Full RB |
| | 20000 to 20350 | 20000, 20350 | 10MHz | QPSK | 1 RB/ 0,49 RB Offest Full RB |
| | 20025 to 20325 | 20025, 20325 | 15MHz | QPSK | 1 RB/ 0,74 RB Offest Full RB |
| | 20050 to 20300 | 20050, 20300 | 20MHz | QPSK | 1 RB/ 0,99 RB Offest Full RB |
| CONDCUDED EMISSION | 19957 to 19393 | 19957, 20175, 19393 | 1.4MHz | QPSK | 1 RB, 0 RB Offest |
| | 19965 to 22385 | 19965, 20175, 22385 | 3MHz | QPSK | 1 RB, 0 RB Offest |
| | 19975 to 20375 | 19975, 20175, 20375 | 5MHz | QPSK | 1 RB, 0 RB Offest |
| | 20000 to 20350 | 20000, 20175, 20350 | 10MHz | QPSK | 1 RB, 0 RB Offest |
| | 20025 to 20325 | 20025, 20175, 20325 | 15MHz | QPSK | 1 RB, 0 RB Offest |
| | 20050 to 20300 | 20050, 20175, 20300 | 20MHz | QPSK | 1 RB, 0 RB Offest |
| RADIATED EMISSION | 20050 to 20300 | 20050, 20175, 20300 | 20MHz | QPSK | 1 RB, 50 RB Offest |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 5 MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | CHANNEL BANDWIDTH | MODULATION | MODE |
|---------------------|-------------------|---------------------|-------------------|--------------------|---------------------------------|
| ERP | 20470 to 20643 | 20470, 20525, 20643 | 1.4MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,5 RB Offest |
| | 20415 to 20635 | 20415, 20525, 20635 | 3MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,14 RB Offest |
| | 20425 to 20625 | 20425, 20525, 20625 | 5MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,24 RB Offest |
| | 20450 to 20600 | 20450, 20525, 20600 | 10MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,49 RB Offest |
| FREQUENCY STABILITY | 20450 to 20600 | 20525 | 10MHz | QPSK | Full RB |
| OCCUPIED BANDWIDTH | 20470 to 20643 | 20470, 20525, 20643 | 1.4MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 20415 to 20635 | 20415, 20525, 20635 | 3MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 20425 to 20625 | 20425, 20525, 20625 | 5MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 20450 to 20600 | 20450, 20525, 20600 | 10MHz | QPSK, 16QAM, 64QAM | Full RB |
| BAND EDGE | 20470 to 20643 | 20470, 20643 | 1.4MHz | QPSK | 1 RB/ 0,5 RB Offes Full RB |
| | 20415 to 20635 | 20415, 20635 | 3MHz | QPSK | 1 RB/ 0,14 RB Offest Full RB |
| | 20425 to 20625 | 20425, 20625 | 5MHz | QPSK | 1 RB/ 0,24 RB Offest Full RB |
| | 20450 to 20600 | 20450, 20600 | 10MHz | QPSK | 1 RB/ 0,49 RB Offest Full RB |
| CONDCUDED EMISSION | 20470 to 20643 | 20470, 20525, 20643 | 1.4MHz | QPSK | 1 RB, 0 RB Offest |
| | 20415 to 20635 | 20415, 20525, 20635 | 3MHz | QPSK | 1 RB, 0 RB Offest |
| | 20425 to 20625 | 20425, 20525, 20625 | 5MHz | QPSK | 1 RB, 0 RB Offest |
| | 20450 to 20600 | 20450, 20525, 20600 | 10MHz | QPSK | 1 RB, 0 RB Offest |
| RADIATED EMISSION | 20450 to 20600 | 20450, 20525, 20600 | 10MHz | QPSK | 1 RB, 0 RB Offest |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 12 MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | CHANNEL BANDWIDTH | MODULATION | MODE |
|-----------------------|-------------------|---------------------|-------------------|--------------------|---------------------------------|
| ERP | 23017 to 23173 | 23017, 23095, 23173 | 1.4MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,5 RB Offest |
| | 23025 to 23165 | 23025, 23095, 23165 | 3MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,14 RB Offest |
| | 23035 to 23155 | 23035, 23095, 23155 | 5MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,24 RB Offest |
| | 23060 to 23130 | 23060, 23095, 23130 | 10MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,49 RB Offest |
| FREQUENCY STABILITY | 23060 to 23130 | 23095 | 10MHz | QPSK | Full RB |
| OCCUPIED BANDWIDTH | 23017 to 23173 | 23017, 23095, 23173 | 1.4MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 23025 to 23165 | 23025, 23095, 23165 | 3MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 23035 to 23155 | 23035, 23095, 23155 | 5MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 23060 to 23130 | 23060, 23095, 23130 | 10MHz | QPSK, 16QAM, 64QAM | Full RB |
| PEAK TO AVERAGE RATIO | 23017 to 23173 | 23017, 23095, 23173 | 1.4MHz | 64QAM | Full RB |
| | 23025 to 23165 | 23025, 23095, 23165 | 3MHz | 64QAM | Full RB |
| | 23035 to 23155 | 23035, 23095, 23155 | 5MHz | 64QAM | Full RB |
| | 23060 to 23130 | 23060, 23095, 23130 | 10MHz | 64QAM | Full RB |
| BAND EDGE | 23017 to 23173 | 23017, 23095, 23173 | 1.4MHz | QPSK | 1 RB/ 0,5 RB Offes Full RB |
| | 23025 to 23165 | 23025, 23095, 23165 | 3MHz | QPSK | 1 RB/ 0,14 RB Offest Full RB |
| | 23035 to 23155 | 23035, 23095, 23155 | 5MHz | QPSK | 1 RB/ 0,24 RB Offest Full RB |
| | 23060 to 23130 | 23060, 23095, 23130 | 10MHz | QPSK | 1 RB/ 0,49 RB Offest Full RB |
| CONDUCTED EMISSION | 23017 to 23173 | 23017, 23095, 23173 | 1.4MHz | QPSK | 1 RB, 0 RB Offest |
| | 23025 to 23165 | 23025, 23095, 23165 | 3MHz | QPSK | 1 RB, 0 RB Offest |
| | 23035 to 23155 | 23035, 23095, 23155 | 5MHz | QPSK | 1 RB, 0 RB Offest |
| | 23060 to 23130 | 23060, 23095, 23130 | 10MHz | QPSK | 1 RB, 0 RB Offest |
| RADIATED EMISSION | 23060 to 23130 | 23060, 23095, 23130 | 10MHz | QPSK | 1 RB, 49 RB Offest |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 13 MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | CHANNEL BANDWIDTH | MODULATION | MODE |
|-----------------------|-------------------|---------------------|-------------------|--------------------|---------------------------------|
| ERP | 23205 to 23255 | 23205, 23230, 23255 | 5MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,24 RB Offest |
| | 23230 | 23230 | 10MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,49 RB Offest |
| FREQUENCY STABILITY | 23230 | 23230 | 10MHz | QPSK | Full RB |
| OCCUPIED BANDWIDTH | 23205 to 23255 | 23205, 23230, 23255 | 5MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 23230 | 23230 | 10MHz | QPSK, 16QAM, 64QAM | Full RB |
| PEAK TO AVERAGE RATIO | 23205 to 23255 | 23205, 23230, 23255 | 5MHz | 64QAM | Full RB |
| | 23230 | 23230 | 10MHz | 64QAM | Full RB |
| BAND EDGE | 23205 to 23255 | 23205, 23255 | 5MHz | QPSK | 1 RB/ 0,24 RB Offest Full RB |
| | 23230 | 23230 | 10MHz | QPSK | 1 RB/ 0,49 RB Offest Full RB |
| CONDUCTED EMISSION | 23205 to 23255 | 23205, 23230, 23255 | 5MHz | QPSK | 1 RB, 0 RB Offest |
| | 23230 | 23230 | 10MHz | QPSK | 1 RB, 0 RB Offest |
| RADIATED EMISSION | 23230 | 23230 | 10MHz | QPSK | 1 RB, 0 RB Offest |

LTE Band 17 MODE

| TEST ITEM | AVAILABLE CHANNEL | TESTED CHANNEL | CHANNEL BANDWIDTH | MODULATION | MODE |
|-----------------------|-------------------|---------------------|-------------------|--------------------|---------------------------------|
| ERP | 23755 to 23825 | 23755, 23790, 23825 | 5MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,24 RB Offest |
| | 23780 to 23800 | 23780, 23790, 23800 | 10MHz | QPSK, 16QAM, 64QAM | 1 RB/ 0,49 RB Offest |
| FREQUENCY STABILITY | 23780 to 23800 | 23790 | 10MHz | QPSK | Full RB |
| OCCUPIED BANDWIDTH | 23755 to 23825 | 23755, 23790, 23825 | 5MHz | QPSK, 16QAM, 64QAM | Full RB |
| | 23780 to 23800 | 23780, 23790, 23800 | 10MHz | QPSK, 16QAM, 64QAM | Full RB |
| PEAK TO AVERAGE RATIO | 23755 to 23825 | 23755, 23790, 23825 | 5MHz | 64QAM | Full RB |
| | 23780 to 23800 | 23780, 23790, 23800 | 10MHz | 64QAM | Full RB |
| BAND EDGE | 23755 to 23825 | 23755, 23825 | 5MHz | QPSK | 1 RB/ 0,24 RB Offest Full RB |
| | 23780 to 23800 | 23780, 23800 | 10MHz | QPSK | 1 RB/ 0,49 RB Offest Full RB |
| CONDUCTED EMISSION | 23755 to 23825 | 23755, 23790, 23825 | 5MHz | QPSK | 1 RB, 0 RB Offest |
| | 23780 to 23800 | 23780, 23790, 23800 | 10MHz | QPSK | 1 RB, 0 RB Offest |
| RADIATED EMISSION | 23780 to 23800 | 23780, 23800 | 10MHz | QPSK | 1 RB, 25 RB Offest |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5. MEASUREMENT UNCERTAINTY

| Test Items | Uncertainty |
|--|--|
| RF Power Output | +/- 1.10 dB |
| ERP/ EIRP measurement | Vertical Polarization = +/- 4.74dB Horizontal Polarization = +/- 4.62dB |
| 99% Occupied Bandwidth | +/- 5.19 Hz |
| Out of Band Emissions at Antenna Terminals and Band Edge | +/- 0.70 dB |
| Peak to Average Ratio | +/- 0.70 dB |
| Frequency Stability vs. Temperature | +/- 5.19 Hz |
| Frequency Stability vs. Voltage | +/- 5.19 Hz |
| Temperature | +/- 0.65 °C |
| Humidity | +/- 4.6 % |
| DC / AC Power Source | DC= +/- 0.13%, AC= +/- 0.2% |

Radiated Spurious Emission:

| | |
|--|----------------------------|
| Measurement uncertainty (Polarization : Vertical) | 9kHz – 30MHz: +/- 2.87 dB |
| | 30MHz - 180MHz: +/- 3.37dB |
| | 180MHz -417MHz: +/- 3.19dB |
| | 0.417GHz-1GHz: +/- 3.19dB |
| | 1GHz - 18GHz: +/- 4.04dB |
| | 18GHz - 40GHz: +/- 4.04dB |

| | |
|--|----------------------------|
| Measurement uncertainty (Polarization : Horizontal) | 9kHz – 30MHz: +/- 2.87 dB |
| | 30MHz - 167MHz: +/- 4.22dB |
| | 167MHz -500MHz: +/- 3.44dB |
| | 0.5GHz-1GHz: +/- 3.39dB |
| | 1GHz - 18GHz: +/- 4.08dB |
| | 18GHz - 40GHz: +/- 4.08dB |

Note:

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6. MAXMUM OUTPUT POWER

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a)

(5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(c)

Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50 (a)

(3) for mobile and portable stations compliant with 3GPP LTE standards transmitting in the 2305-2315 MHz band or the 2350-2360 MHz band are limited to 250 mW/ 5MHz EIRP but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth.

FCC 27.50(c)

(9) Control and mobile stations in the 698-746 MHz band are limited to 30 watts ERP.

(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)

(4) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz, 1695-1710 MHz and 1755-1780 MHz bands are limited to 1W EIRP.

(7) Mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band are limited to 2 watts EIRP.

FCC 27, 50(h)


(2) Mobile and other user stations transmitting in the BRS and EBS bands are limited to 2 W EIRP.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.4. Determining ERP and/or EIRP from conducted RF output power measurements

$$ERP/EIRP = P_{Meas} + GT - LC$$

Where:

- ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as P_{Meas}, typically dBW or dBm);
- P_{Meas} = measured transmitter output power or PSD, in dBm or dBW;
- GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)
- LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

6.5. Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|------------------------------|---------|--------------|---------------|------------|------------|
| DC Power Supply | Agilent | E3640A | MY52410006 | 12/04/2018 | 12/03/2019 |
| Radio Communication Analyzer | Anritsu | MT8815B | 6200711454 | 04/01/2019 | 03/31/2020 |
| Radio Communication Analyzer | Anritsu | MT8820C | 6200995019 | 04/01/2019 | 03/31/2020 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.6. Measurement Result

RF Conducted Output Power

GSM/GPRS MODE:

GSM/GPRS (GMSK; 8-PSK) Result:

| EUT Mode | Freq. (MHz) | CH | Conducted Avg. Power (dBm) | Antenna Gain (dBi) | ERP (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|-----------|-------------|-----|----------------------------|--------------------|-----------|------------|-------------|-------------|
| GSM 850 | 824.2 | 128 | 32.43 | -6.60 | 23.68 | 25.83 | 38.50 | -12.67 |
| | 836.6 | 190 | 32.18 | -6.60 | 23.43 | 25.58 | 38.50 | -12.92 |
| | 848.8 | 251 | 32.04 | -6.60 | 23.29 | 25.44 | 38.50 | -13.06 |
| GSM 1900 | 1850.2 | 512 | 29.05 | -2.60 | 24.30 | 26.45 | 33.00 | -6.55 |
| | 1880.0 | 661 | 29.07 | -2.60 | 24.32 | 26.47 | 33.00 | -6.53 |
| | 1909.8 | 810 | 29.15 | -2.60 | 24.40 | 26.55 | 33.00 | -6.45 |
| GPRS 850 | 824.2 | 128 | 32.41 | -6.60 | 23.66 | 25.81 | 38.50 | -12.69 |
| | 836.6 | 190 | 32.19 | -6.60 | 23.44 | 25.59 | 38.50 | -12.91 |
| | 848.8 | 251 | 32.06 | -6.60 | 23.31 | 25.46 | 38.50 | -13.04 |
| GPRS 1900 | 1850.2 | 512 | 29.02 | -2.60 | 24.27 | 26.42 | 33.00 | -6.58 |
| | 1880.0 | 661 | 29.07 | -2.60 | 24.32 | 26.47 | 33.00 | -6.53 |
| | 1909.8 | 810 | 29.12 | -2.60 | 24.37 | 26.52 | 33.00 | -6.48 |

| EUT Mode | Frequency (MHz) | CH | Average Burst Power (1DN 1UP) Class 8 (dBm) | Average Burst Power (1DN 2UP) Class 10 (dBm) | Average Burst Power (1DN 3UP) Class 12 (dBm) | Average Burst Power (1DN 4UP) Class 12 (dBm) |
|-----------|-----------------|-----|---|--|--|--|
| GPRS 850 | 824.2 | 128 | 32.41 | 30.22 | 28.03 | 27.07 |
| | 836.6 | 190 | 32.19 | 30.18 | 28.11 | 27.11 |
| | 848.8 | 251 | 32.06 | 30.08 | 28.06 | 27.16 |
| GPRS 1900 | 1850.2 | 512 | 29.02 | 26.92 | 25.28 | 24.21 |
| | 1880.0 | 661 | 29.07 | 27.03 | 25.36 | 24.36 |
| | 1909.8 | 810 | 29.12 | 27.29 | 25.48 | 24.24 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA/HSPA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

WCDMA/HSUPA/HSDPA Band II Result:

| EUT Mode | Freq. (MHz) | CH | Conducted Avg. Power (dBm) | Antenna Gain (dBi) | ERP (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|----------|-------------|------|----------------------------|--------------------|-----------|--------------|-------------|-------------|
| WCDMA | 1852.4 | 9262 | 22.32 | -2.60 | 17.57 | 19.72 | 33.00 | -13.28 |
| | 1880.0 | 9400 | 22.26 | -2.60 | 17.51 | 19.66 | 33.00 | -13.34 |
| | 1907.6 | 9538 | 22.51 | -2.60 | 17.76 | 19.91 | 33.00 | -13.09 |
| HSDPA | 1852.4 | 9262 | 21.29 | -2.60 | 16.54 | 18.69 | 33.00 | -14.31 |
| | 1880.0 | 9400 | 21.35 | -2.60 | 16.60 | 18.75 | 33.00 | -14.25 |
| | 1907.6 | 9538 | 21.49 | -2.60 | 16.74 | 18.89 | 33.00 | -14.11 |
| HSUPA | 1852.4 | 9262 | 21.23 | -2.60 | 16.48 | 18.63 | 33.00 | -14.37 |
| | 1880.0 | 9400 | 21.32 | -2.60 | 16.57 | 18.72 | 33.00 | -14.28 |
| | 1907.6 | 9538 | 21.56 | -2.60 | 16.81 | 18.96 | 33.00 | -14.04 |

WCDMA/HSUPA/HSDPA Band IV Result:

| EUT Mode | Freq. (MHz) | CH | Conducted Avg. Power (dBm) | Antenna Gain (dBi) | ERP (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|----------|-------------|------|----------------------------|--------------------|-----------|--------------|-------------|-------------|
| WCDMA | 1712.4 | 1312 | 22.14 | -3.00 | 16.99 | 19.14 | 30.00 | -10.86 |
| | 1732.6 | 1413 | 22.18 | -3.00 | 17.03 | 19.18 | 30.00 | -10.82 |
| | 1752.6 | 1513 | 22.31 | -3.00 | 17.16 | 19.31 | 30.00 | -10.69 |
| HSDPA | 1712.4 | 1312 | 21.06 | -3.00 | 15.91 | 18.06 | 30.00 | -11.94 |
| | 1732.6 | 1413 | 21.16 | -3.00 | 16.01 | 18.16 | 30.00 | -11.84 |
| | 1752.6 | 1513 | 21.23 | -3.00 | 16.08 | 18.23 | 30.00 | -11.77 |
| HSUPA | 1712.4 | 1312 | 21.12 | -3.00 | 15.97 | 18.12 | 30.00 | -11.88 |
| | 1732.6 | 1413 | 21.21 | -3.00 | 16.06 | 18.21 | 30.00 | -11.79 |
| | 1752.6 | 1513 | 21.25 | -3.00 | 16.10 | 18.25 | 30.00 | -11.75 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA/HSUPA/HSDPA Band V Result:

| EUT Mode | Freq. (MHz) | CH | Conducted Avg. Power (dBm) | Antenna Gain (dBi) | ERP (dBm) | EIRP (dBm) | Limit (dBm) | Margin (dB) |
|----------|-------------|------|----------------------------|--------------------|-----------|--------------|-------------|-------------|
| WCDMA | 826.4 | 4132 | 23.87 | -6.60 | 15.12 | 17.27 | 38.50 | -21.23 |
| | 836.6 | 4183 | 23.96 | -6.60 | 15.21 | 17.36 | 38.50 | -21.14 |
| | 846.6 | 4233 | 23.88 | -6.60 | 15.13 | 17.28 | 38.50 | -21.22 |
| HSDPA | 826.4 | 4132 | 23.02 | -6.60 | 14.27 | 16.42 | 38.50 | -22.08 |
| | 836.6 | 4183 | 22.98 | -6.60 | 14.23 | 16.38 | 38.50 | -22.12 |
| | 846.6 | 4233 | 22.83 | -6.60 | 14.08 | 16.23 | 38.50 | -22.27 |
| HSUPA | 826.4 | 4132 | 22.87 | -6.60 | 14.12 | 16.27 | 38.50 | -22.23 |
| | 836.6 | 4183 | 22.78 | -6.60 | 14.03 | 16.18 | 38.50 | -22.32 |
| | 846.6 | 4233 | 22.84 | -6.60 | 14.09 | 16.24 | 38.50 | -22.26 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSPA (HSDPA & HSUPA) Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

| Sub-test | β_c | β_d | β_d (SF) | β_c/β_d | β_{HS} (Note 1, Note 2) | CM (dB) (Note 3) | MPR (dB) (Note 3) | RMC (Kbps) |
|----------|----------------|----------------|----------------|-------------------|-------------------------------|------------------|-------------------|------------|
| 1 | 2/15 | 15/15 | 64 | 2/15 | 4/15 | 0.0 | 0.0 | 12.2 |
| 2 | 12/15 (Note 4) | 15/15 (Note 4) | 64 | 12/15 (Note 4) | 24/15 | 1.0 | 0.0 | 12.2 |
| 3 | 15/15 | 8/15 | 64 | 15/8 | 30/15 | 1.5 | 0.5 | 12.2 |
| 4 | 15/15 | 4/15 | 64 | 15/4 | 30/15 | 1.5 | 0.5 | 12.2 |

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

| Sub-test | β_c | β_d | β_d (SF) | β_c/β_d | β_{HS} | β_{ec} | β_{ed} | β_{ed} (SF) | β_{ed} (Code s) | CM (dB) | MPR (dB) | AG Index | E-TFCl | RMC (Kbps) |
|----------|----------------|----------------|----------------|-------------------|--------------|--------------|--|-------------------|-----------------------|---------|----------|----------|--------|------------|
| 1 | 11/15 (Note 3) | 15/15 (Note 3) | 64 | 11/15 (Note 3) | 22/15 | 209/225 | 1309/225 | 4 | 1 | 1.0 | 0.0 | 20 | 75 | 12.2 |
| 2 | 6/15 | 15/15 | 64 | 6/15 | 12/15 | 12/15 | 94/75 | 4 | 1 | 3.0 | 2.0 | 12 | 67 | 12.2 |
| 3 | 15/15 | 9/15 | 64 | 15/9 | 30/15 | 30/15 | $\beta_{ed1}: 47/15$ $\beta_{ed2}: 47/15$ | 4 4 | 2 | 2.0 | 1.0 | 15 | 92 | 12.2 |
| 4 | 2/15 | 15/15 | 64 | 2/15 | 4/15 | 2/15 | 56/75 | 4 | 1 | 3.0 | 2.0 | 17 | 71 | 12.2 |
| 5 | 15/15 (Note 4) | 15/15 (Note 4) | 64 | 15/15 (Note 4) | 30/15 | 24/15 | 134/15 | 4 | 1 | 1.0 | 0.0 | 21 | 81 | 12.2 |

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Results:

| Mode | Sub test | Avg. Power (dBm) | | |
|----------|----------|------------------|---------|---------|
| | | Channel | | |
| | | 9262.00 | 9400.00 | 9538.00 |
| HSDPA II | 1 | 21.29 | 21.35 | 21.49 |
| | 2 | 20.73 | 20.74 | 20.96 |
| | 3 | 20.88 | 20.72 | 21.02 |
| | 4 | 20.81 | 20.68 | 20.99 |

| Mode | Sub test | Avg. Power (dBm) | | |
|----------|----------|------------------|---------|---------|
| | | Channel | | |
| | | 1312.00 | 1413.00 | 1513.00 |
| HSDPA IV | 1 | 21.06 | 21.16 | 21.23 |
| | 2 | 20.66 | 20.67 | 20.74 |
| | 3 | 20.62 | 20.71 | 20.65 |
| | 4 | 20.57 | 20.59 | 20.82 |

| Mode | Sub test | Avg. Power (dBm) | | |
|---------|----------|------------------|---------|---------|
| | | Channel | | |
| | | 4132.00 | 4183.00 | 4233.00 |
| HSDPA V | 1 | 23.02 | 22.98 | 22.83 |
| | 2 | 22.44 | 22.42 | 22.32 |
| | 3 | 22.51 | 22.53 | 22.26 |
| | 4 | 22.52 | 22.41 | 22.35 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Mode | Sub test | Avg. Power (dBm) | | |
|----------|----------|------------------|---------|---------|
| | | Channel | | |
| | | 9262.00 | 9400.00 | 9538.00 |
| HSUPA II | 1 | 21.23 | 21.32 | 21.56 |
| | 2 | 19.32 | 19.25 | 19.48 |
| | 3 | 20.13 | 20.29 | 20.37 |
| | 4 | 19.23 | 19.18 | 19.61 |
| | 5 | 21.19 | 21.29 | 21.52 |

| Mode | Sub test | Avg. Power (dBm) | | |
|----------|----------|------------------|---------|---------|
| | | Channel | | |
| | | 1312.00 | 1413.00 | 1513.00 |
| HSUPA IV | 1 | 21.12 | 21.21 | 21.25 |
| | 2 | 19.13 | 19.23 | 19.22 |
| | 3 | 20.13 | 20.16 | 20.24 |
| | 4 | 19.13 | 19.19 | 19.21 |
| | 5 | 21.18 | 21.22 | 21.33 |

| Mode | Sub test | Avg. Power (dBm) | | |
|---------|----------|------------------|---------|---------|
| | | Channel | | |
| | | 4132.00 | 4183.00 | 4233.00 |
| HSUPA V | 1 | 22.87 | 22.78 | 22.84 |
| | 2 | 20.97 | 20.85 | 20.69 |
| | 3 | 21.79 | 21.87 | 22.03 |
| | 4 | 20.96 | 20.94 | 20.88 |
| | 5 | 23.11 | 23.01 | 22.91 |

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm then record the read. The min. power was measures by a function key “minimum power” then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Minimum Communications Power Measurement

PCS 1900 band

| PCL | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--------------------|------|------|------|------|------|------|------|------|----|
| Output power (dBm) | 27.1 | 25.3 | 22.6 | 20.2 | 18.7 | 16.7 | 14.7 | 12.8 | 11 |

| PCL | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|--------------------|---|-----|-----|-----|-----|------|------|
| Output power (dBm) | 9 | 6.8 | 4.9 | 3.2 | 1.6 | -0.3 | -2.3 |

Note: The EUT output power was controlled by simulator. Set Communication Tester [CMU 200](#) PCL as above, and get the mobile phone output power reading.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Result:

Antenna gain (dBi) -2.6

| LTE Band 2_Uplink frequency band : 1850 to 1910 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 1.4 | 18607 | 1850.7 | QPSK | 1 | 0 | 22.68 | 20.08 | 33 | -12.92 |
| | | | | 1 | 5 | 22.35 | 19.75 | 33 | -13.25 |
| | | | | 3 | 2 | 22.28 | 19.68 | 33 | -13.32 |
| | | | | 6 | 0 | 21.32 | 18.72 | 33 | -14.28 |
| | 18900 | 1880 | QPSK | 1 | 0 | 22.21 | 19.61 | 33 | -13.39 |
| | | | | 1 | 5 | 22.16 | 19.56 | 33 | -13.44 |
| | | | | 3 | 2 | 22.10 | 19.50 | 33 | -13.5 |
| | | | | 6 | 0 | 21.28 | 18.68 | 33 | -14.32 |
| | 19193 | 1909.3 | QPSK | 1 | 0 | 22.44 | 19.84 | 33 | -13.16 |
| | | | | 1 | 5 | 22.72 | 20.12 | 33 | -12.88 |
| | | | | 3 | 2 | 22.24 | 19.64 | 33 | -13.36 |
| | | | | 6 | 0 | 21.38 | 18.78 | 33 | -14.22 |
| | 18607 | 1850.7 | 16QAM | 1 | 0 | 21.33 | 18.73 | 33 | -14.27 |
| | | | | 1 | 5 | 21.35 | 18.75 | 33 | -14.25 |
| | | | | 3 | 2 | 21.10 | 18.50 | 33 | -14.5 |
| | | | | 6 | 0 | 20.25 | 17.65 | 33 | -15.35 |
| | 18900 | 1880 | 16QAM | 1 | 0 | 21.25 | 18.65 | 33 | -14.35 |
| | | | | 1 | 5 | 21.09 | 18.49 | 33 | -14.51 |
| | | | | 3 | 2 | 21.14 | 18.54 | 33 | -14.46 |
| | | | | 6 | 0 | 20.32 | 17.72 | 33 | -15.28 |
| | 19193 | 1909.3 | 16QAM | 1 | 0 | 21.41 | 18.81 | 33 | -14.19 |
| | | | | 1 | 5 | 21.32 | 18.72 | 33 | -14.28 |
| | | | | 3 | 2 | 21.05 | 18.45 | 33 | -14.55 |
| | | | | 6 | 0 | 20.47 | 17.87 | 33 | -15.13 |
| | 18607 | 1850.7 | 64QAM | 1 | 0 | 20.55 | 17.95 | 33 | -15.05 |
| | | | | 1 | 5 | 20.57 | 17.97 | 33 | -15.03 |
| | | | | 3 | 2 | 20.35 | 17.75 | 33 | -15.25 |
| | | | | 6 | 0 | 19.76 | 17.16 | 33 | -15.84 |
| | 18900 | 1880 | 64QAM | 1 | 0 | 20.25 | 17.65 | 33 | -15.35 |
| | | | | 1 | 5 | 20.46 | 17.86 | 33 | -15.14 |
| | | | | 3 | 2 | 20.33 | 17.73 | 33 | -15.27 |
| | | | | 6 | 0 | 19.69 | 17.09 | 33 | -15.91 |
| | 19193 | 1909.3 | 64QAM | 1 | 0 | 20.49 | 17.89 | 33 | -15.11 |
| | | | | 1 | 5 | 20.46 | 17.86 | 33 | -15.14 |
| | | | | 3 | 2 | 20.22 | 17.62 | 33 | -15.38 |
| | | | | 6 | 0 | 19.75 | 17.15 | 33 | -15.85 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -2.6

| LTE Band 2_Uplink frequency band : 1850 to 1910 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 3 | 18615 | 1851.5 | QPSK | 1 | 0 | 22.64 | 20.04 | 33 | -12.96 |
| | | | | 1 | 14 | 22.37 | 19.77 | 33 | -13.23 |
| | | | | 8 | 4 | 21.46 | 18.86 | 33 | -14.14 |
| | | | | 15 | 0 | 21.33 | 18.73 | 33 | -14.27 |
| | 18900 | 1880 | QPSK | 1 | 0 | 22.22 | 19.62 | 33 | -13.38 |
| | | | | 1 | 14 | 22.18 | 19.58 | 33 | -13.42 |
| | | | | 8 | 4 | 21.51 | 18.91 | 33 | -14.09 |
| | | | | 15 | 0 | 21.33 | 18.73 | 33 | -14.27 |
| | 19185 | 1908.5 | QPSK | 1 | 0 | 22.38 | 19.78 | 33 | -13.22 |
| | | | | 1 | 14 | 22.64 | 20.04 | 33 | -12.96 |
| | | | | 8 | 4 | 21.67 | 19.07 | 33 | -13.93 |
| | | | | 15 | 0 | 21.44 | 18.84 | 33 | -14.16 |
| | 18615 | 1851.5 | 16QAM | 1 | 0 | 21.42 | 18.82 | 33 | -14.18 |
| | | | | 1 | 14 | 21.44 | 18.84 | 33 | -14.16 |
| | | | | 8 | 4 | 20.50 | 17.90 | 33 | -15.1 |
| | | | | 15 | 0 | 20.30 | 17.70 | 33 | -15.3 |
| | 18900 | 1880 | 16QAM | 1 | 0 | 21.86 | 19.26 | 33 | -13.74 |
| | | | | 1 | 14 | 21.75 | 19.15 | 33 | -13.85 |
| | | | | 8 | 4 | 20.35 | 17.75 | 33 | -15.25 |
| | | | | 15 | 0 | 20.33 | 17.73 | 33 | -15.27 |
| | 19185 | 1908.5 | 16QAM | 1 | 0 | 21.75 | 19.15 | 33 | -13.85 |
| | | | | 1 | 14 | 21.97 | 19.37 | 33 | -13.63 |
| | | | | 8 | 4 | 20.69 | 18.09 | 33 | -14.91 |
| | | | | 15 | 0 | 20.41 | 17.81 | 33 | -15.19 |
| | 18615 | 1851.5 | 64QAM | 1 | 0 | 20.80 | 18.20 | 33 | -14.8 |
| | | | | 1 | 14 | 20.93 | 18.33 | 33 | -14.67 |
| | | | | 8 | 4 | 19.91 | 17.31 | 33 | -15.69 |
| | | | | 15 | 0 | 19.71 | 17.11 | 33 | -15.89 |
| | 18900 | 1880 | 64QAM | 1 | 0 | 21.08 | 18.48 | 33 | -14.52 |
| | | | | 1 | 14 | 21.16 | 18.56 | 33 | -14.44 |
| | | | | 8 | 4 | 19.85 | 17.25 | 33 | -15.75 |
| | | | | 15 | 0 | 19.70 | 17.10 | 33 | -15.9 |
| | 19185 | 1908.5 | 64QAM | 1 | 0 | 21.20 | 18.60 | 33 | -14.4 |
| | | | | 1 | 14 | 20.99 | 18.39 | 33 | -14.61 |
| | | | | 8 | 4 | 20.06 | 17.46 | 33 | -15.54 |
| | | | | 15 | 0 | 19.87 | 17.27 | 33 | -15.73 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -2.6

| LTE Band 2_Uplink frequency band : 1850 to 1910 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 5 | 18625 | 1852.5 | QPSK | 1 | 0 | 22.65 | 20.05 | 33 | -12.95 |
| | | | | 1 | 24 | 22.38 | 19.78 | 33 | -13.22 |
| | | | | 12 | 6 | 21.48 | 18.88 | 33 | -14.12 |
| | | | | 25 | 0 | 21.34 | 18.74 | 33 | -14.26 |
| | 18900 | 1880 | QPSK | 1 | 0 | 22.29 | 19.69 | 33 | -13.31 |
| | | | | 1 | 24 | 22.27 | 19.67 | 33 | -13.33 |
| | | | | 12 | 6 | 21.48 | 18.88 | 33 | -14.12 |
| | | | | 25 | 0 | 21.32 | 18.72 | 33 | -14.28 |
| | 19175 | 1907.5 | QPSK | 1 | 0 | 22.44 | 19.84 | 33 | -13.16 |
| | | | | 1 | 24 | 22.70 | 20.10 | 33 | -12.9 |
| | | | | 12 | 6 | 21.64 | 19.04 | 33 | -13.96 |
| | | | | 25 | 0 | 21.42 | 18.82 | 33 | -14.18 |
| | 18625 | 1852.5 | 16QAM | 1 | 0 | 21.30 | 18.70 | 33 | -14.3 |
| | | | | 1 | 24 | 21.47 | 18.87 | 33 | -14.13 |
| | | | | 12 | 6 | 20.42 | 17.82 | 33 | -15.18 |
| | | | | 25 | 0 | 20.31 | 17.71 | 33 | -15.29 |
| | 18900 | 1880 | 16QAM | 1 | 0 | 21.85 | 19.25 | 33 | -13.75 |
| | | | | 1 | 24 | 21.80 | 19.20 | 33 | -13.8 |
| | | | | 12 | 6 | 20.48 | 17.88 | 33 | -15.12 |
| | | | | 25 | 0 | 20.36 | 17.76 | 33 | -15.24 |
| | 19175 | 1907.5 | 16QAM | 1 | 0 | 21.64 | 19.04 | 33 | -13.96 |
| | | | | 1 | 24 | 22.07 | 19.47 | 33 | -13.53 |
| | | | | 12 | 6 | 20.67 | 18.07 | 33 | -14.93 |
| | | | | 25 | 0 | 20.50 | 17.90 | 33 | -15.1 |
| | 18625 | 1852.5 | 64QAM | 1 | 0 | 20.87 | 18.27 | 33 | -14.73 |
| | | | | 1 | 24 | 20.91 | 18.31 | 33 | -14.69 |
| | | | | 12 | 6 | 19.99 | 17.39 | 33 | -15.61 |
| | | | | 25 | 0 | 19.79 | 17.19 | 33 | -15.81 |
| | 18900 | 1880 | 64QAM | 1 | 0 | 21.14 | 18.54 | 33 | -14.46 |
| | | | | 1 | 24 | 21.20 | 18.60 | 33 | -14.4 |
| | | | | 12 | 6 | 19.81 | 17.21 | 33 | -15.79 |
| | | | | 25 | 0 | 19.77 | 17.17 | 33 | -15.83 |
| | 19175 | 1907.5 | 64QAM | 1 | 0 | 21.15 | 18.55 | 33 | -14.45 |
| | | | | 1 | 24 | 21.03 | 18.43 | 33 | -14.57 |
| | | | | 12 | 6 | 20.06 | 17.46 | 33 | -15.54 |
| | | | | 25 | 0 | 19.86 | 17.26 | 33 | -15.74 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -2.6

| LTE Band 2_Uplink frequency band : 1850 to 1910 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 10 | 18650 | 1855 | QPSK | 1 | 0 | 22.56 | 19.96 | 33 | -13.04 |
| | | | | 1 | 49 | 22.39 | 19.79 | 33 | -13.21 |
| | | | | 25 | 12 | 21.41 | 18.81 | 33 | -14.19 |
| | | | | 50 | 0 | 21.38 | 18.78 | 33 | -14.22 |
| | 18900 | 1880 | QPSK | 1 | 0 | 22.30 | 19.70 | 33 | -13.3 |
| | | | | 1 | 49 | 22.16 | 19.56 | 33 | -13.44 |
| | | | | 25 | 12 | 21.38 | 18.78 | 33 | -14.22 |
| | | | | 50 | 0 | 21.28 | 18.68 | 33 | -14.32 |
| | 19150 | 1905 | QPSK | 1 | 0 | 22.34 | 19.74 | 33 | -13.26 |
| | | | | 1 | 49 | 22.65 | 20.05 | 33 | -12.95 |
| | | | | 25 | 12 | 21.63 | 19.03 | 33 | -13.97 |
| | | | | 50 | 0 | 21.43 | 18.83 | 33 | -14.17 |
| | 18650 | 1855 | 16QAM | 1 | 0 | 21.29 | 18.69 | 33 | -14.31 |
| | | | | 1 | 49 | 21.42 | 18.82 | 33 | -14.18 |
| | | | | 25 | 12 | 20.49 | 17.89 | 33 | -15.11 |
| | | | | 50 | 0 | 20.28 | 17.68 | 33 | -15.32 |
| | 18900 | 1880 | 16QAM | 1 | 0 | 21.79 | 19.19 | 33 | -13.81 |
| | | | | 1 | 49 | 21.78 | 19.18 | 33 | -13.82 |
| | | | | 25 | 12 | 20.47 | 17.87 | 33 | -15.13 |
| | | | | 50 | 0 | 20.36 | 17.76 | 33 | -15.24 |
| | 19150 | 1905 | 16QAM | 1 | 0 | 21.77 | 19.17 | 33 | -13.83 |
| | | | | 1 | 49 | 22.02 | 19.42 | 33 | -13.58 |
| | | | | 25 | 12 | 20.62 | 18.02 | 33 | -14.98 |
| | | | | 50 | 0 | 20.50 | 17.90 | 33 | -15.1 |
| | 18650 | 1855 | 64QAM | 1 | 0 | 20.79 | 18.19 | 33 | -14.81 |
| | | | | 1 | 49 | 20.88 | 18.28 | 33 | -14.72 |
| | | | | 25 | 12 | 19.98 | 17.38 | 33 | -15.62 |
| | | | | 50 | 0 | 19.66 | 17.06 | 33 | -15.94 |
| | 18900 | 1880 | 64QAM | 1 | 0 | 21.15 | 18.55 | 33 | -14.45 |
| | | | | 1 | 49 | 21.15 | 18.55 | 33 | -14.45 |
| | | | | 25 | 12 | 19.76 | 17.16 | 33 | -15.84 |
| | | | | 50 | 0 | 19.78 | 17.18 | 33 | -15.82 |
| 19150 | 1905 | 64QAM | 1 | 0 | 21.14 | 18.54 | 33 | -14.46 | |
| | | | 1 | 49 | 20.94 | 18.34 | 33 | -14.66 | |
| | | | 25 | 12 | 20.07 | 17.47 | 33 | -15.53 | |
| | | | 50 | 0 | 19.79 | 17.19 | 33 | -15.81 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -2.6

| LTE Band 2_Uplink frequency band : 1850 to 1910 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 15 | 18675 | 1857.5 | QPSK | 1 | 0 | 22.60 | 20.00 | 33 | -13 |
| | | | | 1 | 74 | 22.41 | 19.81 | 33 | -13.19 |
| | | | | 36 | 18 | 21.52 | 18.92 | 33 | -14.08 |
| | | | | 75 | 0 | 21.34 | 18.74 | 33 | -14.26 |
| | 18900 | 1880 | QPSK | 1 | 0 | 22.22 | 19.62 | 33 | -13.38 |
| | | | | 1 | 74 | 22.24 | 19.64 | 33 | -13.36 |
| | | | | 36 | 18 | 21.44 | 18.84 | 33 | -14.16 |
| | | | | 75 | 0 | 21.29 | 18.69 | 33 | -14.31 |
| | 19125 | 1902.5 | QPSK | 1 | 0 | 22.40 | 19.80 | 33 | -13.2 |
| | | | | 1 | 74 | 22.69 | 20.09 | 33 | -12.91 |
| | | | | 36 | 18 | 21.69 | 19.09 | 33 | -13.91 |
| | | | | 75 | 0 | 21.38 | 18.78 | 33 | -14.22 |
| | 18675 | 1857.5 | 16QAM | 1 | 0 | 21.33 | 18.73 | 33 | -14.27 |
| | | | | 1 | 74 | 21.49 | 18.89 | 33 | -14.11 |
| | | | | 36 | 18 | 20.45 | 17.85 | 33 | -15.15 |
| | | | | 75 | 0 | 20.38 | 17.78 | 33 | -15.22 |
| | 18900 | 1880 | 16QAM | 1 | 0 | 21.86 | 19.26 | 33 | -13.74 |
| | | | | 1 | 74 | 21.74 | 19.14 | 33 | -13.86 |
| | | | | 36 | 18 | 20.45 | 17.85 | 33 | -15.15 |
| | | | | 75 | 0 | 20.33 | 17.73 | 33 | -15.27 |
| | 19125 | 1902.5 | 16QAM | 1 | 0 | 21.70 | 19.10 | 33 | -13.9 |
| | | | | 1 | 74 | 22.03 | 19.43 | 33 | -13.57 |
| | | | | 36 | 18 | 20.65 | 18.05 | 33 | -14.95 |
| | | | | 75 | 0 | 20.44 | 17.84 | 33 | -15.16 |
| | 18675 | 1857.5 | 64QAM | 1 | 0 | 20.84 | 18.24 | 33 | -14.76 |
| | | | | 1 | 74 | 21.00 | 18.40 | 33 | -14.6 |
| | | | | 36 | 18 | 19.96 | 17.36 | 33 | -15.64 |
| | | | | 75 | 0 | 19.71 | 17.11 | 33 | -15.89 |
| | 18900 | 1880 | 64QAM | 1 | 0 | 21.11 | 18.51 | 33 | -14.49 |
| | | | | 1 | 74 | 21.25 | 18.65 | 33 | -14.35 |
| | | | | 36 | 18 | 19.90 | 17.30 | 33 | -15.7 |
| | | | | 75 | 0 | 19.80 | 17.20 | 33 | -15.8 |
| | 19125 | 1902.5 | 64QAM | 1 | 0 | 21.14 | 18.54 | 33 | -14.46 |
| | | | | 1 | 74 | 21.05 | 18.45 | 33 | -14.55 |
| | | | | 36 | 18 | 20.09 | 17.49 | 33 | -15.51 |
| | | | | 75 | 0 | 19.91 | 17.31 | 33 | -15.69 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -2.6

| LTE Band 2_Uplink frequency band : 1850 to 1910 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 20 | 18700 | 1860 | QPSK | 1 | 0 | 22.79 | 20.19 | 33 | -12.81 |
| | | | | 1 | 99 | 22.42 | 19.82 | 33 | -13.18 |
| | | | | 50 | 25 | 21.52 | 18.92 | 33 | -14.08 |
| | | | | 100 | 0 | 21.41 | 18.81 | 33 | -14.19 |
| | 18900 | 1880 | QPSK | 1 | 0 | 22.31 | 19.71 | 33 | -13.29 |
| | | | | 1 | 99 | 22.29 | 19.69 | 33 | -13.31 |
| | | | | 50 | 25 | 21.52 | 18.92 | 33 | -14.08 |
| | | | | 100 | 0 | 21.23 | 18.63 | 33 | -14.37 |
| | 19100 | 1900 | QPSK | 1 | 0 | 22.46 | 19.86 | 33 | -13.14 |
| | | | | 1 | 99 | 22.77 | 20.17 | 33 | -12.83 |
| | | | | 50 | 25 | 21.73 | 19.13 | 33 | -13.87 |
| | | | | 100 | 0 | 21.45 | 18.85 | 33 | -14.15 |
| | 18700 | 1860 | 16QAM | 1 | 0 | 21.43 | 18.83 | 33 | -14.17 |
| | | | | 1 | 99 | 21.51 | 18.91 | 33 | -14.09 |
| | | | | 50 | 25 | 20.53 | 17.93 | 33 | -15.07 |
| | | | | 100 | 0 | 20.39 | 17.79 | 33 | -15.21 |
| | 18900 | 1880 | 16QAM | 1 | 0 | 21.90 | 19.30 | 33 | -13.7 |
| | | | | 1 | 99 | 21.81 | 19.21 | 33 | -13.79 |
| | | | | 50 | 25 | 20.49 | 17.89 | 33 | -15.11 |
| | | | | 100 | 0 | 20.38 | 17.78 | 33 | -15.22 |
| | 19100 | 1900 | 16QAM | 1 | 0 | 21.77 | 19.17 | 33 | -13.83 |
| | | | | 1 | 99 | 22.08 | 19.48 | 33 | -13.52 |
| | | | | 50 | 25 | 20.73 | 18.13 | 33 | -14.87 |
| | | | | 100 | 0 | 20.51 | 17.91 | 33 | -15.09 |
| | 18700 | 1860 | 64QAM | 1 | 0 | 20.87 | 18.27 | 33 | -14.73 |
| | | | | 1 | 99 | 21.00 | 18.40 | 33 | -14.6 |
| | | | | 50 | 25 | 20.00 | 17.40 | 33 | -15.6 |
| | | | | 100 | 0 | 19.80 | 17.20 | 33 | -15.8 |
| | 18900 | 1880 | 64QAM | 1 | 0 | 21.18 | 18.58 | 33 | -14.42 |
| | | | | 1 | 99 | 21.28 | 18.68 | 33 | -14.32 |
| | | | | 50 | 25 | 19.90 | 17.30 | 33 | -15.7 |
| | | | | 100 | 0 | 19.82 | 17.22 | 33 | -15.78 |
| 19100 | 1900 | 64QAM | 1 | 0 | 21.22 | 18.62 | 33 | -14.38 | |
| | | | 1 | 99 | 21.07 | 18.47 | 33 | -14.53 | |
| | | | 50 | 25 | 20.18 | 17.58 | 33 | -15.42 | |
| | | | 100 | 0 | 19.92 | 17.32 | 33 | -15.68 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -3

| LTE Band 4_Uplink frequency band : 1710 to 1755 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 1.4 | 19957 | 1710.7 | QPSK | 1 | 0 | 21.71 | 18.71 | 30 | -11.29 |
| | | | | 1 | 5 | 21.36 | 18.36 | 30 | -11.64 |
| | | | | 3 | 2 | 21.48 | 18.48 | 30 | -11.52 |
| | | | | 6 | 0 | 20.88 | 17.88 | 30 | -12.12 |
| | 20175 | 1732.5 | QPSK | 1 | 0 | 21.69 | 18.69 | 30 | -11.31 |
| | | | | 1 | 5 | 21.35 | 18.35 | 30 | -11.65 |
| | | | | 3 | 2 | 21.38 | 18.38 | 30 | -11.62 |
| | | | | 6 | 0 | 21.11 | 18.11 | 30 | -11.89 |
| | 20393 | 1754.3 | QPSK | 1 | 0 | 21.73 | 18.73 | 30 | -11.27 |
| | | | | 1 | 5 | 21.66 | 18.66 | 30 | -11.34 |
| | | | | 3 | 2 | 21.34 | 18.34 | 30 | -11.66 |
| | | | | 6 | 0 | 21.11 | 18.11 | 30 | -11.89 |
| | 19957 | 1710.7 | 16QAM | 1 | 0 | 21.14 | 18.14 | 30 | -11.86 |
| | | | | 1 | 5 | 20.97 | 17.97 | 30 | -12.03 |
| | | | | 3 | 2 | 20.83 | 17.83 | 30 | -12.17 |
| | | | | 6 | 0 | 20.30 | 17.30 | 30 | -12.7 |
| | 20175 | 1732.5 | 16QAM | 1 | 0 | 21.19 | 18.19 | 30 | -11.81 |
| | | | | 1 | 5 | 21.02 | 18.02 | 30 | -11.98 |
| | | | | 3 | 2 | 20.78 | 17.78 | 30 | -12.22 |
| | | | | 6 | 0 | 20.42 | 17.42 | 30 | -12.58 |
| | 20393 | 1754.3 | 16QAM | 1 | 0 | 21.10 | 18.10 | 30 | -11.9 |
| | | | | 1 | 5 | 21.13 | 18.13 | 30 | -11.87 |
| | | | | 3 | 2 | 20.69 | 17.69 | 30 | -12.31 |
| | | | | 6 | 0 | 20.32 | 17.32 | 30 | -12.68 |
| | 19957 | 1710.7 | 64QAM | 1 | 0 | 20.24 | 17.24 | 30 | -12.76 |
| | | | | 1 | 5 | 20.26 | 17.26 | 30 | -12.74 |
| | | | | 3 | 2 | 19.95 | 16.95 | 30 | -13.05 |
| | | | | 6 | 0 | 19.55 | 16.55 | 30 | -13.45 |
| | 20175 | 1732.5 | 64QAM | 1 | 0 | 20.38 | 17.38 | 30 | -12.62 |
| | | | | 1 | 5 | 20.31 | 17.31 | 30 | -12.69 |
| | | | | 3 | 2 | 19.89 | 16.89 | 30 | -13.11 |
| | | | | 6 | 0 | 19.47 | 16.47 | 30 | -13.53 |
| | 20393 | 1754.3 | 64QAM | 1 | 0 | 20.33 | 17.33 | 30 | -12.67 |
| | | | | 1 | 5 | 20.11 | 17.11 | 30 | -12.89 |
| | | | | 3 | 2 | 20.01 | 17.01 | 30 | -12.99 |
| | | | | 6 | 0 | 19.61 | 16.61 | 30 | -13.39 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -3

| LTE Band 4_Uplink frequency band : 1710 to 1755 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 3 | 19965 | 1711.5 | QPSK | 1 | 0 | 21.75 | 18.75 | 30 | -11.25 |
| | | | | 1 | 14 | 21.37 | 18.37 | 30 | -11.63 |
| | | | | 8 | 4 | 21.29 | 18.29 | 30 | -11.71 |
| | | | | 15 | 0 | 21.12 | 18.12 | 30 | -11.88 |
| | 20175 | 1732.5 | QPSK | 1 | 0 | 21.66 | 18.66 | 30 | -11.34 |
| | | | | 1 | 14 | 21.41 | 18.41 | 30 | -11.59 |
| | | | | 8 | 4 | 21.30 | 18.30 | 30 | -11.7 |
| | | | | 15 | 0 | 21.13 | 18.13 | 30 | -11.87 |
| | 20385 | 1753.5 | QPSK | 1 | 0 | 21.76 | 18.76 | 30 | -11.24 |
| | | | | 1 | 14 | 21.64 | 18.64 | 30 | -11.36 |
| | | | | 8 | 4 | 21.33 | 18.33 | 30 | -11.67 |
| | | | | 15 | 0 | 21.18 | 18.18 | 30 | -11.82 |
| | 19965 | 1711.5 | 16QAM | 1 | 0 | 20.81 | 17.81 | 30 | -12.19 |
| | | | | 1 | 14 | 20.45 | 17.45 | 30 | -12.55 |
| | | | | 8 | 4 | 20.30 | 17.30 | 30 | -12.7 |
| | | | | 15 | 0 | 20.08 | 17.08 | 30 | -12.92 |
| | 20175 | 1732.5 | 16QAM | 1 | 0 | 21.28 | 18.28 | 30 | -11.72 |
| | | | | 1 | 14 | 20.97 | 17.97 | 30 | -12.03 |
| | | | | 8 | 4 | 20.46 | 17.46 | 30 | -12.54 |
| | | | | 15 | 0 | 20.18 | 17.18 | 30 | -12.82 |
| | 20385 | 1753.5 | 16QAM | 1 | 0 | 21.11 | 18.11 | 30 | -11.89 |
| | | | | 1 | 14 | 20.75 | 17.75 | 30 | -12.25 |
| | | | | 8 | 4 | 20.41 | 17.41 | 30 | -12.59 |
| | | | | 15 | 0 | 20.18 | 17.18 | 30 | -12.82 |
| | 19965 | 1711.5 | 64QAM | 1 | 0 | 20.26 | 17.26 | 30 | -12.74 |
| | | | | 1 | 14 | 20.00 | 17.00 | 30 | -13 |
| | | | | 8 | 4 | 19.74 | 16.74 | 30 | -13.26 |
| | | | | 15 | 0 | 19.52 | 16.52 | 30 | -13.48 |
| | 20175 | 1732.5 | 64QAM | 1 | 0 | 20.65 | 17.65 | 30 | -12.35 |
| | | | | 1 | 14 | 20.36 | 17.36 | 30 | -12.64 |
| | | | | 8 | 4 | 19.89 | 16.89 | 30 | -13.11 |
| | | | | 15 | 0 | 19.67 | 16.67 | 30 | -13.33 |
| | 20385 | 1753.5 | 64QAM | 1 | 0 | 20.43 | 17.43 | 30 | -12.57 |
| | | | | 1 | 14 | 20.19 | 17.19 | 30 | -12.81 |
| | | | | 8 | 4 | 19.97 | 16.97 | 30 | -13.03 |
| | | | | 15 | 0 | 19.61 | 16.61 | 30 | -13.39 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -3

| LTE Band 4_Uplink frequency band : 1710 to 1755 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 5 | 19975 | 1712.5 | QPSK | 1 | 0 | 21.73 | 18.73 | 30 | -11.27 |
| | | | | 1 | 24 | 21.31 | 18.31 | 30 | -11.69 |
| | | | | 12 | 6 | 21.32 | 18.32 | 30 | -11.68 |
| | | | | 25 | 0 | 21.03 | 18.03 | 30 | -11.97 |
| | 20175 | 1732.5 | QPSK | 1 | 0 | 21.63 | 18.63 | 30 | -11.37 |
| | | | | 1 | 24 | 21.33 | 18.33 | 30 | -11.67 |
| | | | | 12 | 6 | 21.41 | 18.41 | 30 | -11.59 |
| | | | | 25 | 0 | 21.15 | 18.15 | 30 | -11.85 |
| | 20375 | 1752.5 | QPSK | 1 | 0 | 21.72 | 18.72 | 30 | -11.28 |
| | | | | 1 | 24 | 21.67 | 18.67 | 30 | -11.33 |
| | | | | 12 | 6 | 21.44 | 18.44 | 30 | -11.56 |
| | | | | 25 | 0 | 21.16 | 18.16 | 30 | -11.84 |
| | 19975 | 1712.5 | 16QAM | 1 | 0 | 20.89 | 17.89 | 30 | -12.11 |
| | | | | 1 | 24 | 20.51 | 17.51 | 30 | -12.49 |
| | | | | 12 | 6 | 20.27 | 17.27 | 30 | -12.73 |
| | | | | 25 | 0 | 20.04 | 17.04 | 30 | -12.96 |
| | 20175 | 1732.5 | 16QAM | 1 | 0 | 21.17 | 18.17 | 30 | -11.83 |
| | | | | 1 | 24 | 20.99 | 17.99 | 30 | -12.01 |
| | | | | 12 | 6 | 20.36 | 17.36 | 30 | -12.64 |
| | | | | 25 | 0 | 20.23 | 17.23 | 30 | -12.77 |
| | 20375 | 1752.5 | 16QAM | 1 | 0 | 21.12 | 18.12 | 30 | -11.88 |
| | | | | 1 | 24 | 20.80 | 17.80 | 30 | -12.2 |
| | | | | 12 | 6 | 20.52 | 17.52 | 30 | -12.48 |
| | | | | 25 | 0 | 20.12 | 17.12 | 30 | -12.88 |
| | 19975 | 1712.5 | 64QAM | 1 | 0 | 20.32 | 17.32 | 30 | -12.68 |
| | | | | 1 | 24 | 19.87 | 16.87 | 30 | -13.13 |
| | | | | 12 | 6 | 19.78 | 16.78 | 30 | -13.22 |
| | | | | 25 | 0 | 19.45 | 16.45 | 30 | -13.55 |
| | 20175 | 1732.5 | 64QAM | 1 | 0 | 20.71 | 17.71 | 30 | -12.29 |
| | | | | 1 | 24 | 20.40 | 17.40 | 30 | -12.6 |
| | | | | 12 | 6 | 19.94 | 16.94 | 30 | -13.06 |
| | | | | 25 | 0 | 19.63 | 16.63 | 30 | -13.37 |
| | 20375 | 1752.5 | 64QAM | 1 | 0 | 20.44 | 17.44 | 30 | -12.56 |
| | | | | 1 | 24 | 20.11 | 17.11 | 30 | -12.89 |
| | | | | 12 | 6 | 19.90 | 16.90 | 30 | -13.1 |
| | | | | 25 | 0 | 19.67 | 16.67 | 30 | -13.33 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -3

| LTE Band 4_Uplink frequency band : 1710 to 1755 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 10 | 20000 | 1715 | QPSK | 1 | 0 | 21.67 | 18.67 | 30 | -11.33 |
| | | | | 1 | 49 | 21.39 | 18.39 | 30 | -11.61 |
| | | | | 25 | 12 | 21.29 | 18.29 | 30 | -11.71 |
| | | | | 50 | 0 | 21.07 | 18.07 | 30 | -11.93 |
| | 20175 | 1732.5 | QPSK | 1 | 0 | 21.70 | 18.70 | 30 | -11.3 |
| | | | | 1 | 49 | 21.36 | 18.36 | 30 | -11.64 |
| | | | | 25 | 12 | 21.41 | 18.41 | 30 | -11.59 |
| | | | | 50 | 0 | 21.26 | 18.26 | 30 | -11.74 |
| | 20375 | 1750 | QPSK | 1 | 0 | 21.72 | 18.72 | 30 | -11.28 |
| | | | | 1 | 49 | 21.71 | 18.71 | 30 | -11.29 |
| | | | | 25 | 12 | 21.33 | 18.33 | 30 | -11.67 |
| | | | | 50 | 0 | 21.13 | 18.13 | 30 | -11.87 |
| | 20000 | 1715 | 16QAM | 1 | 0 | 20.90 | 17.90 | 30 | -12.1 |
| | | | | 1 | 49 | 20.54 | 17.54 | 30 | -12.46 |
| | | | | 25 | 12 | 20.29 | 17.29 | 30 | -12.71 |
| | | | | 50 | 0 | 20.02 | 17.02 | 30 | -12.98 |
| | 20175 | 1732.5 | 16QAM | 1 | 0 | 21.18 | 18.18 | 30 | -11.82 |
| | | | | 1 | 49 | 20.98 | 17.98 | 30 | -12.02 |
| | | | | 25 | 12 | 20.41 | 17.41 | 30 | -12.59 |
| | | | | 50 | 0 | 20.16 | 17.16 | 30 | -12.84 |
| | 20375 | 1750 | 16QAM | 1 | 0 | 21.01 | 18.01 | 30 | -11.99 |
| | | | | 1 | 49 | 20.72 | 17.72 | 30 | -12.28 |
| | | | | 25 | 12 | 20.53 | 17.53 | 30 | -12.47 |
| | | | | 50 | 0 | 20.20 | 17.20 | 30 | -12.8 |
| | 20000 | 1715 | 64QAM | 1 | 0 | 20.40 | 17.40 | 30 | -12.6 |
| | | | | 1 | 49 | 20.03 | 17.03 | 30 | -12.97 |
| | | | | 25 | 12 | 19.85 | 16.85 | 30 | -13.15 |
| | | | | 50 | 0 | 19.56 | 16.56 | 30 | -13.44 |
| | 20175 | 1732.5 | 64QAM | 1 | 0 | 20.69 | 17.69 | 30 | -12.31 |
| | | | | 1 | 49 | 20.32 | 17.32 | 30 | -12.68 |
| | | | | 25 | 12 | 19.89 | 16.89 | 30 | -13.11 |
| | | | | 50 | 0 | 19.67 | 16.67 | 30 | -13.33 |
| | 20375 | 1750 | 64QAM | 1 | 0 | 20.50 | 17.50 | 30 | -12.5 |
| | | | | 1 | 49 | 20.25 | 17.25 | 30 | -12.75 |
| | | | | 25 | 12 | 20.02 | 17.02 | 30 | -12.98 |
| | | | | 50 | 0 | 19.59 | 16.59 | 30 | -13.41 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -3

| LTE Band 4_Uplink frequency band : 1710 to 1755 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 15 | 20025 | 1717.5 | QPSK | 1 | 0 | 21.79 | 18.79 | 30 | -11.21 |
| | | | | 1 | 74 | 21.32 | 18.32 | 30 | -11.68 |
| | | | | 36 | 18 | 21.27 | 18.27 | 30 | -11.73 |
| | | | | 75 | 0 | 21.03 | 18.03 | 30 | -11.97 |
| | 20175 | 1732.5 | QPSK | 1 | 0 | 21.63 | 18.63 | 30 | -11.37 |
| | | | | 1 | 74 | 21.42 | 18.42 | 30 | -11.58 |
| | | | | 36 | 18 | 21.36 | 18.36 | 30 | -11.64 |
| | | | | 75 | 0 | 21.19 | 18.19 | 30 | -11.81 |
| | 20325 | 1747.5 | QPSK | 1 | 0 | 21.69 | 18.69 | 30 | -11.31 |
| | | | | 1 | 74 | 21.64 | 18.64 | 30 | -11.36 |
| | | | | 36 | 18 | 21.30 | 18.30 | 30 | -11.7 |
| | | | | 75 | 0 | 21.22 | 18.22 | 30 | -11.78 |
| | 20025 | 1717.5 | 16QAM | 1 | 0 | 20.88 | 17.88 | 30 | -12.12 |
| | | | | 1 | 74 | 20.48 | 17.48 | 30 | -12.52 |
| | | | | 36 | 18 | 20.31 | 17.31 | 30 | -12.69 |
| | | | | 75 | 0 | 20.05 | 17.05 | 30 | -12.95 |
| | 20175 | 1732.5 | 16QAM | 1 | 0 | 21.19 | 18.19 | 30 | -11.81 |
| | | | | 1 | 74 | 20.99 | 17.99 | 30 | -12.01 |
| | | | | 36 | 18 | 20.47 | 17.47 | 30 | -12.53 |
| | | | | 75 | 0 | 20.14 | 17.14 | 30 | -12.86 |
| | 20325 | 1747.5 | 16QAM | 1 | 0 | 21.00 | 18.00 | 30 | -12 |
| | | | | 1 | 74 | 20.77 | 17.77 | 30 | -12.23 |
| | | | | 36 | 18 | 20.42 | 17.42 | 30 | -12.58 |
| | | | | 75 | 0 | 20.11 | 17.11 | 30 | -12.89 |
| | 20025 | 1717.5 | 64QAM | 1 | 0 | 20.31 | 17.31 | 30 | -12.69 |
| | | | | 1 | 74 | 19.96 | 16.96 | 30 | -13.04 |
| | | | | 36 | 18 | 19.81 | 16.81 | 30 | -13.19 |
| | | | | 75 | 0 | 19.54 | 16.54 | 30 | -13.46 |
| | 20175 | 1732.5 | 64QAM | 1 | 0 | 20.62 | 17.62 | 30 | -12.38 |
| | | | | 1 | 74 | 20.40 | 17.40 | 30 | -12.6 |
| | | | | 36 | 18 | 19.95 | 16.95 | 30 | -13.05 |
| | | | | 75 | 0 | 19.70 | 16.70 | 30 | -13.3 |
| | 20325 | 1747.5 | 64QAM | 1 | 0 | 20.53 | 17.53 | 30 | -12.47 |
| | | | | 1 | 74 | 20.19 | 17.19 | 30 | -12.81 |
| | | | | 36 | 18 | 20.02 | 17.02 | 30 | -12.98 |
| | | | | 75 | 0 | 19.60 | 16.60 | 30 | -13.4 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -3

| LTE Band 4_Uplink frequency band : 1710 to 1755 MHz | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 20 | 20050 | 1720 | QPSK | 1 | 0 | 21.79 | 18.79 | 30 | -11.21 |
| | | | | 1 | 99 | 21.41 | 18.41 | 30 | -11.59 |
| | | | | 50 | 25 | 21.39 | 18.39 | 30 | -11.61 |
| | | | | 100 | 0 | 21.15 | 18.15 | 30 | -11.85 |
| | 20175 | 1732.5 | QPSK | 1 | 0 | 21.72 | 18.72 | 30 | -11.28 |
| | | | | 1 | 99 | 21.32 | 18.32 | 30 | -11.68 |
| | | | | 50 | 25 | 21.43 | 18.43 | 30 | -11.57 |
| | | | | 100 | 0 | 21.26 | 18.26 | 30 | -11.74 |
| | 20300 | 1745 | QPSK | 1 | 0 | 21.79 | 18.79 | 30 | -11.21 |
| | | | | 1 | 99 | 21.73 | 18.73 | 30 | -11.27 |
| | | | | 50 | 25 | 21.45 | 18.45 | 30 | -11.55 |
| | | | | 100 | 0 | 21.26 | 18.26 | 30 | -11.74 |
| | 20050 | 1720 | 16QAM | 1 | 0 | 20.95 | 17.95 | 30 | -12.05 |
| | | | | 1 | 99 | 20.57 | 17.57 | 30 | -12.43 |
| | | | | 50 | 25 | 20.38 | 17.38 | 30 | -12.62 |
| | | | | 100 | 0 | 20.14 | 17.14 | 30 | -12.86 |
| | 20175 | 1732.5 | 16QAM | 1 | 0 | 21.30 | 18.30 | 30 | -11.7 |
| | | | | 1 | 99 | 21.02 | 18.02 | 30 | -11.98 |
| | | | | 50 | 25 | 20.48 | 17.48 | 30 | -12.52 |
| | | | | 100 | 0 | 20.24 | 17.24 | 30 | -12.76 |
| | 20300 | 1745 | 16QAM | 1 | 0 | 21.13 | 18.13 | 30 | -11.87 |
| | | | | 1 | 99 | 20.85 | 17.85 | 30 | -12.15 |
| | | | | 50 | 25 | 20.55 | 17.55 | 30 | -12.45 |
| | | | | 100 | 0 | 20.23 | 17.23 | 30 | -12.77 |
| | 20050 | 1720 | 64QAM | 1 | 0 | 20.41 | 17.41 | 30 | -12.59 |
| | | | | 1 | 99 | 20.01 | 17.01 | 30 | -12.99 |
| | | | | 50 | 25 | 19.85 | 16.85 | 30 | -13.15 |
| | | | | 100 | 0 | 19.59 | 16.59 | 30 | -13.41 |
| | 20175 | 1732.5 | 64QAM | 1 | 0 | 20.76 | 17.76 | 30 | -12.24 |
| | | | | 1 | 99 | 20.45 | 17.45 | 30 | -12.55 |
| | | | | 50 | 25 | 19.98 | 16.98 | 30 | -13.02 |
| | | | | 100 | 0 | 19.70 | 16.70 | 30 | -13.3 |
| | 20300 | 1745 | 64QAM | 1 | 0 | 20.53 | 17.53 | 30 | -12.47 |
| | | | | 1 | 99 | 20.26 | 17.26 | 30 | -12.74 |
| | | | | 50 | 25 | 20.04 | 17.04 | 30 | -12.96 |
| | | | | 100 | 0 | 19.70 | 16.70 | 30 | -13.3 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -6.6

| LTE Band 5_Uplink frequency band : 824 to 849 MHz | | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 1.4 | 20407 | 824.7 | QPSK | 1 | 0 | 22.76 | 14.01 | 16.16 | 38.45 | -22.29 |
| | | | | 1 | 5 | 22.84 | 14.09 | 16.24 | 38.45 | -22.21 |
| | | | | 3 | 2 | 22.55 | 13.80 | 15.95 | 38.45 | -22.5 |
| | | | | 6 | 0 | 21.63 | 12.88 | 15.03 | 38.45 | -23.42 |
| | 20525 | 836.5 | QPSK | 1 | 0 | 22.82 | 14.07 | 16.22 | 38.45 | -22.23 |
| | | | | 1 | 5 | 22.87 | 14.12 | 16.27 | 38.45 | -22.18 |
| | | | | 3 | 2 | 22.59 | 13.84 | 15.99 | 38.45 | -22.46 |
| | | | | 6 | 0 | 21.73 | 12.98 | 15.13 | 38.45 | -23.32 |
| | 20643 | 848.3 | QPSK | 1 | 0 | 22.86 | 14.11 | 16.26 | 38.45 | -22.19 |
| | | | | 1 | 5 | 22.86 | 14.11 | 16.26 | 38.45 | -22.19 |
| | | | | 3 | 2 | 22.59 | 13.84 | 15.99 | 38.45 | -22.46 |
| | | | | 6 | 0 | 21.82 | 13.07 | 15.22 | 38.45 | -23.23 |
| | 20407 | 824.7 | 16QAM | 1 | 0 | 21.85 | 13.10 | 15.25 | 38.45 | -23.2 |
| | | | | 1 | 5 | 21.62 | 12.87 | 15.02 | 38.45 | -23.43 |
| | | | | 3 | 2 | 21.80 | 13.05 | 15.20 | 38.45 | -23.25 |
| | | | | 6 | 0 | 20.69 | 11.94 | 14.09 | 38.45 | -24.36 |
| | 20525 | 836.5 | 16QAM | 1 | 0 | 21.98 | 13.23 | 15.38 | 38.45 | -23.07 |
| | | | | 1 | 5 | 21.80 | 13.05 | 15.20 | 38.45 | -23.25 |
| | | | | 3 | 2 | 22.18 | 13.43 | 15.58 | 38.45 | -22.87 |
| | | | | 6 | 0 | 20.96 | 12.21 | 14.36 | 38.45 | -24.09 |
| | 20643 | 848.3 | 16QAM | 1 | 0 | 22.09 | 13.34 | 15.49 | 38.45 | -22.96 |
| | | | | 1 | 5 | 21.69 | 12.94 | 15.09 | 38.45 | -23.36 |
| | | | | 3 | 2 | 22.08 | 13.33 | 15.48 | 38.45 | -22.97 |
| | | | | 6 | 0 | 20.68 | 11.93 | 14.08 | 38.45 | -24.37 |
| | 20407 | 824.7 | 64QAM | 1 | 0 | 20.93 | 12.18 | 14.33 | 38.45 | -24.12 |
| | | | | 1 | 5 | 20.67 | 11.92 | 14.07 | 38.45 | -24.38 |
| | | | | 3 | 2 | 20.64 | 11.89 | 14.04 | 38.45 | -24.41 |
| | | | | 6 | 0 | 19.57 | 10.82 | 12.97 | 38.45 | -25.48 |
| | 20525 | 836.5 | 64QAM | 1 | 0 | 20.78 | 12.03 | 14.18 | 38.45 | -24.27 |
| | | | | 1 | 5 | 20.67 | 11.92 | 14.07 | 38.45 | -24.38 |
| | | | | 3 | 2 | 20.79 | 12.04 | 14.19 | 38.45 | -24.26 |
| | | | | 6 | 0 | 19.76 | 11.01 | 13.16 | 38.45 | -25.29 |
| | 20643 | 848.3 | 64QAM | 1 | 0 | 20.94 | 12.19 | 14.34 | 38.45 | -24.11 |
| | | | | 1 | 5 | 20.75 | 12.00 | 14.15 | 38.45 | -24.3 |
| | | | | 3 | 2 | 20.69 | 11.94 | 14.09 | 38.45 | -24.36 |
| | | | | 6 | 0 | 19.56 | 10.81 | 12.96 | 38.45 | -25.49 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -6.6

| LTE Band 5_Uplink frequency band : 824 to 849 MHz | | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 3 | 20415 | 825.5 | QPSK | 1 | 0 | 22.74 | 13.99 | 16.14 | 38.45 | -22.31 |
| | | | | 1 | 14 | 22.96 | 14.21 | 16.36 | 38.45 | -22.09 |
| | | | | 8 | 4 | 21.93 | 13.18 | 15.33 | 38.45 | -23.12 |
| | | | | 15 | 0 | 21.71 | 12.96 | 15.11 | 38.45 | -23.34 |
| | 20525 | 836.5 | QPSK | 1 | 0 | 22.87 | 14.12 | 16.27 | 38.45 | -22.18 |
| | | | | 1 | 14 | 22.93 | 14.18 | 16.33 | 38.45 | -22.12 |
| | | | | 8 | 4 | 21.95 | 13.20 | 15.35 | 38.45 | -23.1 |
| | | | | 15 | 0 | 21.81 | 13.06 | 15.21 | 38.45 | -23.24 |
| | 20635 | 847.5 | QPSK | 1 | 0 | 22.81 | 14.06 | 16.21 | 38.45 | -22.24 |
| | | | | 1 | 14 | 22.82 | 14.07 | 16.22 | 38.45 | -22.23 |
| | | | | 8 | 4 | 22.10 | 13.35 | 15.50 | 38.45 | -22.95 |
| | | | | 15 | 0 | 21.78 | 13.03 | 15.18 | 38.45 | -23.27 |
| | 20415 | 825.5 | 16QAM | 1 | 0 | 22.30 | 13.55 | 15.70 | 38.45 | -22.75 |
| | | | | 1 | 14 | 21.99 | 13.24 | 15.39 | 38.45 | -23.06 |
| | | | | 8 | 4 | 20.93 | 12.18 | 14.33 | 38.45 | -24.12 |
| | | | | 15 | 0 | 20.75 | 12.00 | 14.15 | 38.45 | -24.3 |
| | 20525 | 836.5 | 16QAM | 1 | 0 | 21.85 | 13.10 | 15.25 | 38.45 | -23.2 |
| | | | | 1 | 14 | 22.08 | 13.33 | 15.48 | 38.45 | -22.97 |
| | | | | 8 | 4 | 21.03 | 12.28 | 14.43 | 38.45 | -24.02 |
| | | | | 15 | 0 | 20.64 | 11.89 | 14.04 | 38.45 | -24.41 |
| | 20635 | 847.5 | 16QAM | 1 | 0 | 22.05 | 13.30 | 15.45 | 38.45 | -23 |
| | | | | 1 | 14 | 21.86 | 13.11 | 15.26 | 38.45 | -23.19 |
| | | | | 8 | 4 | 20.93 | 12.18 | 14.33 | 38.45 | -24.12 |
| | | | | 15 | 0 | 20.87 | 12.12 | 14.27 | 38.45 | -24.18 |
| | 20415 | 825.5 | 64QAM | 1 | 0 | 21.60 | 12.85 | 15.00 | 38.45 | -23.45 |
| | | | | 1 | 14 | 21.17 | 12.42 | 14.57 | 38.45 | -23.88 |
| | | | | 8 | 4 | 20.22 | 11.47 | 13.62 | 38.45 | -24.83 |
| | | | | 15 | 0 | 19.99 | 11.24 | 13.39 | 38.45 | -25.06 |
| | 20525 | 836.5 | 64QAM | 1 | 0 | 21.20 | 12.45 | 14.60 | 38.45 | -23.85 |
| | | | | 1 | 14 | 21.25 | 12.50 | 14.65 | 38.45 | -23.8 |
| | | | | 8 | 4 | 20.23 | 11.48 | 13.63 | 38.45 | -24.82 |
| | | | | 15 | 0 | 19.94 | 11.19 | 13.34 | 38.45 | -25.11 |
| | 20635 | 847.5 | 64QAM | 1 | 0 | 21.39 | 12.64 | 14.79 | 38.45 | -23.66 |
| | | | | 1 | 14 | 21.14 | 12.39 | 14.54 | 38.45 | -23.91 |
| | | | | 8 | 4 | 20.22 | 11.47 | 13.62 | 38.45 | -24.83 |
| | | | | 15 | 0 | 19.98 | 11.23 | 13.38 | 38.45 | -25.07 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -6.6

| LTE Band 5_Uplink frequency band : 824 to 849 MHz | | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 5 | 20425 | 826.5 | QPSK | 1 | 0 | 22.77 | 14.02 | 16.17 | 38.45 | -22.28 |
| | | | | 1 | 24 | 22.83 | 14.08 | 16.23 | 38.45 | -22.22 |
| | | | | 12 | 6 | 21.95 | 13.20 | 15.35 | 38.45 | -23.1 |
| | | | | 25 | 0 | 21.59 | 12.84 | 14.99 | 38.45 | -23.46 |
| | 20525 | 836.5 | QPSK | 1 | 0 | 22.86 | 14.11 | 16.26 | 38.45 | -22.19 |
| | | | | 1 | 24 | 22.90 | 14.15 | 16.30 | 38.45 | -22.15 |
| | | | | 12 | 6 | 22.03 | 13.28 | 15.43 | 38.45 | -23.02 |
| | | | | 25 | 0 | 21.85 | 13.10 | 15.25 | 38.45 | -23.2 |
| | 20625 | 846.5 | QPSK | 1 | 0 | 22.82 | 14.07 | 16.22 | 38.45 | -22.23 |
| | | | | 1 | 24 | 22.91 | 14.16 | 16.31 | 38.45 | -22.14 |
| | | | | 12 | 6 | 22.04 | 13.29 | 15.44 | 38.45 | -23.01 |
| | | | | 25 | 0 | 21.76 | 13.01 | 15.16 | 38.45 | -23.29 |
| | 20425 | 826.5 | 16QAM | 1 | 0 | 22.27 | 13.52 | 15.67 | 38.45 | -22.78 |
| | | | | 1 | 24 | 21.85 | 13.10 | 15.25 | 38.45 | -23.2 |
| | | | | 12 | 6 | 20.88 | 12.13 | 14.28 | 38.45 | -24.17 |
| | | | | 25 | 0 | 20.75 | 12.00 | 14.15 | 38.45 | -24.3 |
| | 20525 | 836.5 | 16QAM | 1 | 0 | 21.97 | 13.22 | 15.37 | 38.45 | -23.08 |
| | | | | 1 | 24 | 22.13 | 13.38 | 15.53 | 38.45 | -22.92 |
| | | | | 12 | 6 | 20.91 | 12.16 | 14.31 | 38.45 | -24.14 |
| | | | | 25 | 0 | 20.66 | 11.91 | 14.06 | 38.45 | -24.39 |
| | 20625 | 846.5 | 16QAM | 1 | 0 | 22.16 | 13.41 | 15.56 | 38.45 | -22.89 |
| | | | | 1 | 24 | 21.89 | 13.14 | 15.29 | 38.45 | -23.16 |
| | | | | 12 | 6 | 20.96 | 12.21 | 14.36 | 38.45 | -24.09 |
| | | | | 25 | 0 | 20.77 | 12.02 | 14.17 | 38.45 | -24.28 |
| | 20425 | 826.5 | 64QAM | 1 | 0 | 21.55 | 12.80 | 14.95 | 38.45 | -23.5 |
| | | | | 1 | 24 | 21.12 | 12.37 | 14.52 | 38.45 | -23.93 |
| | | | | 12 | 6 | 20.26 | 11.51 | 13.66 | 38.45 | -24.79 |
| | | | | 25 | 0 | 19.95 | 11.20 | 13.35 | 38.45 | -25.1 |
| | 20525 | 836.5 | 64QAM | 1 | 0 | 21.21 | 12.46 | 14.61 | 38.45 | -23.84 |
| | | | | 1 | 24 | 21.23 | 12.48 | 14.63 | 38.45 | -23.82 |
| | | | | 12 | 6 | 20.14 | 11.39 | 13.54 | 38.45 | -24.91 |
| | | | | 25 | 0 | 19.94 | 11.19 | 13.34 | 38.45 | -25.11 |
| | 20625 | 846.5 | 64QAM | 1 | 0 | 21.46 | 12.71 | 14.86 | 38.45 | -23.59 |
| | | | | 1 | 24 | 21.16 | 12.41 | 14.56 | 38.45 | -23.89 |
| | | | | 12 | 6 | 20.23 | 11.48 | 13.63 | 38.45 | -24.82 |
| | | | | 25 | 0 | 20.03 | 11.28 | 13.43 | 38.45 | -25.02 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -6.6

| LTE Band 5_Uplink frequency band : 824 to 849 MHz | | | | | | | | | | |
|---|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 10 | 20450 | 829 | QPSK | 1 | 0 | 22.83 | 14.08 | 16.23 | 38.45 | -22.22 |
| | | | | 1 | 49 | 22.98 | 14.23 | 16.38 | 38.45 | -22.07 |
| | | | | 25 | 12 | 21.97 | 13.22 | 15.37 | 38.45 | -23.08 |
| | | | | 50 | 0 | 21.71 | 12.96 | 15.11 | 38.45 | -23.34 |
| | 20525 | 836.5 | QPSK | 1 | 0 | 22.99 | 14.24 | 16.39 | 38.45 | -22.06 |
| | | | | 1 | 49 | 22.94 | 14.19 | 16.34 | 38.45 | -22.11 |
| | | | | 25 | 12 | 22.06 | 13.31 | 15.46 | 38.45 | -22.99 |
| | | | | 50 | 0 | 21.86 | 13.11 | 15.26 | 38.45 | -23.19 |
| | 20600 | 844 | QPSK | 1 | 0 | 22.94 | 14.19 | 16.34 | 38.45 | -22.11 |
| | | | | 1 | 49 | 22.96 | 14.21 | 16.36 | 38.45 | -22.09 |
| | | | | 25 | 12 | 22.15 | 13.40 | 15.55 | 38.45 | -22.9 |
| | | | | 50 | 0 | 21.82 | 13.07 | 15.22 | 38.45 | -23.23 |
| | 20450 | 829 | 16QAM | 1 | 0 | 22.34 | 13.59 | 15.74 | 38.45 | -22.71 |
| | | | | 1 | 49 | 22.00 | 13.25 | 15.40 | 38.45 | -23.05 |
| | | | | 25 | 12 | 21.01 | 12.26 | 14.41 | 38.45 | -24.04 |
| | | | | 50 | 0 | 20.80 | 12.05 | 14.20 | 38.45 | -24.25 |
| | 20525 | 836.5 | 16QAM | 1 | 0 | 21.98 | 13.23 | 15.38 | 38.45 | -23.07 |
| | | | | 1 | 49 | 22.14 | 13.39 | 15.54 | 38.45 | -22.91 |
| | | | | 25 | 12 | 21.06 | 12.31 | 14.46 | 38.45 | -23.99 |
| | | | | 50 | 0 | 20.77 | 12.02 | 14.17 | 38.45 | -24.28 |
| | 20600 | 844 | 16QAM | 1 | 0 | 22.19 | 13.44 | 15.59 | 38.45 | -22.86 |
| | | | | 1 | 49 | 21.96 | 13.21 | 15.36 | 38.45 | -23.09 |
| | | | | 25 | 12 | 21.02 | 12.27 | 14.42 | 38.45 | -24.03 |
| | | | | 50 | 0 | 20.87 | 12.12 | 14.27 | 38.45 | -24.18 |
| | 20450 | 829 | 64QAM | 1 | 0 | 21.61 | 12.86 | 15.01 | 38.45 | -23.44 |
| | | | | 1 | 49 | 21.26 | 12.51 | 14.66 | 38.45 | -23.79 |
| | | | | 25 | 12 | 20.29 | 11.54 | 13.69 | 38.45 | -24.76 |
| | | | | 50 | 0 | 20.09 | 11.34 | 13.49 | 38.45 | -24.96 |
| | 20525 | 836.5 | 64QAM | 1 | 0 | 21.24 | 12.49 | 14.64 | 38.45 | -23.81 |
| | | | | 1 | 49 | 21.38 | 12.63 | 14.78 | 38.45 | -23.67 |
| | | | | 25 | 12 | 20.27 | 11.52 | 13.67 | 38.45 | -24.78 |
| | | | | 50 | 0 | 19.99 | 11.24 | 13.39 | 38.45 | -25.06 |
| | 20600 | 844 | 64QAM | 1 | 0 | 21.48 | 12.73 | 14.88 | 38.45 | -23.57 |
| | | | | 1 | 49 | 21.17 | 12.42 | 14.57 | 38.45 | -23.88 |
| | | | | 25 | 12 | 20.29 | 11.54 | 13.69 | 38.45 | -24.76 |
| | | | | 50 | 0 | 20.12 | 11.37 | 13.52 | 38.45 | -24.93 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -8.9

| LTE Band 12_Uplink frequency band : 699 to 716 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 1.4 | 23017 | 699.7 | QPSK | 1 | 0 | 22.57 | 11.52 | 13.67 | 34.77 | -21.1 |
| | | | | 1 | 5 | 22.60 | 11.55 | 13.70 | 34.77 | -21.07 |
| | | | | 3 | 2 | 22.69 | 11.64 | 13.79 | 34.77 | -20.98 |
| | | | | 6 | 0 | 21.68 | 10.63 | 12.78 | 34.77 | -21.99 |
| | 23095 | 707.5 | QPSK | 1 | 0 | 22.62 | 11.57 | 13.72 | 34.77 | -21.05 |
| | | | | 1 | 5 | 22.60 | 11.55 | 13.70 | 34.77 | -21.07 |
| | | | | 3 | 2 | 22.70 | 11.65 | 13.80 | 34.77 | -20.97 |
| | | | | 6 | 0 | 21.56 | 10.51 | 12.66 | 34.77 | -22.11 |
| | 23173 | 715.5 | QPSK | 1 | 0 | 22.64 | 11.59 | 13.74 | 34.77 | -21.03 |
| | | | | 1 | 5 | 22.70 | 11.65 | 13.80 | 34.77 | -20.97 |
| | | | | 3 | 2 | 22.59 | 11.54 | 13.69 | 34.77 | -21.08 |
| | | | | 6 | 0 | 21.57 | 10.52 | 12.67 | 34.77 | -22.1 |
| | 23017 | 699.7 | 16QAM | 1 | 0 | 21.60 | 10.55 | 12.70 | 34.77 | -22.07 |
| | | | | 1 | 5 | 21.60 | 10.55 | 12.70 | 34.77 | -22.07 |
| | | | | 3 | 2 | 21.63 | 10.58 | 12.73 | 34.77 | -22.04 |
| | | | | 6 | 0 | 20.57 | 9.52 | 11.67 | 34.77 | -23.1 |
| | 23095 | 707.5 | 16QAM | 1 | 0 | 21.63 | 10.58 | 12.73 | 34.77 | -22.04 |
| | | | | 1 | 5 | 21.61 | 10.56 | 12.71 | 34.77 | -22.06 |
| | | | | 3 | 2 | 21.58 | 10.53 | 12.68 | 34.77 | -22.09 |
| | | | | 6 | 0 | 20.64 | 9.59 | 11.74 | 34.77 | -23.03 |
| | 23173 | 715.5 | 16QAM | 1 | 0 | 21.66 | 10.61 | 12.76 | 34.77 | -22.01 |
| | | | | 1 | 5 | 21.53 | 10.48 | 12.63 | 34.77 | -22.14 |
| | | | | 3 | 2 | 21.65 | 10.60 | 12.75 | 34.77 | -22.02 |
| | | | | 6 | 0 | 20.54 | 9.49 | 11.64 | 34.77 | -23.13 |
| | 23017 | 699.7 | 64QAM | 1 | 0 | 21.03 | 9.98 | 12.13 | 34.77 | -22.64 |
| | | | | 1 | 5 | 20.95 | 9.90 | 12.05 | 34.77 | -22.72 |
| | | | | 3 | 2 | 21.14 | 10.09 | 12.24 | 34.77 | -22.53 |
| | | | | 6 | 0 | 20.11 | 9.06 | 11.21 | 34.77 | -23.56 |
| | 23095 | 707.5 | 64QAM | 1 | 0 | 21.04 | 9.99 | 12.14 | 34.77 | -22.63 |
| | | | | 1 | 5 | 21.00 | 9.95 | 12.10 | 34.77 | -22.67 |
| | | | | 3 | 2 | 21.01 | 9.96 | 12.11 | 34.77 | -22.66 |
| | | | | 6 | 0 | 20.03 | 8.98 | 11.13 | 34.77 | -23.64 |
| | 23173 | 715.5 | 64QAM | 1 | 0 | 21.02 | 9.97 | 12.12 | 34.77 | -22.65 |
| | | | | 1 | 5 | 21.00 | 9.95 | 12.10 | 34.77 | -22.67 |
| | | | | 3 | 2 | 21.02 | 9.97 | 12.12 | 34.77 | -22.65 |
| | | | | 6 | 0 | 20.07 | 9.02 | 11.17 | 34.77 | -23.6 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -8.9

| LTE Band 12_Uplink frequency band : 699 to 716 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 3 | 23025 | 700.5 | QPSK | 1 | 0 | 22.80 | 11.75 | 13.90 | 34.77 | -20.87 |
| | | | | 1 | 14 | 22.94 | 11.89 | 14.04 | 34.77 | -20.73 |
| | | | | 8 | 4 | 21.96 | 10.91 | 13.06 | 34.77 | -21.71 |
| | | | | 15 | 0 | 21.66 | 10.61 | 12.76 | 34.77 | -22.01 |
| | 23095 | 707.5 | QPSK | 1 | 0 | 22.70 | 11.65 | 13.80 | 34.77 | -20.97 |
| | | | | 1 | 14 | 22.85 | 11.80 | 13.95 | 34.77 | -20.82 |
| | | | | 8 | 4 | 21.99 | 10.94 | 13.09 | 34.77 | -21.68 |
| | | | | 15 | 0 | 21.72 | 10.67 | 12.82 | 34.77 | -21.95 |
| | 23165 | 714.5 | QPSK | 1 | 0 | 22.76 | 11.71 | 13.86 | 34.77 | -20.91 |
| | | | | 1 | 14 | 22.97 | 11.92 | 14.07 | 34.77 | -20.7 |
| | | | | 8 | 4 | 21.96 | 10.91 | 13.06 | 34.77 | -21.71 |
| | | | | 15 | 0 | 21.74 | 10.69 | 12.84 | 34.77 | -21.93 |
| | 23025 | 700.5 | 16QAM | 1 | 0 | 21.96 | 10.91 | 13.06 | 34.77 | -21.71 |
| | | | | 1 | 14 | 22.20 | 11.15 | 13.30 | 34.77 | -21.47 |
| | | | | 8 | 4 | 20.98 | 9.93 | 12.08 | 34.77 | -22.69 |
| | | | | 15 | 0 | 20.73 | 9.68 | 11.83 | 34.77 | -22.94 |
| | 23095 | 707.5 | 16QAM | 1 | 0 | 22.03 | 10.98 | 13.13 | 34.77 | -21.64 |
| | | | | 1 | 14 | 22.08 | 11.03 | 13.18 | 34.77 | -21.59 |
| | | | | 8 | 4 | 21.06 | 10.01 | 12.16 | 34.77 | -22.61 |
| | | | | 15 | 0 | 20.80 | 9.75 | 11.90 | 34.77 | -22.87 |
| | 23165 | 714.5 | 16QAM | 1 | 0 | 22.12 | 11.07 | 13.22 | 34.77 | -21.55 |
| | | | | 1 | 14 | 22.29 | 11.24 | 13.39 | 34.77 | -21.38 |
| | | | | 8 | 4 | 21.05 | 10.00 | 12.15 | 34.77 | -22.62 |
| | | | | 15 | 0 | 20.75 | 9.70 | 11.85 | 34.77 | -22.92 |
| | 23025 | 700.5 | 64QAM | 1 | 0 | 21.31 | 10.26 | 12.41 | 34.77 | -22.36 |
| | | | | 1 | 14 | 21.69 | 10.64 | 12.79 | 34.77 | -21.98 |
| | | | | 8 | 4 | 20.43 | 9.38 | 11.53 | 34.77 | -23.24 |
| | | | | 15 | 0 | 20.10 | 9.05 | 11.20 | 34.77 | -23.57 |
| | 23095 | 707.5 | 64QAM | 1 | 0 | 21.50 | 10.45 | 12.60 | 34.77 | -22.17 |
| | | | | 1 | 14 | 21.64 | 10.59 | 12.74 | 34.77 | -22.03 |
| | | | | 8 | 4 | 20.46 | 9.41 | 11.56 | 34.77 | -23.21 |
| | | | | 15 | 0 | 20.30 | 9.25 | 11.40 | 34.77 | -23.37 |
| | 23165 | 714.5 | 64QAM | 1 | 0 | 21.73 | 10.68 | 12.83 | 34.77 | -21.94 |
| | | | | 1 | 14 | 21.87 | 10.82 | 12.97 | 34.77 | -21.8 |
| | | | | 8 | 4 | 20.48 | 9.43 | 11.58 | 34.77 | -23.19 |
| | | | | 15 | 0 | 20.30 | 9.25 | 11.40 | 34.77 | -23.37 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -8.9

| LTE Band 12_Uplink frequency band : 699 to 716 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 5 | 23035 | 701.5 | QPSK | 1 | 0 | 22.82 | 11.77 | 13.92 | 34.77 | -20.85 |
| | | | | 1 | 24 | 23.07 | 12.02 | 14.17 | 34.77 | -20.6 |
| | | | | 12 | 6 | 21.86 | 10.81 | 12.96 | 34.77 | -21.81 |
| | | | | 25 | 0 | 21.67 | 10.62 | 12.77 | 34.77 | -22 |
| | 23095 | 707.5 | QPSK | 1 | 0 | 22.76 | 11.71 | 13.86 | 34.77 | -20.91 |
| | | | | 1 | 24 | 22.87 | 11.82 | 13.97 | 34.77 | -20.8 |
| | | | | 12 | 6 | 21.96 | 10.91 | 13.06 | 34.77 | -21.71 |
| | | | | 25 | 0 | 21.80 | 10.75 | 12.90 | 34.77 | -21.87 |
| | 23155 | 713.5 | QPSK | 1 | 0 | 22.86 | 11.81 | 13.96 | 34.77 | -20.81 |
| | | | | 1 | 24 | 23.08 | 12.03 | 14.18 | 34.77 | -20.59 |
| | | | | 12 | 6 | 21.90 | 10.85 | 13.00 | 34.77 | -21.77 |
| | | | | 25 | 0 | 21.82 | 10.77 | 12.92 | 34.77 | -21.85 |
| | 23035 | 701.5 | 16QAM | 1 | 0 | 21.96 | 10.91 | 13.06 | 34.77 | -21.71 |
| | | | | 1 | 24 | 22.19 | 11.14 | 13.29 | 34.77 | -21.48 |
| | | | | 12 | 6 | 20.90 | 9.85 | 12.00 | 34.77 | -22.77 |
| | | | | 25 | 0 | 20.71 | 9.66 | 11.81 | 34.77 | -22.96 |
| | 23095 | 707.5 | 16QAM | 1 | 0 | 22.00 | 10.95 | 13.10 | 34.77 | -21.67 |
| | | | | 1 | 24 | 22.14 | 11.09 | 13.24 | 34.77 | -21.53 |
| | | | | 12 | 6 | 21.02 | 9.97 | 12.12 | 34.77 | -22.65 |
| | | | | 25 | 0 | 20.75 | 9.70 | 11.85 | 34.77 | -22.92 |
| | 23155 | 713.5 | 16QAM | 1 | 0 | 22.05 | 11.00 | 13.15 | 34.77 | -21.62 |
| | | | | 1 | 24 | 22.30 | 11.25 | 13.40 | 34.77 | -21.37 |
| | | | | 12 | 6 | 21.01 | 9.96 | 12.11 | 34.77 | -22.66 |
| | | | | 25 | 0 | 20.72 | 9.67 | 11.82 | 34.77 | -22.95 |
| | 23035 | 701.5 | 64QAM | 1 | 0 | 21.30 | 10.25 | 12.40 | 34.77 | -22.37 |
| | | | | 1 | 24 | 21.62 | 10.57 | 12.72 | 34.77 | -22.05 |
| | | | | 12 | 6 | 20.44 | 9.39 | 11.54 | 34.77 | -23.23 |
| | | | | 25 | 0 | 20.13 | 9.08 | 11.23 | 34.77 | -23.54 |
| | 23095 | 707.5 | 64QAM | 1 | 0 | 21.51 | 10.46 | 12.61 | 34.77 | -22.16 |
| | | | | 1 | 24 | 21.54 | 10.49 | 12.64 | 34.77 | -22.13 |
| | | | | 12 | 6 | 20.40 | 9.35 | 11.50 | 34.77 | -23.27 |
| | | | | 25 | 0 | 20.21 | 9.16 | 11.31 | 34.77 | -23.46 |
| | 23155 | 713.5 | 64QAM | 1 | 0 | 21.79 | 10.74 | 12.89 | 34.77 | -21.88 |
| | | | | 1 | 24 | 21.90 | 10.85 | 13.00 | 34.77 | -21.77 |
| | | | | 12 | 6 | 20.50 | 9.45 | 11.60 | 34.77 | -23.17 |
| | | | | 25 | 0 | 20.26 | 9.21 | 11.36 | 34.77 | -23.41 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -8.9

| LTE Band 12_Uplink frequency band : 699 to 716 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 10 | 23060 | 704 | QPSK | 1 | 0 | 22.88 | 11.83 | 13.98 | 34.77 | -20.79 |
| | | | | 1 | 49 | 23.08 | 12.03 | 14.18 | 34.77 | -20.59 |
| | | | | 25 | 12 | 21.98 | 10.93 | 13.08 | 34.77 | -21.69 |
| | | | | 50 | 0 | 21.80 | 10.75 | 12.90 | 34.77 | -21.87 |
| | 23095 | 707.5 | QPSK | 1 | 0 | 22.77 | 11.72 | 13.87 | 34.77 | -20.9 |
| | | | | 1 | 49 | 22.89 | 11.84 | 13.99 | 34.77 | -20.78 |
| | | | | 25 | 12 | 21.99 | 10.94 | 13.09 | 34.77 | -21.68 |
| | | | | 50 | 0 | 21.85 | 10.80 | 12.95 | 34.77 | -21.82 |
| | 23130 | 711 | QPSK | 1 | 0 | 22.86 | 11.81 | 13.96 | 34.77 | -20.81 |
| | | | | 1 | 49 | 23.09 | 12.04 | 14.19 | 34.77 | -20.58 |
| | | | | 25 | 12 | 22.01 | 10.96 | 13.11 | 34.77 | -21.66 |
| | | | | 50 | 0 | 21.83 | 10.78 | 12.93 | 34.77 | -21.84 |
| | 23060 | 704 | 16QAM | 1 | 0 | 21.96 | 10.91 | 13.06 | 34.77 | -21.71 |
| | | | | 1 | 49 | 22.32 | 11.27 | 13.42 | 34.77 | -21.35 |
| | | | | 25 | 12 | 21.04 | 9.99 | 12.14 | 34.77 | -22.63 |
| | | | | 50 | 0 | 20.73 | 9.68 | 11.83 | 34.77 | -22.94 |
| | 23095 | 707.5 | 16QAM | 1 | 0 | 22.05 | 11.00 | 13.15 | 34.77 | -21.62 |
| | | | | 1 | 49 | 22.22 | 11.17 | 13.32 | 34.77 | -21.45 |
| | | | | 25 | 12 | 21.07 | 10.02 | 12.17 | 34.77 | -22.6 |
| | | | | 50 | 0 | 20.86 | 9.81 | 11.96 | 34.77 | -22.81 |
| | 23130 | 711 | 16QAM | 1 | 0 | 22.13 | 11.08 | 13.23 | 34.77 | -21.54 |
| | | | | 1 | 49 | 22.35 | 11.30 | 13.45 | 34.77 | -21.32 |
| | | | | 25 | 12 | 21.09 | 10.04 | 12.19 | 34.77 | -22.58 |
| | | | | 50 | 0 | 20.85 | 9.80 | 11.95 | 34.77 | -22.82 |
| | 23060 | 704 | 64QAM | 1 | 0 | 21.43 | 10.38 | 12.53 | 34.77 | -22.24 |
| | | | | 1 | 49 | 21.74 | 10.69 | 12.84 | 34.77 | -21.93 |
| | | | | 25 | 12 | 20.50 | 9.45 | 11.60 | 34.77 | -23.17 |
| | | | | 50 | 0 | 20.18 | 9.13 | 11.28 | 34.77 | -23.49 |
| | 23095 | 707.5 | 64QAM | 1 | 0 | 21.51 | 10.46 | 12.61 | 34.77 | -22.16 |
| | | | | 1 | 49 | 21.69 | 10.64 | 12.79 | 34.77 | -21.98 |
| | | | | 25 | 12 | 20.53 | 9.48 | 11.63 | 34.77 | -23.14 |
| | | | | 50 | 0 | 20.34 | 9.29 | 11.44 | 34.77 | -23.33 |
| | 23130 | 711 | 64QAM | 1 | 0 | 21.87 | 10.82 | 12.97 | 34.77 | -21.8 |
| | | | | 1 | 49 | 21.99 | 10.94 | 13.09 | 34.77 | -21.68 |
| | | | | 25 | 12 | 20.54 | 9.49 | 11.64 | 34.77 | -23.13 |
| | | | | 50 | 0 | 20.33 | 9.28 | 11.43 | 34.77 | -23.34 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -6.6

| LTE Band 13_Uplink frequency band : 777 to 787 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 5 | 23205 | 779.5 | QPSK | 1 | 0 | 23.14 | 14.39 | 16.54 | 34.77 | -18.23 |
| | | | | 1 | 24 | 22.98 | 14.23 | 16.38 | 34.77 | -18.39 |
| | | | | 12 | 6 | 21.60 | 12.85 | 15.00 | 34.77 | -19.77 |
| | | | | 25 | 0 | 21.58 | 12.83 | 14.98 | 34.77 | -19.79 |
| | 23230 | 782 | QPSK | 1 | 0 | 22.79 | 14.04 | 16.19 | 34.77 | -18.58 |
| | | | | 1 | 24 | 22.63 | 13.88 | 16.03 | 34.77 | -18.74 |
| | | | | 12 | 6 | 21.57 | 12.82 | 14.97 | 34.77 | -19.8 |
| | | | | 25 | 0 | 21.42 | 12.67 | 14.82 | 34.77 | -19.95 |
| | 23255 | 784.5 | QPSK | 1 | 0 | 22.81 | 14.06 | 16.21 | 34.77 | -18.56 |
| | | | | 1 | 24 | 22.75 | 14.00 | 16.15 | 34.77 | -18.62 |
| | | | | 12 | 6 | 21.69 | 12.94 | 15.09 | 34.77 | -19.68 |
| | | | | 25 | 0 | 21.48 | 12.73 | 14.88 | 34.77 | -19.89 |
| | 23205 | 779.5 | 16QAM | 1 | 0 | 21.84 | 13.09 | 15.24 | 34.77 | -19.53 |
| | | | | 1 | 24 | 21.48 | 12.73 | 14.88 | 34.77 | -19.89 |
| | | | | 12 | 6 | 20.55 | 11.80 | 13.95 | 34.77 | -20.82 |
| | | | | 25 | 0 | 20.59 | 11.84 | 13.99 | 34.77 | -20.78 |
| | 23230 | 782 | 16QAM | 1 | 0 | 21.85 | 13.10 | 15.25 | 34.77 | -19.52 |
| | | | | 1 | 24 | 21.70 | 12.95 | 15.10 | 34.77 | -19.67 |
| | | | | 12 | 6 | 20.56 | 11.81 | 13.96 | 34.77 | -20.81 |
| | | | | 25 | 0 | 20.63 | 11.88 | 14.03 | 34.77 | -20.74 |
| | 23255 | 784.5 | 16QAM | 1 | 0 | 21.67 | 12.92 | 15.07 | 34.77 | -19.7 |
| | | | | 1 | 24 | 21.86 | 13.11 | 15.26 | 34.77 | -19.51 |
| | | | | 12 | 6 | 20.54 | 11.79 | 13.94 | 34.77 | -20.83 |
| | | | | 25 | 0 | 20.49 | 11.74 | 13.89 | 34.77 | -20.88 |
| | 23205 | 779.5 | 64QAM | 1 | 0 | 21.33 | 12.58 | 14.73 | 34.77 | -20.04 |
| | | | | 1 | 24 | 21.01 | 12.26 | 14.41 | 34.77 | -20.36 |
| | | | | 12 | 6 | 19.87 | 11.12 | 13.27 | 34.77 | -21.5 |
| | | | | 25 | 0 | 19.74 | 10.99 | 13.14 | 34.77 | -21.63 |
| | 23230 | 782 | 64QAM | 1 | 0 | 21.28 | 12.53 | 14.68 | 34.77 | -20.09 |
| | | | | 1 | 24 | 21.19 | 12.44 | 14.59 | 34.77 | -20.18 |
| | | | | 12 | 6 | 19.93 | 11.18 | 13.33 | 34.77 | -21.44 |
| | | | | 25 | 0 | 19.88 | 11.13 | 13.28 | 34.77 | -21.49 |
| | 23255 | 784.5 | 64QAM | 1 | 0 | 21.09 | 12.34 | 14.49 | 34.77 | -20.28 |
| | | | | 1 | 24 | 21.38 | 12.63 | 14.78 | 34.77 | -19.99 |
| | | | | 12 | 6 | 19.95 | 11.20 | 13.35 | 34.77 | -21.42 |
| | | | | 25 | 0 | 19.85 | 11.10 | 13.25 | 34.77 | -21.52 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -6.6

| LTE Band 13_Uplink frequency band : 777 to 787 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 10 | 23230 | 782 | QPSK | 1 | 0 | 23.26 | 14.51 | 16.66 | 34.77 | -18.11 |
| | | | | 1 | 49 | 22.83 | 14.08 | 16.23 | 34.77 | -18.54 |
| | | | | 25 | 12 | 22.06 | 13.31 | 15.46 | 34.77 | -19.31 |
| | | | | 50 | 0 | 21.78 | 13.03 | 15.18 | 34.77 | -19.59 |
| | 23230 | 782 | 16QAM | 1 | 0 | 22.31 | 13.56 | 15.71 | 34.77 | -19.06 |
| | | | | 1 | 49 | 22.20 | 13.45 | 15.60 | 34.77 | -19.17 |
| | | | | 25 | 12 | 20.98 | 12.23 | 14.38 | 34.77 | -20.39 |
| | | | | 50 | 0 | 20.83 | 12.08 | 14.23 | 34.77 | -20.54 |
| | 23230 | 782 | 64QAM | 1 | 0 | 21.60 | 12.85 | 15.00 | 34.77 | -19.77 |
| | | | | 1 | 49 | 21.45 | 12.70 | 14.85 | 34.77 | -19.92 |
| | | | | 25 | 12 | 20.23 | 11.48 | 13.63 | 34.77 | -21.14 |
| | | | | 50 | 0 | 20.03 | 11.28 | 13.43 | 34.77 | -21.34 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -8.9

| LTE Band 17_Uplink frequency band : 704 to 716 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 5 | 23755 | 706.5 | QPSK | 1 | 0 | 22.85 | 11.80 | 13.95 | 34.77 | -20.82 |
| | | | | 1 | 24 | 22.98 | 11.93 | 14.08 | 34.77 | -20.69 |
| | | | | 12 | 6 | 21.95 | 10.90 | 13.05 | 34.77 | -21.72 |
| | | | | 25 | 0 | 21.82 | 10.77 | 12.92 | 34.77 | -21.85 |
| | 23790 | 710 | QPSK | 1 | 0 | 22.66 | 11.61 | 13.76 | 34.77 | -21.01 |
| | | | | 1 | 24 | 22.85 | 11.80 | 13.95 | 34.77 | -20.82 |
| | | | | 12 | 6 | 21.99 | 10.94 | 13.09 | 34.77 | -21.68 |
| | | | | 25 | 0 | 21.77 | 10.72 | 12.87 | 34.77 | -21.9 |
| | 23825 | 713.5 | QPSK | 1 | 0 | 22.89 | 11.84 | 13.99 | 34.77 | -20.78 |
| | | | | 1 | 24 | 22.85 | 11.80 | 13.95 | 34.77 | -20.82 |
| | | | | 12 | 6 | 22.05 | 11.00 | 13.15 | 34.77 | -21.62 |
| | | | | 25 | 0 | 21.79 | 10.74 | 12.89 | 34.77 | -21.88 |
| | 23755 | 706.5 | 16QAM | 1 | 0 | 22.09 | 11.04 | 13.19 | 34.77 | -21.58 |
| | | | | 1 | 24 | 22.14 | 11.09 | 13.24 | 34.77 | -21.53 |
| | | | | 12 | 6 | 20.99 | 9.94 | 12.09 | 34.77 | -22.68 |
| | | | | 25 | 0 | 20.83 | 9.78 | 11.93 | 34.77 | -22.84 |
| | 23790 | 710 | 16QAM | 1 | 0 | 21.98 | 10.93 | 13.08 | 34.77 | -21.69 |
| | | | | 1 | 24 | 22.30 | 11.25 | 13.40 | 34.77 | -21.37 |
| | | | | 12 | 6 | 21.03 | 9.98 | 12.13 | 34.77 | -22.64 |
| | | | | 25 | 0 | 20.87 | 9.82 | 11.97 | 34.77 | -22.8 |
| | 23825 | 713.5 | 16QAM | 1 | 0 | 22.29 | 11.24 | 13.39 | 34.77 | -21.38 |
| | | | | 1 | 24 | 22.13 | 11.08 | 13.23 | 34.77 | -21.54 |
| | | | | 12 | 6 | 20.95 | 9.90 | 12.05 | 34.77 | -22.72 |
| | | | | 25 | 0 | 20.78 | 9.73 | 11.88 | 34.77 | -22.89 |
| | 23755 | 706.5 | 64QAM | 1 | 0 | 21.05 | 10.00 | 12.15 | 34.77 | -22.62 |
| | | | | 1 | 24 | 21.21 | 10.16 | 12.31 | 34.77 | -22.46 |
| | | | | 12 | 6 | 20.11 | 9.06 | 11.21 | 34.77 | -23.56 |
| | | | | 25 | 0 | 19.82 | 8.77 | 10.92 | 34.77 | -23.85 |
| | 23790 | 710 | 64QAM | 1 | 0 | 21.13 | 10.08 | 12.23 | 34.77 | -22.54 |
| | | | | 1 | 24 | 21.34 | 10.29 | 12.44 | 34.77 | -22.33 |
| | | | | 12 | 6 | 20.09 | 9.04 | 11.19 | 34.77 | -23.58 |
| | | | | 25 | 0 | 19.89 | 8.84 | 10.99 | 34.77 | -23.78 |
| | 23825 | 713.5 | 64QAM | 1 | 0 | 21.41 | 10.36 | 12.51 | 34.77 | -22.26 |
| | | | | 1 | 24 | 21.23 | 10.18 | 12.33 | 34.77 | -22.44 |
| | | | | 12 | 6 | 19.92 | 8.87 | 11.02 | 34.77 | -23.75 |
| | | | | 25 | 0 | 19.85 | 8.80 | 10.95 | 34.77 | -23.82 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) -8.9

| LTE Band 17_Uplink frequency band : 704 to 716 MHz | | | | | | | | | | |
|--|------------|-----------------|------------|---------|-----------|-------------------------|-------------------|--------------------|------------------|-------------|
| BW (MHz) | UL Channel | Frequency (MHz) | Modulation | RB Size | RB Offset | Conducted Average (dBm) | ERP Average (dBm) | EIRP Average (dBm) | EIRP Limit (dBm) | Margin (dB) |
| 10 | 23780 | 709 | QPSK | 1 | 0 | 22.97 | 11.92 | 14.07 | 34.77 | -20.7 |
| | | | | 1 | 49 | 23.11 | 12.06 | 14.21 | 34.77 | -20.56 |
| | | | | 25 | 12 | 22.04 | 10.99 | 13.14 | 34.77 | -21.63 |
| | | | | 50 | 0 | 21.91 | 10.86 | 13.01 | 34.77 | -21.76 |
| | 23790 | 710 | QPSK | 1 | 0 | 22.75 | 11.70 | 13.85 | 34.77 | -20.92 |
| | | | | 1 | 49 | 22.97 | 11.92 | 14.07 | 34.77 | -20.7 |
| | | | | 25 | 12 | 22.05 | 11.00 | 13.15 | 34.77 | -21.62 |
| | | | | 50 | 0 | 21.82 | 10.77 | 12.92 | 34.77 | -21.85 |
| | 23800 | 711 | QPSK | 1 | 0 | 22.99 | 11.94 | 14.09 | 34.77 | -20.68 |
| | | | | 1 | 49 | 22.86 | 11.81 | 13.96 | 34.77 | -20.81 |
| | | | | 25 | 12 | 22.07 | 11.02 | 13.17 | 34.77 | -21.6 |
| | | | | 50 | 0 | 21.86 | 10.81 | 12.96 | 34.77 | -21.81 |
| | 23780 | 709 | 16QAM | 1 | 0 | 22.14 | 11.09 | 13.24 | 34.77 | -21.53 |
| | | | | 1 | 49 | 22.23 | 11.18 | 13.33 | 34.77 | -21.44 |
| | | | | 25 | 12 | 21.11 | 10.06 | 12.21 | 34.77 | -22.56 |
| | | | | 50 | 0 | 20.84 | 9.79 | 11.94 | 34.77 | -22.83 |
| | 23790 | 710 | 16QAM | 1 | 0 | 22.11 | 11.06 | 13.21 | 34.77 | -21.56 |
| | | | | 1 | 49 | 22.45 | 11.40 | 13.55 | 34.77 | -21.22 |
| | | | | 25 | 12 | 21.14 | 10.09 | 12.24 | 34.77 | -22.53 |
| | | | | 50 | 0 | 20.90 | 9.85 | 12.00 | 34.77 | -22.77 |
| | 23800 | 711 | 16QAM | 1 | 0 | 22.38 | 11.33 | 13.48 | 34.77 | -21.29 |
| | | | | 1 | 49 | 22.22 | 11.17 | 13.32 | 34.77 | -21.45 |
| | | | | 25 | 12 | 21.03 | 9.98 | 12.13 | 34.77 | -22.64 |
| | | | | 50 | 0 | 20.85 | 9.80 | 11.95 | 34.77 | -22.82 |
| | 23780 | 709 | 64QAM | 1 | 0 | 21.16 | 10.11 | 12.26 | 34.77 | -22.51 |
| | | | | 1 | 49 | 21.24 | 10.19 | 12.34 | 34.77 | -22.43 |
| | | | | 25 | 12 | 20.20 | 9.15 | 11.30 | 34.77 | -23.47 |
| | | | | 50 | 0 | 19.84 | 8.79 | 10.94 | 34.77 | -23.83 |
| | 23790 | 710 | 64QAM | 1 | 0 | 21.14 | 10.09 | 12.24 | 34.77 | -22.53 |
| | | | | 1 | 49 | 21.47 | 10.42 | 12.57 | 34.77 | -22.2 |
| | | | | 25 | 12 | 20.16 | 9.11 | 11.26 | 34.77 | -23.51 |
| | | | | 50 | 0 | 19.93 | 8.88 | 11.03 | 34.77 | -23.74 |
| | 23800 | 711 | 64QAM | 1 | 0 | 21.44 | 10.39 | 12.54 | 34.77 | -22.23 |
| | | | | 1 | 49 | 21.25 | 10.20 | 12.35 | 34.77 | -22.42 |
| | | | | 25 | 12 | 20.04 | 8.99 | 11.14 | 34.77 | -23.63 |
| | | | | 50 | 0 | 19.95 | 8.90 | 11.05 | 34.77 | -23.72 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7. OCCUPIED BANDWIDTH MEASUREMENT

7.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

7.2. Test Set-up



7.3. Measurement Procedure

99% & 26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.4. Measurement Equipment Used

| EQUIPMENT TYPE | MFR | MODEL NUMBER | SERIAL NUMBER | LAST CAL. | CAL DUE. |
|------------------------------|---------------|--------------|----------------|------------|------------|
| EXA Spectrum Analyzer | Agilent | N9010A | MY50420195 | 05/02/2019 | 05/01/2020 |
| Radio Communication Analyzer | Anritsu | MT8815B | 6200711454 | 04/01/2019 | 03/31/2020 |
| Radio Communication Analyzer | Anritsu | MT8820C | 6200995019 | 04/01/2019 | 03/31/2020 |
| DC Power Supply | Agilent | E3640A | MY52410006 | 12/04/2018 | 12/03/2019 |
| Attenuator | Mini-Circuit | BW-S10W2+ | 2 | 01/02/2019 | 01/01/2020 |
| DC Block | Mini-Circuits | BLK-18-S+ | 1 | 01/02/2019 | 01/01/2020 |
| Splitter | RF-LAMBAD | RFLT2W1G18G | 11-JSPF412-018 | 01/02/2019 | 01/01/2020 |

7.5. Measurement Result

| Freq. (MHz) | CH | 99% BW (MHz) | | 26 dB BW (MHz) | |
|-------------|-----|--------------|---------|----------------|--------|
| | | GSM | GPRS | GSM | GPRS |
| | | 850 | 850 | 850 | 850 |
| 824.2 | 128 | 0.24225 | 0.24424 | 0.3245 | 0.3220 |
| 836.6 | 190 | 0.24261 | 0.24314 | 0.3188 | 0.3116 |
| 848.8 | 251 | 0.24224 | 0.24287 | 0.3174 | 0.3164 |

| Freq. (MHz) | CH | 99% BW (MHz) | | 26 dB BW (MHz) | |
|-------------|-----|--------------|---------|----------------|--------|
| | | GSM | GPRS | GSM | GPRS |
| | | 1900 | 1900 | 1900 | 1900 |
| 1850.2 | 512 | 0.24358 | 0.24206 | 0.3146 | 0.3175 |
| 1880.0 | 661 | 0.24631 | 0.24295 | 0.3085 | 0.3165 |
| 1909.8 | 810 | 0.24467 | 0.24804 | 0.3157 | 0.3173 |

| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
|-------------|------|--------------|---------|---------|----------------|-------|-------|
| | | WCDMA | HSDPA | HSUPA | WCDMA | HSDPA | HSUPA |
| | | II | II | II | II | II | II |
| 1852.40 | 9262 | 4.14100 | 4.15060 | 4.14810 | 4.706 | 4.717 | 4.704 |
| 1880.00 | 9400 | 4.14620 | 4.14970 | 4.15430 | 4.706 | 4.708 | 4.700 |
| 1907.60 | 9538 | 4.15770 | 4.14200 | 4.15490 | 4.695 | 4.698 | 4.706 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
|-------------|------|--------------|----------|----------|----------------|----------|----------|
| | | WCDMA IV | HSDPA IV | HSUPA IV | WCDMA IV | HSDPA IV | HSUPA IV |
| 1712.40 | 1312 | 4.15570 | 4.16200 | 4.14560 | 4.686 | 4.708 | 4.707 |
| 1732.60 | 1413 | 4.15350 | 4.14460 | 4.14040 | 4.710 | 4.705 | 4.717 |
| 1752.60 | 1513 | 4.14860 | 4.15870 | 4.14150 | 4.684 | 4.683 | 4.695 |

| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
|-------------|------|--------------|---------|---------|----------------|---------|---------|
| | | WCDMA V | HSDPA V | HSUPA V | WCDMA V | HSDPA V | HSUPA V |
| 826.40 | 4132 | 4.14110 | 4.14590 | 4.13860 | 4.669 | 4.704 | 4.673 |
| 836.60 | 4183 | 4.14010 | 4.13840 | 4.15970 | 4.693 | 4.701 | 4.688 |
| 846.60 | 4233 | 4.12090 | 4.13410 | 4.13320 | 4.677 | 4.694 | 4.668 |

| LTE BAND 2 Channel bandwidth: 1.4MHz | | | | | | | | | |
|--------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|--|--|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM | | |
| 1850.7 | 18607 | 1.0945 | 1.0966 | 1.0956 | 1.237 | 1.233 | 1.235 | | |
| 1880.0 | 18900 | 1.0936 | 1.0973 | 1.0965 | 1.235 | 1.239 | 1.239 | | |
| 1909.3 | 19193 | 1.0954 | 1.0965 | 1.0954 | 1.235 | 1.240 | 1.245 | | |

| LTE BAND 2 Channel bandwidth: 3MHz | | | | | | | | | |
|------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|--|--|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM | | |
| 1851.5 | 18615 | 2.6970 | 2.6989 | 2.7026 | 3.013 | 3.028 | 2.998 | | |
| 1880.0 | 18900 | 2.6995 | 2.6995 | 2.7025 | 3.010 | 3.015 | 2.991 | | |
| 1908.5 | 19185 | 2.7012 | 2.7014 | 2.7038 | 3.003 | 3.016 | 2.997 | | |

| LTE BAND 2 Channel bandwidth: 5MHz | | | | | | | | | |
|------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|--|--|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM | | |
| 1852.5 | 18625 | 4.5045 | 4.5012 | 4.5157 | 4.993 | 4.971 | 4.984 | | |
| 1880.0 | 18900 | 4.5077 | 4.5020 | 4.5077 | 4.986 | 4.986 | 4.990 | | |
| 1907.5 | 19175 | 4.5009 | 4.5080 | 4.5151 | 4.992 | 4.967 | 5.000 | | |

| LTE BAND 2 Channel bandwidth: 10MHz | | | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|--|--|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM | | |
| 1855.0 | 18650 | 8.9808 | 8.9592 | 8.9814 | 9.793 | 9.799 | 9.834 | | |
| 1880.0 | 18900 | 9.0156 | 8.9638 | 8.9826 | 9.831 | 9.753 | 9.805 | | |
| 1905.0 | 19150 | 8.9993 | 8.9724 | 8.9917 | 9.836 | 9.757 | 9.797 | | |

| LTE BAND 2 Channel bandwidth: 15MHz | | | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|--------|--------|--|--|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM | | |
| 1857.5 | 18675 | 13.497 | 13.455 | 13.431 | 14.654 | 14.732 | 14.691 | | |
| 1880.0 | 18900 | 13.472 | 13.468 | 13.455 | 14.638 | 14.663 | 14.757 | | |
| 1902.5 | 19125 | 13.508 | 13.479 | 13.474 | 14.751 | 14.690 | 14.714 | | |

| LTE BAND 2 Channel bandwidth: 20MHz | | | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|--------|--------|--|--|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM | | |
| 1860.0 | 18700 | 17.915 | 17.974 | 17.965 | 19.456 | 19.408 | 19.527 | | |
| 1880.0 | 18900 | 17.914 | 17.961 | 17.937 | 19.448 | 19.416 | 19.555 | | |
| 1900.0 | 19100 | 17.981 | 17.991 | 17.976 | 19.474 | 19.507 | 19.545 | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| LTE BAND 4 Channel bandwidth: 1.4MHz | | | | | | | |
|--------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 1710.7 | 19957 | 1.0955 | 1.0978 | 1.0962 | 1.239 | 1.241 | 1.236 |
| 1732.5 | 20175 | 1.0921 | 1.0978 | 1.0951 | 1.234 | 1.244 | 1.235 |
| 1754.3 | 20393 | 1.0953 | 1.0950 | 1.0958 | 1.237 | 1.242 | 1.230 |

| LTE BAND 4 Channel bandwidth: 3MHz | | | | | | | |
|------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 1711.5 | 19965 | 2.6983 | 2.7021 | 2.7021 | 2.994 | 3.017 | 2.986 |
| 1732.5 | 20175 | 2.7022 | 2.7009 | 2.7039 | 3.022 | 3.017 | 2.985 |
| 1753.5 | 20385 | 2.6992 | 2.6965 | 2.7003 | 2.991 | 3.017 | 2.995 |

| LTE BAND 4 Channel bandwidth: 5MHz | | | | | | | |
|------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 1712.5 | 19957 | 4.5050 | 4.5048 | 4.5030 | 4.972 | 4.979 | 4.960 |
| 1732.5 | 20175 | 4.5006 | 4.5003 | 4.5105 | 4.977 | 4.956 | 4.970 |
| 1752.5 | 20375 | 4.5026 | 4.5081 | 4.5101 | 4.989 | 4.940 | 4.965 |

| LTE BAND 4 Channel bandwidth: 10MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 1715.0 | 20000 | 9.0201 | 8.9692 | 8.9911 | 9.816 | 9.793 | 9.801 |
| 1732.5 | 20175 | 9.0168 | 8.9595 | 8.9856 | 9.811 | 9.788 | 9.831 |
| 1750.0 | 20350 | 9.0245 | 8.9658 | 8.9849 | 9.817 | 9.761 | 9.803 |

| LTE BAND 4 Channel bandwidth: 15MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|--------|--------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 1717.5 | 20025 | 13.466 | 13.475 | 13.450 | 14.567 | 14.735 | 14.765 |
| 1732.5 | 20175 | 13.466 | 13.469 | 13.444 | 14.673 | 14.668 | 14.787 |
| 1747.5 | 20325 | 13.475 | 13.472 | 13.461 | 14.691 | 14.707 | 14.738 |

| LTE BAND 4 Channel bandwidth: 20MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|--------|--------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 1720.0 | 20050 | 17.939 | 17.972 | 17.934 | 19.447 | 19.462 | 19.481 |
| 1732.5 | 20175 | 17.914 | 17.919 | 17.924 | 19.427 | 19.490 | 19.522 |
| 1745.0 | 20300 | 17.936 | 17.976 | 17.947 | 19.423 | 19.491 | 19.461 |

| LTE BAND 5 Channel bandwidth: 1.4MHz | | | | | | | |
|--------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 824.7 | 20407 | 1.0946 | 1.0974 | 1.0927 | 1.237 | 1.230 | 1.236 |
| 836.5 | 20525 | 1.0944 | 1.0930 | 1.0962 | 1.237 | 1.243 | 1.233 |
| 848.3 | 20643 | 1.0922 | 1.0958 | 1.0934 | 1.238 | 1.236 | 1.232 |

| LTE BAND 5 Channel bandwidth: 3MHz | | | | | | | |
|------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 825.5 | 20415 | 2.7014 | 2.7015 | 2.7071 | 3.008 | 2.993 | 2.989 |
| 836.5 | 20525 | 2.6986 | 2.7034 | 2.7017 | 2.995 | 2.997 | 2.986 |
| 847.5 | 20635 | 2.6973 | 2.6987 | 2.7015 | 2.989 | 3.008 | 2.999 |

| LTE BAND 5 Channel bandwidth: 5MHz | | | | | | | |
|------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 826.5 | 20425 | 4.5053 | 4.5024 | 4.5139 | 5.003 | 4.957 | 4.952 |
| 836.5 | 20525 | 4.5033 | 4.5064 | 4.5093 | 4.987 | 4.990 | 4.959 |
| 846.5 | 20625 | 4.4948 | 4.5002 | 4.5020 | 4.970 | 4.973 | 4.959 |

| LTE BAND 5 Channel bandwidth: 10MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 829.0 | 20450 | 9.0141 | 8.9737 | 9.0018 | 9.844 | 9.815 | 9.809 |
| 836.5 | 20525 | 8.9968 | 8.9537 | 8.9792 | 9.829 | 9.784 | 9.846 |
| 844.0 | 20600 | 9.0138 | 8.9746 | 9.0058 | 9.820 | 9.777 | 9.861 |

| LTE BAND 12 Channel bandwidth: 1.4MHz | | | | | | | |
|---------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 699.7 | 23017 | 1.0982 | 1.1071 | 1.1026 | 1.216 | 1.218 | 1.231 |
| 707.5 | 23095 | 1.0932 | 1.0992 | 1.1009 | 1.233 | 1.215 | 1.240 |
| 715.3 | 23173 | 1.0960 | 1.0970 | 1.0956 | 1.228 | 1.244 | 1.220 |

| LTE BAND 12 Channel bandwidth: 3MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 700.5 | 23025 | 2.6680 | 2.6878 | 2.6845 | 2.879 | 2.929 | 2.892 |
| 707.5 | 23095 | 2.6815 | 2.6817 | 2.6789 | 2.882 | 2.886 | 2.868 |
| 714.5 | 23165 | 2.6714 | 2.6953 | 2.6694 | 2.921 | 2.918 | 2.873 |

| LTE BAND 12 Channel bandwidth: 5MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 701.5 | 23035 | 4.4912 | 4.5018 | 4.4667 | 4.847 | 4.949 | 4.745 |
| 707.5 | 23095 | 4.4987 | 4.5027 | 4.4999 | 4.922 | 4.975 | 4.950 |
| 713.5 | 23155 | 4.5048 | 4.4675 | 4.4461 | 4.999 | 4.799 | 4.720 |

| LTE BAND 12 Channel bandwidth: 10MHz | | | | | | | |
|--------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 704.0 | 23060 | 9.0115 | 8.9616 | 8.9673 | 9.772 | 9.760 | 9.755 |
| 707.5 | 23095 | 9.0084 | 8.9801 | 8.9984 | 9.772 | 9.760 | 9.842 |
| 711.0 | 23130 | 8.9842 | 8.9194 | 8.9703 | 9.742 | 9.467 | 9.837 |

| LTE BAND 13 Channel bandwidth: 5MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 779.5 | 23205 | 4.4918 | 4.4988 | 4.5043 | 4.979 | 4.966 | 4.948 |
| 782.0 | 23230 | 4.4671 | 4.5086 | 4.5061 | 4.787 | 4.969 | 4.955 |
| 784.5 | 23255 | 4.4817 | 4.5027 | 4.5062 | 4.840 | 4.992 | 4.959 |

| LTE BAND 13 Channel bandwidth: 10MHz | | | | | | | |
|--------------------------------------|-------|--------------|-------|-------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 782.0 | 23230 | 8.978 | 8.944 | 8.979 | 9.733 | 9.746 | 9.833 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| LTE BAND 17 Channel bandwidth: 5MHz | | | | | | | |
|-------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 706.5 | 23755 | 4.4992 | 4.4909 | 4.5172 | 4.973 | 4.803 | 4.996 |
| 710.0 | 23790 | 4.5025 | 4.4883 | 4.4897 | 5.003 | 4.758 | 4.814 |
| 713.5 | 23825 | 4.5032 | 4.5075 | 4.5011 | 5.000 | 4.983 | 4.883 |


| LTE BAND 17 Channel bandwidth: 10MHz | | | | | | | |
|--------------------------------------|-------|--------------|--------|--------|----------------|-------|-------|
| Freq. (MHz) | CH | 99% BW (MHz) | | | 26 dB BW (MHz) | | |
| | | QPSK | 16QAM | 64QAM | QPSK | 16QAM | 64QAM |
| 709.0 | 23780 | 8.9968 | 8.9753 | 8.9819 | 9.801 | 9.736 | 9.827 |
| 710.0 | 23790 | 8.9916 | 8.9497 | 8.9709 | 9.516 | 9.760 | 9.812 |
| 711.0 | 23800 | 8.9385 | 8.9532 | 8.9789 | 9.506 | 9.743 | 9.759 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM_850MHz_LowCH128-824.2



GPRS_850MHz_LowCH128-824.2



GSM_850MHz_MidCH190-836.6




GPRS_850MHz_MidCH190-836.6



GSM_850MHz_HighCH251-848.8



GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM_1900MHz_LowCH512-1850.2




GPRS_1900MHz_LowCH512-1850.2



GSM_1900MHz_MidCH661-1880



GPRS_1900MHz_MidCH661-1880



GSM_1900MHz_HighCH810-1909.8



GPRS_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA_B2_LowCH9262-1852.4



HSDPA_B2_LowCH9262-1852.4



WCDMA_B2_MidCH9400-1880



HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6



HSDPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA_B2_LowCH9262-1852.4



WCDMA_B4_LowCH1312-1712.4



HSUPA_B2_MidCH9400-1880



WCDMA_B4_MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSDPA_B4_LowCH1312-1712.4



HSUPA_B4_LowCH1312-1712.4



HSDPA_B4_MidCH1413-1732.6



HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B5_LowCH4132-826.4




HSDPA_B5_LowCH4132-826.4




WCDMA_B5_MidCH4183-836.6



HSDPA_B5_MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSUPA_B5_LowCH4132-826.4




Band2_1_4MHz_QPSK_6_0_Main_LowCH18607-1850.7




HSUPA_B5_MidCH4183-836.6




Band2_1_4MHz_QPSK_6_0_Main_MidCH18900-1880



HSUPA_B5_HighCH4233-846.6



Band2_1_4MHz_QPSK_6_0_Main_HighCH19193-1909.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_1_4MHz_16QAM_6_0_Main_LowCH18607-1850.7




Band2_1_4MHz_64QAM_6_0_Main_LowCH18607-1850.7




Band2_1_4MHz_16QAM_6_0_Main_MidCH18900-1880




Band2_1_4MHz_64QAM_6_0_Main_MidCH18900-1880



Band2_1_4MHz_16QAM_6_0_Main_HighCH19193-1909.3



Band2_1_4MHz_64QAM_6_0_Main_HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_3MHz_QPSK_15_0_Main_LowCH18615-1851.5




Band2_3MHz_16QAM_15_0_Main_LowCH18615-1851.5




Band2_3MHz_QPSK_15_0_Main_MidCH18900-1880




Band2_3MHz_16QAM_15_0_Main_MidCH18900-1880



Band2_3MHz_QPSK_15_0_Main_HighCH19185-1908.5



Band2_3MHz_16QAM_15_0_Main_HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_3MHz_64QAM_15_0_Main_LowCH18615-1851.5




Band2_5MHz_QPSK_25_0_Main_LowCH18625-1852.5




Band2_3MHz_64QAM_15_0_Main_MidCH18900-1880




Band2_5MHz_QPSK_25_0_Main_MidCH18900-1880



Band2_3MHz_64QAM_15_0_Main_HighCH19185-1908.5



Band2_5MHz_QPSK_25_0_Main_HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_5MHz_16QAM_25_0_Main_LowCH18625-1852.5




Band2_5MHz_64QAM_25_0_Main_LowCH18625-1852.5




Band2_5MHz_16QAM_25_0_Main_MidCH18900-1880




Band2_5MHz_64QAM_25_0_Main_MidCH18900-1880



Band2_5MHz_16QAM_25_0_Main_HighCH19175-1907.5



Band2_5MHz_64QAM_25_0_Main_HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_10MHz_QPSK_50_0_Main_LowCH18650-1855




Band2_10MHz_16QAM_50_0_Main_LowCH18650-1855




Band2_10MHz_QPSK_50_0_Main_MidCH18900-1880




Band2_10MHz_16QAM_50_0_Main_MidCH18900-1880



Band2_10MHz_QPSK_50_0_Main_HighCH19150-1905



Band2_10MHz_16QAM_50_0_Main_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_10MHz_64QAM_50_0_Main_LowCH18650-1855




Band2_15MHz_QPSK_75_0_Main_LowCH18675-1857.5



Band2_10MHz_64QAM_50_0_Main_MidCH18900-1880




Band2_15MHz_QPSK_75_0_Main_MidCH18900-1880



Band2_10MHz_64QAM_50_0_Main_HighCH19150-1905



Band2_15MHz_QPSK_75_0_Main_HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the test report(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_15MHz_16QAM_75_0_Main_LowCH18675-1857.5




Band2_15MHz_64QAM_75_0_Main_LowCH18675-1857.5




Band2_15MHz_16QAM_75_0_Main_MidCH18900-1880




Band2_15MHz_64QAM_75_0_Main_MidCH18900-1880



Band2_15MHz_16QAM_75_0_Main_HighCH19125-1902.5



Band2_15MHz_64QAM_75_0_Main_HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_20MHz_OPSK_100_0_Main_LowCH18700-1860




Band2_20MHz_16QAM_100_0_Main_LowCH18700-1860




Band2_20MHz_OPSK_100_0_Main_MidCH18900-1880




Band2_20MHz_16QAM_100_0_Main_MidCH18900-1880



Band2_20MHz_OPSK_100_0_Main_HighCH19100-1900



Band2_20MHz_16QAM_100_0_Main_HighCH19100-1900




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_20MHz_64QAM_100_0_Main_LowCH18700-1860




Band4_1_4MHz_QPSK_6_0_Main_LowCH19957-1710.7



Band2_20MHz_64QAM_100_0_Main_MidCH18900-1880




Band4_1_4MHz_QPSK_6_0_Main_MidCH20175-1732.5



Band2_20MHz_64QAM_100_0_Main_HighCH19100-1900



Band4_1_4MHz_QPSK_6_0_Main_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_1_4MHz_16QAM_6_0_Main_LowCH19957-1710.7




Band4_1_4MHz_64QAM_6_0_Main_LowCH19957-1710.7




Band4_1_4MHz_16QAM_6_0_Main_MidCH20175-1732.5




Band4_1_4MHz_64QAM_6_0_Main_MidCH20175-1732.5



Band4_1_4MHz_16QAM_6_0_Main_HighCH20393-1754.3



Band4_1_4MHz_64QAM_6_0_Main_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_3MHz_QPSK_15_0_Main_LowCH19965-1711.5




Band4_3MHz_16QAM_15_0_Main_LowCH19965-1711.5




Band4_3MHz_QPSK_15_0_Main_MidCH20175-1732.5




Band4_3MHz_16QAM_15_0_Main_MidCH20175-1732.5



Band4_3MHz_QPSK_15_0_Main_HighCH20385-1753.5



Band4_3MHz_16QAM_15_0_Main_HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_3MHz_64QAM_15_0_Main_LowCH19965-1711.5




Band4_5MHz_QPSK_25_0_Main_LowCH19975-1712.5




Band4_3MHz_64QAM_15_0_Main_MidCH20175-1732.5




Band4_5MHz_QPSK_25_0_Main_MidCH20175-1732.5



Band4_3MHz_64QAM_15_0_Main_HighCH20385-1753.5



Band4_5MHz_QPSK_25_0_Main_HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_5MHz_16QAM_25_0_Main_LowCH19975-1712.5




Band4_5MHz_64QAM_25_0_Main_LowCH19975-1712.5




Band4_5MHz_16QAM_25_0_Main_MidCH20175-1732.5




Band4_5MHz_64QAM_25_0_Main_MidCH20175-1732.5



Band4_5MHz_16QAM_25_0_Main_HighCH20375-1752.5



Band4_5MHz_64QAM_25_0_Main_HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_10MHz_QPSK_50_0_Main_LowCH20000-1715




Band4_10MHz_16QAM_50_0_Main_LowCH20000-1715




Band4_10MHz_QPSK_50_0_Main_MidCH20175-1732.5



Band4_10MHz_16QAM_50_0_Main_MidCH20175-1732.5



Band4_10MHz_QPSK_50_0_Main_HighCH20350-1750



Band4_10MHz_16QAM_50_0_Main_HighCH20350-1750




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_10MHz_64QAM_50_0_Main_LowCH20000-1715



Band4_15MHz_QPSK_75_0_Main_LowCH20025-1717.5




Band4_10MHz_64QAM_50_0_Main_MidCH20175-1732.5



Band4_15MHz_QPSK_75_0_Main_MidCH20175-1732.5



Band4_10MHz_64QAM_50_0_Main_HighCH20350-1750



Band4_15MHz_QPSK_75_0_Main_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band4_15MHz_16QAM_75_0_Main_LowCH20025-1717.5



Band4_15MHz_64QAM_75_0_Main_LowCH20025-1717.5




Band4_15MHz_16QAM_75_0_Main_MidCH20175-1732.5




Band4_15MHz_64QAM_75_0_Main_MidCH20175-1732.5



Band4_15MHz_16QAM_75_0_Main_HighCH20325-1747.5



Band4_15MHz_64QAM_75_0_Main_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the item(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_20MHz_QPSK_100_0_Main_LowCH20050-1720




Band4_20MHz_16QAM_100_0_Main_LowCH20050-1720




Band4_20MHz_QPSK_100_0_Main_MidCH20175-1732.5




Band4_20MHz_16QAM_100_0_Main_MidCH20175-1732.5



Band4_20MHz_QPSK_100_0_Main_HighCH20300-1745



Band4_20MHz_16QAM_100_0_Main_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_20MHz_64QAM_100_0_Main_LowCH20050-1720




Band5_1_4MHz_QPSK_6_0_Main_LowCH20407-824.7




Band4_20MHz_64QAM_100_0_Main_MidCH20175-1732.5




Band5_1_4MHz_QPSK_6_0_Main_MidCH20525-836.5



Band4_20MHz_64QAM_100_0_Main_HighCH20300-1745



Band5_1_4MHz_QPSK_6_0_Main_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the result(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_1_4MHz_16QAM_6_0_Main_LowCH20407-824.7




Band5_1_4MHz_64QAM_6_0_Main_LowCH20407-824.7




Band5_1_4MHz_16QAM_6_0_Main_MidCH20525-836.5




Band5_1_4MHz_64QAM_6_0_Main_MidCH20525-836.5



Band5_1_4MHz_16QAM_6_0_Main_HighCH20643-848.3



Band5_1_4MHz_64QAM_6_0_Main_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_3MHz_QPSK_15_0_Main_LowCH20415-825.5




Band5_3MHz_16QAM_15_0_Main_LowCH20415-825.5



Band5_3MHz_QPSK_15_0_Main_MidCH20525-836.5




Band5_3MHz_16QAM_15_0_Main_MidCH20525-836.5



Band5_3MHz_QPSK_15_0_Main_HighCH20635-847.5



Band5_3MHz_16QAM_15_0_Main_HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_3MHz_64QAM_15_0_Main_LowCH20415-825.5




Band5_5MHz_QPSK_25_0_Main_LowCH20425-826.5




Band5_3MHz_64QAM_15_0_Main_MidCH20525-836.5




Band5_5MHz_QPSK_25_0_Main_MidCH20525-836.5



Band5_3MHz_64QAM_15_0_Main_HighCH20635-847.5



Band5_5MHz_QPSK_25_0_Main_HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_5MHz_16QAM_25_0_Main_LowCH20425-826.5




Band5_5MHz_64QAM_25_0_Main_LowCH20425-826.5




Band5_5MHz_16QAM_25_0_Main_MidCH20525-836.5



Band5_5MHz_64QAM_25_0_Main_MidCH20525-836.5



Band5_5MHz_16QAM_25_0_Main_HighCH20625-846.5



Band5_5MHz_64QAM_25_0_Main_HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_10MHz_QPSK_50_0_Main_LowCH20450-829




Band5_10MHz_16QAM_50_0_Main_LowCH20450-829




Band5_10MHz_QPSK_50_0_Main_MidCH20525-836.5




Band5_10MHz_16QAM_50_0_Main_MidCH20525-836.5



Band5_10MHz_QPSK_50_0_Main_HighCH20600-844



Band5_10MHz_16QAM_50_0_Main_HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5_10MHz_64QAM_50_0_Main_LowCH20450-829




Band12_1_4MHz_QPSK_6_0_Main_LowCH23017-699.7




Band5_10MHz_64QAM_50_0_Main_MidCH20525-836.5




Band12_1_4MHz_QPSK_6_0_Main_MidCH23095-707.5



Band5_10MHz_64QAM_50_0_Main_HighCH20600-844



Band12_1_4MHz_QPSK_6_0_Main_HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_1_4MHz_16QAM_6_0_Main_LowCH23017-699.7




Band12_1_4MHz_64QAM_6_0_Main_LowCH23017-699.7




Band12_1_4MHz_16QAM_6_0_Main_MidCH23095-707.5




Band12_1_4MHz_64QAM_6_0_Main_MidCH23095-707.5



Band12_1_4MHz_16QAM_6_0_Main_HighCH23173-715.3



Band12_1_4MHz_64QAM_6_0_Main_HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_3MHz_OPSK_15_0_Main_LowCH23025-700.5




Band12_3MHz_16QAM_15_0_Main_LowCH23025-700.5




Band12_3MHz_OPSK_15_0_Main_MidCH23095-707.5




Band12_3MHz_16QAM_15_0_Main_MidCH23095-707.5



Band12_3MHz_OPSK_15_0_Main_HighCH23165-714.5



Band12_3MHz_16QAM_15_0_Main_HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_3MHz_64QAM_15_0_Main_LowCH23025-700.5




Band12_5MHz_QPSK_25_0_Main_LowCH23035-701.5




Band12_3MHz_64QAM_15_0_Main_MidCH23095-707.5




Band12_5MHz_QPSK_25_0_Main_MidCH23095-707.5



Band12_3MHz_64QAM_15_0_Main_HighCH23165-714.5



Band12_5MHz_QPSK_25_0_Main_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_5MHz_16QAM_25_0_Main_LowCH23035-701.5




Band12_5MHz_64QAM_25_0_Main_LowCH23035-701.5




Band12_5MHz_16QAM_25_0_Main_MidCH23095-707.5




Band12_5MHz_64QAM_25_0_Main_MidCH23095-707.5



Band12_5MHz_16QAM_25_0_Main_HighCH23155-713.5



Band12_5MHz_64QAM_25_0_Main_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_10MHz_QPSK_50_0_Main_LowCH23060-704




Band12_10MHz_16QAM_50_0_Main_LowCH23060-704




Band12_10MHz_QPSK_50_0_Main_MidCH23095-707.5




Band12_10MHz_16QAM_50_0_Main_MidCH23095-707.5



Band12_10MHz_QPSK_50_0_Main_HighCH23130-711



Band12_10MHz_16QAM_50_0_Main_HighCH23130-711




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_10MHz_64QAM_50_0_Main_LowCH23060-704




Band13_5MHz_QPSK_25_0_Main_LowCH23205-779.5




Band12_10MHz_64QAM_50_0_Main_MidCH23095-707.5




Band13_5MHz_QPSK_25_0_Main_MidCH23230-782



Band12_10MHz_64QAM_50_0_Main_HighCH23130-711



Band13_5MHz_QPSK_25_0_Main_HighCH23255-784.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band13_5MHz_16QAM_25_0_Main_LowCH23205-779.5




Band13_5MHz_64QAM_25_0_Main_LowCH23205-779.5




Band13_5MHz_16QAM_25_0_Main_MidCH23230-782




Band13_5MHz_64QAM_25_0_Main_MidCH23230-782



Band13_5MHz_16QAM_25_0_Main_HighCH23255-784.5



Band13_5MHz_64QAM_25_0_Main_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Band13_10MHz_QPSK_50_0_Main_MidCH23230-782




Band17_5MHz_QPSK_25_0_Main_LowCH23755-706.5




Band13_10MHz_16QAM_50_0_Main_MidCH23230-782




Band17_5MHz_QPSK_25_0_Main_MidCH23790-710



Band13_10MHz_64QAM_50_0_Main_MidCH23230-782



Band17_5MHz_QPSK_25_0_Main_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.