



Report No.: ER/2019/A0103 Page 161 of 357


Band7_10MHz_16QAM_1_0_CH20800




Band7 10MHz 16QAM 1 49 CH20800




Band7_10MHz_16QAM_1_0_CH21100




Band7_10MHz_16QAM_1_49_CH21100



Band7_10MHz_16QAM_1_0_CH21400



Band7_10MHz_16QAM_1_49_CH21400



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 162 of 357

Band7_10MHz_16QAM_50_0_CH20800




Band7 10MHz 64QAM 1 0 CH20800



Band7_10MHz_16QAM_50_0_CH21100




Band7_10MHz_64QAM_1_0_CH21100



Band7_10MHz_16QAM_50_0_CH21400



Band7_10MHz_64QAM_1_0_CH21400





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103

Page 163 of 357






Band7 10MHz 64QAM 50 0 CH20800




Band7_10MHz_64QAM_1_49_CH21100



Band7_10MHz_64QAM_50_0_CH21100



Band7_10MHz_64QAM_1_49_CH21400



Band7_10MHz_64QAM_50_0_CH21400



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⑪天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to Its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms and conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 164 of 357


Band7_15MHz_QPSK_1_0_CH20825









Band7_15MHz_QPSK_1_0_CH21100




Band7_15MHz_QPSK_1_74_CH21100



Band7_15MHz_QPSK_1_0_CH21375



Band7_15MHz_QPSK_1_74_CH21375



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103

Page 165 of 357

Band7_15MHz_QPSK_75_0_CH20825




Band7 15MHz 16QAM 1 0 CH20825



Band7_15MHz_QPSK_75_0_CH21100




Band7_15MHz_16QAM_1_0_CH21100



Band7_15MHz_QPSK_75_0_CH21375



Band7_15MHz_16QAM_1_0_CH21375




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103

Page 166 of 357







Band7 15MHz 16QAM 75 0 CH20825




Band7_15MHz_16QAM_1_74_CH21100



Band7_15MHz_16QAM_75_0_CH21100



Band7_15MHz_16QAM_1_74_CH21375



Band7_15MHz_16QAM_75_0_CH21375




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 167 of 357


Band7_15MHz_64QAM_1_0_CH20825




Band7 15MHz 64QAM 1 74 CH20825




Band7_15MHz_64QAM_1_0_CH21100




Band7_15MHz_64QAM_1_74_CH21100



Band7_15MHz_64QAM_1_0_CH21375



Band7_15MHz_64QAM_1_74_CH21375



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 168 of 357

Band7_15MHz_64QAM_75_0_CH20825




Band7_20MHz_QPSK_1_0_CH20850



Band7_15MHz_64QAM_75_0_CH21100




Band7_20MHz_QPSK_1_0_CH21100



Band7_15MHz_64QAM_75_0_CH21375



Band7_20MHz_QPSK_1_0_CH21350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 169 of 357


Band7_20MHz_QPSK_1_99_CH20850



Band7_20MHz_QPSK_100_0_CH20850




Band7_20MHz_QPSK_1_99_CH21100



Band7_20MHz_QPSK_100_0_CH21100



Band7_20MHz_QPSK_1_99_CH21350



Band7_20MHz_QPSK_100_0_CH21350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 170 of 357


Band7_20MHz_16QAM_1_0_CH20850



Band7 20MHz 16QAM 1 99 CH20850




Band7_20MHz_16QAM_1_0_CH21100




Band7_20MHz_16QAM_1_99_CH21100



Band7_20MHz_16QAM_1_0_CH21350



Band7_20MHz_16QAM_1_99_CH21350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 171 of 357

Band7_20MHz_16QAM_100_0_CH20850




Band7 20MHz 64QAM 1 0 CH20850




Band7_20MHz_16QAM_100_0_CH21100




Band7_20MHz_64QAM_1_0_CH21100



Band7_20MHz_16QAM_100_0_CH21350



Band7_20MHz_64QAM_1_0_CH21350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 172 of 357


Band7_20MHz_64QAM_1_99_CH20850



Band7 20MHz 64QAM 100 0 CH20850




Band7_20MHz_64QAM_1_99_CH21100




Band7_20MHz_64QAM_100_0_CH21100



Band7_20MHz_64QAM_1_99_CH21350



Band7_20MHz_64QAM_100_0_CH21350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 173 of 357


Band38_5MHz_QPSK_1_0_CH37775




Band38_5MHz_QPSK_1_24_CH37775




Band38_5MHz_QPSK_1_0_CH38000




Band38_5MHz_QPSK_1_24_CH38000



Band38_5MHz_QPSK_1_0_CH38225



Band38_5MHz_QPSK_1_24_CH38225



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 174 of 357

Band38_5MHz_QPSK_25_0_CH37775




Band38 5MHz 16QAM 1 0 CH37775




Band38_5MHz_QPSK_25_0_CH38000




Band38_5MHz_16QAM_1_0_CH38000



Band38_5MHz_QPSK_25_0_CH38225



Band38_5MHz_16QAM_1_0_CH38225




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 175 of 357


Band38_5MHz_16QAM_1_24_CH37775









Band38_5MHz_16QAM_1_24_CH38000



Band38_5MHz_16QAM_25_0_CH38000



Band38_5MHz_16QAM_1_24_CH38225



Band38 5MHz 16QAM 25 0 CH38225




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 176 of 357


Band38_5MHz_64QAM_1_0_CH37775




Band38 5MHz 64QAM 1 24 CH37775




Band38_5MHz_64QAM_1_0_CH38000




Band38_5MHz_64QAM_1_24_CH38000



Band38_5MHz_64QAM_1_0_CH38225



Band38_5MHz_64QAM_1_24_CH38225



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 177 of 357


Band38_5MHz_64QAM_25_0_CH37775




Band38 10MHz QPSK 1 0 CH37800



Band38_5MHz_64QAM_25_0_CH38000




Band38_10MHz_QPSK_1_0_CH38000



Band38_5MHz_64QAM_25_0_CH38225



Band38_10MHz_QPSK_1_0_CH38200




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 178 of 357

Band38_10MHz_QPSK_1_49_CH37800



Band38_10MHz_QPSK_50_0_CH37800




Band38_10MHz_QPSK_1_49_CH38000



Band38_10MHz_QPSK_50_0_CH38000



Band38_10MHz_QPSK_1_49_CH38200



Band38_10MHz_QPSK_50_0_CH38200




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103

Page 179 of 357







Band38 10MHz 16QAM 1 49 CH37800




Band38_10MHz_16QAM_1_0_CH38000




Band38_10MHz_16QAM_1_49_CH38000



Band38_10MHz_16QAM_1_0_CH38200



Band38_10MHz_16QAM_1_49_CH38200



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103

Page 180 of 357

Band38_10MHz_16QAM_50_0_CH37800




Band38 10MHz 64QAM 1 0 CH37800



Band38_10MHz_16QAM_50_0_CH38000




Band38_10MHz_64QAM_1_0_CH38000



Band38_10MHz_16QAM_50_0_CH38200



Band38_10MHz_64QAM_1_0_CH38200





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 181 of 357


Band38 10MHz 64QAM 1 49 CH37800








Band38_10MHz_64QAM_1_49_CH38000



Band38_10MHz_64QAM_50_0_CH38000



Band38_10MHz_64QAM_1_49_CH38200



Band38_10MHz_64QAM_50_0_CH38200



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 182 of 357


Band38_15MHz_QPSK_1_0_CH37825




Band38_15MHz_QPSK_1_74_CH37825




Band38_15MHz_QPSK_1_0_CH38000




Band38_15MHz_QPSK_1_74_CH38000



Band38_15MHz_QPSK_1_0_CH38175



Band38_15MHz_QPSK_1_74_CH38175




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 183 of 357

Band38_15MHz_QPSK_75_0_CH37825








Band38_15MHz_QPSK_75_0_CH38000




Band38_15MHz_16QAM_1_0_CH38000



Band38_15MHz_QPSK_75_0_CH38175



Band38_15MHz_16QAM_1_0_CH38175




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103

Page 184 of 357


Band38_15MHz_16QAM_1_74_CH37825



Band38 15MHz 16QAM 75 0 CH37825




Band38_15MHz_16QAM_1_74_CH38000



Band38_15MHz_16QAM_75_0_CH38000



Band38_15MHz_16QAM_1_74_CH38175



Band38_15MHz_16QAM_75_0_CH38175




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 185 of 357


Band38_15MHz_64QAM_1_0_CH37825




Band38_15MHz_64QAM_1_74_CH37825




Band38_15MHz_64QAM_1_0_CH38000




Band38_15MHz_64QAM_1_74_CH38000



Band38_15MHz_64QAM_1_0_CH38175



Band38_15MHz_64QAM_1_74_CH38175




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103

Page 186 of 357


Band38_15MHz_64QAM_75_0_CH37825




Band38_20MHz_QPSK_1_0_CH37850




Band38_15MHz_64QAM_75_0_CH38000




Band38_20MHz_QPSK_1_0_CH38000



Band38_15MHz_64QAM_75_0_CH38175



Band38_20MHz_QPSK_1_0_CH38150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 187 of 357


Band38_20MHz_QPSK_1_99_CH37850



Band38_20MHz_QPSK_100_0_CH37850




Band38_20MHz_QPSK_1_99_CH38000



Band38_20MHz_QPSK_100_0_CH38000



Band38_20MHz_QPSK_1_99_CH38150



Band38_20MHz_QPSK_100_0_CH38150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 188 of 357


Band38_20MHz_16QAM_1_0_CH37850




Band38 20MHz 16QAM 1 99 CH37850




Band38_20MHz_16QAM_1_0_CH38000




Band38_20MHz_16QAM_1_99_CH38000



Band38_20MHz_16QAM_1_0_CH38150



Band38_20MHz_16QAM_1_99_CH38150



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Report No.: ER/2019/A0103 Page 189 of 357

Band38_20MHz_16QAM_100_0_CH37850



Band38 20MHz 64QAM 1 0 CH37850



Band38_20MHz_16QAM_100_0_CH38000




Band38_20MHz_64QAM_1_0_CH38000



Band38_20MHz_16QAM_100_0_CH38150



Band38_20MHz_64QAM_1_0_CH38150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 190 of 357


Band38_20MHz_64QAM_1_99_CH37850



Band38 20MHz 64QAM 100 0 CH37850




Band38_20MHz_64QAM_1_99_CH38000



Band38_20MHz_64QAM_100_0_CH38000



Band38_20MHz_64QAM_1_99_CH38150



Band38_20MHz_64QAM_100_0_CH38150



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: ER/2019/A0103 Page 191 of 357

Out of Band Emission

30MHz~3GHz_GSM_850MHz_LowCH128-824.2



3GHz~10GHz_GSM_850MHz_LowCH128-824.2



30MHz~3GHz_GSM_850MHz_MidCH190-836.6



3GHz~10GHz_GSM_850MHz_MidCH190-836.6



30MHz~3GHz_GSM_850MHz_HighCH251-848.8



3GHz~10GHz GSM 850MHz HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 192 of 357


30MHz~3GHz_GPRS_850MHz_LowCH128-824.2



3GHz~10GHz_GPRS_850MHz__LowCH128-824.2



30MHz~3GHz GPRS 850MHz MidCH190-836.6




3GHz~10GHz_GPRS_850MHz__MidCH190-836.6



30MHz~3GHz_GPRS_850MHz__HighCH251-848.8



3GHz~10GHz GPRS 850MHz HighCH251-848.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 193 of 357


30MHz~3GHz_GSM_1900MHz_LowCH512-1850.2



3GHz~10GHz_GSM_1900MHz_LowCH512-1850.2




30MHz~3GHz GSM 1900MHz MidCH661-1880




3GHz~10GHz_GSM_1900MHz_MidCH661-1880



30MHz~3GHz_GSM_1900MHz_HighCH810-1909.8



3GHz~10GHz GSM 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 194 of 357


30MHz~3GHz_GPRS_1900MHz_LowCH512-1850.2



3GHz~10GHz_GPRS_1900MHz_LowCH512-1850.2



30MHz~3GHz GPRS 1900MHz MidCH661-1880



3GHz~10GHz_GPRS_1900MHz_MidCH661-1880



30MHz~3GHz_GPRS_1900MHz_HighCH810-1909.8



3GHz~10GHz GPRS 1900MHz HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 195 of 357

30MHz~3GHz_WCDMA_B2_LowCH9262-1852.4



2CU- 10CU- WCDMA D2 LowCU02/2 10F2 4




30MHz~3GHz WCDMA B2 MidCH9400-1880




3GHz~10GHz_WCDMA_B2_MidCH9400-1880



30MHz~3GHz_WCDMA_B2_HighCH9538-1907.6



3GHz~10GHz WCDMA B2 HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 196 of 357

30MHz~3GHz_HSDPA_B2_LowCH9262-1852.4




3GHz~10GHz_HSDPA_B2_MidCH9400-1880




3GHz~10GHz_HSDPA_B2_LowCH9262-1852.4



30MHz~3GHz_HSDPA_B2_HighCH9538-1907.6



30MHz~3GHz HSDPA B2 MidCH9400-1880



3GHz~10GHz HSDPA B2 HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 197 of 357

30MHz~3GHz_HSUPA_B2_LowCH9262-1852.4



3GHz~10GHz_HSUPA_B2_LowCH9262-1852.4




30MHz~3GHz HSUPA B2 MidCH9400-1880




3GHz~10GHz_HSUPA_B2_MidCH9400-1880



30MHz~3GHz_HSUPA_B2_HighCH9538-1907.6



3GHz~10GHz HSUPA B2 HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 198 of 357

30MHz~3GHz_WCDMA_B4_LowCH1312-1712.4





30MHz~3GHz WCDMA B4 MidCH1413-1732.6



3GHz~10GHz_WCDMA_B4_MidCH1413-1732.6



30MHz~3GHz_WCDMA_B4_HighCH1513-1752.6



3GHz~10GHz_WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 199 of 357

30MHz~3GHz_HSDPA_B4_LowCH1312-1712.4



3GHz~10GHz_HSDPA_B4_MidCH1413-1732.6




3GHz~10GHz_HSDPA_B4_LowCH1312-1712.4



30MHz~3GHz_HSDPA_B4_HighCH1513-1752.6



30MHz~3GHz HSDPA B4 MidCH1413-1732.6



3GHz~10GHz HSDPA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2019/A0103 Page 200 of 357

30MHz~3GHz_HSUPA_B4_LowCH1312-1712.4








3GHz~10GHz_HSUPA_B4_LowCH1312-1712.4



30MHz~3GHz_HSUPA_B4_HighCH1513-1752.6



30MHz~3GHz HSUPA B4 MidCH1413-1732.6



3GHz~10GHz HSUPA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic


format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 201 of 357

30MHz~3GHz_WCDMA_B5_LowCH4132-826.4






30MHz~3GHz WCDMA B5 MidCH4183-836.6




3GHz~10GHz_WCDMA_B5_MidCH4183-836.6



30MHz~3GHz_WCDMA_B5_HighCH4233-846.6



3GHz~10GHz WCDMA B5 HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 202 of 357


30MHz~3GHz_HSDPA_B5_LowCH4132-826.4




3GHz~10GHz_HSDPA_B5_MidCH4183-836.6



3GHz~10GHz_HSDPA_B5_LowCH4132-826.4



30MHz~3GHz_HSDPA_B5_HighCH4233-846.6



30MHz~3GHz HSDPA B5 MidCH4183-836.6



3GHz~10GHz HSDPA B5 HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic

This additioned it is severed by the Company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 203 of 357

30MHz~3GHz_HSUPA_B5_LowCH4132-826.4





30MHz~3GHz HSUPA B5 MidCH4183-836.6




3GHz~10GHz_HSUPA_B5_MidCH4183-836.6



30MHz~3GHz_HSUPA_B5_HighCH4233-846.6



3GHz~10GHz_HSUPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 204 of 357

30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_LowCH18607-1850.7





30MHz~3GHz Band2 1 4MHz QPSK 1 0 MidCH18900-1880



3GHz~10GHz_Band2_1_4MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_1_4MHz_QPSK_1_0_HighCH19193-1909.3



3GHz~10GHz Band2 1 4MHz QPSK 1 0 HighCH19193-1909.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 205 of 357


30MHz~3GHz_Band2_3MHz_QPSK_1_0_LowCH18615-1851.5



3GHz~10GHz_Band2_3MHz_QPSK_1_0_LowCH18615-1851.5



30MHz~3GHz Band2 3MHz QPSK 1 0 MidCH18900-1880



3GHz~10GHz_Band2_3MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_3MHz_QPSK_1_0_HighCH19185-1908.5



3GHz~10GHz Band2 3MHz QPSK 1 0 HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 206 of 357

30MHz~3GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5





30MHz~3GHz Band2 5MHz QPSK 1 0 MidCH18900-1880



3GHz~10GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5



3GHz~10GHz Band2 5MHz QPSK 1 0 HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 207 of 357

30MHz~3GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855



0011 40011 B 10 40111 0B01/ 4 0 1 01140/50 4055



30MHz~3GHz Band2 10MHz QPSK 1 0 MidCH18900-1880



3GHz~10GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905



3GHz~10GHz Band2 10MHz QPSK 1 0 HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 208 of 357

30MHz~3GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5






30MHz~3GHz Band2 15MHz QPSK 1 0 MidCH18900-1880



3GHz~10GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5



3GHz~10GHz Band2 15MHz QPSK 1 0 HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 209 of 357


30MHz~3GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860



3GHz~10GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860



30MHz~3GHz Band2 20MHz QPSK 1 0 MidCH18900-1880



3GHz~10GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900



3GHz~10GHz Band2 20MHz QPSK 1 0 HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角說明,此報告結末便對測試之樣品具質,同時此樣品健保留別大。本報告末經本公司書面計引,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2019/A0103 Page 210 of 357


30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7



3GHz~10GHz_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7




30MHz~3GHz Band4 1 4MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz_Band4_1_4MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_HighCH20393-1754.3



3GHz~10GHz Band4 1 4MHz QPSK 1 0 HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 211 of 357


30MHz~3GHz_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5



3GHz~10GHz_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5



30MHz~3GHz Band4 3MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz_Band4_3MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_3MHz_QPSK_1_0_HighCH20385-1753.5



3GHz~10GHz Band4 3MHz QPSK 1 0 HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 212 of 357

30MHz~3GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5



3GHz~10GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5



30MHz~3GHz Band4 5MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



3GHz~10GHz Band4 5MHz QPSK 1 0 HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 213 of 357


30MHz~3GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715



3GHz~10GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715



30MHz~3GHz Band4 10MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750



3GHz~10GHz Band4 10MHz QPSK 1 0 HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 214 of 357

30MHz~3GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5



3GHz~10GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5




30MHz~3GHz Band4 15MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5



3GHz~10GHz Band4 15MHz QPSK 1 0 HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 215 of 357

30MHz~3GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720



3GHz~10GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720



30MHz~3GHz Band4 20MHz QPSK 1 0 MidCH20175-1732.5



3GHz~10GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745



3GHz~10GHz Band4 20MHz QPSK 1 0 HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 216 of 357


30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_LowCH20407-824.7




3GHz~10GHz_Band5_1_4MHz_QPSK_1_0_LowCH20407-824.7




30MHz~3GHz Band5 1 4MHz QPSK 1 0 MidCH20525-836.5




3GHz~10GHz_Band5_1_4MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_HighCH20643-848.3



3GHz~10GHz Band5 1 4MHz QPSK 1 0 HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 217 of 357


30MHz~3GHz_Band5_3MHz_QPSK_1_0_LowCH20415-825.5



3GHz~10GHz_Band5_3MHz_QPSK_1_0_LowCH20415-825.5



30MHz~3GHz Band5 3MHz QPSK 1 0 MidCH20525-836.5



3GHz~10GHz_Band5_3MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_3MHz_QPSK_1_0_HighCH20635-847.5



3GHz~10GHz Band5 3MHz QPSK 1 0 HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2019/A0103 Page 218 of 357

30MHz~3GHz_Band5_5MHz_QPSK_1_0_LowCH20425-826.5



3GHz~10GHz_Band5_5MHz_QPSK_1_0_LowCH20425-826.5




30MHz~3GHz Band5 5MHz QPSK 1 0 MidCH20525-836.5




3GHz~10GHz_Band5_5MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_5MHz_QPSK_1_0_HighCH20625-846.5



3GHz~10GHz Band5 5MHz QPSK 1 0 HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 219 of 357


30MHz~3GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829




3GHz~10GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829



30MHz~3GHz Band5 10MHz QPSK 1 0 MidCH20525-836.5



3GHz~10GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844



3GHz~10GHz Band5 10MHz QPSK 1 0 HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 220 of 357

30MHz~3GHz_Band7_5MHz_QPSK_1_0_LowCH20775-2502.5



3GHz~10GHz_Band7_5MHz_QPSK_1_0_LowCH20775-2502.5




30MHz~3GHz Band7 5MHz QPSK 1 0 MidCH21100-2535



3GHz~10GHz_Band7_5MHz_QPSK_1_0_MidCH21100-2535



30MHz~3GHz_Band7_5MHz_QPSK_1_0_HighCH21425-2567.5



3GHz~10GHz Band7 5MHz QPSK 1 0 HighCH21425-2567.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 221 of 357


30MHz~3GHz_Band7_10MHz_QPSK_1_0_LowCH20800-2505



3GHz~10GHz_Band7_10MHz_QPSK_1_0_LowCH20800-2505



30MHz~3GHz Band7 10MHz QPSK 1 0 MidCH21100-2535



3GHz~10GHz_Band7_10MHz_QPSK_1_0_MidCH21100-2535



30MHz~3GHz_Band7_10MHz_QPSK_1_0_HighCH21400-2565



3GHz~10GHz Band7 10MHz QPSK 1 0 HighCH21400-2565



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2019/A0103 Page 222 of 357


30MHz~3GHz_Band7_15MHz_QPSK_1_0_LowCH20825-2507.5



3GHz~10GHz_Band7_15MHz_QPSK_1_0_LowCH20825-2507.5




30MHz~3GHz Band7 15MHz QPSK 1 0 MidCH21100-2535




3GHz~10GHz_Band7_15MHz_QPSK_1_0_MidCH21100-2535



30MHz~3GHz_Band7_15MHz_QPSK_1_0_HighCH21375-2562.5



3GHz~10GHz Band7 15MHz QPSK 1 0 HighCH21375-2562.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 223 of 357


30MHz~3GHz_Band7_20MHz_QPSK_1_0_LowCH20850-2510




3GHz~10GHz_Band7_20MHz_QPSK_1_0_LowCH20850-2510



30MHz~3GHz Band7 20MHz QPSK 1 0 MidCH21100-2535



3GHz~10GHz_Band7_20MHz_QPSK_1_0_MidCH21100-2535



30MHz~3GHz_Band7_20MHz_QPSK_1_0_HighCH21350-2560



3GHz~10GHz Band7 20MHz QPSK 1 0 HighCH21350-2560



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 224 of 357


30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7



2011- 10011- Decedia 1 4MIII- ODOV 1 0 1 --- 01122017 (00 7



30MHz~3GHz Band12 1 4MHz QPSK 1 0 MidCH23095-707.5



3GHz~10GHz_Band12_1_4MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_HighCH23173-715.3



3GHz~10GHz Band12 1 4MHz QPSK 1 0 HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 225 of 357

30MHz~3GHz_Band12_3MHz_QPSK_1_0_LowCH23025-700.5



0011 40011 D 140 01111 0D01/ 4 0 1 01100005 700 5



30MHz~3GHz Band12 3MHz QPSK 1 0 MidCH23095-707.5




3GHz~10GHz_Band12_3MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_3MHz_QPSK_1_0_HighCH23165-714.5



3GHz~10GHz Band12 3MHz QPSK 1 0 HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 226 of 357

30MHz~3GHz_Band12_5MHz_QPSK_1_0_LowCH23035-701.5



3GHz~10GHz_Band12_5MHz_QPSK_1_0_LowCH23035-701.5




30MHz~3GHz Band12 5MHz QPSK 1 0 MidCH23095-707.5




3GHz~10GHz_Band12_5MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_5MHz_QPSK_1_0_HighCH23155-713.5



3GHz~10GHz Band12 5MHz QPSK 1 0 HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 227 of 357

30MHz~3GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704





30MHz~3GHz Band12 10MHz QPSK 1 0 MidCH23095-707.5



3GHz~10GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711



3GHz~10GHz Band12 10MHz QPSK 1 0 HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 228 of 357

30MHz~3GHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5



3GHz~10GHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5



30MHz~3GHz Band13 5MHz QPSK 1 0 MidCH23230-782



3GHz~10GHz_Band13_5MHz_QPSK_1_0_MidCH23230-782



30MHz~3GHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



3GHz~10GHz Band13 5MHz QPSK 1 0 HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 229 of 357

30MHz~3GHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



0.00


Inband-2_Band13_10MHz_QPSK_1_0_MidCH23230-782



3GHz~10GHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



30MHz~3GHz_Band17_5MHz_QPSK_1_0_LowCH23755-706.5



Inband-1 Band13 10MHz QPSK 1 0 MidCH23230-782



3GHz~10GHz Band17 5MHz QPSK 1 0 LowCH23755-706.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2019/A0103 Page 230 of 357

30MHz~3GHz_Band17_5MHz_QPSK_1_0_MidCH23790-710




3GHz~10GHz_Band17_5MHz_QPSK_1_0_MidCH23790-710



30MHz~3GHz Band17 5MHz QPSK 1 0 HighCH23825-713.5



3GHz~10GHz_Band17_5MHz_QPSK_1_0_HighCH23825-713.5



30MHz~3GHz_Band17_10MHz_QPSK_1_0_LowCH23780-709



3GHz~10GHz Band17 10MHz QPSK 1 0 LowCH23780-709



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 231 of 357


30MHz~3GHz_Band17_10MHz_QPSK_1_0_MidCH23790-710



2011- 10011- Deced17 10MII- ODCK 1 0 Mid0122700 710



30MHz~3GHz Band17 10MHz QPSK 1 0 HighCH23800-711



3GHz~10GHz_Band17_10MHz_QPSK_1_0_HighCH23800-711



30MHz~3GHz_Band38_5MHz_QPSK_1_0_LowCH37775-2572.5



3GHz~10GHz Band38 5MHz QPSK 1 0 LowCH37775-2572.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: ER/2019/A0103 Page 232 of 357


30MHz~3GHz_Band38_5MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_5MHz_QPSK_1_0_MidCH38000-2595




30MHz~3GHz Band38 5MHz QPSK 1 0 HighCH38225-2617.5



3GHz~10GHz_Band38_5MHz_QPSK_1_0_HighCH38225-2617.5



30MHz~3GHz_Band38_10MHz_QPSK_1_0_LowCH37800-2575



3GHz~10GHz Band38 10MHz QPSK 1 0 LowCH37800-2575




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2019/A0103 Page 233 of 357


30MHz~3GHz_Band38_10MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_10MHz_QPSK_1_0_MidCH38000-2595



30MHz~3GHz Band38 10MHz QPSK 1 0 HighCH38200-2615



3GHz~10GHz_Band38_10MHz_QPSK_1_0_HighCH38200-2615



30MHz~3GHz_Band38_15MHz_QPSK_1_0_LowCH37825-2577.5



3GHz~10GHz Band38 15MHz QPSK 1 0 LowCH37825-2577.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2019/A0103 Page 234 of 357


30MHz~3GHz_Band38_15MHz_QPSK_1_0_MidCH38000-2595




3GHz~10GHz_Band38_15MHz_QPSK_1_0_MidCH38000-2595



30MHz~3GHz Band38 15MHz QPSK 1 0 HighCH38175-2612.5



3GHz~10GHz_Band38_15MHz_QPSK_1_0_HighCH38175-2612.5



30MHz~3GHz_Band38_20MHz_QPSK_1_0_LowCH37850-2580



3GHz~10GHz Band38 20MHz QPSK 1 0 LowCH37850-2580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2019/A0103 Page 235 of 357

30MHz~3GHz_Band38_20MHz_QPSK_1_0_MidCH38000-2595



3GHz~10GHz_Band38_20MHz_QPSK_1_0_HighCH38150-2610



3GHz~10GHz_Band38_20MHz_QPSK_1_0_MidCH38000-2595



30MHz~3GHz Band38 20MHz QPSK 1 0 HighCH38150-2610



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 236 of 357

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com



Page 237 of 357

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm, and adult of its destructions and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 238 of 357

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{Note}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	67 + 10 log ₁₀ (p)
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 239 of 357

9.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 240 of 357

9.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB) EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Taiwan Ltd.



Page 241 of 357

9.4. Measurement Equipment Used:

O. F. Moddaromont	9.4. Measurement Equipment Used: 966A Chamber							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
Bi-log Antenna	SCHWAZBECK	VULB9168	378	01/04/2019	01/03/2020			
Horn Antenna	Schwarzbeck	BBHA9120D	603	04/24/2019	04/23/2020			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/27/2018	12/26/2019			
Horn Antenna	Schwarzbeck	BBHA9170	185	08/07/2019	08/06/2020			
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/24/2018	12/23/2019			
Bi-log Antenna	TESEO	CBL 6112D	35242 & AT-N0555	01/10/2019	01/09/2020			
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/22/2019	04/21/2020			
Pre-Amplifier	EMC Instruments	EMC184045B	980135	01/02/2019	01/01/2020			
Pre-Amplifier	EMC Instruments	EMC051825	980152	01/02/2019	01/01/2020			
Pre-Amplifier	HP	8447D	2944A09469	01/02/2019	01/01/2020			
Filter 635-920	Micro-Tronics	WI	4	01/02/2019	01/01/2020			
Filter 800-1000	Micro-Tronics	EWT	M1	01/02/2019	01/01/2020			
Filter 1700-2000	Micro-Tronics	EWT	M3	01/02/2019	01/01/2020			
1GHz High Pass Filter	Micro-Tronics	HPM50108	32	01/02/2019	01/01/2020			
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	01/02/2019	01/02/2020			
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2019	01/01/2020			
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2019	01/01/2020			
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-200 0	160123	01/02/2019	01/01/2020			
Radio Communication Analyzer	Anritsu	MT8815B	6200711454	04/01/2019	03/31/2020			
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	04/01/2019	03/31/2020			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm, avalable or nequest or accessible at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




Page 242 of 357

9.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode

Report Number :ER-2019-A0103 **Test Date** :2019-11-04 **Operation Mode** Temp./Humi. :22.3/70 :GSM 850 **Test Mode** :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :824.2 MHz



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
dBm	•	_		dRm	dB
dbiii	QDIII	abi/aba	dБ	qDiii	uБ
-78.70	-70.61	-7.07	-1.02	-13.00	-65.70
-78.54	-69.93	-7.32	-1.29	-13.00	-65.54
-78.67	-75.52	-1.71	-1.44	-13.00	-65.67
-77.19	-73.69	-1.66	-1.84	-13.00	-64.19
-73.87	-70.22	-1.71	-1.94	-13.00	-60.87
-73.45	-69.69	-1.37	-2.39	-13.00	-60.45
-57.82	-63.11	9.30	-4.01	-13.00	-44.82
	dBm -78.70 -78.54 -78.67 -77.19 -73.87 -73.45	Output Level dBm -78.70	Output Level Gain dBm dBi/dBd -78.70 -70.61 -7.07 -78.54 -69.93 -7.32 -78.67 -75.52 -1.71 -77.19 -73.69 -1.66 -73.87 -70.22 -1.71 -73.45 -69.69 -1.37	dBm Output Level dBm Gain dBi/dBd Loss dB -78.70 -70.61 -7.07 -1.02 -78.54 -69.93 -7.32 -1.29 -78.67 -75.52 -1.71 -1.44 -77.19 -73.69 -1.66 -1.84 -73.87 -70.22 -1.71 -1.94 -73.45 -69.69 -1.37 -2.39	dBm Output Level dBm Gain dBi/dBd Loss dB -78.70 -70.61 -7.07 -1.02 -13.00 -78.54 -69.93 -7.32 -1.29 -13.00 -78.67 -75.52 -1.71 -1.44 -13.00 -77.19 -73.69 -1.66 -1.84 -13.00 -73.87 -70.22 -1.71 -1.94 -13.00 -73.45 -69.69 -1.37 -2.39 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 243 of 357

Report Number :ER-2019-A0103

Operation Mode :GSM 850 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :824.2 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
95.96	-78.94	-72.30	-5.69	-0.95	-13.00	-65.94
124.09	-77.84	-69.72	-7.07	-1.05	-13.00	-64.84
353.01	-79.24	-75.82	-1.51	-1.91	-13.00	-66.24
400.54	-78.19	-74.67	-1.60	-1.92	-13.00	-65.19
502.39	-77.33	-73.47	-1.46	-2.40	-13.00	-64.33
639.16	-76.03	-72.00	-1.53	-2.50	-13.00	-63.03
1648.40	-58.26	-63.55	9.30	-4.01	-13.00	-45.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 244 of 357

Report Number :ER-2019-A0103

Operation Mode :GSM 850 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :836.6 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
119.24	-78.75	-70.62	-7.11	-1.02	-13.00	-65.75
146.40	-77.95	-68.84	-7.93	-1.18	-13.00	-64.95
204.60	-80.04	-76.71	-1.93	-1.40	-13.00	-67.04
343.31	-78.93	-75.45	-1.59	-1.89	-13.00	-65.93
522.76	-76.06	-72.07	-1.48	-2.51	-13.00	-63.06
595.51	-73.10	-69.21	-1.76	-2.13	-13.00	-60.10
1673.20	-58.30	-63.76	9.49	-4.03	-13.00	-45.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 245 of 357

Report Number :ER-2019-A0103

Operation Mode :GSM 850 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :836.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.20	-70.08	-7.07	-1.05	-13.00	-65.20
256.01	-83.27	-80.08	-1.62	-1.57	-13.00	-70.27
416.06	-78.51	-74.95	-1.60	-1.96	-13.00	-65.51
447.10	-77.62	-73.99	-1.67	-1.96	-13.00	-64.62
589.69	-76.79	-73.14	-1.71	-1.94	-13.00	-63.79
687.66	-76.53	-72.75	-1.29	-2.49	-13.00	-63.53
1673.20	-57.71	-63.17	9.49	-4.03	-13.00	-44.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 246 of 357

Report Number

:ER-2019-A0103

Operation Mode Test Mode

:GSM 850

EUT Pol Test Channel :Tx CH High :H Plane


:848.8 MHz

Test Date Temp./Humi.

:2019-11-04 :22.3/70

Antenna Pol. Engineer.

:VERTICAL : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-78.46	-70.37	-7.07	-1.02	-13.00	-65.46
153.19	-78.72	-70.00	-7.46	-1.26	-13.00	-65.72
256.01	-79.92	-76.73	-1.62	-1.57	-13.00	-66.92
445.16	-78.07	-74.48	-1.67	-1.92	-13.00	-65.07
641.10	-74.11	-70.03	-1.53	-2.55	-13.00	-61.11
1697.60	-57.86	-63.49	9.68	-4.05	-13.00	-44.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 247 of 357

Report Number

:ER-2019-A0103

Operation Mode Test Mode

:GSM 850 :Tx CH High


EUT Pol Test Channel :H Plane :848.8 MHz

Test Date Temp./Humi. Antenna Pol.

:2019-11-04

:22.3/70 :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-78.31	-70.17	-7.10	-1.04	-13.00	-65.31
256.01	-84.02	-80.83	-1.62	-1.57	-13.00	-71.02
352.04	-80.81	-77.42	-1.49	-1.90	-13.00	-67.81
422.85	-78.49	-74.94	-1.62	-1.93	-13.00	-65.49
602.30	-77.24	-72.95	-1.94	-2.35	-13.00	-64.24
636.25	-77.17	-73.13	-1.56	-2.48	-13.00	-64.17
1697.60	-57.13	-62.76	9.68	-4.05	-13.00	-44.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Channel


Report No.: ER/2019/A0103

Page 248 of 357

Radiated Spurious Emission Measurement Result: GSM 1900 Mode

:1850.2 MHz

:ER-2019-A0103 Report Number **Test Date** :2019-11-04 **Operation Mode** :GSM 1900 Temp./Humi. :22.3/70 Test Mode :VERTICAL :Tx CH Low Antenna Pol. **EUT Pol** :H Plane Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
148.34	-78.66	-69.65	-7.81	-1.20	-13.00	-65.66
207.51	-79.37	-76.21	-1.75	-1.41	-13.00	-66.37
238.55	-79.64	-76.49	-1.71	-1.44	-13.00	-66.64
357.86	-78.71	-75.27	-1.52	-1.92	-13.00	-65.71
400.54	-78.31	-74.79	-1.60	-1.92	-13.00	-65.31
595.51	-74.49	-70.60	-1.76	-2.13	-13.00	-61.49
3700.40	-52.20	-58.67	12.40	-5.93	-13.00	-39.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 249 of 357

Report Number :ER-2019-A0103 **Operation Mode** :GSM 1900

Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :1850.2 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-77.44	-69.30	-7.10	-1.04	-13.00	-64.44
277.35	-84.14	-80.57	-1.93	-1.64	-13.00	-71.14
410.24	-78.69	-75.18	-1.58	-1.93	-13.00	-65.69
483.96	-78.08	-74.34	-1.51	-2.23	-13.00	-65.08
597.45	-77.72	-73.71	-1.81	-2.20	-13.00	-64.72
735.19	-75.00	-71.25	-1.52	-2.23	-13.00	-62.00
3700.40	-51.74	-58.21	12.40	-5.93	-13.00	-38.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 250 of 357

Report Number :ER-2019-A0103

Operation Mode :GSM 1900 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :1880.0 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-78.66	-70.61	-7.02	-1.03	-13.00	-65.66
146.40	-78.44	-69.33	-7.93	-1.18	-13.00	-65.44
240.49	-79.82	-76.66	-1.73	-1.43	-13.00	-66.82
321.00	-79.31	-75.83	-1.71	-1.77	-13.00	-66.31
405.39	-78.04	-74.52	-1.59	-1.93	-13.00	-65.04
597.45	-73.79	-69.78	-1.81	-2.20	-13.00	-60.79
3760.00	-52.80	-59.08	12.30	-6.02	-13.00	-39.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 251 of 357

Report Number :ER-2019-A0103


Operation Mode :GSM 1900 Test Mode :Tx CH Mid

EUT Pol :H Plane **Test Channel** :1880.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70

Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-77.62	-69.48	-7.10	-1.04	-13.00	-64.62
350.10	-79.67	-76.31	-1.46	-1.90	-13.00	-66.67
418.00	-78.34	-74.73	-1.64	-1.97	-13.00	-65.34
544.10	-77.24	-73.65	-1.41	-2.18	-13.00	-64.24
592.60	-76.31	-72.54	-1.74	-2.03	-13.00	-63.31
648.86	-76.05	-71.71	-1.50	-2.84	-13.00	-63.05
3760.00	-52.37	-58.65	12.30	-6.02	-13.00	-39.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 252 of 357

Report Number **Operation Mode** :ER-2019-A0103

Test Mode **EUT Pol Test Channel**


:GSM 1900 :Tx CH High :H Plane

:1909.8 MHz

Test Date Temp./Humi. Antenna Pol. :2019-11-04 :22.3/70

Engineer.

:VERTICAL : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-78.90	-70.79	-7.09	-1.02	-13.00	-65.90
144.46	-77.60	-68.49	-7.94	-1.17	-13.00	-64.60
253.10	-79.01	-75.83	-1.64	-1.54	-13.00	-66.01
362.71	-78.60	-75.13	-1.55	-1.92	-13.00	-65.60
600.36	-74.38	-70.19	-1.89	-2.30	-13.00	-61.38
634.31	-73.21	-69.15	-1.59	-2.47	-13.00	-60.21
3819.60	-52.94	-59.09	12.26	-6.11	-13.00	-39.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 253 of 357

Report Number :ER-2019-A0103

Operation Mode :GSM 1900 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :1909.8 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.41	-70.29	-7.07	-1.05	-13.00	-65.41
255.04	-83.75	-80.58	-1.61	-1.56	-13.00	-70.75
359.80	-80.28	-76.84	-1.51	-1.93	-13.00	-67.28
386.96	-77.92	-74.32	-1.63	-1.97	-13.00	-64.92
589.69	-76.18	-72.53	-1.71	-1.94	-13.00	-63.18
667.29	-76.78	-72.44	-1.30	-3.04	-13.00	-63.78
3819.60	-51.71	-57.86	12.26	-6.11	-13.00	-38.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 254 of 357

Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode

:ER-2019-A0103 Report Number Test Date :2019-11-04 **Operation Mode** :WCDMA B2 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** ·H Plane Engineer. : Nick **Test Channel** :1852.4 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-79.72	-71.61	-7.09	-1.02	-13.00	-66.72
149.31	-78.65	-69.68	-7.76	-1.21	-13.00	-65.65
241.46	-79.18	-76.02	-1.72	-1.44	-13.00	-66.18
367.56	-78.93	-75.44	-1.58	-1.91	-13.00	-65.93
439.34	-77.66	-74.07	-1.76	-1.83	-13.00	-64.66
597.45	-74.50	-70.49	-1.81	-2.20	-13.00	-61.50
3704.80	-52.17	-58.62	12.39	-5.94	-13.00	-39.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to its General Conditions of Service printed overlear, available on request of accessible at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions in Idliability, indiability, indiabili

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



:1852.4 MHz


Test Channel

Report No.: ER/2019/A0103

Page 255 of 357

Report Number :ER-2019-A0103 Test Date :2019-11-04
Operation Mode :WCDMA B2 Temp./Humi. :22.3/70
Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

EUT Pol :H Plane Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
123.12	-78.23	-70.15	-7.04	-1.04	-13.00	-65.23
256.01	-84.20	-81.01	-1.62	-1.57	-13.00	-71.20
350.10	-80.50	-77.14	-1.46	-1.90	-13.00	-67.50
434.49	-78.40	-74.90	-1.67	-1.83	-13.00	-65.40
482.99	-77.73	-74.01	-1.49	-2.23	-13.00	-64.73
589.69	-77.57	-73.92	-1.71	-1.94	-13.00	-64.57
3704.80	-52.24	-58.69	12.39	-5.94	-13.00	-39.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


Inis accument is issued by the Company subject to the state and Conditions for Electronic Documents at www.sgs.com/terms and Conditions fund and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document earned parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 256 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B2 Test Mode :Tx CH Mid **EUT Pol** ·H Plane **Test Channel** :1880.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-78.86	-70.77	-7.07	-1.02	-13.00	-65.86
153.19	-78.86	-70.14	-7.46	-1.26	-13.00	-65.86
264.74	-79.57	-76.18	-1.77	-1.62	-13.00	-66.57
406.36	-78.27	-74.75	-1.59	-1.93	-13.00	-65.27
599.39	-72.64	-68.51	-1.86	-2.27	-13.00	-59.64
660.50	-73.62	-68.99	-1.43	-3.20	-13.00	-60.62
3760.00	-52.21	-58.49	12.30	-6.02	-13.00	-39.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:1880.0 MHz


Test Channel

Report No.: ER/2019/A0103

Page 257 of 357

Report Number :ER-2019-A0103 **Test Date** :2019-11-04 **Operation Mode** :WCDMA B2 Temp./Humi. :22.3/70 Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

EUT Pol ·H Plane Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
127.00	-78.46	-70.22	-7.16	-1.08	-13.00	-65.46
259.89	-83.30	-80.04	-1.64	-1.62	-13.00	-70.30
366.59	-80.26	-76.76	-1.59	-1.91	-13.00	-67.26
416.06	-78.28	-74.72	-1.60	-1.96	-13.00	-65.28
515.00	-77.89	-73.91	-1.40	-2.58	-13.00	-64.89
602.30	-76.46	-72.17	-1.94	-2.35	-13.00	-63.46
3760.00	-52.97	-59.25	12.30	-6.02	-13.00	-39.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 258 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B2 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :1907.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-78.09	-69.22	-7.64	-1.23	-13.00	-65.09
204.60	-79.74	-76.41	-1.93	-1.40	-13.00	-66.74
347.19	-79.06	-75.64	-1.53	-1.89	-13.00	-66.06
411.21	-78.17	-74.65	-1.58	-1.94	-13.00	-65.17
492.69	-77.21	-73.42	-1.55	-2.24	-13.00	-64.21
599.39	-74.12	-69.99	-1.86	-2.27	-13.00	-61.12
3815.20	-53.10	-59.27	12.27	-6.10	-13.00	-40.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 259 of 357

Report Number :ER-2019-A0103 Test Date :2019-11-04
Operation Mode :WCDMA B2 Temp./Humi. :22.3/70
Test Mode :Tx CH High Antenna Pol. :HORIZONTAL

EUT Pol :H Plane Engineer. : Nick Test Channel :1907.6 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
125.06	-78.38	-70.22	-7.10	-1.06	-13.00	-65.38
259.89	-83.90	-80.64	-1.64	-1.62	-13.00	-70.90
361.74	-79.36	-75.90	-1.54	-1.92	-13.00	-66.36
425.76	-78.48	-75.00	-1.59	-1.89	-13.00	-65.48
485.90	-77.67	-73.92	-1.53	-2.22	-13.00	-64.67
582.90	-76.94	-73.39	-1.59	-1.96	-13.00	-63.94
3815.20	-52.07	-58.24	12.27	-6.10	-13.00	-39.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 260 of 357

Radiated Spurious Emission Measurement Result: WCDMA Band 4 Mode

:ER-2019-A0103 Report Number **Test Date** :2019-11-04 **Operation Mode** :WCDMA B4 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** ·H Plane Engineer. : Nick **Test Channel** :1712.4 MHz



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
1711 12	GDIII	чын	dBi/dBd	uВ	qDiii	uБ
149.31	-77.85	-68.88	-7.76	-1.21	-13.00	-64.85
256.01	-79.03	-75.84	-1.62	-1.57	-13.00	-66.03
367.56	-78.67	-75.18	-1.58	-1.91	-13.00	-65.67
469.41	-77.38	-73.62	-1.50	-2.26	-13.00	-64.38
487.84	-76.80	-73.04	-1.54	-2.22	-13.00	-63.80
597.45	-73.45	-69.44	-1.81	-2.20	-13.00	-60.45
3424.80	-52.60	-59.20	12.40	-5.80	-13.00	-39.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to its General Conditions of Service printed overlear, available on request of accessible at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions in Idliability, indiability, indiabili

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



:1712.4 MHz


Test Channel

Report No.: ER/2019/A0103

Page 261 of 357

Report Number :ER-2019-A0103 **Test Date** :2019-11-04 **Operation Mode** :WCDMA B4 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

EUT Pol ·H Plane Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-78.35	-70.21	-7.10	-1.04	-13.00	-65.35
255.04	-84.52	-81.35	-1.61	-1.56	-13.00	-71.52
415.09	-78.69	-75.16	-1.58	-1.95	-13.00	-65.69
479.11	-78.11	-74.42	-1.44	-2.25	-13.00	-65.11
566.41	-77.86	-74.20	-1.41	-2.25	-13.00	-64.86
667.29	-76.88	-72.54	-1.30	-3.04	-13.00	-63.88
3424.80	-54.04	-60.64	12.40	-5.80	-13.00	-41.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 262 of 357

Report Number :ER-2019-A0103
Operation Mode :WCDMA B4
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :1732.4 MHz

Test Date :2019-11-04
Temp./Humi. :22.3/70
Antenna Pol. :VERTICAL
Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
109.54	-78.68	-70.66	-7.00	-1.02	-13.00	-65.68
149.31	-78.70	-69.73	-7.76	-1.21	-13.00	-65.70
235.64	-79.76	-76.66	-1.64	-1.46	-13.00	-66.76
357.86	-78.95	-75.51	-1.52	-1.92	-13.00	-65.95
442.25	-77.23	-73.64	-1.72	-1.87	-13.00	-64.23
610.06	-74.03	-69.55	-1.93	-2.55	-13.00	-61.03
3464.80	-54.23	-60.85	12.37	-5.75	-13.00	-41.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 263 of 357

Report Number :ER-2019-A0103 **Test Date** :2019-11-04 **Operation Mode** :WCDMA B4 Temp./Humi. :22.3/70 Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

EUT Pol ·H Plane Engineer. : Nick **Test Channel** :1732.4 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
123.12	-77.63	-69.55	-7.04	-1.04	-13.00	-64.63
257.95	-82.73	-79.50	-1.63	-1.60	-13.00	-69.73
356.89	-80.35	-76.90	-1.53	-1.92	-13.00	-67.35
466.50	-77.85	-74.13	-1.49	-2.23	-13.00	-64.85
584.84	-77.42	-73.87	-1.60	-1.95	-13.00	-64.42
670.20	-77.05	-72.77	-1.32	-2.96	-13.00	-64.05
3464.80	-54.59	-61.21	12.37	-5.75	-13.00	-41.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 264 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B4 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :1752.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-77.70	-69.59	-7.09	-1.02	-13.00	-64.70
146.40	-78.08	-68.97	-7.93	-1.18	-13.00	-65.08
246.31	-78.70	-75.55	-1.67	-1.48	-13.00	-65.70
403.45	-78.44	-74.92	-1.59	-1.93	-13.00	-65.44
521.79	-76.49	-72.46	-1.49	-2.54	-13.00	-63.49
600.36	-74.46	-70.27	-1.89	-2.30	-13.00	-61.46
3505.20	-53.61	-60.17	12.28	-5.72	-13.00	-40.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 265 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B4 Test Mode :Tx CH High

EUT Pol :H Plane **Test Channel** :1752.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-78.39	-70.34	-7.02	-1.03	-13.00	-65.39
282.20	-83.86	-80.34	-1.87	-1.65	-13.00	-70.86
391.81	-78.92	-75.33	-1.62	-1.97	-13.00	-65.92
444.19	-77.93	-74.34	-1.69	-1.90	-13.00	-64.93
498.51	-77.43	-73.62	-1.49	-2.32	-13.00	-64.43
595.51	-77.15	-73.26	-1.76	-2.13	-13.00	-64.15
3505.20	-51.76	-58.32	12.28	-5.72	-13.00	-38.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 266 of 357

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

:ER-2019-A0103 Report Number **Test Date** :2019-11-04 **Operation Mode** :WCDMA B5 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick **Test Channel** :826.4 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-79.53	-71.42	-7.09	-1.02	-13.00	-66.53
146.40	-78.36	-69.25	-7.93	-1.18	-13.00	-65.36
253.10	-79.01	-75.83	-1.64	-1.54	-13.00	-66.01
416.06	-78.26	-74.70	-1.60	-1.96	-13.00	-65.26
587.75	-74.26	-70.64	-1.67	-1.95	-13.00	-61.26
672.14	-73.12	-68.96	-1.29	-2.87	-13.00	-60.12
1652.80	-57.87	-63.18	9.32	-4.01	-13.00	-44.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279 f (886-2) 2298-0488



Page 267 of 357

Report Number :ER-2019-A0103 **Test Date** :2019-11-04 **Operation Mode** :WCDMA B5 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :HORIZONTAL

EUT Pol :H Plane Engineer. : Nick **Test Channel** :826.4 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.26	-70.14	-7.07	-1.05	-13.00	-65.26
255.04	-82.74	-79.57	-1.61	-1.56	-13.00	-69.74
382.11	-77.90	-74.33	-1.64	-1.93	-13.00	-64.90
481.05	-77.73	-74.05	-1.44	-2.24	-13.00	-64.73
566.41	-77.55	-73.89	-1.41	-2.25	-13.00	-64.55
619.76	-77.01	-72.78	-1.70	-2.53	-13.00	-64.01
1652.80	-57.00	-62.31	9.32	-4.01	-13.00	-44.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 268 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B5 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :836.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-79.38	-71.27	-7.09	-1.02	-13.00	-66.38
149.31	-79.02	-70.05	-7.76	-1.21	-13.00	-66.02
238.55	-78.25	-75.10	-1.71	-1.44	-13.00	-65.25
534.40	-76.48	-72.85	-1.38	-2.25	-13.00	-63.48
599.39	-74.49	-70.36	-1.86	-2.27	-13.00	-61.49
677.96	-72.93	-69.05	-1.27	-2.61	-13.00	-59.93
1673.20	-57.52	-62.98	9.49	-4.03	-13.00	-44.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 269 of 357

Report Number :ER-2019-A0103 **Test Date** :2019-11-04 **Operation Mode** :WCDMA B5 Temp./Humi. :22.3/70 Test Mode :Tx CH Mid Antenna Pol. :HORIZONTAL

EUT Pol :H Plane Engineer. : Nick **Test Channel** :836.6 MHz



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
N 41 1—	alD.ca	Output Level	Gain	Loss	al Dana	٦D
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
131.85	-78.75	-70.22	-7.42	-1.11	-13.00	-65.75
259.89	-83.44	-80.18	-1.64	-1.62	-13.00	-70.44
361.74	-80.09	-76.63	-1.54	-1.92	-13.00	-67.09
419.94	-78.39	-74.74	-1.68	-1.97	-13.00	-65.39
566.41	-77.46	-73.80	-1.41	-2.25	-13.00	-64.46
752.65	-74.21	-69.86	-1.81	-2.54	-13.00	-61.21
1673.20	-58.11	-63.57	9.49	-4.03	-13.00	-45.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 270 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B5 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :846.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-78.63	-69.66	-7.76	-1.21	-13.00	-65.63
236.61	-79.03	-75.91	-1.66	-1.46	-13.00	-66.03
253.10	-79.09	-75.91	-1.64	-1.54	-13.00	-66.09
405.39	-77.57	-74.05	-1.59	-1.93	-13.00	-64.57
532.46	-76.03	-72.34	-1.41	-2.28	-13.00	-63.03
618.79	-74.11	-69.85	-1.73	-2.53	-13.00	-61.11
1693.20	-57.01	-62.61	9.65	-4.05	-13.00	-44.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 271 of 357

Report Number :ER-2019-A0103 **Operation Mode** :WCDMA B5 Test Mode :Tx CH High

EUT Pol :H Plane **Test Channel** :846.6 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-78.15	-70.01	-7.10	-1.04	-13.00	-65.15
253.10	-83.84	-80.66	-1.64	-1.54	-13.00	-70.84
335.55	-81.36	-77.82	-1.64	-1.90	-13.00	-68.36
483.96	-77.64	-73.90	-1.51	-2.23	-13.00	-64.64
565.44	-77.02	-73.36	-1.40	-2.26	-13.00	-64.02
613.94	-76.50	-72.09	-1.87	-2.54	-13.00	-63.50
1693.20	-58.01	-63.61	9.65	-4.05	-13.00	-45.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 272 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B2 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :1860.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
115.36	-80.04	-71.88	-7.14	-1.02	-13.00	-67.04
138.64	-79.04	-70.14	-7.77	-1.13	-13.00	-66.04
255.04	-78.88	-75.71	-1.61	-1.56	-13.00	-65.88
396.66	-78.42	-74.87	-1.61	-1.94	-13.00	-65.42
430.61	-78.34	-74.83	-1.67	-1.84	-13.00	-65.34
594.54	-73.09	-69.24	-1.75	-2.10	-13.00	-60.09
3720.00	-52.19	-58.59	12.36	-5.96	-13.00	-39.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488




Page 273 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B2 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :1860.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 :HORIZONTAL

Antenna Pol. Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
123.12	-78.13	-70.05	-7.04	-1.04	-13.00	-65.13
255.04	-84.23	-81.06	-1.61	-1.56	-13.00	-71.23
321.00	-82.08	-78.60	-1.71	-1.77	-13.00	-69.08
395.69	-79.03	-75.47	-1.61	-1.95	-13.00	-66.03
478.14	-77.85	-74.15	-1.45	-2.25	-13.00	-64.85
636.25	-76.52	-72.48	-1.56	-2.48	-13.00	-63.52
3720.00	-52.01	-58.41	12.36	-5.96	-13.00	-39.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 274 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B2 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :1880.0 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-78.15	-70.04	-7.09	-1.02	-13.00	-65.15
153.19	-78.93	-70.21	-7.46	-1.26	-13.00	-65.93
374.35	-78.68	-75.12	-1.65	-1.91	-13.00	-65.68
476.20	-77.29	-73.55	-1.49	-2.25	-13.00	-64.29
590.66	-74.11	-70.43	-1.72	-1.96	-13.00	-61.11
624.61	-73.84	-69.72	-1.63	-2.49	-13.00	-60.84
3760.00	-52.00	-58.28	12.30	-6.02	-13.00	-39.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm, avalable or nequest or accessible at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST.Company. Any 124 Med transaction for the law of the l




Page 275 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B2 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :1880.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
125.06	-76.94	-68.78	-7.10	-1.06	-13.00	-63.94
257.95	-84.07	-80.84	-1.63	-1.60	-13.00	-71.07
316.15	-82.32	-79.02	-1.61	-1.69	-13.00	-69.32
388.90	-79.20	-75.60	-1.62	-1.98	-13.00	-66.20
482.99	-77.61	-73.89	-1.49	-2.23	-13.00	-64.61
599.39	-76.43	-72.30	-1.86	-2.27	-13.00	-63.43
3760.00	-52.89	-59.17	12.30	-6.02	-13.00	-39.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



20000

Page 276 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B2 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :1900.0 MHz

4024.

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick

16006.



Frequency (MHz)

8018.

Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-78.93	-69.96	-7.76	-1.21	-13.00	-65.93
238.55	-80.56	-77.41	-1.71	-1.44	-13.00	-67.56
284.14	-79.68	-76.17	-1.85	-1.66	-13.00	-66.68
395.69	-78.88	-75.32	-1.61	-1.95	-13.00	-65.88
590.66	-74.31	-70.63	-1.72	-1.96	-13.00	-61.31
721.61	-72.97	-69.21	-1.37	-2.39	-13.00	-59.97
3800.00	-53.07	-59.30	12.30	-6.07	-13.00	-40.07

12012.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 277 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B2 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :1900.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-78.57	-70.46	-7.09	-1.02	-13.00	-65.57
288.99	-83.48	-80.00	-1.80	-1.68	-13.00	-70.48
403.45	-78.05	-74.53	-1.59	-1.93	-13.00	-65.05
493.66	-78.05	-74.24	-1.55	-2.26	-13.00	-65.05
607.15	-76.88	-72.43	-1.97	-2.48	-13.00	-63.88
658.56	-76.61	-72.01	-1.44	-3.16	-13.00	-63.61
3800.00	-53.02	-59.25	12.30	-6.07	-13.00	-40.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 278 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B4 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :1720.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-79.19	-71.10	-7.07	-1.02	-13.00	-66.19
149.31	-78.43	-69.46	-7.76	-1.21	-13.00	-65.43
275.41	-79.72	-76.13	-1.95	-1.64	-13.00	-66.72
396.66	-78.18	-74.63	-1.61	-1.94	-13.00	-65.18
524.70	-76.22	-72.32	-1.44	-2.46	-13.00	-63.22
579.99	-74.16	-70.62	-1.57	-1.97	-13.00	-61.16
3440.00	-53.89	-60.51	12.40	-5.78	-13.00	-40.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488




Page 279 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B4 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :1720.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-77.64	-69.52	-7.07	-1.05	-13.00	-64.64
251.16	-84.43	-81.25	-1.66	-1.52	-13.00	-71.43
288.99	-83.10	-79.62	-1.80	-1.68	-13.00	-70.10
342.34	-80.87	-77.38	-1.60	-1.89	-13.00	-67.87
418.00	-77.92	-74.31	-1.64	-1.97	-13.00	-64.92
691.54	-75.54	-71.76	-1.27	-2.51	-13.00	-62.54
3440.00	-53.50	-60.12	12.40	-5.78	-13.00	-40.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 280 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B4 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :1732.5 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-79.55	-71.50	-7.02	-1.03	-13.00	-66.55
144.46	-78.59	-69.48	-7.94	-1.17	-13.00	-65.59
255.04	-79.34	-76.17	-1.61	-1.56	-13.00	-66.34
408.30	-77.96	-74.45	-1.58	-1.93	-13.00	-64.96
524.70	-76.32	-72.42	-1.44	-2.46	-13.00	-63.32
592.60	-74.61	-70.84	-1.74	-2.03	-13.00	-61.61
3465.00	-53.39	-60.01	12.37	-5.75	-13.00	-40.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 281 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B4 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :1732.5 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
122.15	-78.47	-70.33	-7.10	-1.04	-13.00	-65.47
257.95	-84.25	-81.02	-1.63	-1.60	-13.00	-71.25
352.04	-80.75	-77.36	-1.49	-1.90	-13.00	-67.75
435.46	-78.68	-75.17	-1.68	-1.83	-13.00	-65.68
550.89	-77.26	-73.61	-1.43	-2.22	-13.00	-64.26
631.40	-76.70	-72.62	-1.63	-2.45	-13.00	-63.70
3465.00	-53.47	-60.09	12.37	-5.75	-13.00	-40.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Page 282 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B4
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :1745.0 MHz

Test Date :2019-11-04
Temp./Humi. :22.3/70
Antenna Pol. :VERTICAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-78.63	-70.54	-7.07	-1.02	-13.00	-65.63
151.25	-78.26	-69.39	-7.64	-1.23	-13.00	-65.26
240.49	-79.28	-76.12	-1.73	-1.43	-13.00	-66.28
361.74	-78.35	-74.89	-1.54	-1.92	-13.00	-65.35
532.46	-76.04	-72.35	-1.41	-2.28	-13.00	-63.04
594.54	-73.06	-69.21	-1.75	-2.10	-13.00	-60.06
3490.00	-52.98	-59.59	12.32	-5.71	-13.00	-39.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 283 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B4 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :1745.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
123.12	-77.73	-69.65	-7.04	-1.04	-13.00	-64.73
257.95	-83.37	-80.14	-1.63	-1.60	-13.00	-70.37
398.60	-78.54	-75.01	-1.60	-1.93	-13.00	-65.54
497.54	-77.92	-74.11	-1.50	-2.31	-13.00	-64.92
594.54	-77.15	-73.30	-1.75	-2.10	-13.00	-64.15
636.25	-77.50	-73.46	-1.56	-2.48	-13.00	-64.50
3490.00	-53.45	-60.06	12.32	-5.71	-13.00	-40.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 284 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B5 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :829.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
117.30	-79.84	-71.73	-7.09	-1.02	-13.00	-66.84
149.31	-78.96	-69.99	-7.76	-1.21	-13.00	-65.96
211.39	-79.48	-76.49	-1.57	-1.42	-13.00	-66.48
253.10	-79.58	-76.40	-1.64	-1.54	-13.00	-66.58
551.86	-76.21	-72.54	-1.44	-2.23	-13.00	-63.21
628.49	-73.38	-69.28	-1.64	-2.46	-13.00	-60.38
1658.00	-57.80	-63.14	9.36	-4.02	-13.00	-44.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488




Page 285 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B5
Test Mode :Tx CH Low
EUT Pol :H Plane
Test Channel :829.0 MHz

Test Date :2019-11-04
Temp./Humi. :22.3/70
Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
123.12	-78.36	-70.28	-7.04	-1.04	-13.00	-65.36
256.01	-83.77	-80.58	-1.62	-1.57	-13.00	-70.77
354.95	-80.06	-76.61	-1.54	-1.91	-13.00	-67.06
396.66	-78.87	-75.32	-1.61	-1.94	-13.00	-65.87
482.99	-78.10	-74.38	-1.49	-2.23	-13.00	-65.10
599.39	-76.88	-72.75	-1.86	-2.27	-13.00	-63.88
1658.00	-56.24	-61.58	9.36	-4.02	-13.00	-43.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 286 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B5 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :836.5 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
115.36	-79.35	-71.19	-7.14	-1.02	-13.00	-66.35
141.55	-79.37	-70.30	-7.92	-1.15	-13.00	-66.37
251.16	-79.09	-75.91	-1.66	-1.52	-13.00	-66.09
348.16	-79.05	-75.66	-1.50	-1.89	-13.00	-66.05
595.51	-73.80	-69.91	-1.76	-2.13	-13.00	-60.80
679.90	-73.97	-70.16	-1.29	-2.52	-13.00	-60.97
1673.00	-57.51	-62.97	9.49	-4.03	-13.00	-44.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 287 of 357


Report Number :ER-2019-A0103

Operation Mode :LTE B5
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :836.5 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70

Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
123.12	-78.38	-70.30	-7.04	-1.04	-13.00	-65.38
255.04	-83.98	-80.81	-1.61	-1.56	-13.00	-70.98
405.39	-78.72	-75.20	-1.59	-1.93	-13.00	-65.72
481.05	-77.98	-74.30	-1.44	-2.24	-13.00	-64.98
599.39	-77.36	-73.23	-1.86	-2.27	-13.00	-64.36
675.05	-76.15	-72.16	-1.25	-2.74	-13.00	-63.15
1673.00	-57.45	-62.91	9.49	-4.03	-13.00	-44.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:VERTICAL

Page 288 of 357


Report Number :ER-2019-A0103

Operation Mode :LTE B5 Test Mode :Tx CH High

EUT Pol :H Plane **Test Channel** :844.0 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70

Engineer. : Nick

Antenna Pol.



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
149.31	-79.38	-70.41	-7.76	-1.21	-13.00	-66.38
259.89	-80.03	-76.77	-1.64	-1.62	-13.00	-67.03
304.51	-79.06	-75.76	-1.65	-1.65	-13.00	-66.06
449.04	-77.91	-74.23	-1.68	-2.00	-13.00	-64.91
594.54	-73.44	-69.59	-1.75	-2.10	-13.00	-60.44
650.80	-73.73	-69.35	-1.47	-2.91	-13.00	-60.73
1688.00	-57.84	-63.40	9.61	-4.05	-13.00	-44.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 289 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B5 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :844.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
125.06	-78.42	-70.26	-7.10	-1.06	-13.00	-65.42
259.89	-83.38	-80.12	-1.64	-1.62	-13.00	-70.38
388.90	-78.79	-75.19	-1.62	-1.98	-13.00	-65.79
483.96	-78.60	-74.86	-1.51	-2.23	-13.00	-65.60
553.80	-76.73	-73.03	-1.45	-2.25	-13.00	-63.73
653.71	-76.47	-72.02	-1.44	-3.01	-13.00	-63.47
1688.00	-57.58	-63.14	9.61	-4.05	-13.00	-44.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 290 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B7 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :2510.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
151.25	-78.06	-69.19	-7.64	-1.23	-25.00	-53.06
256.01	-78.55	-75.36	-1.62	-1.57	-25.00	-53.55
442.25	-77.61	-74.02	-1.72	-1.87	-25.00	-52.61
536.34	-75.06	-71.46	-1.38	-2.22	-25.00	-50.06
570.29	-74.71	-71.07	-1.43	-2.21	-25.00	-49.71
600.36	-73.22	-69.03	-1.89	-2.30	-25.00	-48.22
5020.00	-50.73	-56.03	12.32	-7.02	-25.00	-25.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 291 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B7 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :2510.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-76.76	-68.64	-7.07	-1.05	-25.00	-51.76
259.89	-82.85	-79.59	-1.64	-1.62	-25.00	-57.85
357.86	-79.19	-75.75	-1.52	-1.92	-25.00	-54.19
445.16	-77.57	-73.98	-1.67	-1.92	-25.00	-52.57
476.20	-76.91	-73.17	-1.49	-2.25	-25.00	-51.91
752.65	-74.64	-70.29	-1.81	-2.54	-25.00	-49.64
5020.00	-51.04	-56.34	12.32	-7.02	-25.00	-26.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 292 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B7 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :2535.0 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
148.34	-77.98	-68.97	-7.81	-1.20	-25.00	-52.98
272.50	-78.42	-74.91	-1.88	-1.63	-25.00	-53.42
361.74	-78.18	-74.72	-1.54	-1.92	-25.00	-53.18
444.19	-78.02	-74.43	-1.69	-1.90	-25.00	-53.02
594.54	-73.53	-69.68	-1.75	-2.10	-25.00	-48.53
675.05	-73.11	-69.12	-1.25	-2.74	-25.00	-48.11
5070.00	-50.39	-55.55	12.16	-7.00	-25.00	-25.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm, avalable or nequest or accessible at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST.Company. Any 124 Med transaction for the law of the l




Page 293 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B7 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :2535.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
127.00	-76.94	-68.70	-7.16	-1.08	-25.00	-51.94
255.04	-83.43	-80.26	-1.61	-1.56	-25.00	-58.43
390.84	-77.58	-73.98	-1.62	-1.98	-25.00	-52.58
478.14	-76.88	-73.18	-1.45	-2.25	-25.00	-51.88
590.66	-76.71	-73.03	-1.72	-1.96	-25.00	-51.71
679.90	-76.45	-72.64	-1.29	-2.52	-25.00	-51.45
5070.00	-50.24	-55.40	12.16	-7.00	-25.00	-25.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 294 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B7 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :2560.0 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Frequency (MHz)

Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
153.19	-78.00	-69.28	-7.46	-1.26	-25.00	-53.00
245.34	-79.01	-75.88	-1.66	-1.47	-25.00	-54.01
418.00	-77.77	-74.16	-1.64	-1.97	-25.00	-52.77
483.96	-76.72	-72.98	-1.51	-2.23	-25.00	-51.72
597.45	-73.49	-69.48	-1.81	-2.20	-25.00	-48.49
759.44	-72.50	-68.05	-1.82	-2.63	-25.00	-47.50
5120.00	-50.95	-56.02	12.10	-7.03	-25.00	-25.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm, avalable or nequest or accessible at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST.Company. Any 124 Med transaction for the law of the l




Page 295 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B7 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :2560.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
127.00	-77.33	-69.09	-7.16	-1.08	-25.00	-52.33
253.10	-83.47	-80.29	-1.64	-1.54	-25.00	-58.47
356.89	-79.74	-76.29	-1.53	-1.92	-25.00	-54.74
391.81	-77.94	-74.35	-1.62	-1.97	-25.00	-52.94
415.09	-77.61	-74.08	-1.58	-1.95	-25.00	-52.61
584.84	-76.84	-73.29	-1.60	-1.95	-25.00	-51.84
5120.00	-51.13	-56.20	12.10	-7.03	-25.00	-26.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/lerms-e-document.htm, avalable or nequest or accessible at www.sgs.com/lerms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST.Company. Any 124 Med transaction for the law of the l




Page 296 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B12 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :704.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
114.39	-78.02	-69.89	-7.11	-1.02	-13.00	-65.02
149.31	-78.41	-69.44	-7.76	-1.21	-13.00	-65.41
287.05	-79.26	-75.77	-1.82	-1.67	-13.00	-66.26
400.54	-77.75	-74.23	-1.60	-1.92	-13.00	-64.75
430.61	-77.72	-74.21	-1.67	-1.84	-13.00	-64.72
592.60	-73.87	-70.10	-1.74	-2.03	-13.00	-60.87
1408.00	-56.68	-60.90	7.92	-3.70	-13.00	-43.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 297 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B12 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :704.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.73	-70.61	-7.07	-1.05	-13.00	-65.73
243.40	-84.08	-80.93	-1.69	-1.46	-13.00	-71.08
357.86	-79.38	-75.94	-1.52	-1.92	-13.00	-66.38
382.11	-78.44	-74.87	-1.64	-1.93	-13.00	-65.44
483.96	-78.34	-74.60	-1.51	-2.23	-13.00	-65.34
531.49	-77.82	-74.09	-1.43	-2.30	-13.00	-64.82
1408.00	-57.19	-61.41	7.92	-3.70	-13.00	-44.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 298 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B12 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :707.5 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-78.86	-70.77	-7.07	-1.02	-13.00	-65.86
151.25	-79.13	-70.26	-7.64	-1.23	-13.00	-66.13
282.20	-79.21	-75.69	-1.87	-1.65	-13.00	-66.21
388.90	-78.20	-74.60	-1.62	-1.98	-13.00	-65.20
527.61	-75.77	-71.93	-1.45	-2.39	-13.00	-62.77
594.54	-74.21	-70.36	-1.75	-2.10	-13.00	-61.21
1415.00	-58.63	-62.86	7.93	-3.70	-13.00	-45.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 299 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B12 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :707.5 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.51	-70.39	-7.07	-1.05	-13.00	-65.51
256.01	-84.61	-81.42	-1.62	-1.57	-13.00	-71.61
289.96	-83.34	-79.86	-1.79	-1.69	-13.00	-70.34
422.85	-78.14	-74.59	-1.62	-1.93	-13.00	-65.14
505.30	-78.05	-74.11	-1.47	-2.47	-13.00	-65.05
589.69	-76.82	-73.17	-1.71	-1.94	-13.00	-63.82
1415.00	-57.59	-61.82	7.93	-3.70	-13.00	-44.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 300 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B12
Test Mode :Tx CH High
EUT Pol :H Plane
Test Channel :711.0 MHz

Test Date :2019-11-04
Temp./Humi. :22.3/70
Antenna Pol. :VERTICAL





Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-78.84	-70.75	-7.07	-1.02	-13.00	-65.84
149.31	-79.22	-70.25	-7.76	-1.21	-13.00	-66.22
149.31	-79.22	-70.25	-7.76	-1.21	-13.00	-66.22
196.84	-79.84	-76.00	-2.46	-1.38	-13.00	-66.84
253.10	-79.60	-76.42	-1.64	-1.54	-13.00	-66.60
592.60	-73.90	-70.13	-1.74	-2.03	-13.00	-60.90
1422.00	-58.10	-62.33	7.94	-3.71	-13.00	-45.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 301 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B12 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :711.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.45	-70.33	-7.07	-1.05	-13.00	-65.45
260.86	-83.96	-80.68	-1.66	-1.62	-13.00	-70.96
347.19	-80.18	-76.76	-1.53	-1.89	-13.00	-67.18
408.30	-77.30	-73.79	-1.58	-1.93	-13.00	-64.30
497.54	-78.34	-74.53	-1.50	-2.31	-13.00	-65.34
589.69	-77.65	-74.00	-1.71	-1.94	-13.00	-64.65
1422.00	-58.59	-62.82	7.94	-3.71	-13.00	-45.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 302 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B13 Temp./Humi. :22.3/70 Test Mode :Tx CH Mid Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :782.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-79.47	-71.38	-7.07	-1.02	-13.00	-66.47
151.25	-78.67	-69.80	-7.64	-1.23	-13.00	-65.67
246.31	-78.40	-75.25	-1.67	-1.48	-13.00	-65.40
299.66	-78.79	-75.40	-1.70	-1.69	-13.00	-65.79
400.54	-78.37	-74.85	-1.60	-1.92	-13.00	-65.37
594.54	-74.02	-70.17	-1.75	-2.10	-13.00	-61.02
1564.00	-57.37	-62.60	9.13	-3.90	-40.00	-17.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 303 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B13 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :782.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-77.67	-69.55	-7.07	-1.05	-13.00	-64.67
256.01	-84.07	-80.88	-1.62	-1.57	-13.00	-71.07
293.84	-82.74	-79.30	-1.75	-1.69	-13.00	-69.74
350.10	-79.75	-76.39	-1.46	-1.90	-13.00	-66.75
418.00	-77.60	-73.99	-1.64	-1.97	-13.00	-64.60
594.54	-77.05	-73.20	-1.75	-2.10	-13.00	-64.05
1564.00	-57.71	-62.94	9.13	-3.90	-40.00	-17.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 304 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~775MHz)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B13 Temp./Humi. :22.3/70 Test Mode :Tx CH Mid Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :782.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
764.02	-85.36	-80.97	-1.78	-2.61	-35.00	-50.36
768.28	-86.31	-81.99	-1.73	-2.59	-35.00	-51.31
769.54	-86.10	-81.80	-1.72	-2.58	-35.00	-51.10
770.46	-85.22	-80.93	-1.71	-2.58	-35.00	-50.22
771.34	-85.86	-81.55	-1.72	-2.59	-35.00	-50.86
774.00	-86.18	-81.82	-1.74	-2.62	-35.00	-51.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 305 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B13
Test Mode :Tx CH Mid
EUT Pol :H Plane
Test Channel :782.0 MHz

Test Date :2019-11-04
Temp./Humi. :22.3/70
Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
763.78	-87.59	-83.20	-1.78	-2.61	-35.00	-52.59
767.04	-87.71	-83.36	-1.75	-2.60	-35.00	-52.71
769.54	-87.60	-83.30	-1.72	-2.58	-35.00	-52.60
772.10	-86.97	-82.64	-1.73	-2.60	-35.00	-51.97
773.26	-87.14	-82.79	-1.74	-2.61	-35.00	-52.14
774.72	-86.72	-82.35	-1.75	-2.62	-35.00	-51.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

Inis accument is issued by the Company subject to the Secretary Conditions of Service printed overlear, available on request or accessible at www.sgs.com/terms and Conditions for Electronic Document at www.sgs.com/terms and Conditions for Electronic Document, and it is disability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 306 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B13 Temp./Humi. :22.3/70 Test Mode :Tx CH Mid Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :782.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
793.42	-85.89	-81.20	-1.65	-3.04	-35.00	-50.89
795.40	-85.88	-81.17	-1.63	-3.08	-35.00	-50.88
796.12	-85.44	-80.73	-1.62	-3.09	-35.00	-50.44
799.62	-85.95	-81.22	-1.58	-3.15	-35.00	-50.95
800.88	-86.25	-81.50	-1.59	-3.16	-35.00	-51.25
802.78	-86.19	-81.43	-1.60	-3.16	-35.00	-51.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 307 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B13 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :782.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
793.96	-86.80	-82.11	-1.64	-3.05	-35.00	-51.80
795.38	-87.08	-82.37	-1.63	-3.08	-35.00	-52.08
798.92	-87.47	-82.74	-1.59	-3.14	-35.00	-52.47
799.22	-86.81	-82.08	-1.59	-3.14	-35.00	-51.81
801.10	-87.08	-82.33	-1.59	-3.16	-35.00	-52.08
802.34	-87.57	-82.81	-1.60	-3.16	-35.00	-52.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 308 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B17 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :709.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-78.61	-70.52	-7.07	-1.02	-13.00	-65.61
156.10	-78.99	-70.42	-7.26	-1.31	-13.00	-65.99
256.01	-79.24	-76.05	-1.62	-1.57	-13.00	-66.24
398.60	-77.99	-74.46	-1.60	-1.93	-13.00	-64.99
488.81	-76.81	-73.06	-1.54	-2.21	-13.00	-63.81
600.36	-74.00	-69.81	-1.89	-2.30	-13.00	-61.00
1418.00	-58.13	-62.36	7.94	-3.71	-13.00	-45.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 309 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B17 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :709.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
128.94	-79.13	-70.81	-7.23	-1.09	-13.00	-66.13
251.16	-83.71	-80.53	-1.66	-1.52	-13.00	-70.71
288.99	-82.85	-79.37	-1.80	-1.68	-13.00	-69.85
384.05	-79.66	-76.08	-1.63	-1.95	-13.00	-66.66
482.99	-77.26	-73.54	-1.49	-2.23	-13.00	-64.26
597.45	-76.80	-72.79	-1.81	-2.20	-13.00	-63.80
1418.00	-58.56	-62.79	7.94	-3.71	-13.00	-45.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for


electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 310 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B17 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :710.0 MHz **Test Date** :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
110.51	-79.23	-71.18	-7.02	-1.03	-13.00	-66.23
149.31	-79.08	-70.11	-7.76	-1.21	-13.00	-66.08
265.71	-79.95	-76.54	-1.78	-1.63	-13.00	-66.95
340.40	-78.72	-75.23	-1.61	-1.88	-13.00	-65.72
410.24	-77.81	-74.30	-1.58	-1.93	-13.00	-64.81
547.01	-75.81	-72.19	-1.42	-2.20	-13.00	-62.81
1420.00	-58.05	-62.28	7.94	-3.71	-13.00	-45.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 311 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B17 Test Mode :Tx CH Mid **EUT Pol** :H Plane **Test Channel** :710.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
124.09	-78.44	-70.32	-7.07	-1.05	-13.00	-65.44
253.10	-83.56	-80.38	-1.64	-1.54	-13.00	-70.56
361.74	-79.44	-75.98	-1.54	-1.92	-13.00	-66.44
398.60	-78.09	-74.56	-1.60	-1.93	-13.00	-65.09
442.25	-78.15	-74.56	-1.72	-1.87	-13.00	-65.15
595.51	-77.38	-73.49	-1.76	-2.13	-13.00	-64.38
1420.00	-58.48	-62.71	7.94	-3.71	-13.00	-45.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 312 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B17 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :711.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
112.45	-79.10	-71.01	-7.07	-1.02	-13.00	-66.10
136.70	-78.94	-70.11	-7.70	-1.13	-13.00	-65.94
255.04	-79.00	-75.83	-1.61	-1.56	-13.00	-66.00
353.01	-78.48	-75.06	-1.51	-1.91	-13.00	-65.48
437.40	-78.03	-74.48	-1.72	-1.83	-13.00	-65.03
595.51	-73.72	-69.83	-1.76	-2.13	-13.00	-60.72
1422.00	-58.55	-62.78	7.94	-3.71	-13.00	-45.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 313 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B17 Test Mode :Tx CH High **EUT Pol** :H Plane **Test Channel** :711.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
114.39	-78.67	-70.54	-7.11	-1.02	-13.00	-65.67
259.89	-83.76	-80.50	-1.64	-1.62	-13.00	-70.76
420.91	-78.01	-74.39	-1.66	-1.96	-13.00	-65.01
450.01	-77.69	-73.99	-1.68	-2.02	-13.00	-64.69
483.96	-77.55	-73.81	-1.51	-2.23	-13.00	-64.55
599.39	-76.78	-72.65	-1.86	-2.27	-13.00	-63.78
1422.00	-58.40	-62.63	7.94	-3.71	-13.00	-45.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 314 of 357

Radiated Spurious Emission Measurement Result: LTE-Band 38 (The Worst Case)

:ER-2019-A0103 :2019-11-04 Report Number **Test Date Operation Mode** :LTE B38 Temp./Humi. :22.3/70 Test Mode :Tx CH Low Antenna Pol. :VERTICAL **EUT Pol** :H Plane Engineer. : Nick

Test Channel :2580.0 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
114.39	-78.66	-70.53	-7.11	-1.02	-25.00	-53.66
149.31	-78.91	-69.94	-7.76	-1.21	-25.00	-53.91
191.99	-79.96	-75.84	-2.77	-1.35	-25.00	-54.96
256.01	-79.16	-75.97	-1.62	-1.57	-25.00	-54.16
415.09	-77.46	-73.93	-1.58	-1.95	-25.00	-52.46
519.85	-76.54	-72.44	-1.52	-2.58	-25.00	-51.54
5160.00	-50.45	-55.48	12.14	-7.11	-25.00	-25.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 315 of 357

Report Number :ER-2019-A0103

Operation Mode :LTE B38 Test Mode :Tx CH Low **EUT Pol** :H Plane **Test Channel** :2580.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
125.06	-77.62	-69.46	-7.10	-1.06	-25.00	-52.62
251.16	-83.61	-80.43	-1.66	-1.52	-25.00	-58.61
362.71	-79.90	-76.43	-1.55	-1.92	-25.00	-54.90
413.15	-78.41	-74.88	-1.58	-1.95	-25.00	-53.41
442.25	-77.90	-74.31	-1.72	-1.87	-25.00	-52.90
536.34	-77.24	-73.64	-1.38	-2.22	-25.00	-52.24
5160.00	-50.22	-55.25	12.14	-7.11	-25.00	-25.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 316 of 357

Report Number

:ER-2019-A0103

Operation Mode Test Mode


:LTE B38

EUT Pol Test Channel :Tx CH Mid :H Plane

:2595.0 MHz

Test Date :2019-11-04 Temp./Humi. :22.3/70 Antenna Pol. :VERTICAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
114.39	-78.07	-69.94	-7.11	-1.02	-25.00	-53.07
148.34	-78.34	-69.33	-7.81	-1.20	-25.00	-53.34
233.70	-79.70	-76.60	-1.62	-1.48	-25.00	-54.70
385.99	-78.67	-75.08	-1.63	-1.96	-25.00	-53.67
406.36	-78.36	-74.84	-1.59	-1.93	-25.00	-53.36
607.15	-74.04	-69.59	-1.97	-2.48	-25.00	-49.04
5190.00	-50.89	-55.98	12.26	-7.17	-25.00	-25.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for



Page 317 of 357

Report Number

:ER-2019-A0103

Operation Mode Test Mode

:LTE B38 :Tx CH Mid


EUT Pol :H Plane **Test Channel** :2595.0 MHz

Test Date Temp./Humi.

:2019-11-04

:22.3/70 Antenna Pol. :HORIZONTAL

Engineer. : Nick



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
115.36	-78.64	-70.48	-7.14	-1.02	-25.00	-53.64
253.10	-83.36	-80.18	-1.64	-1.54	-25.00	-58.36
381.14	-79.28	-75.71	-1.64	-1.93	-25.00	-54.28
495.60	-77.80	-73.98	-1.54	-2.28	-25.00	-52.80
524.70	-77.21	-73.31	-1.44	-2.46	-25.00	-52.21
604.24	-75.73	-71.35	-1.98	-2.40	-25.00	-50.73
5190.00	-51.16	-56.25	12.26	-7.17	-25.00	-26.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for