

## **APPENDIX B – TEST DATA OF RADIATED EMISSION** **Radiated Emission Band Edge**

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (95.66 dBuV/m) = (47.86 dBμV) + (12.4 dB) + (34.4 dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuv/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 95.66                  | 47.86                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 50.33                  | 2.53                 | -17.87          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuv/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 92.10                  | 44.30                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.95                  | 2.15                 | -18.25          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuv/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 90.08                  | 42.28                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 40.27                  | -7.53                | -13.73          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 88.02                  | 40.22                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.37                  | -8.43                | -14.63          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11a  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 94.20                  | 46.20                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 50.10                  | 2.10                 | -18.10          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 90.65                  | 42.65                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 48.90                  | 0.90                 | -19.30          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11a  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 89.58                  | 41.58                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 40.40                  | -7.60                | -13.60          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 84.86                  | 36.86                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 40.01                  | -7.99                | -13.99          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.:36  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 95.84                  | 48.04                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 50.71                  | 2.91                 | -17.49          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180  
 Channel No.:36  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 93.27                  | 45.47                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.77                  | 1.97                 | -18.43          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 90.05                  | 42.25                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.30                  | -8.50                | -14.70          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 87.51                  | 39.71                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 37.61                  | -10.19               | -16.39          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 95.28                  | 47.28                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 51.17                  | 3.17                 | -17.03          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 93.03                  | 45.03                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 49.44                  | 1.44                 | -18.76          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 89.96                  | 41.96                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 41.76                  | -6.24                | -12.24          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 87.74                  | 39.74                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 40.83                  | -7.17                | -13.17          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.:36  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 95.14                  | 47.34                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.28                  | 1.48                 | -18.92          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180  
 Channel No.:36  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 90.52                  | 42.72                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.11                  | 1.31                 | -19.09          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 89.59                  | 41.79                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.31                  | -8.49                | -14.69          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 85.49                  | 37.69                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 38.92                  | -8.88                | -15.08          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 94.63                  | 46.63                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 51.42                  | 3.42                 | -16.78          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 91.57                  | 43.57                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 49.75                  | 1.75                 | -18.45          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 90.18                  | 42.18                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 40.44                  | -7.56                | -13.56          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 87.06                  | 39.06                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 40.44                  | -7.56                | -13.56          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.:36  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 95.48                  | 47.68                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 50.89                  | 3.09                 | -17.31          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180  
 Channel No.:36  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 90.86                  | 43.06                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 50.63                  | 2.83                 | -17.57          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 90.40                  | 42.60                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.14                  | -8.66                | -14.86          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
 Channel No.: 36  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 86.59                  | 38.79                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.00                  | -8.80                | -15.00          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 94.10                  | 46.10                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 50.65                  | 2.65                 | -17.55          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 91.55                  | 43.55                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 48.94                  | 0.94                 | -19.26          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 90.20                  | 42.20                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 41.38                  | -6.62                | -12.62          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
 Channel No.:64  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 86.00                  | 38.00                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 39.78                  | -8.22                | -14.22          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 94.27                  | 46.47                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.63                  | 1.83                 | -18.57          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 91.28                  | 43.48                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 48.96                  | 1.16                 | -19.24          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 89.99                  | 42.19                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.96                  | -7.84                | -14.04          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 85.08                  | 37.28                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 38.80                  | -9.00                | -15.20          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 94.01                  | 46.01                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 51.93                  | 3.93                 | -16.27          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 89.54                  | 41.54                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 51.48                  | 3.48                 | -16.72          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 89.80                  | 41.80                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 41.87                  | -6.13                | -12.13          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 85.22                  | 37.22                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 41.72                  | -6.28                | -12.28          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 94.20                  | 46.40                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 50.40                  | 2.60                 | -17.80          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 90.17                  | 42.37                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 48.80                  | 1.00                 | -19.40          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 90.51                  | 42.71                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 40.82                  | -6.98                | -13.18          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 85.73                  | 37.93                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 40.67                  | -7.13                | -13.33          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 94.36                  | 46.36                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 51.78                  | 3.78                 | -16.42          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 89.76                  | 41.76                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 50.32                  | 2.32                 | -17.88          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 90.86                  | 42.86                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 40.03                  | -7.97                | -13.97          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 87.20                  | 39.20                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 38.22                  | -9.78                | -15.78          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 94.40                  | 46.60                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.01                  | 1.21                 | -19.19          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 91.30                  | 43.50                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 47.87                  | 0.07                 | -20.33          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 90.74                  | 42.94                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.18                  | -8.62                | -14.82          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
 Channel No.:38  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 86.67                  | 38.87                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 37.94                  | -9.86                | -16.06          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 94.53                  | 46.53                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 51.98                  | 3.98                 | -16.22          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 91.62                  | 43.62                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 51.53                  | 3.53                 | -16.67          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 89.58                  | 41.58                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 40.75                  | -7.25                | -13.25          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
 Channel No.:62  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 86.29                  | 38.29                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 38.89                  | -9.11                | -15.11          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 93.11                  | 45.31                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.98                  | 2.18                 | -18.22          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 89.92                  | 42.12                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.57                  | 1.77                 | -18.63          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 89.39                  | 41.59                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.55                  | -8.25                | -14.45          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 87.03                  | 39.23                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 37.96                  | -9.84                | -16.04          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 93.11                  | 45.31                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.98                  | 2.18                 | -18.22          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 89.92                  | 42.12                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.57                  | 1.77                 | -18.63          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 89.39                  | 41.59                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.55                  | -8.25                | -14.45          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
 Channel No.:42  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 87.03                  | 39.23                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 37.96                  | -9.84                | -16.04          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 92.20                  | 44.20                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 51.79                  | 3.79                 | -16.41          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 90.00                  | 42.00                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 51.31                  | 3.31                 | -16.89          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 88.61                  | 40.61                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 40.87                  | -7.13                | -13.13          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 83.95                  | 35.95                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 39.81                  | -8.19                | -14.19          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 92.66                  | 44.66                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 50.36                  | 2.36                 | -17.84          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 88.44                  | 40.44                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 49.60                  | 1.60                 | -18.60          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 88.87                  | 40.87                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 40.32                  | -7.68                | -13.68          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
 Channel No.:58  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 84.74                  | 36.74                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 39.19                  | -8.81                | -14.81          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 88.20                  | 40.40                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.81                  | 2.01                 | -18.39          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 85.49                  | 37.69                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 48.85                  | 1.05                 | -19.35          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 86.18                  | 38.38                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.46                  | -8.34                | -14.54          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 82.62                  | 34.82                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 38.18                  | -9.62                | -15.82          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ax (HE160)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 88.04                  | 40.24                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 49.67                  | 1.87                 | -18.53          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ax (HE160)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 85.65                  | 37.85                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 48.48                  | 0.68                 | -19.72          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ax (HE160)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 85.42                  | 37.62                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 39.84                  | -7.96                | -14.16          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5250 MHz  
 Channel No.:50  
 Test Mode: 802.11ax (HE160)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5250            | 82.31                  | 34.51                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 38.63                  | -9.17                | -15.37          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11a  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 94.29                  | 46.99                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 53.00                  | 5.70                 | -15.20          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 90.35                  | 43.05                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 52.61                  | 5.31                 | -15.59          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11a  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 90.86                  | 43.56                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 40.29                  | -7.01                | -13.71          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 87.84                  | 40.54                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 39.09                  | -8.21                | -14.91          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11a  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 93.29                  | 45.69                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 51.89                  | 4.29                 | -16.31          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 89.74                  | 42.14                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 50.20                  | 2.60                 | -18.00          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11a  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 89.48                  | 41.88                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 40.42                  | -7.18                | -13.58          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11a  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 85.60                  | 38.00                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 40.11                  | -7.49                | -13.89          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 94.13                  | 46.83                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 52.01                  | 4.71                 | -16.19          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 92.12                  | 44.82                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 51.49                  | 4.19                 | -16.71          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 89.73                  | 42.43                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 41.83                  | -5.47                | -12.17          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 86.36                  | 39.06                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 40.96                  | -6.34                | -13.04          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 94.77                  | 47.17                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 51.13                  | 3.53                 | -17.07          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 91.99                  | 44.39                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 50.28                  | 2.68                 | -17.92          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11n (HT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 90.38                  | 42.78                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 40.74                  | -6.86                | -13.26          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11n (HT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 86.33                  | 38.73                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 39.92                  | -7.68                | -14.08          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 94.44                  | 47.14                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 52.00                  | 4.70                 | -16.20          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 91.31                  | 44.01                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 51.23                  | 3.93                 | -16.97          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 89.93                  | 42.63                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 40.58                  | -6.72                | -13.42          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 85.94                  | 38.64                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 40.43                  | -6.87                | -13.57          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 94.70                  | 47.10                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 51.11                  | 3.51                 | -17.09          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 90.94                  | 43.34                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 49.52                  | 1.92                 | -18.68          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 90.75                  | 43.15                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 40.35                  | -7.25                | -13.65          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ac (VHT20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 87.85                  | 40.25                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 39.68                  | -7.92                | -14.32          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 94.31                  | 47.01                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 51.51                  | 4.21                 | -16.69          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 91.71                  | 44.41                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 50.55                  | 3.25                 | -17.65          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 90.70                  | 43.40                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 41.05                  | -6.25                | -12.95          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
 Channel No.:100  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 87.27                  | 39.97                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 40.96                  | -6.34                | -13.04          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 93.31                  | 45.71                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 52.82                  | 5.22                 | -15.38          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 88.51                  | 40.91                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 52.21                  | 4.61                 | -15.99          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ax (HE20)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 91.22                  | 43.62                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 41.15                  | -6.45                | -12.85          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
 Channel No.:165  
 Test Mode: 802.11ax (HE20)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 87.70                  | 40.10                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 39.45                  | -8.15                | -14.55          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 91.44                  | 44.14                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 52.19                  | 4.89                 | -16.01          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 88.30                  | 41.00                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 51.81                  | 4.51                 | -16.39          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 87.70                  | 40.40                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 41.13                  | -6.17                | -12.87          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 85.56                  | 38.26                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 40.58                  | -6.72                | -13.42          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 91.84                  | 44.24                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 52.30                  | 4.70                 | -15.90          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 86.86                  | 39.26                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 51.19                  | 3.59                 | -17.01          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11n (HT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 88.10                  | 40.50                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 40.23                  | -7.37                | -13.77          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11n (HT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 86.08                  | 38.48                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 39.97                  | -7.63                | -14.03          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 92.26                  | 44.96                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 51.25                  | 3.95                 | -16.95          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 88.53                  | 41.23                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 50.79                  | 3.49                 | -17.41          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 89.21                  | 41.91                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 41.96                  | -5.34                | -12.04          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 85.69                  | 38.39                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 40.78                  | -6.52                | -13.22          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 91.97                  | 44.37                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 52.40                  | 4.80                 | -15.80          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 89.69                  | 42.09                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 50.74                  | 3.14                 | -17.46          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 88.71                  | 41.11                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 41.70                  | -5.90                | -12.30          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ac (VHT40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 84.88                  | 37.28                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 40.79                  | -6.81                | -13.21          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 92.17                  | 44.87                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 51.70                  | 4.40                 | -16.50          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 90.10                  | 42.80                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 50.23                  | 2.93                 | -17.97          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 89.26                  | 41.96                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 40.36                  | -6.94                | -13.64          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
 Channel No.:102  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 86.29                  | 38.99                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 38.41                  | -8.89                | -15.59          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 91.04                  | 43.44                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 51.18                  | 3.58                 | -17.02          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 88.94                  | 41.34                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 50.58                  | 2.98                 | -17.62          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ax (HE40)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 88.99                  | 41.39                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 41.85                  | -5.75                | -12.15          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
 Channel No.:159  
 Test Mode: 802.11ax (HE40)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 86.92                  | 39.32                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 40.68                  | -6.92                | -13.32          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 90.20                  | 42.90                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 51.72                  | 4.42                 | -16.48          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 87.31                  | 40.01                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 51.50                  | 4.20                 | -16.70          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 86.02                  | 38.72                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 40.22                  | -7.08                | -13.78          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 83.51                  | 36.21                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 39.91                  | -7.39                | -14.09          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 90.68                  | 43.38                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 52.17                  | 4.87                 | -16.03          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 87.01                  | 39.71                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 50.36                  | 3.06                 | -17.84          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 85.44                  | 38.14                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 41.33                  | -5.97                | -12.67          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
 Channel No.:106  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 82.83                  | 35.53                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 39.48                  | -7.82                | -14.52          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 89.31                  | 41.71                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 52.30                  | 4.70                 | -15.90          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 84.84                  | 37.24                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 51.00                  | 3.40                 | -17.20          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 86.79                  | 39.19                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 41.07                  | -6.53                | -12.93          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 82.50                  | 34.90                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 39.38                  | -8.22                | -14.62          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 89.53                  | 41.93                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 51.33                  | 3.73                 | -16.87          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 85.80                  | 38.20                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 50.17                  | 2.57                 | -18.03          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ax (HE80)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 86.88                  | 39.28                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 40.75                  | -6.85                | -13.25          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ax (HE80)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 84.33                  | 36.73                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 40.22                  | -7.38                | -13.78          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 85.01                  | 37.71                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 52.86                  | 5.56                 | -15.34          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Horizontal  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 82.97                  | 35.67                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 52.68                  | 5.38                 | -15.52          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 83.93                  | 36.63                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 40.76                  | -6.54                | -13.24          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ac (VHT160)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 80.07                  | 32.77                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 39.95                  | -7.35                | -14.05          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ax (HE160)  
 Polarity:Vertical  
 Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 86.25                  | 38.95                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 52.28                  | 4.98                 | -15.92          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ax (HE160)  
 Polarity:Horizontal  
 Detector: Peak


| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 84.08                  | 36.78                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 50.69                  | 3.39                 | -17.51          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ax (HE160)  
 Polarity:Vertical  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 83.79                  | 36.49                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 40.26                  | -7.04                | -13.74          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5570 MHz  
 Channel No.:114  
 Test Mode: 802.11ax (HE160)  
 Polarity:Horizontal  
 Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5570            | 79.94                  | 32.64                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 39.78                  | -7.52                | -14.22          | 54.00          | 12.70           | 34.60               |



Radiated Emission Band Edge for 5180MHz

### Sample Calculations

#### Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(19.15 \text{ dB}\mu\text{V/m}) = (39.75 \text{ dB}\mu\text{V}) + (-20.6 \text{ dB/m})$ , the corresponding frequency is 33.880000MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.880000      | 19.15          | -20.6     | 39.75         | Vertical | 40.00          |
| 78.888000      | 23.83          | -24.1     | 47.93         | Vertical | 40.00          |
| 134.857000     | 22.40          | -22.2     | 44.60         | Vertical | 43.50          |
| 174.481500     | 20.01          | -21.2     | 41.21         | Vertical | 43.50          |
| 326.238000     | 14.78          | -15.2     | 29.98         | Vertical | 46.00          |
| 878.362000     | 17.67          | -3.7      | 21.37         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.164000      | 19.42          | -21.0     | 40.42         | Vertical | 40.00          |
| 78.500000      | 24.11          | -24.0     | 48.11         | Vertical | 40.00          |
| 140.095000     | 22.18          | -22.3     | 44.48         | Vertical | 43.50          |
| 189.322500     | 21.88          | -19.6     | 41.48         | Vertical | 43.50          |
| 326.626000     | 14.67          | -15.2     | 29.87         | Vertical | 46.00          |
| 910.372000     | 18.57          | -3.1      | 21.67         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.928500      | 19.19          | -20.6     | 39.79         | Vertical | 40.00          |
| 78.063500      | 24.11          | -23.9     | 48.01         | Vertical | 40.00          |
| 134.323500     | 22.12          | -22.2     | 44.32         | Vertical | 43.50          |
| 187.431000     | 21.38          | -19.8     | 41.18         | Vertical | 43.50          |
| 326.189500     | 14.49          | -15.2     | 29.69         | Vertical | 46.00          |
| 915.610000     | 18.58          | -3.1      | 21.68         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.566000      | 16.48          | -19.5     | 35.98         | Vertical | 40.00          |
| 79.809500      | 23.99          | -24.2     | 48.19         | Vertical | 40.00          |
| 137.039500     | 21.88          | -22.2     | 44.08         | Vertical | 43.50          |
| 173.560000     | 20.56          | -21.2     | 41.76         | Vertical | 43.50          |
| 335.210500     | 14.68          | -14.7     | 29.38         | Vertical | 46.00          |
| 921.430000     | 18.59          | -3.1      | 21.69         | Vertical | 46.00          |

For 802.11a Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.346500      | 18.47          | -20.7     | 39.17         | Vertical | 40.00          |
| 77.966500      | 24.00          | -23.9     | 47.90         | Vertical | 40.00          |
| 171.862500     | 20.62          | -21.3     | 41.92         | Vertical | 43.50          |
| 174.627000     | 20.27          | -21.2     | 41.47         | Vertical | 43.50          |
| 337.975000     | 14.86          | -14.6     | 29.46         | Vertical | 46.00          |
| 901.205500     | 18.37          | -3.1      | 21.47         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.868500      | 15.78          | -20.1     | 35.88         | Vertical | 40.00          |
| 78.063500      | 24.10          | -23.9     | 48.00         | Vertical | 40.00          |
| 172.638500     | 21.20          | -21.3     | 42.50         | Vertical | 43.50          |
| 173.657000     | 20.30          | -21.2     | 41.50         | Vertical | 43.50          |
| 335.016500     | 14.65          | -14.7     | 29.35         | Vertical | 46.00          |
| 938.259500     | 18.86          | -3.0      | 21.86         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.977000      | 19.25          | -20.6     | 39.85         | Vertical | 40.00          |
| 78.500000      | 24.12          | -24.0     | 48.12         | Vertical | 40.00          |
| 171.183500     | 21.43          | -21.3     | 42.73         | Vertical | 43.50          |
| 173.269000     | 21.23          | -21.2     | 42.43         | Vertical | 43.50          |
| 325.268000     | 14.58          | -15.2     | 29.78         | Vertical | 46.00          |
| 885.976500     | 17.87          | -3.5      | 21.37         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.055500      | 18.01          | -20.8     | 38.81         | Vertical | 40.00          |
| 78.403000      | 24.15          | -24.0     | 48.15         | Vertical | 40.00          |
| 172.978000     | 21.60          | -21.2     | 42.80         | Vertical | 43.50          |
| 175.063500     | 20.20          | -21.1     | 41.30         | Vertical | 43.50          |
| 334.725500     | 14.54          | -14.7     | 29.24         | Vertical | 46.00          |
| 932.585000     | 18.83          | -3.0      | 21.83         | Vertical | 46.00          |

For 802.11a Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.783000      | 19.29          | -20.6     | 39.89         | Vertical | 40.00          |
| 73.407500      | 23.16          | -22.8     | 45.96         | Vertical | 40.00          |
| 140.143500     | 22.20          | -22.3     | 44.50         | Vertical | 43.50          |
| 189.031500     | 22.00          | -19.6     | 41.60         | Vertical | 43.50          |
| 336.471500     | 15.08          | -14.6     | 29.68         | Vertical | 46.00          |
| 893.736500     | 18.14          | -3.4      | 21.54         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.589000      | 19.12          | -20.7     | 39.82         | Vertical | 40.00          |
| 78.257500      | 24.20          | -24.0     | 48.20         | Vertical | 40.00          |
| 140.386000     | 22.19          | -22.3     | 44.49         | Vertical | 43.50          |
| 196.694500     | 21.68          | -18.8     | 40.48         | Vertical | 43.50          |
| 337.005000     | 15.10          | -14.6     | 29.70         | Vertical | 46.00          |
| 940.442000     | 18.83          | -3.0      | 21.83         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.268000      | 18.91          | -20.6     | 39.51         | Vertical | 40.00          |
| 78.063500      | 24.12          | -23.9     | 48.02         | Vertical | 40.00          |
| 141.986500     | 22.24          | -22.3     | 44.54         | Vertical | 43.50          |
| 173.705500     | 20.50          | -21.2     | 41.70         | Vertical | 43.50          |
| 337.538500     | 14.96          | -14.6     | 29.56         | Vertical | 46.00          |
| 920.217500     | 18.65          | -3.1      | 21.75         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.182500      | 18.28          | -20.9     | 39.18         | Vertical | 40.00          |
| 79.227500      | 23.77          | -24.1     | 47.87         | Vertical | 40.00          |
| 140.289000     | 22.20          | -22.3     | 44.50         | Vertical | 43.50          |
| 188.546500     | 21.67          | -19.6     | 41.27         | Vertical | 43.50          |
| 338.945000     | 14.21          | -14.5     | 28.71         | Vertical | 46.00          |
| 907.801500     | 18.58          | -3.1      | 21.68         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.000000      | 22.29          | -21.2     | 43.49         | Vertical | 40.00          |
| 84.368500      | 26.01          | -23.2     | 49.21         | Vertical | 40.00          |
| 172.687000     | 25.58          | -21.3     | 46.88         | Vertical | 43.50          |
| 173.220500     | 24.99          | -21.2     | 46.19         | Vertical | 43.50          |
| 516.406500     | 13.78          | -10.3     | 24.08         | Vertical | 46.00          |
| 953.197500     | 19.50          | -3.0      | 22.50         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.910000      | 20.33          | -20.8     | 41.13         | Vertical | 40.00          |
| 84.174500      | 26.11          | -23.3     | 49.41         | Vertical | 40.00          |
| 172.008000     | 24.94          | -21.3     | 46.24         | Vertical | 43.50          |
| 174.918000     | 24.39          | -21.1     | 45.49         | Vertical | 43.50          |
| 338.460000     | 15.39          | -14.5     | 29.89         | Vertical | 46.00          |
| 896.840500     | 19.03          | -3.3      | 22.33         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.194000      | 22.90          | -21.1     | 22.90         | Vertical | 40.00          |
| 78.888000      | 24.54          | -24.1     | 24.54         | Vertical | 40.00          |
| 142.180500     | 22.72          | -22.3     | 22.72         | Vertical | 43.50          |
| 195.385000     | 22.28          | -19.0     | 22.28         | Vertical | 43.50          |
| 316.780500     | 15.27          | -15.5     | 15.27         | Vertical | 46.00          |
| 898.198500     | 18.40          | -3.2      | 18.40         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.824500      | 21.84          | -21.0     | 42.84         | Vertical | 40.00          |
| 79.130500      | 24.67          | -24.1     | 48.77         | Vertical | 40.00          |
| 141.986500     | 22.35          | -22.3     | 44.65         | Vertical | 43.50          |
| 194.948500     | 22.28          | -19.0     | 41.28         | Vertical | 43.50          |
| 325.656000     | 12.93          | -15.2     | 28.13         | Vertical | 46.00          |
| 958.435500     | 18.90          | -2.9      | 21.80         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.000000      | 22.49          | -21.2     | 43.69         | Vertical | 40.00          |
| 80.488500      | 24.79          | -24.1     | 48.89         | Vertical | 40.00          |
| 141.792500     | 22.17          | -22.3     | 44.47         | Vertical | 43.50          |
| 194.415000     | 22.10          | -19.1     | 41.20         | Vertical | 43.50          |
| 335.938000     | 14.46          | -14.7     | 29.16         | Vertical | 46.00          |
| 918.035000     | 18.63          | -3.1      | 21.73         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.649000      | 21.26          | -20.9     | 42.16         | Vertical | 40.00          |
| 78.839500      | 24.81          | -24.1     | 48.91         | Vertical | 40.00          |
| 141.695500     | 21.94          | -22.3     | 44.24         | Vertical | 43.50          |
| 194.560500     | 21.84          | -19.1     | 40.94         | Vertical | 43.50          |
| 321.630500     | 14.93          | -15.4     | 30.33         | Vertical | 46.00          |
| 947.474500     | 18.78          | -3.1      | 21.88         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:42

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.189500      | 19.75          | -20.4     | 40.15         | Vertical | 40.00          |
| 85.581000      | 24.94          | -22.8     | 47.74         | Vertical | 40.00          |
| 134.857000     | 23.54          | -22.2     | 45.74         | Vertical | 43.50          |
| 189.177000     | 20.95          | -19.6     | 40.55         | Vertical | 43.50          |
| 535.661000     | 13.19          | -10.0     | 23.19         | Vertical | 46.00          |
| 942.285000     | 19.10          | -3.0      | 22.10         | Vertical | 46.00          |

For 802.11ax(HE80) Channel No.:42

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.667500      | 18.53          | -20.8     | 39.33         | Vertical | 40.00          |
| 83.689500      | 25.04          | -23.4     | 48.44         | Vertical | 40.00          |
| 134.808500     | 23.41          | -22.2     | 45.61         | Vertical | 43.50          |
| 188.789000     | 20.13          | -19.6     | 39.73         | Vertical | 43.50          |
| 535.612500     | 13.23          | -10.0     | 23.23         | Vertical | 46.00          |
| 931.178500     | 19.04          | -3.0      | 22.04         | Vertical | 46.00          |

For 802.11a Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.201000      | 18.14          | -20.7     | 38.84         | Vertical | 40.00          |
| 78.257500      | 24.16          | -24.0     | 48.16         | Vertical | 40.00          |
| 137.282000     | 21.84          | -22.3     | 44.14         | Vertical | 43.50          |
| 175.015000     | 20.10          | -21.1     | 41.20         | Vertical | 43.50          |
| 327.208000     | 14.35          | -15.1     | 29.45         | Vertical | 46.00          |
| 920.508500     | 18.69          | -3.1      | 21.79         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.261000      | 19.33          | -21.0     | 40.33         | Vertical | 40.00          |
| 78.354500      | 24.17          | -24.0     | 48.17         | Vertical | 40.00          |
| 172.590000     | 21.22          | -21.3     | 42.52         | Vertical | 43.50          |
| 187.867500     | 21.20          | -19.7     | 40.90         | Vertical | 43.50          |
| 324.686000     | 14.11          | -15.3     | 29.41         | Vertical | 46.00          |
| 910.323500     | 18.56          | -3.1      | 21.66         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.492000      | 18.82          | -20.7     | 39.52         | Vertical | 40.00          |
| 78.451500      | 24.11          | -24.0     | 48.11         | Vertical | 40.00          |
| 171.377500     | 21.58          | -21.3     | 42.88         | Vertical | 43.50          |
| 173.511500     | 20.99          | -21.2     | 42.19         | Vertical | 43.50          |
| 336.568500     | 15.03          | -14.6     | 29.63         | Vertical | 46.00          |
| 922.254500     | 18.61          | -3.1      | 21.71         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.261000      | 19.03          | -21.0     | 40.03         | Vertical | 40.00          |
| 79.421500      | 23.82          | -24.2     | 48.02         | Vertical | 40.00          |
| 172.881000     | 21.37          | -21.2     | 42.57         | Vertical | 43.50          |
| 173.366000     | 21.12          | -21.2     | 42.32         | Vertical | 43.50          |
| 337.199000     | 14.95          | -14.6     | 29.55         | Vertical | 46.00          |
| 932.148500     | 18.80          | -3.0      | 21.80         | Vertical | 46.00          |

For 802.11a Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.074000      | 19.05          | -20.6     | 39.65         | Vertical | 40.00          |
| 78.160500      | 24.13          | -23.9     | 48.03         | Vertical | 40.00          |
| 136.118000     | 22.17          | -22.2     | 44.37         | Vertical | 43.50          |
| 188.789000     | 21.80          | -19.6     | 41.40         | Vertical | 43.50          |
| 338.799500     | 14.42          | -14.5     | 28.92         | Vertical | 46.00          |
| 915.513000     | 18.53          | -3.1      | 21.63         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.656000      | 18.28          | -20.5     | 38.78         | Vertical | 40.00          |
| 79.761000      | 23.96          | -24.2     | 48.16         | Vertical | 40.00          |
| 140.337500     | 22.21          | -22.3     | 44.51         | Vertical | 43.50          |
| 174.724000     | 20.25          | -21.2     | 41.45         | Vertical | 43.50          |
| 326.771500     | 14.33          | -15.2     | 29.53         | Vertical | 46.00          |
| 895.773500     | 18.10          | -3.3      | 21.40         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.268000      | 19.04          | -20.6     | 39.64         | Vertical | 40.00          |
| 78.112000      | 24.11          | -23.9     | 48.01         | Vertical | 40.00          |
| 172.784000     | 21.30          | -21.2     | 42.50         | Vertical | 43.50          |
| 173.851000     | 20.16          | -21.2     | 41.36         | Vertical | 43.50          |
| 336.714000     | 15.00          | -14.6     | 29.60         | Vertical | 46.00          |
| 912.166500     | 18.58          | -3.1      | 21.68         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.212500      | 19.35          | -21.0     | 40.35         | Vertical | 40.00          |
| 78.112000      | 24.10          | -23.9     | 48.00         | Vertical | 40.00          |
| 171.523000     | 21.27          | -21.3     | 42.57         | Vertical | 43.50          |
| 195.676000     | 21.24          | -18.9     | 40.14         | Vertical | 43.50          |
| 334.677000     | 14.57          | -14.7     | 29.27         | Vertical | 46.00          |
| 935.495000     | 18.78          | -3.0      | 21.78         | Vertical | 46.00          |

For 802.11a Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.298000      | 18.19          | -20.7     | 38.89         | Vertical | 40.00          |
| 78.063500      | 24.08          | -23.9     | 47.98         | Vertical | 40.00          |
| 172.541500     | 20.96          | -21.3     | 42.26         | Vertical | 43.50          |
| 173.560000     | 20.86          | -21.2     | 42.06         | Vertical | 43.50          |
| 336.229000     | 14.96          | -14.7     | 29.66         | Vertical | 46.00          |
| 946.698500     | 18.71          | -3.1      | 21.81         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.843000      | 18.29          | -20.9     | 39.19         | Vertical | 40.00          |
| 77.966500      | 23.97          | -23.9     | 47.87         | Vertical | 40.00          |
| 141.695500     | 22.06          | -22.3     | 44.36         | Vertical | 43.50          |
| 175.063500     | 20.29          | -21.1     | 41.39         | Vertical | 43.50          |
| 326.286500     | 14.22          | -15.2     | 29.42         | Vertical | 46.00          |
| 933.894500     | 18.90          | -3.0      | 21.90         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.164000      | 19.05          | -21.0     | 40.05         | Vertical | 40.00          |
| 78.839500      | 23.84          | -24.1     | 47.94         | Vertical | 40.00          |
| 172.978000     | 21.44          | -21.2     | 42.64         | Vertical | 43.50          |
| 173.463000     | 21.03          | -21.2     | 42.23         | Vertical | 43.50          |
| 337.878000     | 14.75          | -14.6     | 29.35         | Vertical | 46.00          |
| 895.531000     | 18.17          | -3.3      | 21.47         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.880000      | 19.37          | -20.6     | 39.97         | Vertical | 40.00          |
| 79.664000      | 23.90          | -24.2     | 48.10         | Vertical | 40.00          |
| 136.894000     | 22.05          | -22.2     | 44.25         | Vertical | 43.50          |
| 196.500500     | 21.81          | -18.8     | 40.61         | Vertical | 43.50          |
| 338.363000     | 14.54          | -14.5     | 29.04         | Vertical | 46.00          |
| 918.762500     | 18.63          | -3.1      | 21.73         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.000000      | 21.75          | -21.2     | 42.95         | Vertical | 40.00          |
| 78.257500      | 24.56          | -24.0     | 48.56         | Vertical | 40.00          |
| 137.136500     | 21.82          | -22.3     | 44.12         | Vertical | 43.50          |
| 194.657500     | 20.92          | -19.0     | 39.92         | Vertical | 43.50          |
| 321.194000     | 14.69          | -15.4     | 30.09         | Vertical | 46.00          |
| 951.936500     | 18.75          | -3.0      | 21.75         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.000000      | 21.56          | -21.2     | 42.76         | Vertical | 40.00          |
| 80.343000      | 25.06          | -24.2     | 49.26         | Vertical | 40.00          |
| 141.113500     | 21.72          | -22.3     | 44.02         | Vertical | 43.50          |
| 194.415000     | 20.69          | -19.1     | 39.79         | Vertical | 43.50          |
| 318.138500     | 15.40          | -15.5     | 30.90         | Vertical | 46.00          |
| 886.898000     | 17.91          | -3.5      | 21.41         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.589000      | 19.91          | -20.7     | 40.61         | Vertical | 40.00          |
| 78.548500      | 25.02          | -24.0     | 49.02         | Vertical | 40.00          |
| 135.148000     | 21.82          | -22.2     | 44.02         | Vertical | 43.50          |
| 193.493500     | 20.24          | -19.2     | 39.44         | Vertical | 43.50          |
| 319.108500     | 14.79          | -15.4     | 30.19         | Vertical | 46.00          |
| 928.608000     | 18.94          | -3.0      | 21.94         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.977000      | 20.25          | -20.6     | 40.85         | Vertical | 40.00          |
| 80.488500      | 25.23          | -24.1     | 49.33         | Vertical | 40.00          |
| 140.774000     | 21.39          | -22.3     | 43.69         | Vertical | 43.50          |
| 199.022500     | 20.19          | -18.6     | 38.79         | Vertical | 43.50          |
| 317.993000     | 15.11          | -15.5     | 30.61         | Vertical | 46.00          |
| 899.217000     | 18.36          | -3.2      | 21.56         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.630500      | 20.34          | -21.1     | 41.44         | Vertical | 40.00          |
| 78.791000      | 25.04          | -24.1     | 49.14         | Vertical | 40.00          |
| 135.390500     | 21.75          | -22.2     | 43.95         | Vertical | 43.50          |
| 199.313500     | 20.37          | -18.5     | 38.87         | Vertical | 43.50          |
| 315.810500     | 15.30          | -15.5     | 30.80         | Vertical | 46.00          |
| 934.525000     | 18.94          | -3.0      | 21.94         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.062500      | 18.68          | -20.1     | 38.78         | Vertical | 40.00          |
| 80.197500      | 25.32          | -24.2     | 49.52         | Vertical | 40.00          |
| 135.002500     | 21.78          | -22.2     | 43.98         | Vertical | 43.50          |
| 198.925500     | 20.49          | -18.6     | 39.09         | Vertical | 43.50          |
| 314.986000     | 15.08          | -15.6     | 30.68         | Vertical | 46.00          |
| 894.367000     | 18.14          | -3.3      | 21.44         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:58

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.607500      | 19.58          | -20.5     | 40.08         | Vertical | 40.00          |
| 84.126000      | 24.92          | -23.3     | 48.22         | Vertical | 40.00          |
| 136.409000     | 23.23          | -22.2     | 45.43         | Vertical | 43.50          |
| 196.209500     | 20.81          | -18.9     | 39.71         | Vertical | 43.50          |
| 555.885500     | 13.37          | -9.6      | 22.97         | Vertical | 46.00          |
| 954.604000     | 18.86          | -2.9      | 21.76         | Vertical | 46.00          |

For 802.11ax(HE) Channel No.:58

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.577500      | 19.56          | -20.3     | 39.86         | Vertical | 40.00          |
| 83.786500      | 24.95          | -23.4     | 48.35         | Vertical | 40.00          |
| 136.894000     | 23.10          | -22.2     | 45.30         | Vertical | 43.50          |
| 196.985500     | 20.51          | -18.8     | 39.31         | Vertical | 43.50          |
| 546.476500     | 13.16          | -9.9      | 23.06         | Vertical | 46.00          |
| 871.475000     | 17.69          | -3.9      | 21.59         | Vertical | 46.00          |

For 802.11a Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.025500      | 19.18          | -20.6     | 39.78         | Vertical | 40.00          |
| 78.548500      | 24.04          | -24.0     | 48.04         | Vertical | 40.00          |
| 135.342000     | 22.07          | -22.2     | 44.27         | Vertical | 43.50          |
| 188.595000     | 21.62          | -19.6     | 41.22         | Vertical | 43.50          |
| 327.062500     | 14.29          | -15.1     | 29.39         | Vertical | 46.00          |
| 896.307000     | 18.18          | -3.3      | 21.48         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.850000      | 17.87          | -20.5     | 38.37         | Vertical | 40.00          |
| 80.003500      | 23.98          | -24.3     | 48.28         | Vertical | 40.00          |
| 173.026500     | 21.42          | -21.2     | 42.62         | Vertical | 43.50          |
| 173.560000     | 20.77          | -21.2     | 41.97         | Vertical | 43.50          |
| 338.508500     | 14.42          | -14.5     | 28.92         | Vertical | 46.00          |
| 933.846000     | 18.83          | -3.0      | 21.83         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.074000      | 18.80          | -20.6     | 39.40         | Vertical | 40.00          |
| 78.354500      | 24.19          | -24.0     | 48.19         | Vertical | 40.00          |
| 139.998000     | 22.07          | -22.3     | 44.37         | Vertical | 43.50          |
| 173.317500     | 21.17          | -21.2     | 42.37         | Vertical | 43.50          |
| 338.896500     | 14.08          | -14.5     | 28.58         | Vertical | 46.00          |
| 904.503500     | 18.31          | -3.1      | 21.41         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.122500      | 19.12          | -20.6     | 39.72         | Vertical | 40.00          |
| 78.257500      | 24.16          | -24.0     | 48.16         | Vertical | 40.00          |
| 172.735500     | 21.28          | -21.3     | 42.58         | Vertical | 43.50          |
| 173.269000     | 21.49          | -21.2     | 42.69         | Vertical | 43.50          |
| 323.328000     | 12.12          | -15.3     | 27.42         | Vertical | 46.00          |
| 915.513000     | 18.61          | -3.1      | 21.71         | Vertical | 46.00          |

For 802.11a Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.219500      | 19.01          | -20.6     | 39.61         | Vertical | 40.00          |
| 78.354500      | 24.13          | -24.0     | 48.13         | Vertical | 40.00          |
| 140.628500     | 22.09          | -22.3     | 44.39         | Vertical | 43.50          |
| 174.142000     | 19.73          | -21.2     | 40.93         | Vertical | 43.50          |
| 324.637500     | 13.69          | -15.3     | 28.99         | Vertical | 46.00          |
| 939.617500     | 18.84          | -3.0      | 21.84         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.212500      | 19.28          | -21.0     | 40.28         | Vertical | 40.00          |
| 78.645500      | 24.00          | -24.0     | 48.00         | Vertical | 40.00          |
| 136.894000     | 22.07          | -22.2     | 44.27         | Vertical | 43.50          |
| 189.807500     | 21.08          | -19.5     | 40.58         | Vertical | 43.50          |
| 338.751000     | 14.28          | -14.5     | 28.78         | Vertical | 46.00          |
| 936.756000     | 18.83          | -3.0      | 21.83         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.637500      | 19.29          | -20.7     | 39.99         | Vertical | 40.00          |
| 77.918000      | 23.90          | -23.9     | 47.80         | Vertical | 40.00          |
| 135.099500     | 22.30          | -22.2     | 44.50         | Vertical | 43.50          |
| 173.366000     | 21.39          | -21.2     | 42.59         | Vertical | 43.50          |
| 337.344500     | 14.98          | -14.6     | 29.58         | Vertical | 46.00          |
| 953.876500     | 18.56          | -3.0      | 21.56         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.279500      | 18.05          | -20.9     | 38.95         | Vertical | 40.00          |
| 78.451500      | 23.78          | -24.0     | 47.78         | Vertical | 40.00          |
| 173.123500     | 21.64          | -21.2     | 42.84         | Vertical | 43.50          |
| 174.724000     | 20.36          | -21.2     | 41.56         | Vertical | 43.50          |
| 337.926500     | 15.11          | -14.6     | 29.71         | Vertical | 46.00          |
| 940.005500     | 18.88          | -3.0      | 21.88         | Vertical | 46.00          |

For 802.11a Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.171000      | 18.47          | -20.6     | 39.07         | Vertical | 40.00          |
| 78.112000      | 23.70          | -23.9     | 47.60         | Vertical | 40.00          |
| 134.760000     | 22.60          | -22.2     | 44.80         | Vertical | 43.50          |
| 188.546500     | 23.04          | -19.6     | 42.64         | Vertical | 43.50          |
| 324.783000     | 16.63          | -15.3     | 31.93         | Vertical | 46.00          |
| 888.304500     | 17.98          | -3.5      | 21.48         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.485000      | 17.99          | -21.1     | 39.09         | Vertical | 40.00          |
| 78.500000      | 23.95          | -24.0     | 47.95         | Vertical | 40.00          |
| 134.323500     | 22.21          | -22.2     | 44.41         | Vertical | 43.50          |
| 187.673500     | 22.96          | -19.7     | 42.66         | Vertical | 43.50          |
| 325.413500     | 16.03          | -15.2     | 31.23         | Vertical | 46.00          |
| 922.982000     | 18.63          | -3.1      | 21.73         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.194000      | 18.57          | -21.1     | 39.67         | Vertical | 40.00          |
| 78.403000      | 23.61          | -24.0     | 47.61         | Vertical | 40.00          |
| 134.226500     | 21.53          | -22.2     | 43.73         | Vertical | 43.50          |
| 188.740500     | 21.53          | -19.6     | 41.13         | Vertical | 43.50          |
| 328.857000     | 13.06          | -15.0     | 28.06         | Vertical | 46.00          |
| 902.854500     | 18.32          | -3.1      | 21.42         | Vertical | 46.00          |

For 802.11ax(HE) Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.268000      | 16.85          | -20.6     | 37.45         | Vertical | 40.00          |
| 78.985000      | 22.90          | -24.1     | 47.00         | Vertical | 40.00          |
| 172.978000     | 20.32          | -21.2     | 41.52         | Vertical | 43.50          |
| 176.421500     | 22.69          | -21.0     | 43.69         | Vertical | 43.50          |
| 328.614500     | 15.26          | -15.1     | 30.36         | Vertical | 46.00          |
| 901.302500     | 18.29          | -3.1      | 21.39         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.388000      | 20.30          | -21.1     | 41.40         | Vertical | 40.00          |
| 79.664000      | 24.86          | -24.2     | 49.06         | Vertical | 40.00          |
| 135.972500     | 21.05          | -22.2     | 43.25         | Vertical | 43.50          |
| 198.828500     | 20.48          | -18.6     | 39.08         | Vertical | 43.50          |
| 314.549500     | 15.12          | -15.6     | 30.72         | Vertical | 46.00          |
| 921.187500     | 18.67          | -3.1      | 21.77         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.510500      | 20.08          | -20.5     | 40.58         | Vertical | 40.00          |
| 78.548500      | 25.11          | -24.0     | 49.11         | Vertical | 40.00          |
| 135.342000     | 21.54          | -22.2     | 43.74         | Vertical | 43.50          |
| 199.071000     | 20.43          | -18.6     | 39.03         | Vertical | 43.50          |
| 314.501000     | 15.22          | -15.6     | 30.82         | Vertical | 46.00          |
| 880.738500     | 17.75          | -3.6      | 21.35         | Vertical | 46.00          |

For 802.11ax(HE) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.171000      | 20.50          | -20.6     | 41.10         | Vertical | 40.00          |
| 78.306000      | 25.10          | -24.0     | 49.10         | Vertical | 40.00          |
| 135.245000     | 21.57          | -22.2     | 43.77         | Vertical | 43.50          |
| 198.877000     | 20.46          | -18.6     | 39.06         | Vertical | 43.50          |
| 314.937500     | 14.81          | -15.6     | 30.41         | Vertical | 46.00          |
| 943.788500     | 18.75          | -3.0      | 21.75         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.261000      | 20.24          | -21.0     | 41.24         | Vertical | 40.00          |
| 80.149000      | 25.33          | -24.2     | 49.53         | Vertical | 40.00          |
| 134.566000     | 21.21          | -22.2     | 43.41         | Vertical | 43.50          |
| 198.392000     | 20.21          | -18.6     | 38.81         | Vertical | 43.50          |
| 313.628000     | 14.99          | -15.6     | 30.59         | Vertical | 46.00          |
| 935.058500     | 18.87          | -3.0      | 21.87         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.868500      | 18.63          | -20.1     | 38.73         | Vertical | 40.00          |
| 78.112000      | 25.00          | -23.9     | 48.90         | Vertical | 40.00          |
| 135.148000     | 21.48          | -22.2     | 43.68         | Vertical | 43.50          |
| 198.683000     | 20.34          | -18.6     | 38.94         | Vertical | 43.50          |
| 314.016000     | 14.86          | -15.6     | 30.46         | Vertical | 46.00          |
| 950.724000     | 18.72          | -3.0      | 21.72         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.522000      | 18.88          | -20.8     | 39.68         | Vertical | 40.00          |
| 78.548500      | 25.16          | -24.0     | 49.16         | Vertical | 40.00          |
| 135.390500     | 21.29          | -22.2     | 43.49         | Vertical | 43.50          |
| 199.216500     | 19.68          | -18.5     | 38.18         | Vertical | 43.50          |
| 363.922500     | 12.53          | -13.9     | 26.43         | Vertical | 46.00          |
| 956.398500     | 18.79          | -2.9      | 21.69         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.850000      | 19.74          | -20.5     | 40.24         | Vertical | 40.00          |
| 79.567000      | 25.04          | -24.2     | 49.24         | Vertical | 40.00          |
| 135.148000     | 21.47          | -22.2     | 43.67         | Vertical | 43.50          |
| 196.500500     | 19.71          | -18.8     | 38.51         | Vertical | 43.50          |
| 314.113000     | 14.29          | -15.6     | 29.89         | Vertical | 46.00          |
| 912.409000     | 18.61          | -3.1      | 21.71         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.062500      | 19.93          | -20.1     | 40.03         | Vertical | 40.00          |
| 86.502500      | 26.60          | -22.5     | 49.10         | Vertical | 40.00          |
| 136.651500     | 25.40          | -22.2     | 47.60         | Vertical | 43.50          |
| 196.646000     | 23.23          | -18.8     | 42.03         | Vertical | 43.50          |
| 503.845000     | 13.45          | -10.5     | 23.95         | Vertical | 46.00          |
| 922.739500     | 19.22          | -3.1      | 22.32         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 38.196500      | 21.71          | -19.2     | 40.91         | Vertical | 40.00          |
| 86.599500      | 26.23          | -22.4     | 48.63         | Vertical | 40.00          |
| 135.584500     | 25.50          | -22.2     | 47.70         | Vertical | 43.50          |
| 194.269500     | 23.44          | -19.1     | 42.54         | Vertical | 43.50          |
| 500.789500     | 13.30          | -10.6     | 23.90         | Vertical | 46.00          |
| 910.517500     | 19.13          | -3.1      | 22.23         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:106

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.850000      | 19.96          | -20.5     | 40.46         | Vertical | 40.00          |
| 83.689500      | 24.88          | -23.4     | 48.28         | Vertical | 40.00          |
| 135.342000     | 22.84          | -22.2     | 45.04         | Vertical | 43.50          |
| 194.948500     | 20.57          | -19.0     | 39.57         | Vertical | 43.50          |
| 511.071500     | 12.94          | -10.4     | 23.34         | Vertical | 46.00          |
| 898.004500     | 18.43          | -3.2      | 21.63         | Vertical | 46.00          |

For 802.11ax(HE80) Channel No.:106

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.820000      | 18.98          | -20.2     | 39.18         | Vertical | 40.00          |
| 83.495500      | 24.79          | -23.4     | 48.19         | Vertical | 40.00          |
| 134.857000     | 23.09          | -22.2     | 45.29         | Vertical | 43.50          |
| 195.870000     | 20.49          | -18.9     | 39.39         | Vertical | 43.50          |
| 499.625500     | 12.70          | -10.6     | 23.30         | Vertical | 46.00          |
| 949.657000     | 18.89          | -3.0      | 21.89         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:122

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.055500      | 18.39          | -20.8     | 39.19         | Vertical | 40.00          |
| 83.980500      | 24.74          | -23.3     | 48.04         | Vertical | 40.00          |
| 134.663000     | 23.03          | -22.2     | 45.23         | Vertical | 43.50          |
| 195.336500     | 20.37          | -19.0     | 39.37         | Vertical | 43.50          |
| 517.085500     | 12.94          | -10.3     | 23.24         | Vertical | 46.00          |
| 921.187500     | 18.80          | -3.1      | 21.90         | Vertical | 46.00          |

For 802.11ax(HE80) Channel No.:122

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.734500      | 19.19          | -20.7     | 39.89         | Vertical | 40.00          |
| 83.544000      | 24.78          | -23.4     | 48.18         | Vertical | 40.00          |
| 136.312000     | 22.95          | -22.2     | 45.15         | Vertical | 43.50          |
| 195.385000     | 20.32          | -19.0     | 39.32         | Vertical | 43.50          |
| 538.910500     | 13.21          | -10.0     | 23.21         | Vertical | 46.00          |
| 919.587000     | 18.81          | -3.1      | 21.91         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:138

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.905500      | 18.89          | -19.3     | 38.19         | Vertical | 40.00          |
| 83.592500      | 24.76          | -23.4     | 48.16         | Vertical | 40.00          |
| 137.815500     | 22.48          | -22.3     | 44.78         | Vertical | 43.50          |
| 194.609000     | 20.57          | -19.0     | 39.57         | Vertical | 43.50          |
| 537.552500     | 13.17          | -10.0     | 23.17         | Vertical | 46.00          |
| 927.104500     | 18.95          | -3.0      | 21.95         | Vertical | 46.00          |

For 802.11ax(HE80) Channel No.:138

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.947000      | 19.89          | -20.5     | 40.39         | Vertical | 40.00          |
| 83.641000      | 24.72          | -23.4     | 48.12         | Vertical | 40.00          |
| 134.372000     | 22.65          | -22.2     | 44.85         | Vertical | 43.50          |
| 194.948500     | 20.56          | -19.0     | 39.56         | Vertical | 43.50          |
| 548.853000     | 13.12          | -9.8      | 22.92         | Vertical | 46.00          |
| 959.357000     | 18.95          | -2.9      | 21.85         | Vertical | 46.00          |

For 802.11a Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.928500      | 17.04          | -20.6     | 37.64         | Vertical | 40.00          |
| 79.664000      | 21.57          | -24.2     | 45.77         | Vertical | 40.00          |
| 173.172000     | 22.90          | -21.2     | 44.10         | Vertical | 43.50          |
| 175.063500     | 23.70          | -21.1     | 44.80         | Vertical | 43.50          |
| 326.141000     | 14.77          | -15.2     | 29.97         | Vertical | 46.00          |
| 896.937500     | 18.12          | -3.3      | 21.42         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.358000      | 18.06          | -21.0     | 39.06         | Vertical | 40.00          |
| 77.627000      | 22.54          | -23.8     | 46.34         | Vertical | 40.00          |
| 172.832500     | 20.56          | -21.2     | 41.76         | Vertical | 43.50          |
| 174.190500     | 22.50          | -21.2     | 43.70         | Vertical | 43.50          |
| 325.801500     | 12.00          | -15.2     | 27.20         | Vertical | 46.00          |
| 887.625500     | 17.95          | -3.5      | 21.45         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.194000      | 18.54          | -21.1     | 39.64         | Vertical | 40.00          |
| 77.869500      | 22.14          | -23.9     | 46.04         | Vertical | 40.00          |
| 172.638500     | 22.25          | -21.3     | 43.55         | Vertical | 43.50          |
| 173.996500     | 22.50          | -21.2     | 43.70         | Vertical | 43.50          |
| 541.626500     | 12.95          | -9.9      | 22.85         | Vertical | 46.00          |
| 915.222000     | 18.49          | -3.1      | 21.59         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.783000      | 15.60          | -20.6     | 36.20         | Vertical | 40.00          |
| 72.922500      | 19.64          | -22.6     | 42.24         | Vertical | 40.00          |
| 173.123500     | 22.56          | -21.2     | 43.76         | Vertical | 43.50          |
| 176.227500     | 22.91          | -21.0     | 43.91         | Vertical | 43.50          |
| 340.594000     | 9.74           | -14.4     | 24.14         | Vertical | 46.00          |
| 932.827500     | 18.88          | -3.0      | 21.88         | Vertical | 46.00          |

For 802.11a Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.085500      | 16.00          | -20.9     | 36.90         | Vertical | 40.00          |
| 79.033500      | 20.81          | -24.1     | 44.91         | Vertical | 40.00          |
| 172.008000     | 21.30          | -21.3     | 42.60         | Vertical | 43.50          |
| 189.225500     | 22.59          | -19.6     | 42.19         | Vertical | 43.50          |
| 338.314500     | 13.61          | -14.5     | 28.11         | Vertical | 46.00          |
| 944.807000     | 18.74          | -3.1      | 21.84         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.582000      | 16.27          | -21.1     | 37.37         | Vertical | 40.00          |
| 77.966500      | 21.78          | -23.9     | 45.68         | Vertical | 40.00          |
| 142.374500     | 20.08          | -22.3     | 42.38         | Vertical | 43.50          |
| 188.449500     | 21.53          | -19.7     | 41.23         | Vertical | 43.50          |
| 327.450500     | 10.42          | -15.1     | 25.52         | Vertical | 46.00          |
| 948.832500     | 18.70          | -3.0      | 21.70         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.940000      | 15.33          | -20.9     | 36.23         | Vertical | 40.00          |
| 78.354500      | 20.58          | -24.0     | 44.58         | Vertical | 40.00          |
| 140.871000     | 20.41          | -22.3     | 42.71         | Vertical | 43.50          |
| 190.147000     | 18.98          | -19.5     | 38.48         | Vertical | 43.50          |
| 326.044000     | 14.81          | -15.2     | 30.01         | Vertical | 46.00          |
| 959.648000     | 18.88          | -2.8      | 21.68         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.649000      | 15.15          | -20.9     | 36.05         | Vertical | 40.00          |
| 77.384500      | 19.47          | -23.8     | 43.27         | Vertical | 40.00          |
| 141.695500     | 20.25          | -22.3     | 42.55         | Vertical | 43.50          |
| 191.262500     | 13.66          | -19.4     | 33.06         | Vertical | 43.50          |
| 323.861500     | 13.34          | -15.3     | 28.64         | Vertical | 46.00          |
| 931.469500     | 18.91          | -3.0      | 21.91         | Vertical | 46.00          |

For 802.11a Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.503500      | 14.63          | -21.0     | 35.63         | Vertical | 40.00          |
| 73.601500      | 19.47          | -22.9     | 42.37         | Vertical | 40.00          |
| 135.487500     | 19.75          | -22.2     | 41.95         | Vertical | 43.50          |
| 174.869500     | 19.68          | -21.1     | 40.78         | Vertical | 43.50          |
| 337.926500     | 13.51          | -14.6     | 28.11         | Vertical | 46.00          |
| 939.666000     | 18.83          | -3.0      | 21.83         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.164000      | 14.61          | -21.0     | 35.61         | Vertical | 40.00          |
| 84.368500      | 19.74          | -23.2     | 42.94         | Vertical | 40.00          |
| 140.580000     | 19.11          | -22.3     | 41.41         | Vertical | 43.50          |
| 176.906500     | 20.28          | -21.0     | 41.28         | Vertical | 43.50          |
| 334.143500     | 13.01          | -14.8     | 27.81         | Vertical | 46.00          |
| 909.935500     | 18.48          | -3.1      | 21.58         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 46.199000      | 15.92          | -17.3     | 33.22         | Vertical | 40.00          |
| 84.659500      | 19.85          | -23.2     | 43.05         | Vertical | 40.00          |
| 172.978000     | 20.29          | -21.2     | 41.49         | Vertical | 43.50          |
| 174.190500     | 21.10          | -21.2     | 42.30         | Vertical | 43.50          |
| 324.298000     | 14.21          | -15.3     | 29.51         | Vertical | 46.00          |
| 897.471000     | 18.21          | -3.2      | 21.41         | Vertical | 46.00          |

For 802.11ax(HE20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.037000      | 14.15          | -20.9     | 35.05         | Vertical | 40.00          |
| 78.403000      | 19.54          | -24.0     | 43.54         | Vertical | 40.00          |
| 172.396000     | 16.83          | -21.3     | 38.13         | Vertical | 43.50          |
| 188.304000     | 20.39          | -19.7     | 40.09         | Vertical | 43.50          |
| 329.245000     | 10.52          | -15.0     | 25.52         | Vertical | 46.00          |
| 935.640500     | 18.90          | -3.0      | 21.90         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.887000      | 20.90          | -19.7     | 40.60         | Vertical | 40.00          |
| 86.066000      | 26.04          | -22.6     | 48.64         | Vertical | 40.00          |
| 135.536000     | 25.52          | -22.2     | 47.72         | Vertical | 43.50          |
| 193.687500     | 22.80          | -19.1     | 41.90         | Vertical | 43.50          |
| 545.167000     | 13.59          | -9.9      | 23.49         | Vertical | 46.00          |
| 923.273000     | 19.22          | -3.1      | 22.32         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.857000      | 20.48          | -19.4     | 39.88         | Vertical | 40.00          |
| 84.417000      | 25.66          | -23.2     | 48.86         | Vertical | 40.00          |
| 137.039500     | 25.19          | -22.2     | 47.39         | Vertical | 43.50          |
| 191.408000     | 21.93          | -19.4     | 41.33         | Vertical | 43.50          |
| 518.686000     | 13.40          | -10.3     | 23.70         | Vertical | 46.00          |
| 928.268500     | 19.29          | -3.0      | 22.29         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 38.002500      | 19.72          | -19.3     | 39.02         | Vertical | 40.00          |
| 83.738000      | 25.34          | -23.4     | 48.74         | Vertical | 40.00          |
| 135.342000     | 25.31          | -22.2     | 47.51         | Vertical | 43.50          |
| 190.486500     | 21.73          | -19.5     | 41.23         | Vertical | 43.50          |
| 513.254000     | 13.44          | -10.4     | 23.84         | Vertical | 46.00          |
| 944.758500     | 19.21          | -3.1      | 22.31         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.940000      | 19.20          | -20.9     | 40.10         | Vertical | 40.00          |
| 84.174500      | 25.60          | -23.3     | 48.90         | Vertical | 40.00          |
| 135.196500     | 25.14          | -22.2     | 47.34         | Vertical | 43.50          |
| 190.050000     | 21.93          | -19.5     | 41.43         | Vertical | 43.50          |
| 531.490000     | 13.35          | -10.1     | 23.45         | Vertical | 46.00          |
| 931.954500     | 19.26          | -3.0      | 22.26         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 32.328000      | 19.18          | -20.9     | 40.08         | Vertical | 40.00          |
| 84.029000      | 25.42          | -23.3     | 48.72         | Vertical | 40.00          |
| 136.360500     | 24.66          | -22.2     | 46.86         | Vertical | 43.50          |
| 189.177000     | 21.36          | -19.6     | 40.96         | Vertical | 43.50          |
| 514.272500     | 13.09          | -10.4     | 23.49         | Vertical | 46.00          |
| 958.096000     | 19.22          | -2.9      | 22.12         | Vertical | 46.00          |

For 802.11ax(HE40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.092500      | 20.09          | -20.4     | 40.49         | Vertical | 40.00          |
| 85.726500      | 25.12          | -22.8     | 47.92         | Vertical | 40.00          |
| 134.857000     | 24.08          | -22.2     | 46.28         | Vertical | 43.50          |
| 197.034000     | 20.97          | -18.8     | 39.77         | Vertical | 43.50          |
| 482.796000     | 12.15          | -11.2     | 23.35         | Vertical | 46.00          |
| 938.890000     | 19.25          | -3.0      | 22.25         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:155

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 33.055500      | 18.22          | -20.8     | 39.02         | Vertical | 40.00          |
| 83.786500      | 23.97          | -23.4     | 47.37         | Vertical | 40.00          |
| 140.337500     | 22.32          | -22.3     | 44.62         | Vertical | 43.50          |
| 194.463500     | 20.60          | -19.1     | 39.70         | Vertical | 43.50          |
| 509.131500     | 12.64          | -10.4     | 23.04         | Vertical | 46.00          |
| 953.779500     | 18.81          | -3.0      | 21.81         | Vertical | 46.00          |

For 802.11aX(HE80) Channel No.:155

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.032500      | 18.01          | -19.7     | 37.71         | Vertical | 40.00          |
| 82.865000      | 23.77          | -23.6     | 47.37         | Vertical | 40.00          |
| 135.099500     | 22.42          | -22.2     | 44.62         | Vertical | 43.50          |
| 194.318000     | 20.04          | -19.1     | 39.14         | Vertical | 43.50          |
| 555.643000     | 13.10          | -9.6      | 22.70         | Vertical | 46.00          |
| 959.842000     | 18.94          | -2.8      | 21.74         | Vertical | 46.00          |

For 802.11ac(VHT160) Channel No.:50

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.566000      | 17.78          | -19.5     | 37.28         | Vertical | 40.00          |
| 83.156000      | 21.13          | -23.5     | 44.63         | Vertical | 40.00          |
| 135.002500     | 20.04          | -22.2     | 42.24         | Vertical | 43.50          |
| 185.394000     | 16.31          | -20.0     | 36.31         | Vertical | 43.50          |
| 554.770000     | 13.09          | -9.7      | 22.79         | Vertical | 46.00          |
| 939.181000     | 18.90          | -3.0      | 21.90         | Vertical | 46.00          |

For 802.11aX(HE160) Channel No.:50

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.566000      | 15.39          | -19.5     | 34.89         | Vertical | 40.00          |
| 80.634000      | 22.69          | -24.1     | 46.79         | Vertical | 40.00          |
| 131.947000     | 20.84          | -22.1     | 42.94         | Vertical | 43.50          |
| 200.041000     | 20.52          | -18.5     | 39.02         | Vertical | 43.50          |
| 556.564500     | 13.04          | -9.6      | 22.64         | Vertical | 46.00          |
| 925.358500     | 18.95          | -3.1      | 22.05         | Vertical | 46.00          |


For 802.11ac(VHT160) Channel No.:114

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.517500      | 14.89          | -19.5     | 34.39         | Vertical | 40.00          |
| 77.433000      | 21.47          | -23.8     | 45.27         | Vertical | 40.00          |
| 132.092500     | 18.69          | -22.1     | 40.79         | Vertical | 43.50          |
| 199.992500     | 20.47          | -18.5     | 38.97         | Vertical | 43.50          |
| 521.741500     | 12.89          | -10.3     | 23.19         | Vertical | 46.00          |
| 920.508500     | 18.63          | -3.1      | 21.73         | Vertical | 46.00          |


For 802.11aX(HE160) Channel No.:114

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 31.212500      | 16.85          | -21.0     | 37.85         | Vertical | 40.00          |
| 77.869500      | 21.73          | -23.9     | 45.63         | Vertical | 40.00          |
| 134.566000     | 17.86          | -22.2     | 40.06         | Vertical | 43.50          |
| 200.720000     | 16.31          | -18.4     | 34.71         | Vertical | 43.50          |
| 539.880500     | 13.04          | -9.9      | 22.94         | Vertical | 46.00          |
| 950.966500     | 18.76          | -3.0      | 21.76         | Vertical | 46.00          |

Carrier frequency (MHz): 5180  
Channel No.:36




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 5200  
Channel No.:40




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 5240  
Channel No.:48




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



- ◆ Preview Result 2-AVG
- ◆ Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- ◆ AV54


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5190  
Channel No.:38




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE40)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 5230  
Channel No.:46




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- ◆ Final\_Result AVG
- \* Critical\_Freqs AVG
- AV54
- ◆ Final\_Result PK+


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE40)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE40)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 5210  
Channel No.:42




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT80)




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE80)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE80)

Carrier frequency (MHz): 5260  
Channel No.:52




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- PK.74
- AV54
- \* Critical\_Freqs PK+
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG  
Critical\_Freqs PK+  
Final\_Result PK+

Preview Result 1-PK+  
PK.74  
Final\_Result AVG

Critical\_Freqs AVG  
AV54

Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG  
Critical\_Freqs PK+  
Final\_Result PK+

Preview Result 1-PK+  
PK.74  
Final\_Result AVG

Critical\_Freqs AVG  
AV54


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



|  |                      |  |                      |  |                    |
|--|----------------------|--|----------------------|--|--------------------|
|  | Preview Result 2-AVG |  | Preview Result 1-PK+ |  | Critical_Freqs AVG |
|  | Critical_Freqs PK+   |  | PK.74                |  | AV54               |
|  | Final_Result PK+     |  | Final_Result AVG     |  |                    |


Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 5300  
Channel No.:60




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK+     ◆ Final\_Result AVG  
◆ Final\_Result AVG     ◆ Final\_Result AVG     ◆ Final\_Result AVG


Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



|  |                      |  |                      |  |                    |
|--|----------------------|--|----------------------|--|--------------------|
|  | Preview Result 2-AVG |  | Preview Result 1-PK+ |  | Critical_Freqs AVG |
|  | Critical_Freqs PK+   |  | PK.74                |  | AV54               |
|  | Final_Result PK+     |  | Final_Result AVG     |  |                    |


Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- ♦ Final\_Result PK+
- AV54

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 5320  
 Channel No.:64




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG    
 — Preview Result 1-PK+    
 \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+    
— PK.74    
— AV54  
◆ Final\_Result PK+    
◆ Final\_Result AVG


Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 3GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- \* Final\_Result PK+
- ♦ Final\_Result AVG


Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ax(HE20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE20)


Full Spectrum




|  |                      |  |                      |  |                    |
|--|----------------------|--|----------------------|--|--------------------|
|  | Preview Result 2-AVG |  | Preview Result 1-PK+ |  | Critical_Freqs AVG |
|  | Critical_Freqs PK+   |  | PK.74                |  | AV54               |
|  | Final_Result PK+     |  | Final_Result AVG     |  |                    |

Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ax(HE20)

Carrier frequency (MHz): 5270  
 Channel No.:54



Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)



Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)