

## **APPENDIX B – TEST DATA OF RADIATED EMISSION**

### **Radiated Emission Band Edge**

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (93.25 dBuV/m) = (45.45 dBμV) + (12.4 dB) + (34.4 dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 93.25                  | 45.45                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 47.66                  | -0.14                | -20.54          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 91.19                  | 43.39                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 45.80                  | -2.00                | -22.40          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 84.96                  | 37.16                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.56                  | -11.24               | -17.44          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 81.28                  | 33.48                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 35.66                  | -12.14               | -18.34          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 83.74                  | 35.74                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 46.89                  | -1.11                | -21.31          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 80.09                  | 32.09                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 45.31                  | -2.69                | -22.89          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 76.26                  | 28.26                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 37.95                  | -10.05               | -16.05          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 73.74                  | 25.74                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 36.54                  | -11.46               | -17.46          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 93.31                  | 45.51                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 46.45                  | -1.35                | -21.75          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 88.87                  | 41.07                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 45.80                  | -2.00                | -22.40          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 84.51                  | 36.71                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.50                  | -11.30               | -17.50          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 81.42                  | 33.62                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 35.34                  | -12.46               | -18.66          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 82.54                  | 34.54                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 46.45                  | -1.55                | -21.75          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 78.60                  | 30.60                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 44.86                  | -3.14                | -23.34          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 76.56                  | 28.56                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 36.92                  | -11.08               | -17.08          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 71.98                  | 23.98                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 36.44                  | -11.56               | -17.56          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
Channel No.:36  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 93.53                  | 45.73                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 46.36                  | -1.44                | -21.84          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180  
Channel No.:36  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 89.91                  | 42.11                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 44.57                  | -3.23                | -23.63          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 84.67                  | 36.87                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.00                  | -11.80               | -18.00          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5180            | 80.52                  | 32.72                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 35.54                  | -12.26               | -18.46          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 83.74                  | 35.74                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 47.29                  | -0.71                | -20.91          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 81.45                  | 33.45                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 45.32                  | -2.68                | -22.88          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 77.73                  | 29.73                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 37.47                  | -10.53               | -16.53          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5320            | 73.59                  | 25.59                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5340            | 37.20                  | -10.80               | -16.80          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 89.40                  | 41.60                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 47.09                  | -0.71                | -21.11          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 85.55                  | 37.75                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 46.82                  | -0.98                | -21.38          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 81.41                  | 33.61                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.76                  | -11.04               | -17.24          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 76.61                  | 28.81                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.66                  | -11.14               | -17.34          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 83.46                  | 35.46                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 47.65                  | -0.35                | -20.55          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 78.98                  | 30.98                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 46.12                  | -1.88                | -22.08          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 75.00                  | 27.00                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 36.47                  | -11.53               | -17.53          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 70.82                  | 22.82                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 35.79                  | -12.21               | -18.21          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 89.51                  | 41.71                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 47.90                  | 0.10                 | -20.30          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 86.61                  | 38.81                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 47.65                  | -0.15                | -20.55          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 82.34                  | 34.54                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.79                  | -11.01               | -17.21          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5190            | 79.53                  | 31.73                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 34.86                  | -12.94               | -19.14          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 83.62                  | 35.62                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 47.73                  | -0.27                | -20.47          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 80.16                  | 32.16                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 46.71                  | -1.29                | -21.49          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 74.28                  | 26.28                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 37.75                  | -10.25               | -16.25          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5310            | 72.20                  | 24.20                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5350            | 36.64                  | -11.36               | -17.36          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 89.80                  | 42.00                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 47.64                  | -0.16                | -20.56          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 86.80                  | 39.00                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 45.69                  | -2.11                | -22.51          | 68.20          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 80.69                  | 32.89                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 36.91                  | -10.89               | -17.09          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5210            | 76.02                  | 28.22                | N/A             | N/A            | 12.40           | 35.40               |
| 2  | 5150            | 35.16                  | -12.64               | -18.84          | 54.00          | 12.40           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 82.37                  | 34.37                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 46.32                  | -1.68                | -21.88          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 79.19                  | 31.19                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 45.95                  | -2.05                | -22.25          | 68.20          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 73.15                  | 25.15                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 37.47                  | -10.53               | -16.53          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5290            | 68.24                  | 20.24                | N/A             | N/A            | 12.60           | 35.40               |
| 2  | 5210            | 35.52                  | -12.48               | -18.48          | 54.00          | 12.60           | 35.40               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 86.92                  | 39.62                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 47.89                  | 0.59                 | -20.31          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 82.74                  | 35.44                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 46.48                  | -0.82                | -21.72          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 78.32                  | 31.02                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 37.38                  | -9.92                | -16.62          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 76.09                  | 28.79                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 36.56                  | -10.74               | -17.44          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 86.78                  | 39.18                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 47.45                  | -0.15                | -20.75          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 82.11                  | 34.51                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 46.40                  | -1.20                | -21.80          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 79.14                  | 31.54                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 37.06                  | -10.54               | -16.94          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 74.27                  | 26.67                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 36.74                  | -10.86               | -17.26          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 86.58                  | 39.28                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 46.35                  | -0.95                | -21.85          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 83.27                  | 35.97                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 45.07                  | -2.23                | -23.13          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 78.36                  | 31.06                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 37.87                  | -9.43                | -16.13          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 74.65                  | 27.35                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 37.82                  | -9.48                | -16.18          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 87.45                  | 39.85                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 47.89                  | 0.29                 | -20.31          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 83.59                  | 35.99                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 46.65                  | -0.95                | -21.55          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 78.10                  | 30.50                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 37.53                  | -10.07               | -16.47          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 75.83                  | 28.23                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 37.46                  | -10.14               | -16.54          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 86.96                  | 39.66                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 46.57                  | -0.73                | -21.63          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 82.57                  | 35.27                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 45.40                  | -1.90                | -22.80          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 79.50                  | 32.20                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 37.22                  | -10.08               | -16.78          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5500            | 75.46                  | 28.16                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5480            | 36.89                  | -10.41               | -17.11          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 87.14                  | 39.54                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 46.31                  | -1.29                | -21.89          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 84.10                  | 36.50                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 45.30                  | -2.30                | -22.90          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 78.06                  | 30.46                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 37.12                  | -10.48               | -16.88          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5825            | 74.11                  | 26.51                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5845            | 35.88                  | -11.72               | -18.12          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 88.75                  | 41.45                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 46.48                  | -0.82                | -21.72          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 85.38                  | 38.08                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 44.70                  | -2.60                | -23.50          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 79.42                  | 32.12                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 37.15                  | -10.15               | -16.85          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 75.93                  | 28.63                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 36.79                  | -10.51               | -17.21          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 85.55                  | 37.95                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 46.21                  | -1.39                | -21.99          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 81.31                  | 33.71                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 45.43                  | -2.17                | -22.77          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 77.91                  | 30.31                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 37.84                  | -9.76                | -16.16          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 74.61                  | 27.01                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 36.38                  | -11.22               | -17.62          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 88.50                  | 41.20                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 47.57                  | 0.27                 | -20.63          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 86.05                  | 38.75                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 45.91                  | -1.39                | -22.29          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 80.36                  | 33.06                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 37.95                  | -9.35                | -16.05          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5510            | 76.06                  | 28.76                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5470            | 37.69                  | -9.61                | -16.31          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 85.05                  | 37.45                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 47.64                  | 0.04                 | -20.56          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 81.61                  | 34.01                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 47.43                  | -0.17                | -20.77          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 79.00                  | 31.40                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 37.01                  | -10.59               | -16.99          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5795            | 75.59                  | 27.99                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5835            | 35.45                  | -12.15               | -18.55          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 85.53                  | 38.23                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 47.93                  | 0.63                 | -20.27          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 81.98                  | 34.68                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 47.38                  | 0.08                 | -20.82          | 68.20          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 79.23                  | 31.93                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 37.12                  | -10.18               | -16.88          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5530            | 75.47                  | 28.17                | N/A             | N/A            | 12.70           | 34.60               |
| 2  | 5450            | 35.65                  | -11.65               | -18.35          | 54.00          | 12.70           | 34.60               |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 83.61                  | 36.01                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 46.42                  | -1.18                | -21.78          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak


| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 80.77                  | 33.17                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 46.16                  | -1.44                | -22.04          | 68.20          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 76.27                  | 28.67                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 36.76                  | -10.84               | -17.24          | 54.00          | 12.90           | 34.70               |

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

| No | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | cable loss (dB) | antenna factor (dB) |
|----|-----------------|------------------------|----------------------|-----------------|----------------|-----------------|---------------------|
| 1  | 5775            | 72.72                  | 25.12                | N/A             | N/A            | 12.90           | 34.70               |
| 2  | 5695            | 35.57                  | -12.03               | -18.43          | 54.00          | 12.90           | 34.70               |



Radiated Emission Band Edge for 5180MHz

### Sample Calculations

#### Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(20.73 \text{ dB}\mu\text{V/m}) = (40.63 \text{ dB}\mu\text{V}) + (-19.9 \text{ dB/m})$ , the corresponding frequency is 35.092500MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.092500      | 20.73          | -19.9     | 40.63         | Vertical | 40.00          |
| 82.477000      | 25.92          | -23.7     | 49.62         | Vertical | 40.00          |
| 130.443500     | 24.08          | -22.4     | 46.48         | Vertical | 43.50          |
| 186.170000     | 21.15          | -20.1     | 41.25         | Vertical | 43.50          |
| 328.857000     | 17.32          | -15.1     | 32.42         | Vertical | 46.00          |
| 907.413500     | 18.47          | -3.2      | 21.67         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.499000      | 20.07          | -19.5     | 39.57         | Vertical | 40.00          |
| 82.574000      | 25.78          | -23.6     | 49.38         | Vertical | 40.00          |
| 129.182500     | 24.21          | -22.3     | 46.51         | Vertical | 43.50          |
| 188.110000     | 21.50          | -19.9     | 41.40         | Vertical | 43.50          |
| 324.831500     | 16.73          | -15.3     | 32.03         | Vertical | 46.00          |
| 933.458000     | 19.13          | -2.9      | 22.03         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:36

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.626000      | 20.13          | -19.8     | 39.93         | Vertical | 40.00          |
| 69.964000      | 25.39          | -22.1     | 47.49         | Vertical | 40.00          |
| 129.958500     | 24.05          | -22.3     | 46.35         | Vertical | 43.50          |
| 185.151500     | 20.67          | -20.3     | 40.97         | Vertical | 43.50          |
| 325.656000     | 17.24          | -15.2     | 32.44         | Vertical | 46.00          |
| 902.709000     | 18.33          | -3.2      | 21.53         | Vertical | 46.00          |

For 802.11a Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.727500      | 19.10          | -21.1     | 40.20         | Vertical | 40.00          |
| 70.497500      | 25.66          | -22.2     | 47.86         | Vertical | 40.00          |
| 129.037000     | 24.17          | -22.2     | 46.37         | Vertical | 43.50          |
| 184.181500     | 20.68          | -20.4     | 41.08         | Vertical | 43.50          |
| 324.152500     | 16.92          | -15.3     | 32.22         | Vertical | 46.00          |
| 919.732500     | 18.74          | -3.0      | 21.74         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.462000      | 19.71          | -20.1     | 39.81         | Vertical | 40.00          |
| 69.236500      | 25.35          | -21.9     | 47.25         | Vertical | 40.00          |
| 130.055500     | 24.08          | -22.3     | 46.38         | Vertical | 43.50          |
| 186.364000     | 20.30          | -20.1     | 40.40         | Vertical | 43.50          |
| 322.455000     | 16.47          | -15.3     | 31.77         | Vertical | 46.00          |
| 881.999500     | 17.77          | -3.6      | 21.37         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:44

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 37.711500      | 18.09          | -19.2     | 37.29         | Vertical | 40.00          |
| 70.740000      | 25.59          | -22.3     | 47.89         | Vertical | 40.00          |
| 131.025500     | 23.54          | -22.4     | 45.94         | Vertical | 43.50          |
| 191.990000     | 18.09          | -19.5     | 37.59         | Vertical | 43.50          |
| 322.212500     | 16.64          | -15.3     | 31.94         | Vertical | 46.00          |
| 958.290000     | 19.19          | -2.6      | 21.79         | Vertical | 46.00          |

For 802.11a Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.268000      | 19.00          | -20.1     | 39.10         | Vertical | 40.00          |
| 69.964000      | 25.72          | -22.1     | 47.82         | Vertical | 40.00          |
| 128.358000     | 24.21          | -22.2     | 46.41         | Vertical | 43.50          |
| 183.211500     | 20.43          | -20.6     | 41.03         | Vertical | 43.50          |
| 322.212500     | 16.57          | -15.3     | 31.87         | Vertical | 46.00          |
| 899.314000     | 18.26          | -3.3      | 21.56         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.704500      | 20.17          | -20.0     | 40.17         | Vertical | 40.00          |
| 70.449000      | 25.94          | -22.2     | 48.14         | Vertical | 40.00          |
| 127.824500     | 23.51          | -22.1     | 45.61         | Vertical | 43.50          |
| 183.696500     | 20.80          | -20.5     | 41.30         | Vertical | 43.50          |
| 321.388000     | 16.69          | -15.4     | 32.09         | Vertical | 46.00          |
| 951.112000     | 19.06          | -2.7      | 21.76         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:48

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.965500      | 19.54          | -19.7     | 39.24         | Vertical | 40.00          |
| 70.546000      | 25.91          | -22.2     | 48.11         | Vertical | 40.00          |
| 130.589000     | 23.92          | -22.4     | 46.32         | Vertical | 43.50          |
| 181.611000     | 20.11          | -20.8     | 40.91         | Vertical | 43.50          |
| 323.425000     | 15.69          | -15.3     | 30.99         | Vertical | 46.00          |
| 916.968000     | 18.67          | -3.0      | 21.67         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.630500      | 18.40          | -21.1     | 39.50         | Vertical | 40.00          |
| 70.352000      | 25.88          | -22.2     | 48.08         | Vertical | 40.00          |
| 128.843000     | 24.08          | -22.2     | 46.28         | Vertical | 43.50          |
| 183.890500     | 20.72          | -20.5     | 41.22         | Vertical | 43.50          |
| 319.884500     | 16.48          | -15.4     | 31.88         | Vertical | 46.00          |
| 914.640000     | 18.68          | -3.1      | 21.78         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:38

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.189500      | 20.69          | -19.9     | 40.59         | Vertical | 40.00          |
| 70.594500      | 25.82          | -22.2     | 48.02         | Vertical | 40.00          |
| 128.794500     | 24.05          | -22.2     | 46.25         | Vertical | 43.50          |
| 182.047500     | 20.29          | -20.7     | 40.99         | Vertical | 43.50          |
| 320.612000     | 16.55          | -15.4     | 31.95         | Vertical | 46.00          |
| 945.825500     | 19.08          | -2.8      | 21.88         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 51.825000      | 18.30          | -17.8     | 36.10         | Vertical | 40.00          |
| 70.061000      | 25.77          | -22.1     | 47.87         | Vertical | 40.00          |
| 128.891500     | 23.99          | -22.2     | 46.19         | Vertical | 43.50          |
| 184.375500     | 20.15          | -20.4     | 40.55         | Vertical | 43.50          |
| 322.164000     | 16.29          | -15.4     | 31.69         | Vertical | 46.00          |
| 888.062000     | 17.94          | -3.5      | 21.44         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:46

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.432000      | 20.15          | -19.8     | 39.95         | Vertical | 40.00          |
| 70.012500      | 25.74          | -22.1     | 47.84         | Vertical | 40.00          |
| 129.667500     | 23.63          | -22.3     | 45.93         | Vertical | 43.50          |
| 183.648000     | 20.58          | -20.5     | 41.08         | Vertical | 43.50          |
| 319.496500     | 16.49          | -15.4     | 31.89         | Vertical | 46.00          |
| 854.354500     | 17.37          | -4.1      | 21.47         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:42

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.723000      | 19.45          | -19.7     | 39.15         | Vertical | 40.00          |
| 69.382000      | 25.76          | -21.9     | 47.66         | Vertical | 40.00          |
| 130.007000     | 23.77          | -22.3     | 46.07         | Vertical | 43.50          |
| 182.532500     | 20.18          | -20.7     | 40.88         | Vertical | 43.50          |
| 319.496500     | 16.54          | -15.4     | 31.94         | Vertical | 46.00          |
| 891.845000     | 18.03          | -3.5      | 21.53         | Vertical | 46.00          |

For 802.11a Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.159500      | 19.07          | -19.6     | 38.67         | Vertical | 40.00          |
| 69.770000      | 25.79          | -22.0     | 47.79         | Vertical | 40.00          |
| 128.309500     | 23.85          | -22.2     | 46.05         | Vertical | 43.50          |
| 181.999000     | 20.44          | -20.8     | 41.24         | Vertical | 43.50          |
| 321.388000     | 16.30          | -15.4     | 31.70         | Vertical | 46.00          |
| 898.974500     | 18.26          | -3.3      | 21.56         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.995500      | 20.43          | -19.9     | 40.33         | Vertical | 40.00          |
| 69.382000      | 25.84          | -21.9     | 47.74         | Vertical | 40.00          |
| 128.358000     | 23.89          | -22.2     | 46.09         | Vertical | 43.50          |
| 182.241500     | 20.47          | -20.7     | 41.17         | Vertical | 43.50          |
| 320.078500     | 16.66          | -15.4     | 32.06         | Vertical | 46.00          |
| 917.356000     | 18.70          | -3.0      | 21.70         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:52

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.547500      | 18.93          | -19.5     | 38.43         | Vertical | 40.00          |
| 70.352000      | 25.89          | -22.2     | 48.09         | Vertical | 40.00          |
| 129.037000     | 24.07          | -22.2     | 46.27         | Vertical | 43.50          |
| 181.659500     | 20.07          | -20.8     | 40.87         | Vertical | 43.50          |
| 319.205500     | 16.53          | -15.5     | 32.03         | Vertical | 46.00          |
| 948.250500     | 19.10          | -2.8      | 21.90         | Vertical | 46.00          |

For 802.11a Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.995500      | 20.41          | -19.9     | 40.31         | Vertical | 40.00          |
| 69.333500      | 25.84          | -21.9     | 47.74         | Vertical | 40.00          |
| 129.279500     | 23.90          | -22.3     | 46.20         | Vertical | 43.50          |
| 180.641000     | 19.82          | -20.9     | 40.72         | Vertical | 43.50          |
| 319.011500     | 16.46          | -15.5     | 31.96         | Vertical | 46.00          |
| 945.146500     | 19.07          | -2.8      | 21.87         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.679000      | 18.09          | -21.1     | 39.19         | Vertical | 40.00          |
| 69.624500      | 25.90          | -22.0     | 47.90         | Vertical | 40.00          |
| 128.649000     | 24.05          | -22.2     | 46.25         | Vertical | 43.50          |
| 182.338500     | 20.59          | -20.7     | 41.29         | Vertical | 43.50          |
| 319.981500     | 16.60          | -15.4     | 32.00         | Vertical | 46.00          |
| 924.388500     | 18.74          | -3.0      | 21.74         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:60

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.335000      | 20.18          | -19.8     | 39.98         | Vertical | 40.00          |
| 70.691500      | 25.65          | -22.3     | 47.95         | Vertical | 40.00          |
| 129.231000     | 23.95          | -22.3     | 46.25         | Vertical | 43.50          |
| 180.689500     | 19.24          | -20.9     | 40.14         | Vertical | 43.50          |
| 319.642000     | 16.67          | -15.4     | 32.07         | Vertical | 46.00          |
| 901.545000     | 18.29          | -3.2      | 21.49         | Vertical | 46.00          |

For 802.11a Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.850000      | 20.13          | -20.0     | 40.13         | Vertical | 40.00          |
| 70.497500      | 25.82          | -22.2     | 48.02         | Vertical | 40.00          |
| 128.988500     | 24.11          | -22.2     | 46.31         | Vertical | 43.50          |
| 180.350000     | 19.96          | -21.0     | 40.96         | Vertical | 43.50          |
| 319.836000     | 16.51          | -15.4     | 31.91         | Vertical | 46.00          |
| 931.906000     | 19.01          | -2.9      | 21.91         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.044000      | 20.55          | -19.9     | 40.45         | Vertical | 40.00          |
| 69.576000      | 25.88          | -22.0     | 47.88         | Vertical | 40.00          |
| 128.794500     | 24.02          | -22.2     | 46.22         | Vertical | 43.50          |
| 182.823500     | 20.15          | -20.6     | 40.75         | Vertical | 43.50          |
| 319.496500     | 16.63          | -15.4     | 32.03         | Vertical | 46.00          |
| 927.153000     | 19.06          | -2.9      | 21.96         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:64

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.850000      | 20.20          | -20.0     | 40.20         | Vertical | 40.00          |
| 69.333500      | 25.87          | -21.9     | 47.77         | Vertical | 40.00          |
| 129.813000     | 23.48          | -22.3     | 45.78         | Vertical | 43.50          |
| 181.708000     | 19.90          | -20.8     | 40.70         | Vertical | 43.50          |
| 318.769000     | 16.59          | -15.5     | 32.09         | Vertical | 46.00          |
| 890.293000     | 17.97          | -3.5      | 21.47         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.383500      | 20.03          | -19.8     | 39.83         | Vertical | 40.00          |
| 69.285000      | 25.88          | -21.9     | 47.78         | Vertical | 40.00          |
| 128.697500     | 24.01          | -22.2     | 46.21         | Vertical | 43.50          |
| 183.939000     | 20.12          | -20.5     | 40.62         | Vertical | 43.50          |
| 320.709000     | 16.09          | -15.4     | 31.49         | Vertical | 46.00          |
| 936.319500     | 19.21          | -2.8      | 22.01         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:54

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.533500      | 18.01          | -21.1     | 39.11         | Vertical | 40.00          |
| 69.721500      | 25.86          | -22.0     | 47.86         | Vertical | 40.00          |
| 128.794500     | 23.96          | -22.2     | 46.16         | Vertical | 43.50          |
| 180.059000     | 19.03          | -21.0     | 40.03         | Vertical | 43.50          |
| 318.672000     | 16.53          | -15.5     | 32.03         | Vertical | 46.00          |
| 928.268500     | 19.02          | -2.9      | 21.92         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.141000      | 20.64          | -19.9     | 40.54         | Vertical | 40.00          |
| 70.206500      | 25.81          | -22.2     | 48.01         | Vertical | 40.00          |
| 128.600500     | 23.89          | -22.2     | 46.09         | Vertical | 43.50          |
| 180.786500     | 20.12          | -20.9     | 41.02         | Vertical | 43.50          |
| 320.466500     | 16.25          | -15.4     | 31.65         | Vertical | 46.00          |
| 938.987000     | 19.11          | -2.8      | 21.91         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:62

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.485000      | 18.09          | -21.1     | 39.19         | Vertical | 40.00          |
| 70.643000      | 25.66          | -22.3     | 47.96         | Vertical | 40.00          |
| 128.455000     | 23.71          | -22.2     | 45.91         | Vertical | 43.50          |
| 182.193000     | 20.52          | -20.7     | 41.22         | Vertical | 43.50          |
| 321.000000     | 15.83          | -15.4     | 31.23         | Vertical | 46.00          |
| 934.428000     | 19.15          | -2.8      | 21.95         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:58

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.383500      | 19.97          | -19.8     | 39.77         | Vertical | 40.00          |
| 70.012500      | 25.75          | -22.1     | 47.85         | Vertical | 40.00          |
| 129.085500     | 24.01          | -22.3     | 46.31         | Vertical | 43.50          |
| 181.999000     | 20.21          | -20.8     | 41.01         | Vertical | 43.50          |
| 320.272500     | 16.34          | -15.4     | 31.74         | Vertical | 46.00          |
| 958.775000     | 19.10          | -2.6      | 21.70         | Vertical | 46.00          |

For 802.11a Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.208000      | 18.91          | -19.6     | 38.51         | Vertical | 40.00          |
| 69.770000      | 25.83          | -22.0     | 47.83         | Vertical | 40.00          |
| 129.473500     | 23.72          | -22.3     | 46.02         | Vertical | 43.50          |
| 182.872000     | 20.32          | -20.6     | 40.92         | Vertical | 43.50          |
| 319.836000     | 16.60          | -15.4     | 32.00         | Vertical | 46.00          |
| 939.423500     | 19.22          | -2.8      | 22.02         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 36.499000      | 18.72          | -19.5     | 38.22         | Vertical | 40.00          |
| 69.527500      | 25.89          | -22.0     | 47.89         | Vertical | 40.00          |
| 128.940000     | 23.90          | -22.2     | 46.10         | Vertical | 43.50          |
| 184.521000     | 19.97          | -20.4     | 40.37         | Vertical | 43.50          |
| 319.545000     | 16.66          | -15.4     | 32.06         | Vertical | 46.00          |
| 956.932000     | 19.27          | -2.6      | 21.87         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:100

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.000000      | 18.26          | -21.3     | 39.56         | Vertical | 40.00          |
| 69.673000      | 25.84          | -22.0     | 47.84         | Vertical | 40.00          |
| 128.843000     | 23.89          | -22.2     | 46.09         | Vertical | 43.50          |
| 184.230000     | 20.08          | -20.4     | 40.48         | Vertical | 43.50          |
| 320.806000     | 16.34          | -15.4     | 31.74         | Vertical | 46.00          |
| 945.292000     | 19.13          | -2.8      | 21.93         | Vertical | 46.00          |

For 802.11a Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.704500      | 20.00          | -20.0     | 40.00         | Vertical | 40.00          |
| 69.285000      | 25.77          | -21.9     | 47.67         | Vertical | 40.00          |
| 129.376500     | 23.81          | -22.3     | 46.11         | Vertical | 43.50          |
| 180.447000     | 19.67          | -21.0     | 40.67         | Vertical | 43.50          |
| 319.690500     | 16.65          | -15.4     | 32.05         | Vertical | 46.00          |
| 885.394500     | 17.85          | -3.5      | 21.35         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.286500      | 20.23          | -19.8     | 40.03         | Vertical | 40.00          |
| 70.497500      | 25.63          | -22.2     | 47.83         | Vertical | 40.00          |
| 129.231000     | 23.93          | -22.3     | 46.23         | Vertical | 43.50          |
| 182.338500     | 20.51          | -20.7     | 41.21         | Vertical | 43.50          |
| 319.593500     | 16.64          | -15.4     | 32.04         | Vertical | 46.00          |
| 949.560000     | 19.12          | -2.7      | 21.82         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:120

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.917000      | 19.01          | -19.7     | 38.71         | Vertical | 40.00          |
| 69.527500      | 25.89          | -22.0     | 47.89         | Vertical | 40.00          |
| 128.940000     | 23.90          | -22.2     | 46.10         | Vertical | 43.50          |
| 182.241500     | 20.25          | -20.7     | 40.95         | Vertical | 43.50          |
| 319.205500     | 16.65          | -15.5     | 32.15         | Vertical | 46.00          |
| 925.213000     | 18.95          | -3.0      | 21.95         | Vertical | 46.00          |

For 802.11a Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.753000      | 19.89          | -20.0     | 39.89         | Vertical | 40.00          |
| 69.624500      | 25.83          | -22.0     | 47.83         | Vertical | 40.00          |
| 128.649000     | 23.56          | -22.2     | 45.76         | Vertical | 43.50          |
| 180.253000     | 18.90          | -21.0     | 39.90         | Vertical | 43.50          |
| 319.739000     | 16.66          | -15.4     | 32.06         | Vertical | 46.00          |
| 937.920000     | 19.05          | -2.8      | 21.85         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.044000      | 20.36          | -19.9     | 40.26         | Vertical | 40.00          |
| 69.576000      | 25.78          | -22.0     | 47.78         | Vertical | 40.00          |
| 129.037000     | 23.82          | -22.2     | 46.02         | Vertical | 43.50          |
| 179.089000     | 18.07          | -21.1     | 39.17         | Vertical | 43.50          |
| 318.138500     | 15.95          | -15.5     | 31.45         | Vertical | 46.00          |
| 933.506500     | 19.05          | -2.9      | 21.95         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:144

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.753000      | 19.84          | -20.0     | 39.84         | Vertical | 40.00          |
| 70.012500      | 25.63          | -22.1     | 47.73         | Vertical | 40.00          |
| 129.376500     | 23.76          | -22.3     | 46.06         | Vertical | 43.50          |
| 182.726500     | 20.42          | -20.6     | 41.02         | Vertical | 43.50          |
| 319.496500     | 16.66          | -15.4     | 32.06         | Vertical | 46.00          |
| 887.334500     | 17.94          | -3.5      | 21.44         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.263500      | 16.55          | -18.7     | 35.25         | Vertical | 40.00          |
| 69.770000      | 25.80          | -22.0     | 47.80         | Vertical | 40.00          |
| 129.279500     | 23.84          | -22.3     | 46.14         | Vertical | 43.50          |
| 182.823500     | 20.51          | -20.6     | 41.11         | Vertical | 43.50          |
| 319.060000     | 16.57          | -15.5     | 32.07         | Vertical | 46.00          |
| 915.852500     | 18.67          | -3.0      | 21.67         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:102

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.044000      | 20.20          | -19.9     | 40.10         | Vertical | 40.00          |
| 69.721500      | 25.78          | -22.0     | 47.78         | Vertical | 40.00          |
| 128.697500     | 23.53          | -22.2     | 45.73         | Vertical | 43.50          |
| 182.435500     | 20.30          | -20.7     | 41.00         | Vertical | 43.50          |
| 319.642000     | 16.68          | -15.4     | 32.08         | Vertical | 46.00          |
| 918.908000     | 18.70          | -3.0      | 21.70         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 38.924000      | 16.62          | -18.8     | 35.42         | Vertical | 40.00          |
| 69.818500      | 25.75          | -22.0     | 47.75         | Vertical | 40.00          |
| 129.085500     | 23.80          | -22.3     | 46.10         | Vertical | 43.50          |
| 181.077500     | 19.98          | -20.9     | 40.88         | Vertical | 43.50          |
| 320.757500     | 16.26          | -15.4     | 31.66         | Vertical | 46.00          |
| 939.423500     | 19.19          | -2.8      | 21.99         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:118

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.704500      | 20.17          | -20.0     | 40.17         | Vertical | 40.00          |
| 69.236500      | 25.58          | -21.9     | 47.48         | Vertical | 40.00          |
| 127.727500     | 23.14          | -22.1     | 45.24         | Vertical | 43.50          |
| 182.241500     | 20.00          | -20.7     | 40.70         | Vertical | 43.50          |
| 318.817500     | 16.47          | -15.5     | 31.97         | Vertical | 46.00          |
| 916.628500     | 18.72          | -3.0      | 21.72         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.771500      | 18.78          | -19.7     | 38.48         | Vertical | 40.00          |
| 69.721500      | 25.86          | -22.0     | 47.86         | Vertical | 40.00          |
| 128.600500     | 23.36          | -22.2     | 45.56         | Vertical | 43.50          |
| 184.230000     | 19.75          | -20.4     | 40.15         | Vertical | 43.50          |
| 319.302500     | 16.69          | -15.4     | 32.09         | Vertical | 46.00          |
| 941.412000     | 19.13          | -2.8      | 21.93         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:142

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.991000      | 16.07          | -18.5     | 34.57         | Vertical | 40.00          |
| 69.430500      | 25.77          | -21.9     | 47.67         | Vertical | 40.00          |
| 129.376500     | 23.80          | -22.3     | 46.10         | Vertical | 43.50          |
| 183.114500     | 20.39          | -20.6     | 40.99         | Vertical | 43.50          |
| 319.690500     | 16.71          | -15.4     | 32.11         | Vertical | 46.00          |
| 912.457500     | 18.65          | -3.1      | 21.75         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:106

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.189500      | 20.36          | -19.9     | 40.26         | Vertical | 40.00          |
| 69.236500      | 25.60          | -21.9     | 47.50         | Vertical | 40.00          |
| 129.037000     | 23.80          | -22.2     | 46.00         | Vertical | 43.50          |
| 180.932000     | 20.02          | -20.9     | 40.92         | Vertical | 43.50          |
| 319.545000     | 16.68          | -15.4     | 32.08         | Vertical | 46.00          |
| 901.157000     | 18.22          | -3.2      | 21.42         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:122

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 41.252000      | 14.89          | -18.4     | 33.29         | Vertical | 40.00          |
| 70.303500      | 25.63          | -22.2     | 47.83         | Vertical | 40.00          |
| 129.328000     | 23.88          | -22.3     | 46.18         | Vertical | 43.50          |
| 180.883500     | 20.08          | -20.9     | 40.98         | Vertical | 43.50          |
| 319.690500     | 16.64          | -15.4     | 32.04         | Vertical | 46.00          |
| 936.125500     | 19.11          | -2.8      | 21.91         | Vertical | 46.00          |

For 802.11ac(VHT80) Channel No.:138

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.480500      | 19.45          | -19.8     | 39.25         | Vertical | 40.00          |
| 69.673000      | 25.84          | -22.0     | 47.84         | Vertical | 40.00          |
| 129.182500     | 23.78          | -22.3     | 46.08         | Vertical | 43.50          |
| 182.096000     | 19.52          | -20.7     | 40.22         | Vertical | 43.50          |
| 319.739000     | 16.65          | -15.4     | 32.05         | Vertical | 46.00          |
| 946.116500     | 19.09          | -2.8      | 21.89         | Vertical | 46.00          |

For 802.11a Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.238000      | 20.06          | -19.9     | 39.96         | Vertical | 40.00          |
| 70.109500      | 25.64          | -22.1     | 47.74         | Vertical | 40.00          |
| 129.425000     | 23.69          | -22.3     | 45.99         | Vertical | 43.50          |
| 183.648000     | 19.93          | -20.5     | 40.43         | Vertical | 43.50          |
| 320.563500     | 16.35          | -15.4     | 31.75         | Vertical | 46.00          |
| 920.945000     | 18.76          | -3.0      | 21.76         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 30.145500      | 18.30          | -21.2     | 39.50         | Vertical | 40.00          |
| 69.673000      | 25.86          | -22.0     | 47.86         | Vertical | 40.00          |
| 128.891500     | 23.50          | -22.2     | 45.70         | Vertical | 43.50          |
| 181.029000     | 19.99          | -20.9     | 40.89         | Vertical | 43.50          |
| 318.623500     | 16.34          | -15.5     | 31.84         | Vertical | 46.00          |
| 913.912500     | 18.75          | -3.1      | 21.85         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:149

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.529000      | 19.61          | -19.8     | 39.41         | Vertical | 40.00          |
| 69.818500      | 25.85          | -22.0     | 47.85         | Vertical | 40.00          |
| 129.134000     | 23.80          | -22.3     | 46.10         | Vertical | 43.50          |
| 183.696500     | 19.85          | -20.5     | 40.35         | Vertical | 43.50          |
| 318.284000     | 16.30          | -15.5     | 31.80         | Vertical | 46.00          |
| 939.472000     | 19.12          | -2.8      | 21.92         | Vertical | 46.00          |

For 802.11a Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.995500      | 20.20          | -19.9     | 40.10         | Vertical | 40.00          |
| 70.594500      | 25.37          | -22.2     | 47.57         | Vertical | 40.00          |
| 129.619000     | 23.67          | -22.3     | 45.97         | Vertical | 43.50          |
| 180.204500     | 18.53          | -21.0     | 39.53         | Vertical | 43.50          |
| 319.642000     | 16.68          | -15.4     | 32.08         | Vertical | 46.00          |
| 932.973000     | 19.06          | -2.9      | 21.96         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.704500      | 20.48          | -20.0     | 40.48         | Vertical | 40.00          |
| 70.303500      | 25.54          | -22.2     | 47.74         | Vertical | 40.00          |
| 129.231000     | 23.79          | -22.3     | 46.09         | Vertical | 43.50          |
| 183.017500     | 20.52          | -20.6     | 41.12         | Vertical | 43.50          |
| 319.157000     | 16.52          | -15.5     | 32.02         | Vertical | 46.00          |
| 933.700500     | 19.13          | -2.9      | 22.03         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:157

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 40.136500      | 14.83          | -18.5     | 33.33         | Vertical | 40.00          |
| 69.964000      | 25.76          | -22.1     | 47.86         | Vertical | 40.00          |
| 129.570500     | 23.69          | -22.3     | 45.99         | Vertical | 43.50          |
| 183.405500     | 20.44          | -20.5     | 40.94         | Vertical | 43.50          |
| 320.709000     | 16.18          | -15.4     | 31.58         | Vertical | 46.00          |
| 921.042000     | 18.78          | -3.0      | 21.78         | Vertical | 46.00          |

For 802.11a Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.286500      | 19.89          | -19.8     | 39.69         | Vertical | 40.00          |
| 70.497500      | 25.44          | -22.2     | 47.64         | Vertical | 40.00          |
| 129.182500     | 23.77          | -22.3     | 46.07         | Vertical | 43.50          |
| 180.738000     | 19.50          | -20.9     | 40.40         | Vertical | 43.50          |
| 319.157000     | 16.50          | -15.5     | 32.00         | Vertical | 46.00          |
| 928.559500     | 19.00          | -2.9      | 21.90         | Vertical | 46.00          |

For 802.11n(HT20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.577500      | 19.27          | -19.8     | 39.07         | Vertical | 40.00          |
| 69.624500      | 25.88          | -22.0     | 47.88         | Vertical | 40.00          |
| 128.891500     | 23.56          | -22.2     | 45.76         | Vertical | 43.50          |
| 181.514000     | 20.33          | -20.8     | 41.13         | Vertical | 43.50          |
| 319.011500     | 16.50          | -15.5     | 32.00         | Vertical | 46.00          |
| 959.696500     | 19.20          | -2.6      | 21.80         | Vertical | 46.00          |

For 802.11ac(VHT20) Channel No.:165

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 35.383500      | 19.72          | -19.8     | 39.52         | Vertical | 40.00          |
| 70.012500      | 25.76          | -22.1     | 47.86         | Vertical | 40.00          |
| 127.630500     | 23.16          | -22.1     | 45.26         | Vertical | 43.50          |
| 180.786500     | 19.62          | -20.9     | 40.52         | Vertical | 43.50          |
| 318.914500     | 16.41          | -15.5     | 31.91         | Vertical | 46.00          |
| 913.185000     | 18.67          | -3.1      | 21.77         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.704500      | 19.44          | -20.0     | 39.44         | Vertical | 40.00          |
| 70.158000      | 25.67          | -22.1     | 47.77         | Vertical | 40.00          |
| 129.813000     | 23.55          | -22.3     | 45.85         | Vertical | 43.50          |
| 184.763500     | 19.72          | -20.3     | 40.02         | Vertical | 43.50          |
| 319.545000     | 16.63          | -15.4     | 32.03         | Vertical | 46.00          |
| 933.458000     | 19.13          | -2.9      | 22.03         | Vertical | 46.00          |

For 802.11ac(VHT40) Channel No.:151

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.559000      | 19.00          | -20.0     | 39.00         | Vertical | 40.00          |
| 69.576000      | 25.89          | -22.0     | 47.89         | Vertical | 40.00          |
| 129.037000     | 23.68          | -22.2     | 45.88         | Vertical | 43.50          |
| 181.999000     | 19.89          | -20.8     | 40.69         | Vertical | 43.50          |
| 320.127000     | 16.44          | -15.4     | 31.84         | Vertical | 46.00          |
| 948.250500     | 19.08          | -2.8      | 21.88         | Vertical | 46.00          |

For 802.11n(HT40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.704500      | 19.28          | -20.0     | 39.28         | Vertical | 40.00          |
| 70.449000      | 25.52          | -22.2     | 47.72         | Vertical | 40.00          |
| 129.279500     | 23.76          | -22.3     | 46.06         | Vertical | 43.50          |
| 183.260000     | 20.45          | -20.6     | 41.05         | Vertical | 43.50          |
| 319.981500     | 16.54          | -15.4     | 31.94         | Vertical | 46.00          |
| 958.047500     | 19.20          | -2.6      | 21.80         | Vertical | 46.00          |


For 802.11ac(VHT40) Channel No.:159

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 39.797000      | 16.99          | -18.6     | 35.59         | Vertical | 40.00          |
| 69.867000      | 25.90          | -22.1     | 48.00         | Vertical | 40.00          |
| 127.776000     | 23.20          | -22.1     | 45.30         | Vertical | 43.50          |
| 184.036000     | 19.52          | -20.4     | 39.92         | Vertical | 43.50          |
| 319.545000     | 16.63          | -15.4     | 32.03         | Vertical | 46.00          |
| 933.021500     | 19.09          | -2.9      | 21.99         | Vertical | 46.00          |


For 802.11ac(VHT80) Channel No.:155

| Frequency(MHz) | Result(dBuV/m) | ARpl (dB) | Pmea (dBuV/m) | Polarity | Limit (dBuV/m) |
|----------------|----------------|-----------|---------------|----------|----------------|
| 34.947000      | 19.83          | -19.9     | 39.73         | Vertical | 40.00          |
| 69.576000      | 25.86          | -22.0     | 47.86         | Vertical | 40.00          |
| 129.619000     | 23.68          | -22.3     | 45.98         | Vertical | 43.50          |
| 183.745000     | 20.05          | -20.5     | 40.55         | Vertical | 43.50          |
| 320.612000     | 16.30          | -15.4     | 31.70         | Vertical | 46.00          |
| 933.749000     | 19.07          | -2.9      | 21.97         | Vertical | 46.00          |


Carrier frequency (MHz): 5180  
Channel No.:36



Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- AV54
- ♦ Final\_Result PK+

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5200

Channel No.:40




Comment

**Frequency Range: 30MHz -1GHz**  
**Detector: QP mode**  
**Test Mode: 802.11a**




**Frequency Range: 1GHz -6GHz**  
**Detector: Av mode and PK mode**  
**Modulation type: 802.11a**

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     ◆ Critical\_Freqs AVG  
◆ Critical\_Freqs PK+     ◆ PK.74     ◆ AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result AVG
- ♦ Final\_Result PK+
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ♦ Final\_Result PK+
- ♦ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5240

Channel No.:48




Comment

**Frequency Range: 30MHz -1GHz**  
**Detector: QP mode**  
**Test Mode: 802.11a**




**Frequency Range: 1GHz -6GHz**  
**Detector: Av mode and PK mode**  
**Modulation type: 802.11a**

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ♦ Final\_Result PK+
- ♦ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5190  
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5230  
Channel No.:46


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AV54  
\* Critical\_Freqs PK+     — PK.74     ◆ Final\_Result AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK.74     ◆ Final\_Result AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5210  
Channel No.:42


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result PK+
- Final\_Result AVG
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)


Carrier frequency (MHz): 5260

Channel No.:52




Comment

**Frequency Range: 30MHz -1GHz**  
**Detector: QP mode**  
**Test Mode: 802.11a**




**Frequency Range: 1GHz -6GHz**  
**Detector: Av mode and PK mode**  
**Modulation type: 802.11a**

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ♦ Final\_Result PK+
- ♦ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



\* Preview Result 2-AVG      \* Preview Result 1-PK+      \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+      \* PK.74      \* AV54  
♦ Final\_Result PK+      ♦ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- AV54
- ♦ Final\_Result PK+


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5300  
Channel No.:60




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- Critical\_Freqs AV54
- \* Critical\_Freqs PK+
- PK.74
- ◆ Final\_Result AVG
- ◆ Final\_Result PK+

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5320  
Channel No.:64


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5270  
Channel No.:54




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG    — Preview Result 1-PK+    \* Critical\_Freqs AV54  
\* Critical\_Freqs PK+    — PK.74    ◆ Final\_Result PK+  
◆ Final\_Result PK+    ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5310  
Channel No.:62


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5290  
Channel No.:58


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)


Carrier frequency (MHz): 5500

Channel No.:100




Comment

**Frequency Range: 30MHz -1GHz**  
**Detector: QP mode**  
**Test Mode: 802.11a**




**Frequency Range: 1GHz -6GHz**  
**Detector: Av mode and PK mode**  
**Modulation type: 802.11a**

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



\* Preview Result 2-AVG    \* Preview Result 1-PK+    \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+    — PK.74    — AV54  
♦ Final\_Result PK+    ♦ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG    — Preview Result 1-PK+    \* Critical\_Freqs AVG  
— Critical\_Freqs PK+    — PK.74    ◆ Final\_Result AV54  
◆ Final\_Result PK+    ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK.74     ◆ AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5600  
Channel No.:120




Comment

Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK.74     ◆ AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result AVG
- ♦ Final\_Result PK+
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5720

Channel No.:144




Comment

**Frequency Range: 30MHz -1GHz**  
**Detector: QP mode**  
**Test Mode: 802.11a**




**Frequency Range: 1GHz -6GHz**  
**Detector: Av mode and PK mode**  
**Modulation type: 802.11a**

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result PK+
- Final\_Result AVG
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5510  
Channel No.:102




Comment

Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- PK.74
- AV54
- \* Critical\_Freqs PK+
- \* Critical\_Freqs AVG
- \* Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5590

Channel No.:118



Comment

Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)