

## **APPENDIX B – TEST DATA OF RADIATED EMISSION** **Radiated Emission Band Edge**

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (90.64 dBuV/m) = 42.84 dBμV) + (12.4 dB) + (35.40dB), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	90.64	42.84	N/A	N/A	12.40	35.40
2	5150	49.70	1.90	-18.50	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	86.90	39.10	N/A	N/A	12.40	35.40
2	5150	49.44	1.64	-18.76	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	85.06	37.26	N/A	N/A	12.40	35.40
2	5150	40.06	-7.74	-13.94	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	81.82	34.02	N/A	N/A	12.40	35.40
2	5150	39.41	-8.39	-14.59	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	89.10	41.10	N/A	N/A	12.60	35.40
2	5340	50.32	2.32	-17.88	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.49	38.49	N/A	N/A	12.60	35.40
2	5340	49.04	1.04	-19.16	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	84.83	36.83	N/A	N/A	12.60	35.40
2	5340	41.37	-6.63	-12.63	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	80.96	32.96	N/A	N/A	12.60	35.40
2	5340	40.96	-7.04	-13.04	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.:36  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	91.50	43.70	N/A	N/A	12.40	35.40
2	5150	49.36	1.56	-18.84	68.20	12.40	35.40

Carrier frequency (MHz): 5180  
Channel No.:36  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	88.41	40.61	N/A	N/A	12.40	35.40
2	5150	48.17	0.37	-20.03	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	86.36	38.56	N/A	N/A	12.40	35.40
2	5150	40.46	-7.34	-13.54	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	82.24	34.44	N/A	N/A	12.40	35.40
2	5150	40.33	-7.47	-13.67	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	89.23	41.23	N/A	N/A	12.60	35.40
2	5340	50.08	2.08	-18.12	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	86.03	38.03	N/A	N/A	12.60	35.40
2	5340	49.23	1.23	-18.97	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	84.19	36.19	N/A	N/A	12.60	35.40
2	5340	40.30	-7.70	-13.70	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	80.50	32.50	N/A	N/A	12.60	35.40
2	5340	38.85	-9.15	-15.15	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.:36  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	91.22	43.42	N/A	N/A	12.40	35.40
2	5150	49.89	2.09	-18.31	68.20	12.40	35.40

Carrier frequency (MHz): 5180  
Channel No.:36  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	87.42	39.62	N/A	N/A	12.40	35.40
2	5150	49.40	1.60	-18.80	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	85.19	37.39	N/A	N/A	12.40	35.40
2	5150	39.46	-8.34	-14.54	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz  
Channel No.: 36  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5180	81.81	34.01	N/A	N/A	12.40	35.40
2	5150	37.78	-10.02	-16.22	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	89.02	41.02	N/A	N/A	12.60	35.40
2	5340	50.74	2.74	-17.46	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	83.32	35.32	N/A	N/A	12.60	35.40
2	5340	50.28	2.28	-17.92	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	83.89	35.89	N/A	N/A	12.60	35.40
2	5340	40.99	-7.01	-13.01	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz  
Channel No.:64  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5320	79.05	31.05	N/A	N/A	12.60	35.40
2	5340	39.76	-8.24	-14.24	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	87.47	39.67	N/A	N/A	12.40	35.40
2	5150	49.12	1.32	-19.08	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	83.20	35.40	N/A	N/A	12.40	35.40
2	5150	47.40	-0.40	-20.80	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	82.75	34.95	N/A	N/A	12.40	35.40
2	5150	40.24	-7.56	-13.76	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	78.82	31.02	N/A	N/A	12.40	35.40
2	5150	38.50	-9.30	-15.50	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	81.80	33.80	N/A	N/A	12.60	35.40
2	5350	51.60	3.60	-16.60	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	78.66	30.66	N/A	N/A	12.60	35.40
2	5350	49.63	1.63	-18.57	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	77.71	29.71	N/A	N/A	12.60	35.40
2	5350	41.95	-6.05	-12.05	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	72.69	24.69	N/A	N/A	12.60	35.40
2	5350	40.90	-7.10	-13.10	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	86.28	38.48	N/A	N/A	12.40	35.40
2	5150	50.36	2.56	-17.84	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	81.31	33.51	N/A	N/A	12.40	35.40
2	5150	48.46	0.66	-19.74	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	82.89	35.09	N/A	N/A	12.40	35.40
2	5150	39.05	-8.75	-14.95	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz  
Channel No.:38  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5190	77.11	29.31	N/A	N/A	12.40	35.40
2	5150	38.84	-8.96	-15.16	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	81.80	33.80	N/A	N/A	12.60	35.40
2	5350	50.50	2.50	-17.70	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	78.77	30.77	N/A	N/A	12.60	35.40
2	5350	49.32	1.32	-18.88	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	77.92	29.92	N/A	N/A	12.60	35.40
2	5350	41.04	-6.96	-12.96	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz  
Channel No.:62  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5310	72.65	24.65	N/A	N/A	12.60	35.40
2	5350	40.47	-7.53	-13.53	54.00	12.60	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	84.21	36.41	N/A	N/A	12.40	35.40
2	5150	50.37	2.57	-17.83	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	79.24	31.44	N/A	N/A	12.40	35.40
2	5150	49.42	1.62	-18.78	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	80.96	33.16	N/A	N/A	12.40	35.40
2	5150	39.57	-8.23	-14.43	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz  
Channel No.:42  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5210	75.39	27.59	N/A	N/A	12.40	35.40
2	5150	39.06	-8.74	-14.94	54.00	12.40	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	79.19	31.19	N/A	N/A	12.60	35.40
2	5210	50.93	2.93	-17.27	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	73.48	25.48	N/A	N/A	12.60	35.40
2	5210	49.47	1.47	-18.73	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	76.34	28.34	N/A	N/A	12.60	35.40
2	5210	41.92	-6.08	-12.08	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz  
Channel No.:58  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5290	73.11	25.11	N/A	N/A	12.60	35.40
2	5210	40.74	-7.26	-13.26	54.00	12.60	35.40

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.49	39.19	N/A	N/A	12.70	34.60
2	5480	51.66	4.36	-16.54	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	82.93	35.63	N/A	N/A	12.70	34.60
2	5480	50.66	3.36	-17.54	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	79.53	32.23	N/A	N/A	12.70	34.60
2	5480	40.94	-6.36	-13.06	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	75.73	28.43	N/A	N/A	12.70	34.60
2	5480	40.49	-6.81	-13.51	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	88.63	41.03	N/A	N/A	12.90	34.70
2	5845	51.08	3.48	-17.12	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	86.51	38.91	N/A	N/A	12.90	34.70
2	5845	49.61	2.01	-18.59	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	83.27	35.67	N/A	N/A	12.90	34.70
2	5845	40.47	-7.13	-13.53	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11a  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	80.11	32.51	N/A	N/A	12.90	34.70
2	5845	38.89	-8.71	-15.11	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.52	39.22	N/A	N/A	12.70	34.60
2	5480	51.12	3.82	-17.08	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	83.80	36.50	N/A	N/A	12.70	34.60
2	5480	51.10	3.80	-17.10	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	80.56	33.26	N/A	N/A	12.70	34.60
2	5480	41.47	-5.83	-12.53	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	77.55	30.25	N/A	N/A	12.70	34.60
2	5480	40.88	-6.42	-13.12	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	87.97	40.37	N/A	N/A	12.90	34.70
2	5845	52.36	4.76	-15.84	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	83.61	36.01	N/A	N/A	12.90	34.70
2	5845	51.40	3.80	-16.80	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.81	35.21	N/A	N/A	12.90	34.70
2	5845	40.67	-6.93	-13.33	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11n (HT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	77.18	29.58	N/A	N/A	12.90	34.70
2	5845	40.59	-7.01	-13.41	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	86.18	38.88	N/A	N/A	12.70	34.60
2	5480	51.95	4.65	-16.25	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	82.45	35.15	N/A	N/A	12.70	34.60
2	5480	49.97	2.67	-18.23	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	79.40	32.10	N/A	N/A	12.70	34.60
2	5480	40.57	-6.73	-13.43	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz  
Channel No.:100  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5500	76.16	28.86	N/A	N/A	12.70	34.60
2	5480	39.50	-7.80	-14.50	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	87.28	39.68	N/A	N/A	12.90	34.70
2	5845	52.76	5.16	-15.44	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.53	34.93	N/A	N/A	12.90	34.70
2	5845	51.31	3.71	-16.89	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	82.09	34.49	N/A	N/A	12.90	34.70
2	5845	41.32	-6.28	-12.68	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz  
Channel No.:165  
Test Mode: 802.11ac (VHT20)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5825	78.17	30.57	N/A	N/A	12.90	34.70
2	5845	40.39	-7.21	-13.61	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	84.80	37.50	N/A	N/A	12.70	34.60
2	5470	51.00	3.70	-17.20	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	80.28	32.98	N/A	N/A	12.70	34.60
2	5470	49.47	2.17	-18.73	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	77.36	30.06	N/A	N/A	12.70	34.60
2	5470	41.79	-5.51	-12.21	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	72.37	25.07	N/A	N/A	12.70	34.60
2	5470	39.80	-7.50	-14.20	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	86.66	39.06	N/A	N/A	12.90	34.70
2	5835	51.24	3.64	-16.96	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	82.80	35.20	N/A	N/A	12.90	34.70
2	5835	51.05	3.45	-17.15	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	82.04	34.44	N/A	N/A	12.90	34.70
2	5835	40.37	-7.23	-13.63	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11n (HT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	79.02	31.42	N/A	N/A	12.90	34.70
2	5835	39.54	-8.06	-14.46	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	84.40	37.10	N/A	N/A	12.70	34.60
2	5470	51.27	3.97	-16.93	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	80.69	33.39	N/A	N/A	12.70	34.60
2	5470	49.83	2.53	-18.37	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	79.22	31.92	N/A	N/A	12.70	34.60
2	5470	40.43	-6.87	-13.57	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz  
Channel No.:102  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5510	74.64	27.34	N/A	N/A	12.70	34.60
2	5470	38.87	-8.43	-15.13	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	86.45	38.85	N/A	N/A	12.90	34.70
2	5835	52.19	4.59	-16.01	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	81.60	34.00	N/A	N/A	12.90	34.70
2	5835	51.91	4.31	-16.29	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	82.14	34.54	N/A	N/A	12.90	34.70
2	5835	40.94	-6.66	-13.06	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz  
Channel No.:159  
Test Mode: 802.11ac (VHT40)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5795	77.05	29.45	N/A	N/A	12.90	34.70
2	5835	39.51	-8.09	-14.49	54.00	12.90	34.70

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	83.56	36.26	N/A	N/A	12.70	34.60
2	5450	52.16	4.86	-16.04	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	78.72	31.42	N/A	N/A	12.70	34.60
2	5450	51.97	4.67	-16.23	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	78.27	30.97	N/A	N/A	12.70	34.60
2	5450	41.26	-6.04	-12.74	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz  
Channel No.:106  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5530	74.89	27.59	N/A	N/A	12.70	34.60
2	5450	41.21	-6.09	-12.79	54.00	12.70	34.60

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	87.47	39.87	N/A	N/A	12.90	34.70
2	5695	52.12	4.52	-16.08	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Horizontal  
Detector: Peak


No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	83.40	35.80	N/A	N/A	12.90	34.70
2	5695	51.69	4.09	-16.51	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz  
Channel No.:155  
Test Mode: 802.11ac (VHT80)  
Polarity:Vertical  
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	81.80	34.20	N/A	N/A	12.90	34.70
2	5695	40.81	-6.79	-13.19	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz  
 Channel No.:155  
 Test Mode: 802.11ac (VHT80)  
 Polarity:Horizontal  
 Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (dB)
1	5775	77.47	29.87	N/A	N/A	12.90	34.70
2	5695	39.51	-8.09	-14.49	54.00	12.90	34.70



Radiated Emission Band Edge for 5180MHz

### Sample Calculations

#### Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(20.73 \text{ dB}\mu\text{V/m}) = (40.63 \text{ dB}\mu\text{V}) + (-19.9 \text{ dB/m})$ , the corresponding frequency is 35.092500MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.600500	16.39	-20.8	37.19	Vertical	40.00
78.354500	16.40	-24.1	40.50	Vertical	40.00
162.987000	14.75	-21.9	36.65	Vertical	43.50
182.823500	17.89	-20.6	38.49	Vertical	43.50
393.895500	12.63	-13.2	25.83	Vertical	46.00
876.810000	17.64	-3.7	21.34	Vertical	46.00

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
53.086000	16.22	-17.9	34.12	Vertical	40.00
83.204500	17.13	-23.4	40.53	Vertical	40.00
157.167000	11.29	-22.2	33.49	Vertical	43.50
183.066000	18.52	-20.6	39.12	Vertical	43.50
385.699000	12.02	-13.4	25.42	Vertical	46.00
935.398000	19.18	-2.8	21.98	Vertical	46.00

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.388000	17.12	-21.1	38.22	Vertical	40.00
59.439500	16.62	-18.8	35.42	Vertical	40.00
166.382000	11.47	-21.8	33.27	Vertical	43.50
181.853500	16.09	-20.8	36.89	Vertical	43.50
403.013500	11.71	-13.0	24.71	Vertical	46.00
895.628000	18.11	-3.4	21.51	Vertical	46.00

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
43.725500	16.43	-18.1	34.53	Vertical	40.00
59.197000	16.11	-18.7	34.81	Vertical	40.00
157.361000	12.90	-22.2	35.10	Vertical	43.50
182.969000	16.53	-20.6	37.13	Vertical	43.50
532.702500	13.17	-10.1	23.27	Vertical	46.00
935.398000	19.16	-2.8	21.96	Vertical	46.00

For 802.11n(HT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.582000	16.86	-21.1	37.96	Vertical	40.00
56.772000	16.66	-18.4	35.06	Vertical	40.00
161.823000	9.45	-22.0	31.45	Vertical	43.50
183.211500	15.30	-20.6	35.90	Vertical	43.50
387.202500	11.83	-13.4	25.23	Vertical	46.00
922.885000	18.87	-3.0	21.87	Vertical	46.00

For 802.11ac(VHT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
32.861500	14.13	-20.5	34.63	Vertical	40.00
83.447000	17.25	-23.4	40.65	Vertical	40.00
160.465000	14.38	-22.0	36.38	Vertical	43.50
181.805000	10.41	-20.8	31.21	Vertical	43.50
393.168000	13.90	-13.2	27.10	Vertical	46.00
926.231500	19.01	-2.9	21.91	Vertical	46.00

For 802.11a Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
43.386000	15.78	-18.1	33.88	Vertical	40.00
84.077500	17.38	-23.2	40.58	Vertical	40.00
154.790500	12.67	-22.4	35.07	Vertical	43.50
184.036000	15.78	-20.4	36.18	Vertical	43.50
383.516500	12.86	-13.5	26.36	Vertical	46.00
931.712000	19.16	-2.9	22.06	Vertical	46.00

For 802.11n(HT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
53.571000	12.68	-18.0	30.68	Vertical	40.00
59.245500	16.39	-18.7	35.09	Vertical	40.00
149.116000	9.98	-22.7	32.68	Vertical	43.50
183.017500	18.16	-20.6	38.76	Vertical	43.50
389.288000	11.86	-13.3	25.16	Vertical	46.00
940.830000	19.19	-2.8	21.99	Vertical	46.00

For 802.11ac(VHT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
51.582500	10.24	-17.7	27.94	Vertical	40.00
57.160000	15.62	-18.5	34.12	Vertical	40.00
162.356500	13.23	-22.0	35.23	Vertical	43.50
182.823500	12.30	-20.6	32.90	Vertical	43.50
324.540500	8.66	-15.3	23.96	Vertical	46.00
953.585500	19.05	-2.7	21.75	Vertical	46.00

For 802.11n(HT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.533500	14.39	-21.1	35.49	Vertical	40.00
55.802000	16.26	-18.3	34.56	Vertical	40.00
161.580500	12.78	-22.0	34.78	Vertical	43.50
187.625000	7.92	-19.9	27.82	Vertical	43.50
529.986500	13.07	-10.2	23.27	Vertical	46.00
921.575500	18.85	-3.0	21.85	Vertical	46.00

For 802.11ac(VHT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
53.716500	15.13	-18.0	33.13	Vertical	40.00
82.719500	16.02	-23.6	39.62	Vertical	40.00
159.398000	11.82	-22.1	33.92	Vertical	43.50
179.234500	13.51	-21.1	34.61	Vertical	43.50
403.789500	12.31	-13.0	25.31	Vertical	46.00
899.314000	18.22	-3.3	21.52	Vertical	46.00

For 802.11n(HT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.379000	14.59	-18.5	33.09	Vertical	40.00
55.705000	15.88	-18.3	34.18	Vertical	40.00
139.513000	9.53	-22.8	32.33	Vertical	43.50
183.357000	9.95	-20.6	30.55	Vertical	43.50
538.425500	13.27	-9.9	23.17	Vertical	46.00
948.202000	19.08	-2.8	21.88	Vertical	46.00

For 802.11ac(VHT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.118000	14.70	-18.8	33.50	Vertical	40.00
56.626500	16.12	-18.4	34.52	Vertical	40.00
163.811500	5.63	-21.9	27.53	Vertical	43.50
183.066000	12.75	-20.6	33.35	Vertical	43.50
404.808000	11.71	-12.9	24.61	Vertical	46.00
915.755500	18.74	-3.0	21.74	Vertical	46.00

For 802.11ac(VHT80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
40.864000	14.38	-18.4	32.78	Vertical	40.00
83.495500	14.99	-23.3	38.29	Vertical	40.00
163.617500	4.56	-21.9	26.46	Vertical	43.50
181.805000	5.99	-20.8	26.79	Vertical	43.50
396.611500	11.06	-13.2	24.26	Vertical	46.00
940.248000	19.19	-2.8	21.99	Vertical	46.00

For 802.11a Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.021000	15.02	-18.8	33.82	Vertical	40.00
53.910500	15.02	-18.0	33.02	Vertical	40.00
165.800000	13.64	-21.8	35.44	Vertical	43.50
186.946000	13.19	-20.0	33.19	Vertical	43.50
390.355000	10.65	-13.3	23.95	Vertical	46.00
957.611000	19.25	-2.6	21.85	Vertical	46.00

For 802.11n(HT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
53.522500	15.51	-18.0	33.51	Vertical	40.00
55.026000	15.14	-18.2	33.34	Vertical	40.00
165.363500	9.85	-21.9	31.75	Vertical	43.50
186.994500	13.12	-20.0	33.12	Vertical	43.50
396.029500	11.88	-13.2	25.08	Vertical	46.00
924.049000	18.82	-3.0	21.82	Vertical	46.00

For 802.11ac(VHT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.820000	14.50	-19.7	34.20	Vertical	40.00
83.641000	14.13	-23.3	37.43	Vertical	40.00
172.056500	5.03	-21.5	26.53	Vertical	43.50
183.793500	11.59	-20.5	32.09	Vertical	43.50
387.978500	11.51	-13.4	24.91	Vertical	46.00
938.405000	19.18	-2.8	21.98	Vertical	46.00

For 802.11a Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.917000	13.99	-19.7	33.69	Vertical	40.00
56.626500	14.02	-18.4	32.42	Vertical	40.00
167.788500	9.27	-21.8	31.07	Vertical	43.50
207.073500	10.32	-18.9	29.22	Vertical	43.50
538.862000	13.16	-9.9	23.06	Vertical	46.00
915.949500	18.65	-3.0	21.65	Vertical	46.00

For 802.11n(HT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	13.11	-21.3	34.41	Vertical	40.00
56.238500	14.03	-18.3	32.33	Vertical	40.00
162.356500	8.53	-22.0	30.53	Vertical	43.50
179.234500	10.98	-21.1	32.08	Vertical	43.50
388.124000	11.20	-13.4	24.60	Vertical	46.00
933.312500	19.21	-2.9	22.11	Vertical	46.00

For 802.11ac(VHT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
53.377000	14.86	-18.0	32.86	Vertical	40.00
77.530000	13.92	-23.9	37.82	Vertical	40.00
164.296500	11.03	-21.9	32.93	Vertical	43.50
185.830500	7.10	-20.2	27.30	Vertical	43.50
385.214000	11.17	-13.4	24.57	Vertical	46.00
936.028500	19.07	-2.8	21.87	Vertical	46.00

For 802.11a Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
39.263500	14.53	-18.7	33.23	Vertical	40.00
54.007500	15.08	-18.0	33.08	Vertical	40.00
164.684500	10.46	-21.9	32.36	Vertical	43.50
212.845000	6.95	-18.6	25.55	Vertical	43.50
402.528500	11.72	-13.0	24.72	Vertical	46.00
956.641000	19.15	-2.6	21.75	Vertical	46.00

For 802.11n(HT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
35.820000	14.73	-19.7	34.43	Vertical	40.00
78.742500	13.90	-24.2	38.10	Vertical	40.00
154.790500	5.91	-22.4	28.31	Vertical	43.50
189.565000	8.35	-19.7	28.05	Vertical	43.50
555.206500	13.22	-9.5	22.72	Vertical	46.00
941.315000	19.12	-2.8	21.92	Vertical	46.00

For 802.11ac(VHT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
53.183000	14.22	-17.9	32.12	Vertical	40.00
55.074500	12.94	-18.2	31.14	Vertical	40.00
159.592000	7.92	-22.1	30.02	Vertical	43.50
189.953000	6.94	-19.6	26.54	Vertical	43.50
405.487000	10.84	-12.9	23.74	Vertical	46.00
949.414500	19.09	-2.7	21.79	Vertical	46.00

For 802.11n(HT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
34.704500	13.27	-20.0	33.27	Vertical	40.00
56.820500	15.72	-18.4	34.12	Vertical	40.00
165.315000	10.10	-21.9	32.00	Vertical	43.50
215.852000	9.67	-18.5	28.17	Vertical	43.50
547.786000	13.16	-9.8	22.96	Vertical	46.00
933.361000	19.12	-2.9	22.02	Vertical	46.00

For 802.11ac(VHT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
52.795000	13.44	-17.9	31.34	Vertical	40.00
55.220000	10.99	-18.2	29.19	Vertical	40.00
164.054000	7.40	-21.9	29.30	Vertical	43.50
190.098500	11.09	-19.6	30.69	Vertical	43.50
517.134000	12.76	-10.4	23.16	Vertical	46.00
907.025500	18.45	-3.2	21.65	Vertical	46.00

For 802.11n(HT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097000	16.55	-21.2	37.75	Vertical	40.00
79.567000	19.62	-24.4	44.02	Vertical	40.00
135.972500	14.20	-22.6	36.80	Vertical	43.50
239.956500	16.28	-17.6	33.88	Vertical	46.00
499.965000	16.25	-10.8	27.05	Vertical	46.00
955.622500	18.99	-2.6	21.59	Vertical	46.00

For 802.11ac(VHT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.928500	10.36	-20.2	30.56	Vertical	40.00
54.007500	9.98	-18.0	27.98	Vertical	40.00
156.197000	2.20	-22.3	24.50	Vertical	43.50
175.112000	3.69	-21.3	24.99	Vertical	43.50
409.852000	10.46	-12.9	23.36	Vertical	46.00
944.613000	19.15	-2.8	21.95	Vertical	46.00

For 802.11ac(VHT80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.970000	17.48	-21.0	38.48	Vertical	40.00
79.373000	19.34	-24.3	43.64	Vertical	40.00
135.972500	15.15	-22.6	37.75	Vertical	43.50
199.992500	14.87	-19.2	34.07	Vertical	43.50
499.965000	16.22	-10.8	27.02	Vertical	46.00
952.470000	19.20	-2.7	21.90	Vertical	46.00

For 802.11a Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	18.15	-21.2	39.35	Vertical	40.00
79.227500	19.26	-24.3	43.56	Vertical	40.00
134.954000	14.85	-22.6	37.45	Vertical	43.50
239.956500	15.81	-17.6	33.41	Vertical	46.00
499.965000	16.19	-10.8	26.99	Vertical	46.00
940.151000	19.23	-2.8	22.03	Vertical	46.00

For 802.11n(HT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	17.95	-21.2	39.15	Vertical	40.00
79.906500	19.43	-24.4	43.83	Vertical	40.00
137.961000	13.35	-22.7	36.05	Vertical	43.50
196.549000	13.80	-19.3	33.10	Vertical	43.50
499.965000	16.21	-10.8	27.01	Vertical	46.00
932.391000	19.02	-2.9	21.92	Vertical	46.00

For 802.11ac(VHT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.339500	17.63	-21.2	38.83	Vertical	40.00
80.052000	19.30	-24.4	43.70	Vertical	40.00
135.633000	14.97	-22.6	37.57	Vertical	43.50
239.956500	15.93	-17.6	33.53	Vertical	46.00
499.965000	16.21	-10.8	27.01	Vertical	46.00
936.125500	19.08	-2.8	21.88	Vertical	46.00

For 802.11a Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	17.49	-21.2	38.69	Vertical	40.00
79.082000	19.22	-24.2	43.42	Vertical	40.00
135.584500	14.75	-22.6	37.35	Vertical	43.50
239.956500	16.15	-17.6	33.75	Vertical	46.00
555.740000	13.38	-9.5	22.88	Vertical	46.00
931.130000	19.13	-2.9	22.03	Vertical	46.00

For 802.11n(HT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.048500	17.07	-21.3	38.37	Vertical	40.00
79.373000	19.65	-24.3	43.95	Vertical	40.00
135.002500	14.67	-22.6	37.27	Vertical	43.50
192.863000	13.47	-19.5	32.97	Vertical	43.50
499.965000	16.49	-10.8	27.29	Vertical	46.00
941.315000	19.15	-2.8	21.95	Vertical	46.00

For 802.11ac(VHT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097000	17.02	-21.2	38.22	Vertical	40.00
79.276000	19.60	-24.3	43.90	Vertical	40.00
134.614500	14.24	-22.6	36.84	Vertical	43.50
239.956500	15.81	-17.6	33.41	Vertical	46.00
522.032500	12.96	-10.4	23.36	Vertical	46.00
938.453500	19.09	-2.8	21.89	Vertical	46.00

For 802.11a Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
33.201000	14.63	-20.4	35.03	Vertical	40.00
75.638500	19.09	-23.4	42.49	Vertical	40.00
133.353500	13.66	-22.5	36.16	Vertical	43.50
239.956500	15.83	-17.6	33.43	Vertical	46.00
500.013500	16.72	-10.8	27.52	Vertical	46.00
895.434000	18.14	-3.4	21.54	Vertical	46.00

For 802.11n(HT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.194000	16.95	-21.2	38.15	Vertical	40.00
79.615500	19.62	-24.4	44.02	Vertical	40.00
136.845500	13.95	-22.7	36.65	Vertical	43.50
205.667000	6.76	-18.9	25.66	Vertical	43.50
499.965000	16.50	-10.8	27.30	Vertical	46.00
930.645000	19.04	-2.9	21.94	Vertical	46.00

For 802.11ac(VHT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.145500	16.92	-21.2	38.12	Vertical	40.00
80.585500	18.96	-24.3	43.26	Vertical	40.00
135.827000	14.20	-22.6	36.80	Vertical	43.50
239.956500	15.85	-17.6	33.45	Vertical	46.00
499.965000	16.55	-10.8	27.35	Vertical	46.00
949.899500	19.08	-2.7	21.78	Vertical	46.00

For 802.11n(HT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.746000	15.76	-20.8	36.56	Vertical	40.00
79.470000	19.69	-24.3	43.99	Vertical	40.00
135.148000	14.71	-22.6	37.31	Vertical	43.50
239.956500	15.82	-17.6	33.42	Vertical	46.00
500.013500	16.72	-10.8	27.52	Vertical	46.00
908.626000	18.53	-3.1	21.63	Vertical	46.00

For 802.11ac(VHT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.145500	16.90	-21.2	38.10	Vertical	40.00
79.130500	19.46	-24.3	43.76	Vertical	40.00
133.644500	13.94	-22.5	36.44	Vertical	43.50
239.956500	15.83	-17.6	33.43	Vertical	46.00
499.965000	16.51	-10.8	27.31	Vertical	46.00
901.011500	18.44	-3.2	21.64	Vertical	46.00

For 802.11n(HT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.048500	16.80	-21.3	38.10	Vertical	40.00
79.470000	19.68	-24.3	43.98	Vertical	40.00
135.584500	14.48	-22.6	37.08	Vertical	43.50
239.956500	15.85	-17.6	33.45	Vertical	46.00
499.916500	13.43	-10.8	24.23	Vertical	46.00
953.440000	18.99	-2.7	21.69	Vertical	46.00

For 802.11ac(VHT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.582000	16.40	-21.1	37.50	Vertical	40.00
79.179000	19.54	-24.3	43.84	Vertical	40.00
135.196500	14.71	-22.6	37.31	Vertical	43.50
239.956500	15.83	-17.6	33.43	Vertical	46.00
499.965000	16.50	-10.8	27.30	Vertical	46.00
906.783000	18.44	-3.2	21.64	Vertical	46.00

For 802.11n(HT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	16.74	-21.2	37.94	Vertical	40.00
79.373000	19.68	-24.3	43.98	Vertical	40.00
134.372000	13.96	-22.5	36.46	Vertical	43.50
239.956500	15.85	-17.6	33.45	Vertical	46.00
499.965000	16.53	-10.8	27.33	Vertical	46.00
905.958500	18.48	-3.2	21.68	Vertical	46.00

For 802.11ac(VHT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.873000	16.17	-21.0	37.17	Vertical	40.00
79.324500	19.65	-24.3	43.95	Vertical	40.00
135.342000	14.75	-22.6	37.35	Vertical	43.50
239.956500	15.82	-17.6	33.42	Vertical	46.00
499.965000	16.46	-10.8	27.26	Vertical	46.00
930.936000	19.07	-2.9	21.97	Vertical	46.00

For 802.11ac(VHT80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.358000	15.44	-20.9	36.34	Vertical	40.00
79.664000	19.66	-24.4	44.06	Vertical	40.00
134.663000	14.11	-22.6	36.71	Vertical	43.50
210.080500	7.78	-18.7	26.48	Vertical	43.50
499.965000	16.51	-10.8	27.31	Vertical	46.00
919.975000	18.72	-3.0	21.72	Vertical	46.00

For 802.11ac(VHT80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.194000	16.71	-21.2	37.91	Vertical	40.00
79.421500	19.67	-24.3	43.97	Vertical	40.00
135.051000	14.56	-22.6	37.16	Vertical	43.50
239.956500	15.88	-17.6	33.48	Vertical	46.00
499.965000	16.47	-10.8	27.27	Vertical	46.00
937.532000	19.15	-2.8	21.95	Vertical	46.00

For 802.11ac(VHT80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	16.70	-21.3	38.00	Vertical	40.00
79.421500	19.70	-24.3	44.00	Vertical	40.00
135.924000	14.15	-22.6	36.75	Vertical	43.50
239.956500	15.90	-17.6	33.50	Vertical	46.00
499.965000	16.50	-10.8	27.30	Vertical	46.00
932.536500	19.06	-2.9	21.96	Vertical	46.00

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.630500	16.20	-21.1	37.30	Vertical	40.00
79.518500	19.67	-24.3	43.97	Vertical	40.00
135.390500	14.69	-22.6	37.29	Vertical	43.50
239.956500	15.91	-17.6	33.51	Vertical	46.00
499.965000	16.48	-10.8	27.28	Vertical	46.00
950.045000	19.06	-2.7	21.76	Vertical	46.00

For 802.11n(HT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.727500	16.06	-21.1	37.16	Vertical	40.00
79.373000	19.66	-24.3	43.96	Vertical	40.00
136.845500	13.86	-22.7	36.56	Vertical	43.50
239.956500	15.90	-17.6	33.50	Vertical	46.00
499.965000	16.49	-10.8	27.29	Vertical	46.00
932.051500	19.07	-2.9	21.97	Vertical	46.00

For 802.11ac(VHT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	16.59	-21.2	37.79	Vertical	40.00
79.664000	19.61	-24.4	44.01	Vertical	40.00
137.379000	13.55	-22.7	36.25	Vertical	43.50
239.956500	15.92	-17.6	33.52	Vertical	46.00
499.965000	16.44	-10.8	27.24	Vertical	46.00
901.496500	18.33	-3.2	21.53	Vertical	46.00

For 802.11a Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	16.58	-21.2	37.78	Vertical	40.00
76.172000	18.93	-23.6	42.53	Vertical	40.00
134.760000	14.26	-22.6	36.86	Vertical	43.50
239.956500	16.04	-17.6	33.64	Vertical	46.00
499.965000	16.42	-10.8	27.22	Vertical	46.00
939.811500	19.22	-2.8	22.02	Vertical	46.00

For 802.11n(HT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.291000	16.55	-21.2	37.75	Vertical	40.00
79.761000	19.51	-24.4	43.91	Vertical	40.00
135.293500	14.61	-22.6	37.21	Vertical	43.50
239.956500	16.18	-17.6	33.78	Vertical	46.00
499.965000	16.37	-10.8	27.17	Vertical	46.00
916.919500	18.65	-3.0	21.65	Vertical	46.00

For 802.11ac(VHT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.339500	16.48	-21.2	37.68	Vertical	40.00
79.712500	19.56	-24.4	43.96	Vertical	40.00
135.778500	14.36	-22.6	36.96	Vertical	43.50
239.956500	16.24	-17.6	33.84	Vertical	46.00
499.965000	16.44	-10.8	27.24	Vertical	46.00
922.400000	18.79	-3.0	21.79	Vertical	46.00

For 802.11a Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.291000	16.54	-21.2	37.74	Vertical	40.00
79.421500	19.67	-24.3	43.97	Vertical	40.00
134.857000	14.35	-22.6	36.95	Vertical	43.50
239.956500	16.23	-17.6	33.83	Vertical	46.00
460.195000	11.25	-11.9	23.15	Vertical	46.00
936.610500	19.11	-2.8	21.91	Vertical	46.00

For 802.11n(HT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.291000	16.56	-21.2	37.76	Vertical	40.00
79.179000	19.48	-24.3	43.78	Vertical	40.00
134.566000	14.01	-22.6	36.61	Vertical	43.50
239.956500	16.21	-17.6	33.81	Vertical	46.00
517.910000	12.87	-10.4	23.27	Vertical	46.00
945.583000	19.09	-2.8	21.89	Vertical	46.00

For 802.11ac(VHT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.194000	16.61	-21.2	37.81	Vertical	40.00
79.421500	19.67	-24.3	43.97	Vertical	40.00
133.547500	13.87	-22.5	36.37	Vertical	43.50
239.956500	16.19	-17.6	33.79	Vertical	46.00
500.013500	16.55	-10.8	27.35	Vertical	46.00
938.502000	19.05	-2.8	21.85	Vertical	46.00

For 802.11n(HT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.970000	16.05	-21.0	37.05	Vertical	40.00
75.541500	19.19	-23.4	42.59	Vertical	40.00
135.924000	14.28	-22.6	36.88	Vertical	43.50
239.956500	16.21	-17.6	33.81	Vertical	46.00
554.382000	13.21	-9.6	22.81	Vertical	46.00
890.487000	17.97	-3.5	21.47	Vertical	46.00

For 802.11ac(VHT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	16.58	-21.2	37.78	Vertical	40.00
79.518500	19.67	-24.3	43.97	Vertical	40.00
136.312000	13.83	-22.6	36.43	Vertical	43.50
239.956500	16.19	-17.6	33.79	Vertical	46.00
499.965000	16.30	-10.8	27.10	Vertical	46.00
937.920000	19.14	-2.8	21.94	Vertical	46.00

For 802.11n(HT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097000	16.59	-21.2	37.79	Vertical	40.00
79.373000	19.64	-24.3	43.94	Vertical	40.00
135.293500	14.68	-22.6	37.28	Vertical	43.50
239.956500	16.20	-17.6	33.80	Vertical	46.00
499.965000	16.35	-10.8	27.15	Vertical	46.00
918.859500	18.69	-3.0	21.69	Vertical	46.00


For 802.11ac(VHT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.145500	16.61	-21.2	37.81	Vertical	40.00
79.373000	19.62	-24.3	43.92	Vertical	40.00
135.196500	14.58	-22.6	37.18	Vertical	43.50
239.956500	16.17	-17.6	33.77	Vertical	46.00
500.013500	16.49	-10.8	27.29	Vertical	46.00
914.058000	18.76	-3.1	21.86	Vertical	46.00


For 802.11ac(VHT80) Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	16.61	-21.3	37.91	Vertical	40.00
79.470000	19.65	-24.3	43.95	Vertical	40.00
135.439000	14.65	-22.6	37.25	Vertical	43.50
239.956500	16.25	-17.6	33.85	Vertical	46.00
499.965000	16.42	-10.8	27.22	Vertical	46.00
949.172000	19.05	-2.7	21.75	Vertical	46.00

Carrier frequency (MHz): 5180  
 Channel No.:36




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- AV54
- ♦ Final\_Result PK+


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5200

Channel No.:40




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK.74     ◆ Final\_Result AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240

Channel No.:48




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     ◆ Critical\_Freqs AVG  
◆ Critical\_Freqs PK+     ◆ PK.74     ◆ AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5190  
Channel No.:38

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG    — Preview Result 1-PK+    \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+    — PK.74    — AV54  
◆ Final\_Result PK+    ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5230  
Channel No.:46

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result AVG
- AV54
- ♦ Final\_Result PK+

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5210  
Channel No.:42

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- AV54
- ♦ Final\_Result PK+


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5260

Channel No.:52




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- AV54
- ♦ Final\_Result PK+

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5300  
 Channel No.:60




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     ◆ Final\_Result AVG  
◆ Final\_Result PK+     — AV54


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- ◆ Preview Result 2-AVG
- ◆ Preview Result 1-PK+
- ◆ Critical\_Freqs PK+
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- ◆ PK.74
- ◆ Critical\_Freqs AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5320  
Channel No.:64

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- \* Final\_Result PK+
- ♦ Final\_Result AVG
- AV54


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5270  
Channel No.:54




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ♦ Final\_Result PK+
- ♦ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5310  
Channel No.:62

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5290  
Channel No.:58

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT80)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT80)

Carrier frequency (MHz): 5500

Channel No.:100




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK+     ◆ Final\_Result AVG  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- ♦ Final\_Result PK+
- AV54

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5600  
 Channel No.:120




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



◆ Preview Result 2-AVG     ◆ Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     ◆ Final\_Result PK.74     ◆ Final\_Result AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



- Preview Result 2-AVG
- Preview Result 1-PK+
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AVG
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG
- AV54


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Final\_Result AVG
- ♦ Final\_Result PK+
- AV54


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5720

Channel No.:144




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11a




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* Critical\_Freqs AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11a

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)


Full Spectrum



◆ Preview Result 2-AVG     — Preview Result 1-PK+     ◆ Critical\_Freqs AVG  
◆ Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT20)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)


Full Spectrum




- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AVG
- \* Critical\_Freqs PK+
- PK.74
- \* AV54
- ◆ Final\_Result PK+
- ◆ Final\_Result AVG

Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5510  
Channel No.:102




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AVG  
\* Critical\_Freqs PK+     — PK.74     — AV54  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Full Spectrum




— Preview Result 2-AVG     — Preview Result 1-PK+     \* Critical\_Freqs AV54  
\* Critical\_Freqs PK+     — PK.74     ◆ Final\_Result PK+  
◆ Final\_Result PK+     ◆ Final\_Result AVG


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5590

Channel No.:118




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11n(HT40)




Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 6GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)


Full Spectrum



- \* Preview Result 2-AVG
- \* Preview Result 1-PK+
- \* Critical\_Freqs AV54
- \* Critical\_Freqs PK+
- PK.74
- ♦ Final\_Result AVG
- ♦ Final\_Result PK+


Frequency Range: 18GHz -40GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 1GHz -6GHz  
 Detector: Av mode and PK mode  
 Test Mode: 802.11ac(VHT40)