

APPENDIX B – TEST DATA OF RADIATED EMISSION

Radiated Emission Band Edge

The measurement results are obtained as described below:

Measure Level = Reading Level + cable loss + antenna factor

Sample calculation: (89.89 dBuV/m) = (42.09 dBμV) + (12.4 dB) + (35.40 1/m), the corresponding frequency is 5180MHz.

The measurement results contain the correction factor of the duty cycle.

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	89.89	42.09	N/A	N/A	12.40	35.40
2	5150	46.22	-1.58	-21.98	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	85.92	38.12	N/A	N/A	12.40	35.40
2	5150	41.77	-6.03	-26.43	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	83.98	36.18	N/A	N/A	12.40	35.40
2	5150	36.40	-11.40	-17.60	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	80.51	32.71	N/A	N/A	12.40	35.40
2	5150	32.24	-15.56	-21.76	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	89.17	41.17	N/A	N/A	12.60	35.40
2	5340	46.32	-1.68	-21.88	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	86.02	38.02	N/A	N/A	12.60	35.40
2	5340	42.12	-5.88	-26.08	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	84.52	36.52	N/A	N/A	12.60	35.40
2	5340	36.86	-11.14	-17.14	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz

Channel No.:64

Test Mode: 802.11a

Polarity:Horizontal

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	81.20	33.20	N/A	N/A	12.60	35.40
2	5340	32.30	-15.70	-21.70	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	90.46	42.66	N/A	N/A	12.40	35.40
2	5150	45.83	-1.97	-22.37	68.20	12.40	35.40

Carrier frequency (MHz): 5180

Channel No.:36

Test Mode: 802.11n (HT20)

Polarity:Horizontal

Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	86.77	38.97	N/A	N/A	12.40	35.40
2	5150	40.00	-7.80	-28.20	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz

Channel No.: 36

Test Mode: 802.11n (HT20)

Polarity:Vertical

Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	84.38	36.58	N/A	N/A	12.40	35.40
2	5150	36.42	-11.38	-17.58	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	79.80	32.00	N/A	N/A	12.40	35.40
2	5150	31.28	-16.52	-22.72	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	90.11	42.11	N/A	N/A	12.60	35.40
2	5340	46.07	-1.93	-22.13	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	87.91	39.91	N/A	N/A	12.60	35.40
2	5340	41.38	-6.62	-26.82	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	84.72	36.72	N/A	N/A	12.60	35.40
2	5340	35.42	-12.58	-18.58	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	80.67	32.67	N/A	N/A	12.60	35.40
2	5340	31.84	-16.16	-22.16	54.00	12.60	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.:36
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	89.55	41.75	N/A	N/A	12.40	35.40
2	5150	46.83	-0.97	-21.37	68.20	12.40	35.40

Carrier frequency (MHz): 5180
Channel No.:36
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	85.58	37.78	N/A	N/A	12.40	35.40
2	5150	40.98	-6.82	-27.22	68.20	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	84.52	36.72	N/A	N/A	12.40	35.40
2	5150	36.79	-11.01	-17.21	54.00	12.40	35.40

Carrier frequency (MHz): 5180 MHz
Channel No.: 36
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5180	82.11	34.31	N/A	N/A	12.40	35.40
2	5150	32.01	-15.79	-21.99	54.00	12.40	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	89.10	41.10	N/A	N/A	12.60	35.40
2	5340	46.54	-1.46	-21.66	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	84.73	36.73	N/A	N/A	12.60	35.40
2	5340	41.93	-6.07	-26.27	68.20	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	83.36	35.36	N/A	N/A	12.60	35.40
2	5340	35.28	-12.72	-18.72	54.00	12.60	35.40

Carrier frequency (MHz): 5320 MHz
Channel No.:64
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5320	79.84	31.84	N/A	N/A	12.60	35.40
2	5340	30.84	-17.16	-23.16	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	88.66	40.86	N/A	N/A	12.40	35.40
2	5150	45.20	-2.60	-23.00	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	84.79	36.99	N/A	N/A	12.40	35.40
2	5150	40.43	-7.37	-27.77	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	82.59	34.79	N/A	N/A	12.40	35.40
2	5150	36.41	-11.39	-17.59	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	78.20	30.40	N/A	N/A	12.40	35.40
2	5150	31.18	-16.62	-22.82	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	87.19	39.19	N/A	N/A	12.60	35.40
2	5350	46.92	-1.08	-21.28	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	83.96	35.96	N/A	N/A	12.60	35.40
2	5350	42.36	-5.64	-25.84	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	82.12	34.12	N/A	N/A	12.60	35.40
2	5350	36.49	-11.51	-17.51	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	77.61	29.61	N/A	N/A	12.60	35.40
2	5350	33.19	-14.81	-20.81	54.00	12.60	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	88.72	40.92	N/A	N/A	12.40	35.40
2	5150	46.49	-1.31	-21.71	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	84.88	37.08	N/A	N/A	12.40	35.40
2	5150	41.59	-6.21	-26.61	68.20	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	81.31	33.51	N/A	N/A	12.40	35.40
2	5150	36.14	-11.66	-17.86	54.00	12.40	35.40

Carrier frequency (MHz): 5190 MHz
Channel No.:38
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5190	77.00	29.20	N/A	N/A	12.40	35.40
2	5150	31.80	-16.00	-22.20	54.00	12.40	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	87.21	39.21	N/A	N/A	12.60	35.40
2	5350	46.16	-1.84	-22.04	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	85.03	37.03	N/A	N/A	12.60	35.40
2	5350	41.55	-6.45	-26.65	68.20	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	81.85	33.85	N/A	N/A	12.60	35.40
2	5350	35.56	-12.44	-18.44	54.00	12.60	35.40

Carrier frequency (MHz): 5310 MHz
Channel No.:62
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5310	76.88	28.88	N/A	N/A	12.60	35.40
2	5350	31.41	-16.59	-22.59	54.00	12.60	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5210	85.37	37.57	N/A	N/A	12.40	35.40
2	5150	45.75	-2.05	-22.45	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5210	82.67	34.87	N/A	N/A	12.40	35.40
2	5150	41.71	-6.09	-26.49	68.20	12.40	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5210	80.18	32.38	N/A	N/A	12.40	35.40
2	5150	36.20	-11.60	-17.80	54.00	12.40	35.40

Carrier frequency (MHz): 5210 MHz
Channel No.:42
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5210	76.00	28.20	N/A	N/A	12.40	35.40
2	5150	32.19	-15.61	-21.81	54.00	12.40	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5290	85.64	37.64	N/A	N/A	12.60	35.40
2	5210	46.82	-1.18	-21.38	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5290	83.38	35.38	N/A	N/A	12.60	35.40
2	5210	41.13	-6.87	-27.07	68.20	12.60	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5290	80.08	32.08	N/A	N/A	12.60	35.40
2	5210	36.72	-11.28	-17.28	54.00	12.60	35.40

Carrier frequency (MHz): 5290 MHz
Channel No.:58
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5290	76.76	28.76	N/A	N/A	12.60	35.40
2	5210	33.57	-14.43	-20.43	54.00	12.60	35.40

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	89.33	42.03	N/A	N/A	12.70	34.60
2	5480	45.94	-1.36	-22.26	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	86.17	38.87	N/A	N/A	12.70	34.60
2	5480	40.78	-6.52	-27.42	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	85.32	38.02	N/A	N/A	12.70	34.60
2	5480	35.98	-11.32	-18.02	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	82.38	35.08	N/A	N/A	12.70	34.60
2	5480	31.22	-16.08	-22.78	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	88.38	40.78	N/A	N/A	12.90	34.70
2	5845	52.97	5.37	-15.23	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	86.15	38.55	N/A	N/A	12.90	34.70
2	5845	51.91	4.31	-16.29	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	85.24	37.64	N/A	N/A	12.90	34.70
2	5845	40.72	-6.88	-13.28	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11a
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	82.79	35.19	N/A	N/A	12.90	34.70
2	5845	38.93	-8.67	-15.07	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	89.78	42.48	N/A	N/A	12.70	34.60
2	5480	46.01	-1.29	-22.19	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	86.34	39.04	N/A	N/A	12.70	34.60
2	5480	40.26	-7.04	-27.94	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	87.26	39.96	N/A	N/A	12.70	34.60
2	5480	35.83	-11.47	-18.17	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	85.12	37.82	N/A	N/A	12.70	34.60
2	5480	31.52	-15.78	-22.48	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	89.14	41.54	N/A	N/A	12.90	34.70
2	5845	52.44	4.84	-15.76	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	86.51	38.91	N/A	N/A	12.90	34.70
2	5845	51.02	3.42	-17.18	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	84.61	37.01	N/A	N/A	12.90	34.70
2	5845	40.96	-6.64	-13.04	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11n (HT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	81.69	34.09	N/A	N/A	12.90	34.70
2	5845	40.70	-6.90	-13.30	54.00	12.90	34.70

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	89.87	42.57	N/A	N/A	12.70	34.60
2	5480	45.34	-1.96	-22.86	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	85.98	38.68	N/A	N/A	12.70	34.60
2	5480	40.12	-7.18	-28.08	68.20	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	86.49	39.19	N/A	N/A	12.70	34.60
2	5480	35.98	-11.32	-18.02	54.00	12.70	34.60

Carrier frequency (MHz): 5500 MHz
Channel No.:100
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5500	83.31	36.01	N/A	N/A	12.70	34.60
2	5480	31.31	-15.99	-22.69	54.00	12.70	34.60

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	89.98	42.38	N/A	N/A	12.90	34.70
2	5845	51.42	3.82	-16.78	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	87.85	40.25	N/A	N/A	12.90	34.70
2	5845	50.54	2.94	-17.66	68.20	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	85.14	37.54	N/A	N/A	12.90	34.70
2	5845	41.78	-5.82	-12.22	54.00	12.90	34.70

Carrier frequency (MHz): 5825 MHz
Channel No.:165
Test Mode: 802.11ac (VHT20)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5825	82.23	34.63	N/A	N/A	12.90	34.70
2	5845	41.05	-6.55	-12.95	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	87.43	40.13	N/A	N/A	12.70	34.60
2	5470	45.39	-1.91	-22.81	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	83.68	36.38	N/A	N/A	12.70	34.60
2	5470	40.26	-7.04	-27.94	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	84.49	37.19	N/A	N/A	12.70	34.60
2	5470	36.67	-10.63	-17.33	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	81.85	34.55	N/A	N/A	12.70	34.60
2	5470	33.52	-13.78	-20.48	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	87.50	39.90	N/A	N/A	12.90	34.70
2	5835	51.91	4.31	-16.29	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	84.83	37.23	N/A	N/A	12.90	34.70
2	5835	51.23	3.63	-16.97	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	82.44	34.84	N/A	N/A	12.90	34.70
2	5835	41.13	-6.47	-12.87	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11n (HT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	78.01	30.41	N/A	N/A	12.90	34.70
2	5835	40.35	-7.25	-13.65	54.00	12.90	34.70

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	87.31	40.01	N/A	N/A	12.70	34.60
2	5470	45.99	-1.31	-22.21	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	83.32	36.02	N/A	N/A	12.70	34.60
2	5470	40.43	-6.87	-27.77	68.20	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	84.38	37.08	N/A	N/A	12.70	34.60
2	5470	36.90	-10.40	-17.10	54.00	12.70	34.60

Carrier frequency (MHz): 5510 MHz
Channel No.:102
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5510	82.34	35.04	N/A	N/A	12.70	34.60
2	5470	31.98	-15.32	-22.02	54.00	12.70	34.60

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	86.14	38.54	N/A	N/A	12.90	34.70
2	5835	51.87	4.27	-16.33	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	83.92	36.32	N/A	N/A	12.90	34.70
2	5835	50.54	2.94	-17.66	68.20	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	82.34	34.74	N/A	N/A	12.90	34.70
2	5835	41.34	-6.26	-12.66	54.00	12.90	34.70

Carrier frequency (MHz): 5795 MHz
Channel No.:159
Test Mode: 802.11ac (VHT40)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5795	78.47	30.87	N/A	N/A	12.90	34.70
2	5835	40.84	-6.76	-13.16	54.00	12.90	34.70

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5530	85.24	37.94	N/A	N/A	12.70	34.60
2	5450	47.00	-0.30	-21.20	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5530	81.27	33.97	N/A	N/A	12.70	34.60
2	5450	42.48	-4.82	-25.72	68.20	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5530	81.97	34.67	N/A	N/A	12.70	34.60
2	5450	36.51	-10.79	-17.49	54.00	12.70	34.60

Carrier frequency (MHz): 5530 MHz
Channel No.:106
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5530	78.01	30.71	N/A	N/A	12.70	34.60
2	5450	32.30	-15.00	-21.70	54.00	12.70	34.60

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Peak

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5775	84.60	37.00	N/A	N/A	12.90	34.70
2	5695	52.92	5.32	-15.28	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Peak


No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5775	80.06	32.46	N/A	N/A	12.90	34.70
2	5695	51.49	3.89	-16.71	68.20	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Vertical
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	cable loss (dB)	antenna factor (1/m)
1	5775	82.19	34.59	N/A	N/A	12.90	34.70
2	5695	40.90	-6.70	-13.10	54.00	12.90	34.70

Carrier frequency (MHz): 5775 MHz
Channel No.:155
Test Mode: 802.11ac (VHT80)
Polarity:Horizontal
Detector: Average

No	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuv/m)	cable loss (dB)	antenna factor (1/m)
1	5775	78.99	31.39	N/A	N/A	12.90	34.70
2	5695	40.31	-7.29	-13.69	54.00	12.90	34.70



Radiated Emission Band Edge for 5180MHz

Sample Calculations

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(21.87 \text{ dB}\mu\text{V/m}) = (42.87 \text{ dB}\mu\text{V/m}) + (-21.0 \text{ dB})$, the corresponding frequency is 30.824500MHz.

The worst case attitude: The mobile lay down.

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.824500	21.87	-21.0	42.87	Vertical	40.00
53.765000	19.27	-18.0	37.27	Vertical	40.00
54.298500	20.98	-18.1	39.08	Vertical	40.00
78.306000	17.87	-24.1	41.97	Vertical	40.00
172.784000	29.24	-21.5	50.74	Vertical	43.50
174.190500	28.30	-21.4	49.70	Vertical	43.50

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.727500	21.20	-21.1	42.30	Vertical	40.00
52.213000	18.31	-17.8	36.11	Vertical	40.00
54.201500	20.79	-18.1	38.89	Vertical	40.00
77.869500	18.24	-24.0	42.24	Vertical	40.00
172.153500	29.15	-21.5	50.65	Vertical	43.50
174.384500	27.31	-21.4	48.71	Vertical	43.50

For 802.11ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	20.00	-21.2	41.20	Vertical	40.00
53.813500	19.90	-18.0	37.90	Vertical	40.00
54.153000	20.72	-18.1	38.82	Vertical	40.00
77.821000	18.29	-24.0	42.29	Vertical	40.00
172.493000	28.72	-21.5	50.22	Vertical	43.50
173.802500	27.27	-21.4	48.67	Vertical	43.50

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.194000	19.87	-21.2	41.07	Vertical	40.00
53.765000	19.76	-18.0	37.76	Vertical	40.00
54.104500	20.64	-18.1	38.74	Vertical	40.00
72.631500	17.82	-22.7	40.52	Vertical	40.00
172.202000	28.62	-21.5	50.12	Vertical	43.50
173.414500	26.78	-21.4	48.18	Vertical	43.50

For 802.11n(HT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.018500	20.57	-21.0	41.57	Vertical	40.00
53.619500	19.17	-18.0	37.17	Vertical	40.00
54.250000	20.68	-18.1	38.78	Vertical	40.00
78.354500	18.11	-24.1	42.21	Vertical	40.00
172.396000	28.15	-21.5	49.65	Vertical	43.50
173.948000	26.41	-21.4	47.81	Vertical	43.50

For 802.11ac(VHT20) Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.582000	19.80	-21.1	40.90	Vertical	40.00
53.716500	19.66	-18.0	37.66	Vertical	40.00
53.910500	20.30	-18.0	38.30	Vertical	40.00
72.486000	17.94	-22.7	40.64	Vertical	40.00
170.262000	28.14	-21.7	49.84	Vertical	43.50
173.948000	25.60	-21.4	47.00	Vertical	43.50

For 802.11a Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.649000	18.22	-20.8	39.02	Vertical	40.00
53.716500	19.71	-18.0	37.71	Vertical	40.00
53.862000	20.19	-18.0	38.19	Vertical	40.00
72.195000	18.02	-22.6	40.62	Vertical	40.00
169.971000	27.89	-21.7	49.59	Vertical	43.50
174.190500	24.34	-21.4	45.74	Vertical	43.50

For 802.11n(HT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485000	19.28	-21.1	40.38	Vertical	40.00
53.668000	19.55	-18.0	37.55	Vertical	40.00
54.056000	20.61	-18.1	38.71	Vertical	40.00
78.306000	18.29	-24.1	42.39	Vertical	40.00
169.631500	27.37	-21.7	49.07	Vertical	43.50
173.511500	25.38	-21.4	46.78	Vertical	43.50

For 802.11ac(VHT20) Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.018500	19.73	-21.0	40.73	Vertical	40.00
52.164500	18.74	-17.8	36.54	Vertical	40.00
54.056000	20.52	-18.1	38.62	Vertical	40.00
77.675500	18.76	-23.9	42.66	Vertical	40.00
169.486000	26.21	-21.7	47.91	Vertical	43.50
173.366000	22.70	-21.4	44.10	Vertical	43.50

For 802.11n(HT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.727500	19.50	-21.1	40.60	Vertical	40.00
53.668000	19.68	-18.0	37.68	Vertical	40.00
54.104500	20.49	-18.1	38.59	Vertical	40.00
72.437500	17.94	-22.7	40.64	Vertical	40.00
169.583000	26.42	-21.7	48.12	Vertical	43.50
173.269000	22.95	-21.5	44.45	Vertical	43.50

For 802.11ac(VHT40) Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.261000	19.07	-20.9	39.97	Vertical	40.00
53.765000	20.05	-18.0	38.05	Vertical	40.00
53.910500	20.41	-18.0	38.41	Vertical	40.00
77.772500	18.87	-23.9	42.77	Vertical	40.00
142.714000	25.34	-22.7	48.04	Vertical	43.50
173.996500	25.07	-21.4	46.47	Vertical	43.50

For 802.11n(HT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.776000	19.65	-21.1	40.75	Vertical	40.00
53.765000	20.06	-18.0	38.06	Vertical	40.00
54.347000	19.88	-18.1	37.98	Vertical	40.00
77.821000	18.90	-24.0	42.90	Vertical	40.00
142.762500	25.28	-22.7	47.98	Vertical	43.50
173.560000	22.69	-21.4	44.09	Vertical	43.50

For 802.11ac(VHT40) Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.727500	19.54	-21.1	40.64	Vertical	40.00
53.813500	20.21	-18.0	38.21	Vertical	40.00
53.862000	20.31	-18.0	38.31	Vertical	40.00
77.772500	18.89	-23.9	42.79	Vertical	40.00
169.534500	26.31	-21.7	48.01	Vertical	43.50
173.220500	22.92	-21.5	44.42	Vertical	43.50

For 802.11ac(VHT80) Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.067000	19.53	-21.0	40.53	Vertical	40.00
53.619500	19.48	-18.0	37.48	Vertical	40.00
54.007500	20.49	-18.0	38.49	Vertical	40.00
77.821000	18.94	-24.0	42.94	Vertical	40.00
143.296000	24.39	-22.7	47.09	Vertical	43.50
173.511500	22.76	-21.4	44.16	Vertical	43.50

For 802.11a Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.164000	19.33	-21.0	40.33	Vertical	40.00
53.765000	20.02	-18.0	38.02	Vertical	40.00
53.862000	20.26	-18.0	38.26	Vertical	40.00
77.918000	18.95	-24.0	42.95	Vertical	40.00
142.180500	24.33	-22.7	47.03	Vertical	43.50
174.772500	21.44	-21.4	42.84	Vertical	43.50

For 802.11n(HT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.582000	18.99	-21.1	40.09	Vertical	40.00
53.765000	20.00	-18.0	38.00	Vertical	40.00
53.910500	20.32	-18.0	38.32	Vertical	40.00
78.209000	18.81	-24.0	42.81	Vertical	40.00
168.467500	25.13	-21.7	46.83	Vertical	43.50
175.306000	20.96	-21.3	42.26	Vertical	43.50

For 802.11ac(VHT20) Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.097000	18.62	-21.2	39.82	Vertical	40.00
52.213000	18.90	-17.8	36.70	Vertical	40.00
53.910500	20.33	-18.0	38.33	Vertical	40.00
72.534500	17.94	-22.7	40.64	Vertical	40.00
167.788500	25.34	-21.8	47.14	Vertical	43.50
175.015000	21.38	-21.3	42.68	Vertical	43.50

For 802.11a Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.358000	18.76	-20.9	39.66	Vertical	40.00
53.813500	20.14	-18.0	38.14	Vertical	40.00
54.153000	20.23	-18.1	38.33	Vertical	40.00
77.578500	18.74	-23.9	42.64	Vertical	40.00
168.516000	24.70	-21.7	46.40	Vertical	43.50
173.366000	21.60	-21.4	43.00	Vertical	43.50

For 802.11n(HT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.018500	19.63	-21.0	40.63	Vertical	40.00
53.765000	19.99	-18.0	37.99	Vertical	40.00
54.007500	20.37	-18.0	38.37	Vertical	40.00
72.098000	17.98	-22.6	40.58	Vertical	40.00
141.986500	23.76	-22.7	46.46	Vertical	43.50
181.320000	21.18	-20.9	42.08	Vertical	43.50

For 802.11ac(VHT20) Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	18.83	-21.3	40.13	Vertical	40.00
53.813500	20.12	-18.0	38.12	Vertical	40.00
53.862000	20.23	-18.0	38.23	Vertical	40.00
77.772500	18.96	-23.9	42.86	Vertical	40.00
167.594500	25.12	-21.8	46.92	Vertical	43.50
173.269000	21.62	-21.5	43.12	Vertical	43.50

For 802.11a Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.697500	17.86	-20.8	38.66	Vertical	40.00
53.619500	19.43	-18.0	37.43	Vertical	40.00
54.007500	20.38	-18.0	38.38	Vertical	40.00
78.015000	18.95	-24.0	42.95	Vertical	40.00
168.322000	25.16	-21.7	46.86	Vertical	43.50
182.096000	21.39	-20.7	42.09	Vertical	43.50

For 802.11n(HT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.873000	19.60	-21.0	40.60	Vertical	40.00
53.813500	20.03	-18.0	38.03	Vertical	40.00
53.862000	20.19	-18.0	38.19	Vertical	40.00
72.437500	17.84	-22.7	40.54	Vertical	40.00
168.031000	25.52	-21.8	47.32	Vertical	43.50
173.705500	21.89	-21.4	43.29	Vertical	43.50

For 802.11ac(VHT20) Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.388000	18.22	-21.1	39.32	Vertical	40.00
52.358500	18.89	-17.8	36.69	Vertical	40.00
54.056000	20.37	-18.1	38.47	Vertical	40.00
77.821000	18.97	-24.0	42.97	Vertical	40.00
168.031000	25.43	-21.8	47.23	Vertical	43.50
174.724000	21.41	-21.4	42.81	Vertical	43.50

For 802.11n(HT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.436500	18.33	-21.1	39.43	Vertical	40.00
52.261500	18.94	-17.8	36.74	Vertical	40.00
54.104500	20.30	-18.1	38.40	Vertical	40.00
78.015000	18.94	-24.0	42.94	Vertical	40.00
142.568500	24.39	-22.7	47.09	Vertical	43.50
173.705500	20.77	-21.4	42.17	Vertical	43.50

For 802.11ac(VHT40) Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.164000	19.57	-21.0	40.57	Vertical	40.00
53.716500	19.85	-18.0	37.85	Vertical	40.00
53.910500	20.30	-18.0	38.30	Vertical	40.00
77.869500	19.01	-24.0	43.01	Vertical	40.00
165.800000	24.51	-21.8	46.31	Vertical	43.50
173.317500	21.69	-21.4	43.09	Vertical	43.50

For 802.11n(HT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.067000	19.61	-21.0	40.61	Vertical	40.00
53.183000	18.12	-17.9	36.02	Vertical	40.00
54.007500	20.39	-18.0	38.39	Vertical	40.00
73.116500	17.77	-22.8	40.57	Vertical	40.00
169.777000	25.42	-21.7	47.12	Vertical	43.50
181.756500	21.45	-20.8	42.25	Vertical	43.50

For 802.11ac(VHT40) Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.824500	19.64	-21.0	40.64	Vertical	40.00
53.813500	20.13	-18.0	38.13	Vertical	40.00
54.056000	20.37	-18.1	38.47	Vertical	40.00
77.821000	18.98	-24.0	42.98	Vertical	40.00
168.467500	25.04	-21.7	46.74	Vertical	43.50
182.387000	20.91	-20.7	41.61	Vertical	43.50

For 802.11ac(VHT80) Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.746000	17.80	-20.8	38.60	Vertical	40.00
53.716500	19.83	-18.0	37.83	Vertical	40.00
54.153000	20.26	-18.1	38.36	Vertical	40.00
77.918000	19.00	-24.0	43.00	Vertical	40.00
142.471500	24.43	-22.7	47.13	Vertical	43.50
173.511500	21.47	-21.4	42.87	Vertical	43.50

For 802.11a Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.261000	19.17	-20.9	40.07	Vertical	40.00
53.716500	19.85	-18.0	37.85	Vertical	40.00
54.250000	20.02	-18.1	38.12	Vertical	40.00
78.500000	18.51	-24.1	42.61	Vertical	40.00
168.419000	25.10	-21.7	46.80	Vertical	43.50
182.144500	21.36	-20.7	42.06	Vertical	43.50

For 802.11n(HT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.679000	19.29	-21.1	40.39	Vertical	40.00
53.813500	20.13	-18.0	38.13	Vertical	40.00
53.959000	20.35	-18.0	38.35	Vertical	40.00
77.772500	18.97	-23.9	42.87	Vertical	40.00
165.703000	24.36	-21.8	46.16	Vertical	43.50
173.511500	21.49	-21.4	42.89	Vertical	43.50

For 802.11ac(VHT20) Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.018500	19.76	-21.0	40.76	Vertical	40.00
53.668000	19.61	-18.0	37.61	Vertical	40.00
54.056000	20.40	-18.1	38.50	Vertical	40.00
77.675500	18.90	-23.9	42.80	Vertical	40.00
164.005500	24.10	-21.9	46.00	Vertical	43.50
181.805000	21.50	-20.8	42.30	Vertical	43.50

For 802.11a Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.824500	19.66	-21.0	40.66	Vertical	40.00
53.522500	18.97	-18.0	36.97	Vertical	40.00
54.153000	20.28	-18.1	38.38	Vertical	40.00
77.675500	18.88	-23.9	42.78	Vertical	40.00
165.897000	24.59	-21.8	46.39	Vertical	43.50
173.366000	21.58	-21.4	42.98	Vertical	43.50

For 802.11n(HT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.697500	17.90	-20.8	38.70	Vertical	40.00
53.716500	19.80	-18.0	37.80	Vertical	40.00
54.153000	20.28	-18.1	38.38	Vertical	40.00
72.146500	17.92	-22.6	40.52	Vertical	40.00
165.848500	24.48	-21.8	46.28	Vertical	43.50
181.271500	21.16	-20.9	42.06	Vertical	43.50

For 802.11ac(VHT20) Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.164000	19.37	-21.0	40.37	Vertical	40.00
53.813500	20.13	-18.0	38.13	Vertical	40.00
53.862000	20.22	-18.0	38.22	Vertical	40.00
72.777000	17.74	-22.8	40.54	Vertical	40.00
166.139500	24.71	-21.8	46.51	Vertical	43.50
173.317500	21.62	-21.4	43.02	Vertical	43.50

For 802.11a Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.261000	19.22	-20.9	40.12	Vertical	40.00
53.765000	19.95	-18.0	37.95	Vertical	40.00
54.104500	20.37	-18.1	38.47	Vertical	40.00
77.772500	18.96	-23.9	42.86	Vertical	40.00
142.908000	24.06	-22.7	46.76	Vertical	43.50
181.611000	21.51	-20.8	42.31	Vertical	43.50

For 802.11n(HT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.873000	19.61	-21.0	40.61	Vertical	40.00
52.407000	18.98	-17.8	36.78	Vertical	40.00
54.250000	20.15	-18.1	38.25	Vertical	40.00
77.869500	19.02	-24.0	43.02	Vertical	40.00
166.285000	24.73	-21.8	46.53	Vertical	43.50
181.756500	21.60	-20.8	42.40	Vertical	43.50

For 802.11ac(VHT20) Channel No.:144

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.679000	19.25	-21.1	40.35	Vertical	40.00
53.716500	19.77	-18.0	37.77	Vertical	40.00
54.007500	20.41	-18.0	38.41	Vertical	40.00
72.922500	17.59	-22.8	40.39	Vertical	40.00
169.874000	25.19	-21.7	46.89	Vertical	43.50
182.435500	21.13	-20.7	41.83	Vertical	43.50

For 802.11n(HT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.358000	19.12	-20.9	40.02	Vertical	40.00
53.619500	19.32	-18.0	37.32	Vertical	40.00
60.603500	15.38	-19.0	34.38	Vertical	40.00
78.209000	18.82	-24.0	42.82	Vertical	40.00
169.583000	25.15	-21.7	46.85	Vertical	43.50
173.511500	21.77	-21.4	43.17	Vertical	43.50

For 802.11ac(VHT40) Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.261000	19.04	-20.9	39.94	Vertical	40.00
53.813500	20.09	-18.0	38.09	Vertical	40.00
54.104500	20.42	-18.1	38.52	Vertical	40.00
78.015000	18.95	-24.0	42.95	Vertical	40.00
168.273500	25.50	-21.7	47.20	Vertical	43.50
181.562500	21.15	-20.8	41.95	Vertical	43.50

For 802.11n(HT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.000000	18.79	-21.3	40.09	Vertical	40.00
53.765000	19.93	-18.0	37.93	Vertical	40.00
54.444000	19.49	-18.1	37.59	Vertical	40.00
77.966500	18.97	-24.0	42.97	Vertical	40.00
142.762500	24.42	-22.7	47.12	Vertical	43.50
173.366000	21.93	-21.4	43.33	Vertical	43.50

For 802.11ac(VHT40) Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.261000	19.03	-20.9	39.93	Vertical	40.00
53.619500	19.33	-18.0	37.33	Vertical	40.00
54.153000	20.38	-18.1	38.48	Vertical	40.00
73.165000	17.67	-22.8	40.47	Vertical	40.00
139.367500	24.41	-22.7	47.11	Vertical	43.50
173.657000	21.59	-21.4	42.99	Vertical	43.50

For 802.11n(HT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.212500	19.34	-20.9	40.24	Vertical	40.00
53.716500	19.73	-18.0	37.73	Vertical	40.00
54.201500	20.31	-18.1	38.41	Vertical	40.00
77.578500	18.72	-23.9	42.62	Vertical	40.00
167.934000	25.44	-21.8	47.24	Vertical	43.50
181.708000	21.32	-20.8	42.12	Vertical	43.50

For 802.11ac(VHT40) Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.339500	18.04	-21.2	39.24	Vertical	40.00
53.716500	19.56	-18.0	37.56	Vertical	40.00
54.298500	20.21	-18.1	38.31	Vertical	40.00
77.869500	19.04	-24.0	43.04	Vertical	40.00
169.437500	24.59	-21.7	46.29	Vertical	43.50
173.317500	21.62	-21.4	43.02	Vertical	43.50

For 802.11ac(VHT80) Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.873000	19.61	-21.0	40.61	Vertical	40.00
53.765000	19.72	-18.0	37.72	Vertical	40.00
53.862000	20.07	-18.0	38.07	Vertical	40.00
77.918000	19.03	-24.0	43.03	Vertical	40.00
142.908000	24.30	-22.7	47.00	Vertical	43.50
173.560000	21.74	-21.4	43.14	Vertical	43.50

For 802.11ac(VHT80) Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.164000	19.36	-21.0	40.36	Vertical	40.00
53.765000	19.66	-18.0	37.66	Vertical	40.00
54.153000	20.42	-18.1	38.52	Vertical	40.00
78.063500	18.96	-24.0	42.96	Vertical	40.00
142.568500	24.11	-22.7	46.81	Vertical	43.50
173.463000	21.56	-21.4	42.96	Vertical	43.50

For 802.11ac(VHT80) Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.776000	19.40	-21.1	40.50	Vertical	40.00
53.813500	19.28	-18.0	37.28	Vertical	40.00
53.910500	18.34	-18.0	36.34	Vertical	40.00
77.675500	18.81	-23.9	42.71	Vertical	40.00
167.788500	25.04	-21.8	46.84	Vertical	43.50
180.350000	20.47	-21.0	41.47	Vertical	43.50

For 802.11a Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.824500	19.55	-21.0	40.55	Vertical	40.00
53.716500	19.63	-18.0	37.63	Vertical	40.00
53.862000	20.15	-18.0	38.15	Vertical	40.00
78.015000	18.94	-24.0	42.94	Vertical	40.00
143.150500	24.06	-22.7	46.76	Vertical	43.50
173.317500	21.71	-21.4	43.11	Vertical	43.50

For 802.11n(HT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.630500	18.97	-21.1	40.07	Vertical	40.00
53.571000	19.00	-18.0	37.00	Vertical	40.00
54.007500	20.44	-18.0	38.44	Vertical	40.00
77.966500	18.98	-24.0	42.98	Vertical	40.00
142.811000	24.36	-22.7	47.06	Vertical	43.50
182.193000	21.32	-20.7	42.02	Vertical	43.50

For 802.11ac(VHT20) Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.630500	19.03	-21.1	40.13	Vertical	40.00
53.813500	20.04	-18.0	38.04	Vertical	40.00
54.056000	20.48	-18.1	38.58	Vertical	40.00
78.257500	18.72	-24.1	42.82	Vertical	40.00
169.680000	25.23	-21.7	46.93	Vertical	43.50
192.087000	17.39	-19.5	36.89	Vertical	43.50

For 802.11a Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.727500	19.28	-21.1	40.38	Vertical	40.00
53.765000	19.88	-18.0	37.88	Vertical	40.00
53.910500	20.31	-18.0	38.31	Vertical	40.00
77.627000	18.77	-23.9	42.67	Vertical	40.00
168.370500	25.56	-21.7	47.26	Vertical	43.50
173.608500	21.75	-21.4	43.15	Vertical	43.50

For 802.11n(HT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.679000	19.21	-21.1	40.31	Vertical	40.00
53.813500	20.03	-18.0	38.03	Vertical	40.00
53.959000	20.39	-18.0	38.39	Vertical	40.00
72.098000	17.97	-22.6	40.57	Vertical	40.00
142.665500	24.19	-22.7	46.89	Vertical	43.50
173.220500	21.66	-21.5	43.16	Vertical	43.50

For 802.11ac(VHT20) Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.824500	19.53	-21.0	40.53	Vertical	40.00
53.765000	19.86	-18.0	37.86	Vertical	40.00
53.959000	20.40	-18.0	38.40	Vertical	40.00
78.112000	18.86	-24.0	42.86	Vertical	40.00
168.564500	25.41	-21.7	47.11	Vertical	43.50
173.220500	21.75	-21.5	43.25	Vertical	43.50

For 802.11a Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.242500	18.06	-21.2	39.26	Vertical	40.00
52.067500	18.68	-17.8	36.48	Vertical	40.00
59.488000	15.25	-18.8	34.05	Vertical	40.00
78.160500	18.83	-24.0	42.83	Vertical	40.00
166.527500	24.85	-21.8	46.65	Vertical	43.50
173.463000	21.87	-21.4	43.27	Vertical	43.50

For 802.11n(HT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.970000	19.53	-21.0	40.53	Vertical	40.00
53.765000	19.83	-18.0	37.83	Vertical	40.00
54.153000	20.50	-18.1	38.60	Vertical	40.00
77.627000	18.75	-23.9	42.65	Vertical	40.00
168.516000	25.55	-21.7	47.25	Vertical	43.50
173.317500	21.97	-21.4	43.37	Vertical	43.50

For 802.11ac(VHT20) Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.873000	19.56	-21.0	40.56	Vertical	40.00
52.455500	19.11	-17.8	36.91	Vertical	40.00
53.959000	20.41	-18.0	38.41	Vertical	40.00
77.966500	18.96	-24.0	42.96	Vertical	40.00
143.150500	24.27	-22.7	46.97	Vertical	43.50
173.657000	21.95	-21.4	43.35	Vertical	43.50

For 802.11n(HT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.212500	19.23	-20.9	40.13	Vertical	40.00
52.407000	19.14	-17.8	36.94	Vertical	40.00
53.862000	20.19	-18.0	38.19	Vertical	40.00
72.098000	17.93	-22.6	40.53	Vertical	40.00
169.583000	25.20	-21.7	46.90	Vertical	43.50
173.560000	22.01	-21.4	43.41	Vertical	43.50

For 802.11ac(VHT40) Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.485000	18.40	-21.1	39.50	Vertical	40.00
52.067500	18.64	-17.8	36.44	Vertical	40.00
54.056000	20.57	-18.1	38.67	Vertical	40.00
72.195000	17.94	-22.6	40.54	Vertical	40.00
167.982500	25.64	-21.8	47.44	Vertical	43.50
173.269000	22.23	-21.5	43.73	Vertical	43.50

For 802.11n(HT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.727500	19.38	-21.1	40.48	Vertical	40.00
53.813500	20.04	-18.0	38.04	Vertical	40.00
53.959000	20.44	-18.0	38.44	Vertical	40.00
77.821000	18.94	-24.0	42.94	Vertical	40.00
170.019500	25.68	-21.7	47.38	Vertical	43.50
173.996500	21.57	-21.4	42.97	Vertical	43.50


For 802.11ac(VHT40) Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
30.630500	18.83	-21.1	39.93	Vertical	40.00
52.310000	19.16	-17.8	36.96	Vertical	40.00
53.910500	20.31	-18.0	38.31	Vertical	40.00
77.821000	18.95	-24.0	42.95	Vertical	40.00
169.825500	25.44	-21.7	47.14	Vertical	43.50
173.463000	22.02	-21.4	43.42	Vertical	43.50


For 802.11ac(VHT80) Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)
31.261000	19.18	-20.9	40.08	Vertical	40.00
52.455500	19.14	-17.8	36.94	Vertical	40.00
54.104500	20.57	-18.1	38.67	Vertical	40.00
78.063500	18.90	-24.0	42.90	Vertical	40.00
142.956500	24.45	-22.7	47.15	Vertical	43.50
173.220500	21.76	-21.5	43.26	Vertical	43.50

Carrier frequency (MHz): 5180
Channel No.:36




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




1


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5200

Channel No.:40




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240
Channel No.:48




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5190
 Channel No.:38

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5230
 Channel No.:46

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5210
Channel No.:42

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT80)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT80)


Carrier frequency (MHz): 5260
Channel No.:52

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5300

Channel No.:60




Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5320
Channel No.:64

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT20)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)


Carrier frequency (MHz): 5270
Channel No.:54

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11ac(VHT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Comment

Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Full Spectrum



Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Test Mode: 802.11ac(VHT40)


Carrier frequency (MHz): 5310
 Channel No.:62

Full Spectrum



Frequency Range: 30MHz -1GHz
 Detector: QP mode
 Test Mode: 802.11n(HT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: QP mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+ PK.74 AV54

Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)