

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 41

1 RF Power Output

BW	Modulation	RB Size	RB Offset	Conducted power(dBm)		
				39675.000	40620.000	41565.000
				2498.500	2593.000	2687.500
5.000	QPSK	1.000	0.000	22.200	23.360	22.090
		1.000	12.000	22.190	23.430	22.180
		1.000	24.000	22.180	23.450	22.190
		12.000	0.000	21.090	22.490	20.960
		12.000	7.000	21.060	22.520	20.960
		12.000	13.000	21.120	22.460	20.970
		25.000	0.000	21.120	22.510	20.940
	16QAM	1.000	0.000	21.280	22.700	21.000
		1.000	12.000	21.210	22.640	21.040
		1.000	24.000	21.310	22.670	21.080
		12.000	0.000	20.140	21.490	19.960
		12.000	7.000	20.140	21.560	19.950
		12.000	13.000	20.220	21.550	19.870
		25.000	0.000	20.080	21.520	19.960
	64QAM	1.000	0.000	20.270	21.530	20.070
		1.000	12.000	20.250	21.520	20.070
		1.000	24.000	20.220	21.560	20.170
		12.000	0.000	19.150	20.610	18.850
		12.000	7.000	19.100	20.590	19.090
		12.000	13.000	19.180	20.450	19.160
		25.000	0.000	19.120	20.460	19.090

BW	Modulation	RB Size	RB Offset	Conducted power(dBm)		
				39700.000	40620.000	41540.000
				2501.000	2593.000	2685.000
10.000	QPSK	1.000	0.000	22.200	23.480	22.240
		1.000	25.000	22.250	23.500	22.310
		1.000	49.000	22.140	23.380	22.210
		25.000	0.000	21.120	22.520	20.990
		25.000	12.000	21.120	22.570	21.030
		25.000	25.000	21.030	22.530	21.160
		50.000	0.000	21.050	22.530	21.030
	16QAM	1.000	0.000	21.020	22.740	21.240
		1.000	25.000	20.930	22.570	20.910
		1.000	49.000	20.920	22.440	21.110
		25.000	0.000	20.120	21.530	20.110
		25.000	12.000	20.230	21.490	20.080
		25.000	25.000	20.040	21.480	20.160
		50.000	0.000	20.100	21.480	20.200
	64QAM	1.000	0.000	20.430	21.460	20.250
		1.000	25.000	20.390	21.420	20.050
		1.000	49.000	20.370	21.450	20.030
		25.000	0.000	19.090	20.430	19.110
		25.000	12.000	19.090	20.460	19.130
		25.000	25.000	19.050	20.440	19.220
		50.000	0.000	19.050	20.540	19.110

BW	Modulation	RB Size	RB Offset	Conducted power(dBm)		
				39725.000	40620.000	41515.000
				2503.500	2593.000	2682.500
15.000	QPSK	1.000	0.000	22.100	23.500	22.280
		1.000	37.000	22.000	23.450	22.220
		1.000	74.000	21.980	23.540	22.290
		36.000	0.000	21.050	22.660	21.450
		36.000	29.000	21.020	22.600	21.480
		36.000	30.000	21.060	22.600	21.470
		75.000	0.000	21.100	22.620	21.380
	16QAM	1.000	0.000	21.200	22.720	21.590
		1.000	37.000	21.280	22.590	21.500
		1.000	74.000	21.350	22.650	21.570
		36.000	0.000	20.170	21.620	20.450
		36.000	29.000	20.110	21.560	20.490
		36.000	30.000	20.160	21.610	20.440
		75.000	0.000	20.190	21.550	20.400
	64QAM	1.000	0.000	20.120	21.850	20.270
		1.000	37.000	20.140	21.770	20.250
		1.000	74.000	20.080	21.830	20.350
		36.000	0.000	19.020	20.630	19.080
		36.000	29.000	19.200	20.590	19.120
		36.000	30.000	19.170	20.610	19.120
		75.000	0.000	19.290	20.600	19.040

BW	Modulation	RB Size	RB Offset	Conducted power(dBm)		
				39750.000	40620.000	41490.000
				2506.000	2593.000	2680.000
20.000	QPSK	1.000	0.000	22.290	23.600	22.380
		1.000	49.000	22.250	23.530	22.200
		1.000	99.000	22.150	23.590	22.310
		50.000	0.000	21.270	22.510	21.160
		50.000	24.000	21.210	22.520	21.220
		50.000	50.000	21.180	22.530	21.150
		100.000	0.000	21.010	22.560	21.190
	16QAM	1.000	0.000	21.240	22.780	21.350
		1.000	49.000	21.220	22.610	21.260
		1.000	99.000	21.490	22.590	21.400
		50.000	0.000	20.100	21.540	20.060
		50.000	24.000	20.190	21.540	20.120
		50.000	50.000	20.150	21.480	20.110
		100.000	0.000	20.140	21.510	20.150
	64QAM	1.000	0.000	20.660	21.210	20.230
		1.000	49.000	20.200	21.230	20.120
		1.000	99.000	20.280	21.320	20.290
		50.000	0.000	19.180	20.620	19.210
		50.000	24.000	19.120	20.740	19.280
		50.000	50.000	19.080	20.670	19.260
		100.000	0.000	19.130	20.690	19.230

2 Occupied Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
41	QPSK	2498.5	39675	5	25	0	4.460	Fig.1
41	QPSK	2593	40620	5	25	0	4.470	Fig.2
41	QPSK	2687.5	41565	5	25	0	4.470	Fig.3
41	QPSK	2501	39700	10	50	0	8.890	Fig.4
41	QPSK	2593	40620	10	50	0	8.910	Fig.5
41	QPSK	2685	41540	10	50	0	8.890	Fig.6
41	QPSK	2503.5	39725	15	75	0	13.390	Fig.7
41	QPSK	2593	40620	15	75	0	13.310	Fig.8
41	QPSK	2682.5	41515	15	75	0	13.300	Fig.9
41	QPSK	2506	39750	20	100	0	17.800	Fig.10
41	QPSK	2593	40620	20	100	0	17.790	Fig.11
41	QPSK	2680	41490	20	100	0	17.840	Fig.12

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
41	16QAM	2498.5	39675	5	25	0	4.460	Fig.13
41	16QAM	2593	40620	5	25	0	4.430	Fig.14
41	16QAM	2687.5	41565	5	25	0	4.470	Fig.15
41	16QAM	2501	39700	10	50	0	8.900	Fig.16
41	16QAM	2593	40620	10	50	0	8.920	Fig.17
41	16QAM	2685	41540	10	50	0	8.900	Fig.18
41	16QAM	2503.5	39725	15	75	0	13.320	Fig.19
41	16QAM	2593	40620	15	75	0	13.420	Fig.20
41	16QAM	2682.5	41515	15	75	0	13.310	Fig.21
41	16QAM	2506	39750	20	100	0	17.860	Fig.22
41	16QAM	2593	40620	20	100	0	17.830	Fig.23
41	16QAM	2680	41490	20	100	0	17.890	Fig.24

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)	
41	64QAM	2498.5	39675	5	25	0	4.430	Fig.25
41	64QAM	2593	40620	5	25	0	4.440	Fig.26
41	64QAM	2687.5	41565	5	25	0	4.460	Fig.27
41	64QAM	2501	39700	10	50	0	8.890	Fig.28
41	64QAM	2593	40620	10	50	0	8.950	Fig.29
41	64QAM	2685	41540	10	50	0	8.910	Fig.30
41	64QAM	2503.5	39725	15	75	0	13.390	Fig.31
41	64QAM	2593	40620	15	75	0	13.340	Fig.32
41	64QAM	2682.5	41515	15	75	0	13.410	Fig.33
41	64QAM	2506	39750	20	100	0	17.780	Fig.34
41	64QAM	2593	40620	20	100	0	17.850	Fig.35
41	64QAM	2680	41490	20	100	0	17.810	Fig.36

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12

Test Mode: 16QAM




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

Test Mode: 64QAM




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

3 Emission Bandwidth

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
41	QPSK	2498.5	39675	5	25	0	4.740	Fig.1
41	QPSK	2593	40620	5	25	0	4.750	Fig.2
41	QPSK	2687.5	41565	5	25	0	4.770	Fig.3
41	QPSK	2501	39700	10	50	0	9.280	Fig.4
41	QPSK	2593	40620	10	50	0	9.240	Fig.5
41	QPSK	2685	41540	10	50	0	9.280	Fig.6
41	QPSK	2503.5	39725	15	75	0	13.980	Fig.7
41	QPSK	2593	40620	15	75	0	13.980	Fig.8
41	QPSK	2682.5	41515	15	75	0	14.160	Fig.9
41	QPSK	2506	39750	20	100	0	18.520	Fig.10
41	QPSK	2593	40620	20	100	0	18.530	Fig.11
41	QPSK	2680	41490	20	100	0	18.500	Fig.12

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
41	16QAM	2498.5	39675	5	25	0	4.690	Fig.13
41	16QAM	2593	40620	5	25	0	4.650	Fig.14
41	16QAM	2687.5	41565	5	25	0	4.660	Fig.15
41	16QAM	2501	39700	10	50	0	9.230	Fig.16
41	16QAM	2593	40620	10	50	0	9.200	Fig.17
41	16QAM	2685	41540	10	50	0	9.290	Fig.18
41	16QAM	2503.5	39725	15	75	0	14.050	Fig.19
41	16QAM	2593	40620	15	75	0	13.880	Fig.20
41	16QAM	2682.5	41515	15	75	0	13.900	Fig.21
41	16QAM	2506	39750	20	100	0	18.430	Fig.22
41	16QAM	2593	40620	20	100	0	18.550	Fig.23
41	16QAM	2680	41490	20	100	0	18.460	Fig.24

Band	Mode	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)	
41	64QAM	2498.5	39675	5	25	0	4.680	Fig.25
41	64QAM	2593	40620	5	25	0	4.670	Fig.26
41	64QAM	2687.5	41565	5	25	0	4.720	Fig.27
41	64QAM	2501	39700	10	50	0	9.370	Fig.28
41	64QAM	2593	40620	10	50	0	9.320	Fig.29
41	64QAM	2685	41540	10	50	0	9.280	Fig.30
41	64QAM	2503.5	39725	15	75	0	13.920	Fig.31
41	64QAM	2593	40620	15	75	0	13.940	Fig.32
41	64QAM	2682.5	41515	15	75	0	13.930	Fig.33
41	64QAM	2506	39750	20	100	0	18.550	Fig.34
41	64QAM	2593	40620	20	100	0	18.430	Fig.35
41	64QAM	2680	41490	20	100	0	18.620	Fig.36

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12

Test Mode: 16QAM




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

Test Mode: 64QAM




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
41	2498.5	39675	5	1	24	Fig.1	Fig.2	Fig.3
41	2498.5	39675	5	25	0	Fig.4	Fig.5	Fig.6
41	2593	40620	5	1	24	Fig.7	Fig.8	Fig.9
41	2593	40620	5	25	0	Fig.10	Fig.11	Fig.12
41	2687.5	41565	5	1	24	Fig.13	Fig.14	Fig.15
41	2687.5	41565	5	25	0	Fig.16	Fig.17	Fig.18
41	2501	39700	10	1	49	Fig.19	Fig.20	Fig.21
41	2501	39700	10	50	0	Fig.22	Fig.23	Fig.24
41	2593	40620	10	1	49	Fig.25	Fig.26	Fig.27
41	2593	40620	10	50	0	Fig.28	Fig.29	Fig.30
41	2685	41540	10	1	49	Fig.31	Fig.32	Fig.33
41	2685	41540	10	50	0	Fig.34	Fig.35	Fig.36
41	2503.5	39725	15	1	74	Fig.37	Fig.38	Fig.39
41	2503.5	39725	15	75	0	Fig.40	Fig.41	Fig.42
41	2593	40620	15	1	74	Fig.43	Fig.44	Fig.45
41	2593	40620	15	75	0	Fig.46	Fig.47	Fig.48
41	2682.5	41515	15	1	74	Fig.49	Fig.50	Fig.51
41	2682.5	41515	15	75	0	Fig.52	Fig.53	Fig.54
41	2506	39750	20	1	99	Fig.55	Fig.56	Fig.57
41	2506	39750	20	100	0	Fig.58	Fig.59	Fig.60
41	2593	40620	20	1	99	Fig.61	Fig.62	Fig.63
41	2593	40620	20	100	0	Fig.64	Fig.65	Fig.66
41	2680	41490	20	1	99	Fig.67	Fig.68	Fig.69
41	2680	41490	20	100	0	Fig.70	Fig.71	Fig.72




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
41	2506	39750	20	1	0	Fig.1
41	2593	40620	20	1	0	Fig.2
41	2680	41490	20	1	0	Fig.3



Fig.1



Fig.2




Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
41	QPSK	2498.5	39675	5	1	0	Fig.1
41	QPSK	2498.5	39675	5	25	0	Fig.2
41	QPSK	2687.5	41565	5	1	24	Fig.3
41	QPSK	2687.5	41565	5	25	0	Fig.4
41	QPSK	2501	39700	10	1	0	Fig.5
41	QPSK	2501	39700	10	50	0	Fig.6
41	QPSK	2685	41540	10	1	49	Fig.7
41	QPSK	2685	41540	10	50	0	Fig.8
41	QPSK	2503.5	39725	15	1	0	Fig.9
41	QPSK	2503.5	39725	15	75	0	Fig.10
41	QPSK	2682.5	41515	15	1	74	Fig.11
41	QPSK	2682.5	41515	15	75	0	Fig.12
41	QPSK	2506	39750	20	1	0	Fig.13
41	QPSK	2506	39750	20	100	0	Fig.14
41	QPSK	2680	41490	20	1	99	Fig.15
41	QPSK	2680	41490	20	100	0	Fig.16

Test Mode: QPSK




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 41 Low Channel QPSK			
		5M	10M	15M	20M
-10	NV	-0.002	0.002	-0.003	-0.003
0	NV	-0.002	0.002	-0.002	-0.002
+10	NV	0.002	0.002	0.001	-0.002
+20	NV	0.002	-0.001	-0.002	0.001
+30	NV	0.002	0.001	-0.002	-0.001
+40	NV	-0.002	0.001	-0.002	-0.001
+50	NV	-0.002	0.002	0.001	-0.003
+55	NV	-0.002	-0.003	0.002	-0.003
+20	LV	-0.002	0.001	0.002	-0.004
+20	HV	-0.002	0.000	0.001	-0.003

Temperature(°C)	Voltage	Test Result (ppm) Band 41 Low Channel QPSK			
		5M	10M	15M	20M
-10	NV	0.001	-0.001	-0.001	-0.001
0	NV	0.002	-0.001	-0.001	0.000
+10	NV	0.001	0.000	0.001	0.001
+20	NV	0.002	-0.002	-0.001	-0.002
+30	NV	0.001	0.001	-0.001	-0.002
+40	NV	0.001	0.001	-0.001	-0.002
+50	NV	0.002	-0.001	-0.001	-0.001
+55	NV	-0.001	-0.001	-0.001	-0.001
+20	LV	0.000	0.000	0.001	-0.001
+20	HV	0.002	-0.001	-0.002	0.000

8 Effective Radiated Power and Effective Isotropic Radiated Power

BW	Modulation	RB Size	RB Offset	ERP/EIRP(W)		
				39675.000	40620.000	41565.000
				2498.500	2593.000	2687.500
5.000	QPSK	1.000	0.000	0.096	0.125	0.093
		1.000	12.000	0.096	0.127	0.095
		1.000	24.000	0.095	0.127	0.096
		12.000	0.000	0.074	0.102	0.072
		12.000	7.000	0.074	0.103	0.072
		12.000	13.000	0.074	0.101	0.072
		25.000	0.000	0.074	0.102	0.071
	16QAM	1.000	0.000	0.077	0.107	0.073
		1.000	12.000	0.076	0.106	0.073
		1.000	24.000	0.078	0.106	0.074
		12.000	0.000	0.059	0.081	0.057
		12.000	7.000	0.059	0.082	0.057
		12.000	13.000	0.060	0.082	0.056
		25.000	0.000	0.059	0.082	0.057
	64QAM	1.000	0.000	0.061	0.082	0.059
		1.000	12.000	0.061	0.082	0.059
		1.000	24.000	0.060	0.082	0.060
		12.000	0.000	0.047	0.066	0.044
		12.000	7.000	0.047	0.066	0.047
		12.000	13.000	0.048	0.064	0.047
		25.000	0.000	0.047	0.064	0.047

BW	Modulation	RB Size	RB Offset	ERP/EIRP(W)		
				39700.000	40620.000	41540.000
				2501.000	2593.000	2685.000
10.000	QPSK	1.000	0.000	0.096	0.128	0.096
		1.000	25.000	0.097	0.129	0.098
		1.000	49.000	0.094	0.125	0.096
		25.000	0.000	0.074	0.103	0.073
		25.000	12.000	0.074	0.104	0.073
		25.000	25.000	0.073	0.103	0.075
		50.000	0.000	0.073	0.103	0.073
	16QAM	1.000	0.000	0.073	0.108	0.077
		1.000	25.000	0.071	0.104	0.071
		1.000	49.000	0.071	0.101	0.074
		25.000	0.000	0.059	0.082	0.059
		25.000	12.000	0.060	0.081	0.059
		25.000	25.000	0.058	0.081	0.060
		50.000	0.000	0.059	0.081	0.060
	64QAM	1.000	0.000	0.063	0.081	0.061
		1.000	25.000	0.063	0.080	0.058
		1.000	49.000	0.063	0.081	0.058
		25.000	0.000	0.047	0.063	0.047
		25.000	12.000	0.047	0.064	0.047
		25.000	25.000	0.046	0.064	0.048
		50.000	0.000	0.046	0.065	0.047

BW	Modulation	RB Size	RB Offset	ERP/EIRP(W)		
				39725.000	40620.000	41515.000
				2503.500	2593.000	2682.500
15.000	QPSK	1.000	0.000	0.093	0.129	0.097
		1.000	37.000	0.091	0.127	0.096
		1.000	74.000	0.091	0.130	0.097
		36.000	0.000	0.073	0.106	0.081
		36.000	29.000	0.073	0.105	0.081
		36.000	30.000	0.074	0.105	0.081
		75.000	0.000	0.074	0.105	0.079
	16QAM	1.000	0.000	0.076	0.108	0.083
		1.000	37.000	0.077	0.105	0.081
		1.000	74.000	0.078	0.106	0.083
		36.000	0.000	0.060	0.083	0.064
		36.000	29.000	0.059	0.082	0.064
		36.000	30.000	0.060	0.083	0.064
		75.000	0.000	0.060	0.082	0.063
	64QAM	1.000	0.000	0.059	0.088	0.061
		1.000	37.000	0.059	0.086	0.061
		1.000	74.000	0.059	0.087	0.062
		36.000	0.000	0.046	0.067	0.047
		36.000	29.000	0.048	0.066	0.047
		36.000	30.000	0.048	0.066	0.047
		75.000	0.000	0.049	0.066	0.046

BW	Modulation	RB Size	RB Offset	ERP/EIRP(W)		
				39750.000	40620.000	41490.000
				2506.000	2593.000	2680.000
20.000	QPSK	1.000	0.000	0.097	0.132	0.100
		1.000	49.000	0.097	0.129	0.096
		1.000	99.000	0.094	0.132	0.098
		50.000	0.000	0.077	0.102	0.075
		50.000	24.000	0.076	0.103	0.076
		50.000	50.000	0.075	0.103	0.075
		100.000	0.000	0.073	0.104	0.076
	16QAM	1.000	0.000	0.077	0.109	0.078
		1.000	49.000	0.076	0.105	0.077
		1.000	99.000	0.081	0.105	0.079
		50.000	0.000	0.059	0.082	0.058
		50.000	24.000	0.060	0.082	0.059
		50.000	50.000	0.060	0.081	0.059
		100.000	0.000	0.059	0.082	0.060
	64QAM	1.000	0.000	0.067	0.076	0.060
		1.000	49.000	0.060	0.077	0.059
		1.000	99.000	0.062	0.078	0.062
		50.000	0.000	0.048	0.066	0.048
		50.000	24.000	0.047	0.068	0.049
		50.000	50.000	0.047	0.067	0.048
		100.000	0.000	0.047	0.067	0.048