



802.11be EHT20	26T 4	5745	Ant8	2.64	-1.96
802.11be EHT20	26T 4	5745	Ant4	1.08	0.58
802.11be EHT20	26T 4	5745	MIMO	4.94	2.86
802.11be EHT20	26T 4	5785	Ant8	1.29	-3.31
802.11be EHT20	26T 4	5785	Ant4	1.92	1.42
802.11be EHT20	26T 4	5785	MIMO	4.63	2.55
802.11be EHT20	26T 4	5825	Ant8	2.57	-2.03
802.11be EHT20	26T 4	5825	Ant4	2.73	2.23
802.11be EHT20	26T 4	5825	MIMO	5.66	3.58
802.11be EHT20	26T 8	5745	Ant8	2.61	-1.99
802.11be EHT20	26T 8	5745	Ant4	1.12	0.62
802.11be EHT20	26T 8	5745	MIMO	4.94	2.86
802.11be EHT20	26T 8	5785	Ant8	1.31	-3.29
802.11be EHT20	26T 8	5785	Ant4	1.97	1.47
802.11be EHT20	26T 8	5785	MIMO	4.66	2.58
802.11be EHT20	26T 8	5825	Ant8	2.52	-2.08
802.11be EHT20	26T 8	5825	Ant4	2.44	1.94
802.11be EHT20	26T 8	5825	MIMO	5.49	3.41
802.11be EHT20	52T 37	5745	Ant8	4.67	0.07
802.11be EHT20	52T 37	5745	Ant4	5.02	4.52
802.11be EHT20	52T 37	5745	MIMO	7.86	5.78
802.11be EHT20	52T 37	5785	Ant8	4.55	-0.05
802.11be EHT20	52T 37	5785	Ant4	5.14	4.64
802.11be EHT20	52T 37	5785	MIMO	7.87	5.79
802.11be EHT20	52T 37	5825	Ant8	5.47	0.87
802.11be EHT20	52T 37	5825	Ant4	5.59	5.09
802.11be EHT20	52T 37	5825	MIMO	8.54	6.46
802.11be EHT20	52T 39	5745	Ant8	4.79	0.19
802.11be EHT20	52T 39	5745	Ant4	5.03	4.53
802.11be EHT20	52T 39	5745	MIMO	7.92	5.84
802.11be EHT20	52T 39	5785	Ant8	4.35	-0.25
802.11be EHT20	52T 39	5785	Ant4	5.17	4.67
802.11be EHT20	52T 39	5785	MIMO	7.79	5.71
802.11be EHT20	52T 39	5825	Ant8	5.46	0.86
802.11be EHT20	52T 39	5825	Ant4	5.27	4.77



802.11be EHT20	52T 39	5825	MIMO	8.38	6.30
802.11be EHT20	52T 40	5745	Ant8	4.57	-0.03
802.11be EHT20	52T 40	5745	Ant4	4.97	4.47
802.11be EHT20	52T 40	5745	MIMO	7.78	5.70
802.11be EHT20	52T 40	5785	Ant8	4.38	-0.22
802.11be EHT20	52T 40	5785	Ant4	5.34	4.84
802.11be EHT20	52T 40	5785	MIMO	7.90	5.82
802.11be EHT20	52T 40	5825	Ant8	5.28	0.68
802.11be EHT20	52T 40	5825	Ant4	5.49	4.99
802.11be EHT20	52T 40	5825	MIMO	8.40	6.32
802.11be EHT20	106T 53	5745	Ant8	7.27	2.67
802.11be EHT20	106T 53	5745	Ant4	6.90	6.40
802.11be EHT20	106T 53	5745	MIMO	10.10	8.02
802.11be EHT20	106T 53	5785	Ant8	7.55	2.95
802.11be EHT20	106T 53	5785	Ant4	7.54	7.04
802.11be EHT20	106T 53	5785	MIMO	10.56	8.48
802.11be EHT20	106T 53	5825	Ant8	7.51	2.91
802.11be EHT20	106T 53	5825	Ant4	7.48	6.98
802.11be EHT20	106T 53	5825	MIMO	10.51	8.43
802.11be EHT20	106T 54	5745	Ant8	7.27	2.67
802.11be EHT20	106T 54	5745	Ant4	6.89	6.39
802.11be EHT20	106T 54	5745	MIMO	10.09	8.01
802.11be EHT20	106T 54	5785	Ant8	7.39	2.79
802.11be EHT20	106T 54	5785	Ant4	7.45	6.95
802.11be EHT20	106T 54	5785	MIMO	10.43	8.35
802.11be EHT20	106T 54	5825	Ant8	7.51	2.91
802.11be EHT20	106T 54	5825	Ant4	7.42	6.92
802.11be EHT20	106T 54	5825	MIMO	10.48	8.40
802.11be EHT20	242T 61	5745	Ant8	10.63	6.03
802.11be EHT20	242T 61	5745	Ant4	10.63	10.13
802.11be EHT20	242T 61	5745	MIMO	13.64	11.56
802.11be EHT20	242T 61	5785	Ant8	10.46	5.86
802.11be EHT20	242T 61	5785	Ant4	10.36	9.86
802.11be EHT20	242T 61	5785	MIMO	13.42	11.34
802.11be EHT20	242T 61	5825	Ant8	10.84	6.24

**Test Report No.: PSU-NQN2504150110RF08**

802.11be EHT20	242T 61	5825	Ant4	10.86	10.36
802.11be EHT20	242T 61	5825	MIMO	13.86	11.78
802.11be EHT20	26+52	5745	Ant8	4.98	0.38
802.11be EHT20	26+52	5745	Ant4	4.92	4.42
802.11be EHT20	26+52	5745	MIMO	7.96	5.88
802.11be EHT20	26+52	5785	Ant8	4.65	0.05
802.11be EHT20	26+52	5785	Ant4	5.32	4.82
802.11be EHT20	26+52	5785	MIMO	8.01	5.93
802.11be EHT20	26+52	5825	Ant8	5.60	1.00
802.11be EHT20	26+52	5825	Ant4	5.70	5.20
802.11be EHT20	26+52	5825	MIMO	8.66	6.58
802.11be EHT20	26+106	5745	Ant8	7.20	2.60
802.11be EHT20	26+106	5745	Ant4	7.20	6.70
802.11be EHT20	26+106	5745	MIMO	10.21	8.13
802.11be EHT20	26+106	5785	Ant8	6.85	2.25
802.11be EHT20	26+106	5785	Ant4	6.89	6.39
802.11be EHT20	26+106	5785	MIMO	9.88	7.80
802.11be EHT20	26+106	5825	Ant8	7.75	3.15
802.11be EHT20	26+106	5825	Ant4	7.67	7.17
802.11be EHT20	26+106	5825	MIMO	10.72	8.64
802.11ax HE40	484T 65	5755	Ant8	11.02	6.42
802.11ax HE40	484T 65	5755	Ant4	11.04	10.54
802.11ax HE40	484T 65	5755	MIMO	14.04	11.96
802.11ax HE40	484T 65	5795	Ant8	10.96	6.36
802.11ax HE40	484T 65	5795	Ant4	10.94	10.44
802.11ax HE40	484T 65	5795	MIMO	13.96	11.88
802.11be EHT40	484T 65	5755	Ant8	10.81	6.21
802.11be EHT40	484T 65	5755	Ant4	10.78	10.28
802.11be EHT40	484T 65	5755	MIMO	13.81	11.73
802.11be EHT40	484T 65	5795	Ant8	10.70	6.10
802.11be EHT40	484T 65	5795	Ant4	10.71	10.21
802.11be EHT40	484T 65	5795	MIMO	13.72	11.64
802.11ax HE80	996T 67	5775	Ant8	10.56	5.96
802.11ax HE80	996T 67	5775	Ant4	10.52	10.02
802.11ax HE80	996T 67	5775	MIMO	13.55	11.47



Test Report No.: PSU-NQN2504150110RF08

802.11be EHT80	996T 67	5775	Ant8	10.62	6.02
802.11be EHT80	996T 67	5775	Ant4	10.48	9.98
802.11be EHT80	996T 67	5775	MIMO	13.56	11.48

EMISSION BANDWIDTH

Offset 12.5dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Ant8	22.14	22.75	22.42
802.11a	Ant4	23.45	22.32	22.84
802.11n HT20	Ant8	23.68	23.43	23.08
802.11n HT20	Ant4	23.47	23.56	22.92
802.11ac VHT20	Ant8	23.10	22.84	23.11
802.11ac VHT20	Ant4	22.88	23.31	22.74
802.11ax HE20	Ant8	22.10	22.13	21.78
802.11ax HE20	Ant4	22.86	22.63	21.84
802.11be EHT20	Ant8	22.10	22.00	21.96
802.11be EHT20	Ant4	21.55	22.38	21.85

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Ant8	44.71	---	43.91
802.11n HT40	Ant4	45.25	---	45.39
802.11ac VHT40	Ant8	46.04	---	44.09
802.11ac VHT40	Ant4	45.26	---	43.99
802.11ax HE40	Ant8	44.17	---	43.59
802.11ax HE40	Ant4	43.36	---	41.91
802.11be EHT40	Ant8	42.90	---	43.12
802.11be EHT40	Ant4	44.19	---	44.96

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5775MHz	---	---
802.11ac VHT80	Ant8	88.70	---	---
802.11ac VHT80	Ant4	89.00	---	---
802.11ax HE80	Ant8	88.30	---	---
802.11ax HE80	Ant4	87.12	---	---
802.11be EHT80	Ant8	85.11	---	---
802.11be EHT80	Ant4	86.69	---	---



Test Report No.: PSU-NQN2504150110RF08


Test Mode	Antenna	26dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11ax HE20 26T	Chain0	20.81	19.98	20.35
802.11ax HE20 26T	Chain1	20.74	20.12	20.13




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11a




Mode:802.11a Frequency:5745MHz
Ant:Ant8




Mode:802.11a Frequency:5785MHz
Ant:Ant8




Mode:802.11a Frequency:5825MHz
Ant:Ant8



Mode:802.11a Frequency:5745MHz
Ant:Ant4



Mode:802.11a Frequency:5785MHz
Ant:Ant4




Mode:802.11a Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant8



Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant4



Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant4




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20
Frequency:5745MHz Ant:Ant8




Mode:802.11ac VHT20
Frequency:5785MHz Ant:Ant8




Mode:802.11ac VHT20
Frequency:5825MHz Ant:Ant8



Mode:802.11ac VHT20
Frequency:5745MHz Ant:Ant4



Mode:802.11ac VHT20
Frequency:5785MHz Ant:Ant4




Mode:802.11ac VHT20
Frequency:5825MHz Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5745MHz
Ant:Ant8




Mode:802.11ax HE20 Frequency:5785MHz
Ant:Ant8




Mode:802.11ax HE20 Frequency:5825MHz
Ant:Ant8



Mode:802.11ax HE20 Frequency:5745MHz
Ant:Ant4



Mode:802.11ax HE20 Frequency:5785MHz
Ant:Ant4




Mode:802.11ax HE20 Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11be EHT20




Mode:802.11be EHT20
Frequency:5745MHz Ant:Ant8




Mode:802.11be EHT20
Frequency:5785MHz Ant:Ant8




Mode:802.11be EHT20
Frequency:5825MHz Ant:Ant8



Mode:802.11be EHT20
Frequency:5745MHz Ant:Ant4




Mode:802.11be EHT20
Frequency:5785MHz Ant:Ant4




Mode:802.11be EHT20
Frequency:5825MHz Ant:Ant4




Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz
Ant:Ant8



Mode:802.11n HT40 Frequency:5795MHz
Ant:Ant8




Mode:802.11n HT40 Frequency:5755MHz
Ant:Ant4



Mode:802.11n HT40 Frequency:5795MHz
Ant:Ant4




Test Mode: 802.11ac VHT40







Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5755MHz
Ant:Ant8



Mode:802.11ax HE40 Frequency:5795MHz
Ant:Ant8




Mode:802.11ax HE40 Frequency:5755MHz
Ant:Ant4



Mode:802.11ax HE40 Frequency:5795MHz
Ant:Ant4




Test Mode: 802.11be EHT40






Test Mode: 802.11ac VHT80




Mode:802.11ac VHT80
Frequency:5775MHz Ant:Ant8




Mode:802.11ac VHT80
Frequency:5775MHz Ant:Ant4

Test Mode: 802.11ax HE80




Mode:802.11ax HE80 Frequency:5775MHz
Ant:Ant8




Mode:802.11ax HE80 Frequency:5775MHz
Ant:Ant4



Test Mode: 802.11be EHT80




Test Mode: 802.11ax HE20 26T






BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08




Mode:802.11ax HE20 26T Frequency:5825MHz

Ant:Chain0




Mode:802.11ax HE20 26T Frequency:5745MHz

Ant:Chain1



Mode:802.11ax HE20 26T Frequency:5785MHz

Ant:Chain1



Mode:802.11ax HE20 26T Frequency:5825MHz

Ant:Chain1

OCCUPIED BANDWIDTH

Offset 12.5dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Ant8	17.112	17.027	17.080
802.11a	Ant4	17.170	17.097	17.132
802.11n HT20	Ant8	18.216	18.213	18.079
802.11n HT20	Ant4	18.197	18.230	18.063
802.11ac VHT20	Ant8	18.256	18.186	18.166
802.11ac VHT20	Ant4	18.116	18.028	18.068
802.11ax HE20	Ant8	19.196	19.143	19.109
802.11ax HE20	Ant4	19.234	19.184	19.181
802.11be EHT20	Ant8	19.287	19.369	19.109
802.11be EHT20	Ant4	19.182	19.150	19.199

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Ant8	36.892	---	36.843
802.11n HT40	Ant4	36.943	---	36.786
802.11ac VHT40	Ant8	36.797	---	36.780
802.11ac VHT40	Ant4	36.803	---	36.844
802.11ax HE40	Ant8	38.345	---	38.346
802.11ax HE40	Ant4	38.439	---	38.300
802.11be EHT40	Ant8	38.325	---	38.343
802.11be EHT40	Ant4	38.375	---	38.205

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5775MHz	---	---
802.11ac VHT80	Ant8	76.974	---	---
802.11ac VHT80	Ant4	77.053	---	---
802.11ax HE80	Ant8	78.570	---	---
802.11ax HE80	Ant4	78.718	---	---
802.11be EHT80	Ant8	78.725	---	---
802.11be EHT80	Ant4	78.753	---	---



Test Report No.: PSU-NQN2504150110RF08


Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11ax HE20 26T	Chain0	18.616	17.755	18.778
802.11ax HE20 26T	Chain1	18.572	18.654	18.603




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11a




Mode:802.11a Frequency:5745MHz
Ant:Ant8




Mode:802.11a Frequency:5785MHz
Ant:Ant8




Mode:802.11a Frequency:5825MHz
Ant:Ant8



Mode:802.11a Frequency:5745MHz
Ant:Ant4



Mode:802.11a Frequency:5785MHz
Ant:Ant4




Mode:802.11a Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant8



Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant4



Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant4




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant4



BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08

Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20

Frequency:5745MHz Ant:Ant8




Mode:802.11ac VHT20

Frequency:5785MHz Ant:Ant8




Mode:802.11ac VHT20

Frequency:5825MHz Ant:Ant8




Mode:802.11ac VHT20

Frequency:5745MHz Ant:Ant4



Mode:802.11ac VHT20

Frequency:5785MHz Ant:Ant4



Mode:802.11ac VHT20


Frequency:5825MHz Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5745MHz
Ant:Ant8




Mode:802.11ax HE20 Frequency:5785MHz
Ant:Ant8




Mode:802.11ax HE20 Frequency:5825MHz
Ant:Ant8



Mode:802.11ax HE20 Frequency:5745MHz
Ant:Ant4



Mode:802.11ax HE20 Frequency:5785MHz
Ant:Ant4




Mode:802.11ax HE20 Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11be EHT20




Mode:802.11be EHT20
Frequency:5745MHz Ant:Ant8




Mode:802.11be EHT20
Frequency:5785MHz Ant:Ant8




Mode:802.11be EHT20
Frequency:5825MHz Ant:Ant8



Mode:802.11be EHT20
Frequency:5745MHz Ant:Ant4




Mode:802.11be EHT20
Frequency:5785MHz Ant:Ant4




Mode:802.11be EHT20
Frequency:5825MHz Ant:Ant4




Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz
Ant:Ant8



Mode:802.11n HT40 Frequency:5795MHz
Ant:Ant8



Mode:802.11n HT40 Frequency:5755MHz
Ant:Ant4




Mode:802.11n HT40 Frequency:5795MHz
Ant:Ant4



BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08

Test Mode: 802.11ac VHT40







Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5755MHz
Ant:Ant8



Mode:802.11ax HE40 Frequency:5795MHz
Ant:Ant8




Mode:802.11ax HE40 Frequency:5755MHz
Ant:Ant4



Mode:802.11ax HE40 Frequency:5795MHz
Ant:Ant4




Test Mode: 802.11be EHT40






Test Mode: 802.11ac VHT80




Test Mode: 802.11ax HE80







Test Mode: 802.11be EHT80




Test Mode: 802.11ax HE20 26T







Mode:802.11ax HE20 26T Frequency:5825MHz
Ant:Chain0



Mode:802.11ax HE20 26T Frequency:5745MHz
Ant:Chain1



Mode:802.11ax HE20 26T Frequency:5785MHz
Ant:Chain1



Mode:802.11ax HE20 26T Frequency:5825MHz
Ant:Chain1

6DB BANDWIDTH

Offset 12.5dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11a	Ant8	16.50	16.44	16.50
802.11a	Ant4	16.36	16.49	16.44
802.11n HT20	Ant8	17.77	17.74	17.82
802.11n HT20	Ant4	17.80	17.65	17.76
802.11ac VHT20	Ant8	17.57	17.74	17.76
802.11ac VHT20	Ant4	17.76	17.71	17.76
802.11ax HE20	Ant8	19.14	19.11	19.13
802.11ax HE20	Ant4	19.04	19.16	19.17
802.11be EHT20	Ant8	19.12	19.11	18.62
802.11be EHT20	Ant4	18.99	19.13	18.92

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11n HT40	Ant8	36.43	---	36.55
802.11n HT40	Ant4	36.47	---	36.54
802.11ac VHT40	Ant8	36.52	---	36.46
802.11ac VHT40	Ant4	36.49	---	36.55
802.11ax HE40	Ant8	37.91	---	38.16
802.11ax HE40	Ant4	38.19	---	37.96
802.11be EHT40	Ant8	38.15	---	38.23
802.11be EHT40	Ant4	37.40	---	38.16

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5775MHz	---	---
802.11ac VHT80	Ant8	76.62	---	---
802.11ac VHT80	Ant4	76.65	---	---
802.11ax HE80	Ant8	78.27	---	---
802.11ax HE80	Ant4	78.23	---	---
802.11be EHT80	Ant8	78.28	---	---
802.11be EHT80	Ant4	78.17	---	---



Test Report No.: PSU-NQN2504150110RF08


Test Mode	Antenna	6dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11ax HE20 26T	Chain0	2.10	2.07	2.08
802.11ax HE20 26T	Chain1	2.09	2.05	2.13




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11a




Mode:802.11a Frequency:5745MHz
Ant:Ant8




Mode:802.11a Frequency:5785MHz
Ant:Ant8




Mode:802.11a Frequency:5825MHz
Ant:Ant8



Mode:802.11a Frequency:5745MHz
Ant:Ant4



Mode:802.11a Frequency:5785MHz
Ant:Ant4




Mode:802.11a Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant8



Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant4



Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant4




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20
Frequency:5745MHz Ant:Ant8




Mode:802.11ac VHT20
Frequency:5785MHz Ant:Ant8




Mode:802.11ac VHT20
Frequency:5825MHz Ant:Ant8



Mode:802.11ac VHT20
Frequency:5745MHz Ant:Ant4



Mode:802.11ac VHT20
Frequency:5785MHz Ant:Ant4




Mode:802.11ac VHT20
Frequency:5825MHz Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:5745MHz
Ant:Ant8




Mode:802.11ax HE20 Frequency:5785MHz
Ant:Ant8




Mode:802.11ax HE20 Frequency:5825MHz
Ant:Ant8



Mode:802.11ax HE20 Frequency:5745MHz
Ant:Ant4



Mode:802.11ax HE20 Frequency:5785MHz
Ant:Ant4




Mode:802.11ax HE20 Frequency:5825MHz
Ant:Ant4



BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08

Test Mode: 802.11be EHT20




Mode:802.11be EHT20

Frequency:5745MHz Ant:Ant8




Mode:802.11be EHT20

Frequency:5785MHz Ant:Ant8




Mode:802.11be EHT20

Frequency:5825MHz Ant:Ant8




Mode:802.11be EHT20

Frequency:5745MHz Ant:Ant4



Mode:802.11be EHT20

Frequency:5785MHz Ant:Ant4




Mode:802.11be EHT20


Frequency:5825MHz Ant:Ant4




Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz
Ant:Ant8



Mode:802.11n HT40 Frequency:5795MHz
Ant:Ant8




Mode:802.11n HT40 Frequency:5755MHz
Ant:Ant4




Mode:802.11n HT40 Frequency:5795MHz
Ant:Ant4




Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40
Frequency:5755MHz Ant:Ant8



Mode:802.11ac VHT40
Frequency:5795MHz Ant:Ant8




Mode:802.11ac VHT40
Frequency:5755MHz Ant:Ant4




Mode:802.11ac VHT40
Frequency:5795MHz Ant:Ant4




Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:5755MHz
Ant:Ant8



Mode:802.11ax HE40 Frequency:5795MHz
Ant:Ant8




Mode:802.11ax HE40 Frequency:5755MHz
Ant:Ant4




Mode:802.11ax HE40 Frequency:5795MHz
Ant:Ant4




Test Mode: 802.11be EHT40




Mode:802.11be EHT40
Frequency:5755MHz Ant:Ant8



Mode:802.11be EHT40
Frequency:5795MHz Ant:Ant8




Mode:802.11be EHT40
Frequency:5755MHz Ant:Ant4




Mode:802.11be EHT40
Frequency:5795MHz Ant:Ant4



Test Mode: 802.11ac VHT80




Mode:802.11ac VHT80
Frequency:5775MHz Ant:Ant8




Mode:802.11ac VHT80
Frequency:5775MHz Ant:Ant4

Test Mode: 802.11ax HE80




Mode:802.11ax HE80 Frequency:5775MHz
Ant:Ant8




Mode:802.11ax HE80 Frequency:5775MHz
Ant:Ant4



Test Mode: 802.11be EHT80




Mode:802.11be EHT80
Frequency:5775MHz Ant:Ant8




Mode:802.11be EHT80
Frequency:5775MHz Ant:Ant4

Test Mode: 802.11ax HE20 26T



Mode:802.11ax HE20 26T Frequency:5745MHz
Ant:Chain0




Mode:802.11ax HE20 26T Frequency:5785MHz
Ant:Chain0




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08




Mode:802.11ax HE20 26T Frequency:5825MHz

Ant:Chain0




Mode:802.11ax HE20 26T Frequency:5745MHz

Ant:Chain1



Mode:802.11ax HE20 26T Frequency:5785MHz

Ant:Chain1



Mode:802.11ax HE20 26T Frequency:5825MHz

Ant:Chain1

TRANSMITTER POWER SPECTRAL DENSITY

Offset 12.5dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11a	Ant8	NA	0.00	-5.749	0.00	-6.276	0.00	-5.377
802.11a	Ant4	NA	0.00	-5.898	0.00	-6.173	0.00	-5.397
802.11n HT20	Ant8	NA	0.00	-6.030	0.00	-6.507	0.00	-5.787
802.11n HT20	Ant4	NA	0.00	-6.022	0.00	-6.623	0.00	-5.684
802.11n HT20	MIMO	NA	0.00	-3.016	0.00	-3.554	0.00	-2.725
802.11ac VHT20	Ant8	NA	0.00	-6.020	0.00	-6.475	0.00	-5.546
802.11ac VHT20	Ant4	NA	0.00	-5.989	0.00	-6.489	0.00	-5.785
802.11ac VHT20	MIMO	NA	0.00	-2.994	0.00	-3.472	0.00	-2.654
802.11ax HE20	Ant8	26T	0.00	1.549	0.00	0.751	0.00	1.375
802.11ax HE20	Ant4	26T	0.00	0.938	0.00	0.350	0.00	0.855
802.11ax HE20	MIMO	26T	0.00	4.265	0.00	3.565	0.00	4.133
802.11ax HE20	Ant8	52T	0.00	-1.683	0.00	-2.298	0.00	-1.656
802.11ax HE20	Ant4	52T	0.00	-2.218	0.00	-2.754	0.00	-2.182
802.11ax HE20	MIMO	52T	0.00	1.068	0.00	0.490	0.00	1.099
802.11ax	Ant8	106T	0.00	-4.507	0.00	-5.129	0.00	-4.585



HE20								
802.11ax HE20	Ant4	106T	0.00	-5.060	0.00	-5.655	0.00	-5.068
802.11ax HE20	MIMO	106T	0.00	-1.764	0.00	-2.374	0.00	-1.809
802.11ax HE20	Ant8	242T	0.00	-7.037	0.00	-7.770	0.00	-6.989
802.11ax HE20	Ant4	242T	0.00	-7.498	0.00	-8.145	0.00	-7.518
802.11ax HE20	MIMO	242T	0.00	-4.251	0.00	-4.943	0.00	-4.235
802.11be EHT20	Ant8	26T	0.00	1.304	0.00	0.717	0.00	1.283
802.11be EHT20	Ant4	26T	0.00	1.297	0.00	0.680	0.00	1.343
802.11be EHT20	MIMO	26T	0.00	4.311	0.00	3.709	0.00	4.323
802.11be EHT20	Ant8	52T	0.00	-1.628	0.00	-2.197	0.00	-1.700
802.11be EHT20	Ant4	52T	0.00	-1.660	0.00	-2.296	0.00	-1.659
802.11be EHT20	MIMO	52T	0.00	1.366	0.00	0.764	0.00	1.331
802.11be EHT20	Ant8	106T	0.00	-8.465	0.00	-8.999	0.00	-8.266
802.11be EHT20	Ant4	106T	0.00	-8.484	0.00	-8.999	0.00	-8.247
802.11be EHT20	MIMO	106T	0.00	-5.464	0.00	-5.989	0.00	-5.246
802.11be EHT20	Ant8	242T	0.00	-7.126	0.00	-7.795	0.00	-7.038
802.11be EHT20	Ant4	242T	0.00	-7.048	0.00	-7.751	0.00	-6.814
802.11be EHT20	MIMO	242T	0.00	-4.077	0.00	-4.763	0.00	-3.914
802.11be	Ant8	26+52	0.00	-3.630	0.00	-4.106	0.00	-3.388



EHT20								
802.11be EHT20	Ant4	26+52	0.00	-3.379	0.00	-4.037	0.00	-3.420
802.11be EHT20	MIMO	26+52	0.00	-0.492	0.00	-1.061	0.00	-0.394
802.11be EHT20	Ant8	26+106	0.00	-6.689	0.00	-6.933	0.00	-5.542
802.11be EHT20	Ant4	26+106	0.00	-6.760	0.00	-6.845	0.00	-5.684
802.11be EHT20	MIMO	26+106	0.00	-3.714	0.00	-3.878	0.00	-2.602

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11n HT40	Ant8	NA	0.00	-8.658	---	---	0.00	-8.825
802.11n HT40	Ant4	NA	0.00	-8.601	---	---	0.00	-8.769
802.11n HT40	MIMO	NA	0.00	-5.619	---	---	0.00	-5.787
802.11ac VHT40	Ant8	NA	0.00	-8.521	---	---	0.00	-8.848
802.11ac VHT40	Ant4	NA	0.00	-8.580	---	---	0.00	-8.950
802.11ac VHT40	MIMO	NA	0.00	-5.540	---	---	0.00	-5.888
802.11ax HE40	Ant8	26T	0.00	1.163	---	---	0.00	0.680
802.11ax HE40	Ant4	26T	0.00	1.070	---	---	0.00	0.808
802.11ax HE40	MIMO	26T	0.00	4.127	---	---	0.00	3.755
802.11ax HE40	Ant8	52T	0.00	-1.862	---	---	0.00	-2.451
802.11ax HE40	Ant4	52T	0.00	-1.859	---	---	0.00	-2.384
802.11ax HE40	MIMO	52T	0.00	1.150	---	---	0.00	0.593
802.11ax HE40	Ant8	106T	0.00	-4.907	---	---	0.00	-5.626
802.11ax HE40	Ant4	106T	0.00	-4.964	---	---	0.00	-5.497
802.11ax	MIMO	106T	0.00	-1.925	---	---	0.00	-2.551



HE40								
802.11ax HE40	Ant8	242T	0.00	-8.474	---	---	0.00	-9.078
802.11ax HE40	Ant4	242T	0.00	-8.586	---	---	0.00	-9.181
802.11ax HE40	MIMO	242T	0.00	-5.519	---	---	0.00	-6.119
802.11ax HE40	Ant8	484T	0.00	-9.790	---	---	0.00	-10.137
802.11ax HE40	Ant4	484T	0.00	-9.721	---	---	0.00	-10.297
802.11ax HE40	MIMO	484T	0.00	-6.745	---	---	0.00	-7.206
802.11be EHT40	Ant8	26T	0.00	1.263	---	---	0.00	0.583
802.11be EHT40	Ant4	26T	0.00	1.173	---	---	0.00	0.464
802.11be EHT40	MIMO	26T	0.00	4.229	---	---	0.00	3.534
802.11be EHT40	Ant8	52T	0.00	-1.966	---	---	0.00	-2.396
802.11be EHT40	Ant4	52T	0.00	-1.907	---	---	0.00	-2.463
802.11be EHT40	MIMO	52T	0.00	1.074	---	---	0.00	0.581
802.11be EHT40	Ant8	106T	0.00	-5.027	---	---	0.00	-5.633
802.11be EHT40	Ant4	106T	0.00	-5.103	---	---	0.00	-5.559
802.11be EHT40	MIMO	106T	0.00	-2.055	---	---	0.00	-2.586
802.11be EHT40	Ant8	242T	0.00	-8.618	---	---	0.00	-9.002
802.11be EHT40	Ant4	242T	0.00	-8.555	---	---	0.00	-9.054
802.11be	MIMO	242T	0.00	-5.576	---	---	0.00	-6.018



EHT40								
802.11be EHT40	Ant8	484T	0.00	-9.828	---	---	0.00	-10.468
802.11be EHT40	Ant4	484T	0.00	-9.971	---	---	0.00	-10.479
802.11be EHT40	MIMO	484T	0.00	-6.889	---	---	0.00	-7.463
802.11be EHT40	Ant8	26+52	0.00	-3.869	---	---	0.00	-4.336
802.11be EHT40	Ant4	26+52	0.00	-3.961	---	---	0.00	-4.195
802.11be EHT40	MIMO	26+52	0.00	-0.904	---	---	0.00	-1.255
802.11be EHT40	Ant8	26+106	0.00	-6.044	---	---	0.00	-6.510
802.11be EHT40	Ant4	26+106	0.00	-5.981	---	---	0.00	-6.345
802.11be EHT40	MIMO	26+106	0.00	-3.002	---	---	0.00	-3.416

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11ac VHT80	Ant8	NA	0.00	-12.067	---	---	---	---
802.11ac VHT80	Ant4	NA	0.00	-12.197	---	---	---	---
802.11ac VHT80	MIMO	NA	0.00	-9.121	---	---	---	---
802.11ax HE80	Ant8	26T	0.00	0.846	---	---	---	---
802.11ax HE80	Ant4	26T	0.00	0.869	---	---	---	---
802.11ax HE80	MIMO	26T	0.00	3.868	---	---	---	---
802.11ax HE80	Ant8	52T	0.00	-1.970	---	---	---	---
802.11ax HE80	Ant4	52T	0.00	-2.025	---	---	---	---
802.11ax HE80	MIMO	52T	0.00	1.013	---	---	---	---
802.11ax HE80	Ant8	106T	0.00	-5.187	---	---	---	---
802.11ax HE80	Ant4	106T	0.00	-5.170	---	---	---	---
802.11ax HE80	MIMO	106T	0.00	-2.168	---	---	---	---
802.11ax HE80	Ant8	242T	0.00	-8.764	---	---	---	---
802.11ax HE80	Ant4	242T	0.00	-8.599	---	---	---	---
802.11ax	MIMO	242T	0.00	-5.670	---	---	---	---



HE80								
802.11ax HE80	Ant8	484T	0.00	-11.721	---	---	---	---
802.11ax HE80	Ant4	484T	0.00	-11.575	---	---	---	---
802.11ax HE80	MIMO	484T	0.00	-8.637	---	---	---	---
802.11ax HE80	Ant8	996T	0.00	-12.782	---	---	---	---
802.11ax HE80	Ant4	996T	0.00	-12.853	---	---	---	---
802.11ax HE80	MIMO	996T	0.00	-9.807	---	---	---	---
802.11be EHT80	Ant8	26T	0.00	0.672	---	---	---	---
802.11be EHT80	Ant4	26T	0.00	0.876	---	---	---	---
802.11be EHT80	MIMO	26T	0.00	3.785	---	---	---	---
802.11be EHT80	Ant8	52T	0.00	-2.048	---	---	---	---
802.11be EHT80	Ant4	52T	0.00	-2.188	---	---	---	---
802.11be EHT80	MIMO	52T	0.00	0.893	---	---	---	---
802.11be EHT80	Ant8	106T	0.00	-5.267	---	---	---	---
802.11be EHT80	Ant4	106T	0.00	-5.225	---	---	---	---
802.11be EHT80	MIMO	106T	0.00	-2.236	---	---	---	---
802.11be EHT80	Ant8	242T	0.00	-8.974	---	---	---	---
802.11be EHT80	Ant4	242T	0.00	-9.034	---	---	---	---
802.11be	MIMO	242T	0.00	-5.994	---	---	---	---



EHT80								
802.11be EHT80	Ant8	484T	0.00	-11.918	---	---	---	---
802.11be EHT80	Ant4	484T	0.00	-11.657	---	---	---	---
802.11be EHT80	MIMO	484T	0.00	-8.775	---	---	---	---
802.11be EHT80	Ant8	996T	0.00	-12.743	---	---	---	---
802.11be EHT80	Ant4	996T	0.00	-12.858	---	---	---	---
802.11be EHT80	MIMO	996T	0.00	-9.790	---	---	---	---
802.11be EHT80	Ant8	26+52	0.00	-4.129	---	---	---	---
802.11be EHT80	Ant4	26+52	0.00	-4.047	---	---	---	---
802.11be EHT80	MIMO	26+52	0.00	-1.078	---	---	---	---
802.11be EHT80	Ant8	242+484	0.00	-13.274	---	---	---	---
802.11be EHT80	Ant4	242+484	0.00	-13.476	---	---	---	---
802.11be EHT80	MIMO	242+484	0.00	-10.364	---	---	---	---


Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11a




Mode:802.11a Frequency:5745MHz
Ant:Ant8




Mode:802.11a Frequency:5785MHz
Ant:Ant8




Mode:802.11a Frequency:5825MHz
Ant:Ant8



Mode:802.11a Frequency:5745MHz
Ant:Ant4



Mode:802.11a Frequency:5785MHz
Ant:Ant4




Mode:802.11a Frequency:5825MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11n HT20



Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant8




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant8



Mode:802.11n HT20 Frequency:5745MHz
Ant:Ant4



Mode:802.11n HT20 Frequency:5785MHz
Ant:Ant4




Mode:802.11n HT20 Frequency:5825MHz
Ant:Ant4



BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08

Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20

Frequency:5745MHz Ant:Ant8




Mode:802.11ac VHT20

Frequency:5785MHz Ant:Ant8




Mode:802.11ac VHT20

Frequency:5825MHz Ant:Ant8




Mode:802.11ac VHT20

Frequency:5745MHz Ant:Ant4



Mode:802.11ac VHT20

Frequency:5785MHz Ant:Ant4



Mode:802.11ac VHT20

Frequency:5825MHz Ant:Ant4

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province


Tel: +86 (0557) 368 1008




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF08


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T
Frequency:5745MHz Ant:Ant8




Mode:802.11ax HE20 Tone:26T
Frequency:5785MHz Ant:Ant8




Mode:802.11ax HE20 Tone:26T
Frequency:5825MHz Ant:Ant8



Mode:802.11ax HE20 Tone:26T
Frequency:5745MHz Ant:Ant4



Mode:802.11ax HE20 Tone:26T
Frequency:5785MHz Ant:Ant4




Mode:802.11ax HE20 Tone:26T
Frequency:5825MHz Ant:Ant4




BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08




Mode:802.11ax HE20 Tone:52T
Frequency:5745MHz Ant:Ant8




Mode:802.11ax HE20 Tone:52T
Frequency:5785MHz Ant:Ant8




Mode:802.11ax HE20 Tone:52T
Frequency:5825MHz Ant:Ant8



Mode:802.11ax HE20 Tone:52T
Frequency:5745MHz Ant:Ant4



Mode:802.11ax HE20 Tone:52T
Frequency:5785MHz Ant:Ant4




Mode:802.11ax HE20 Tone:52T
Frequency:5825MHz Ant:Ant4




BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08




Mode:802.11ax HE20 Tone:106T
Frequency:5745MHz Ant:Ant8




Mode:802.11ax HE20 Tone:106T
Frequency:5785MHz Ant:Ant8




Mode:802.11ax HE20 Tone:106T
Frequency:5825MHz Ant:Ant8



Mode:802.11ax HE20 Tone:106T
Frequency:5745MHz Ant:Ant4



Mode:802.11ax HE20 Tone:106T
Frequency:5785MHz Ant:Ant4




Mode:802.11ax HE20 Tone:106T
Frequency:5825MHz Ant:Ant4




BUREAU
VERITAS


Test Report No.: PSU-NQN2504150110RF08




Mode:802.11ax HE20 Tone:242T
Frequency:5745MHz Ant:Ant8




Mode:802.11ax HE20 Tone:242T
Frequency:5785MHz Ant:Ant8




Mode:802.11ax HE20 Tone:242T
Frequency:5825MHz Ant:Ant8



Mode:802.11ax HE20 Tone:242T
Frequency:5745MHz Ant:Ant4



Mode:802.11ax HE20 Tone:242T
Frequency:5785MHz Ant:Ant4



Mode:802.11ax HE20 Tone:242T
Frequency:5825MHz Ant:Ant4