



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:50MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2664.99MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2614.99     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.056   | -29.84      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.541   | -33.13      | -10         | Pass   |
| 2695        | 2740       | 1         | CHP    | 3          | 2706.662   | -38.38      | -13         | Pass   |
| 2740        | 2750       | 1         | CHP    | 4          | 2745.275   | -44.47      | -25         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:50MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2664.99MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2614.99     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.056   | -15.17      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.541   | -41.13      | -10         | Pass   |
| 2695        | 2740       | 1         | CHP    | 3          | 2695.051   | -43.09      | -13         | Pass   |
| 2740        | 2750       | 1         | CHP    | 4          | 2742.979   | -44.55      | -25         | Pass   |

### 4.2.5 30k\_SISO\_60MHz\_NTNV


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1581.887   | -52.37      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2490.113   | -49.46      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.23      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2750       | 1         | /      | 4          | 2744.797   | -50.52      | -13         | Pass   |
| 2750        | 26900      | 1         | /      | 5          | 7817.743   | -49.27      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2526MHz\_LTE: 1RB\_Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2486.818   | -29.91      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.494   | -28.23      | -13         | Pass   |
| 2495        | 2496       | 0.629     | CHP    | 3          | 2495.605   | -30.61      | -13         | Pass   |
| 2496        | 2586       | 0.629     | CHP    | /          | /          | /           | /           | /      |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.353   | -41.91      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.494   | -32.50      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.908   | -19.25      | -13         | Pass   |
| 2496        | 2586       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 38.600     | -51.33      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1141.587   | -52.15      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2295.000   | -50.40      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.78      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2750       | 1         | /      | 4          | 2739.617   | -50.66      | -13         | Pass   |
| 2750        | 26900      | 1         | /      | 5          | 7886.810   | -49.04      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2659.98MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.292   | -20.44      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.642   | -40.76      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.993   | -42.96      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.142   | -33.39      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.642   | -36.12      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2698.543   | -35.69      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.442   | -34.19      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.342   | -42.81      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.993   | -50.88      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.747   | -42.83      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.797   | -32.33      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.908   | -24.70      | -13         | Pass   |
| 2496        | 2586       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 30.550     | -44.47      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1664.767   | -44.98      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2490.113   | -42.70      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.39      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2750       | 1         | /      | 4          | 2749.113   | -43.50      | -13         | Pass   |
| 2750        | 26900      | 1         | /      | 5          | 7894.580   | -42.24      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2526MHz\_LTE: 1RB\_Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2488.636   | -31.93      | 25          | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2493.585   | -32.13      | -13         | Pass   |
| 2495        | 2496       | 0.628     | CHP    | 3          | 2495.908   | -24.56      | -13         | Pass   |
| 2496        | 2586       | 0.628     | CHP    | /          | /          | /           | /           | /      |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.949   | -44.38      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.494   | -41.09      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.908   | -14.09      | -13         | Pass   |
| 2496        | 2586       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.900     | -44.38      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1606.923   | -45.31      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2351.117   | -43.29      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.54      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2750       | 1         | /      | 4          | 2724.940   | -43.39      | -13         | Pass   |
| 2750        | 26900      | 1         | /      | 5          | 7995.590   | -41.55      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.142   | -30.04      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.192   | -39.29      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2703.194   | -44.35      | -13         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2659.98MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.142   | -28.03      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2692.842   | -33.43      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2696.143   | -37.49      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2659.98MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.142   | -19.44      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.342   | -36.94      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.693   | -42.64      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.848   | -43.39      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.292   | -39.18      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.908   | -20.39      | -13         | Pass   |
| 2496        | 2586       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 40.000     | -44.40      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1638.003   | -45.21      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | 2          | 2490.113   | -42.19      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.74      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | 4          | 2723.213   | -43.40      | -13         | Pass   |
| 2695        | 2750       | 1         | /      | 5          | 7803.930   | -42.16      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Outer\_Full AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.151   | -35.50      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2493.989   | -34.45      | -13         | Pass   |
| 2495        | 2496       | 0.629     | CHP    | 3          | 2495.403   | -34.36      | -13         | Pass   |
| 2496        | 2586       | 0.629     | CHP    | /          | /          | /           | /           | /      |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2526MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.151   | -43.92      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.494   | -37.52      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.908   | -30.88      | -13         | Pass   |
| 2496        | 2586       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 42.400     | -44.47      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1627.643   | -45.18      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2437.450   | -43.33      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.86      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2750       | 1         | /      | 4          | 2731.847   | -43.43      | -13         | Pass   |
| 2750        | 26900      | 1         | /      | 5          | 7849.687   | -41.93      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.442   | -27.51      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.642   | -40.40      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2742.649   | -44.15      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.350     | -44.24      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1660.450   | -44.97      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2348.527   | -43.26      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.20      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2750       | 1         | /      | 4          | 2704.220   | -43.14      | -13         | Pass   |
| 2750        | 26900      | 1         | /      | 5          | 7853.140   | -41.81      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.442   | -32.82      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.642   | -34.69      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2696.293   | -36.16      | -13         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:60MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2659.98MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2599.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.292   | -21.78      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2692.242   | -39.90      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2699.743   | -44.01      | -13         | Pass   |

### 4.2.6 30k\_SISO\_70MHz\_NTNV


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1644.910   | -45.26      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2212.120   | -43.15      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.47      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2724.077   | -43.48      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7975.733   | -42.29      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.988   | -38.41      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2491.845   | -35.40      | -13         | Pass   |
| 2495        | 2496       | 0.695     | CHP    | 3          | 2495.905   | -29.49      | -13         | Pass   |
| 2496        | 2601.01    | 0.695     | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2485.812   | -44.80      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.397   | -38.76      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.905   | -37.44      | -13         | Pass   |
| 2496        | 2601.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 41.200     | -51.14      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1598.290   | -52.27      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2469.393   | -50.21      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.56      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2717.170   | -50.39      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7820.333   | -49.24      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -28.46      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.050   | -41.73      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.100   | -50.86      | -13         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB Left NR: Outer Full AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.300   | -39.23      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2692.550   | -39.55      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2715.350   | -36.80      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB Left NR: Inner 1RB Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -40.83      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.050   | -40.54      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2699.150   | -50.99      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.756   | -44.73      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.861   | -37.54      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.209   | -34.97      | -13         | Pass   |
| 2496        | 2601.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 45.650     | -44.52      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1644.047   | -45.07      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2442.630   | -43.48      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.64      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2706.810   | -43.51      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7941.200   | -42.38      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.060   | -36.38      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2491.033   | -35.17      | -13         | Pass   |
| 2495        | 2496       | 0.695     | CHP    | 3          | 2495.789   | -34.89      | -13         | Pass   |
| 2496        | 2601.01    | 0.695     | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Inner\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.640   | -51.67      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.397   | -46.56      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.557   | -32.62      | -13         | Pass   |
| 2496        | 2601.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 40.650     | -51.31      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1618.147   | -52.15      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2415.003   | -50.33      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.86      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2713.717   | -50.58      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7984.367   | -49.07      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2655MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -44.57      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -47.63      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2712.050   | -51.36      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.600     | -51.32      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1669.083   | -52.02      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2364.067   | -50.09      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.62      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2695.587   | -50.17      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7960.193   | -48.93      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.300   | -40.22      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.800   | -38.88      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2702.000   | -34.73      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2691.150   | -31.71      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -49.42      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2713.700   | -51.25      | -13         | Pass   |



BUREAU VERITAS


Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2488.480   | -44.77      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.397   | -40.92      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.905   | -22.51      | -13         | Pass   |
| 2496        | 2601.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.350     | -44.24      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1601.743   | -45.35      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2460.760   | -43.55      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.22      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2703.357   | -43.89      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7989.547   | -42.52      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.452   | -35.28      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.397   | -33.85      | -13         | Pass   |
| 2495        | 2496       | 0.727     | CHP    | 3          | 2495.905   | -34.40      | -13         | Pass   |
| 2496        | 2601.01    | 0.727     | CHP    | /          | /          | /           | /           | /      |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2531.01MHz\_LTE: 1RB\_Left NR: Inner 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2487.784   | -52.00      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.629   | -38.97      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.905   | -43.96      | -13         | Pass   |
| 2496        | 2601.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.700     | -39.05      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1565.483   | -39.88      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2480.617   | -38.24      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -38.50      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2741.343   | -38.13      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7852.277   | -37.07      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -24.67      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -40.63      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2749.100   | -44.55      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 37.500     | -44.50      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1587.067   | -45.43      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2432.270   | -43.43      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.88      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2760       | 1         | /      | 4          | 2699.903   | -43.46      | -13         | Pass   |
| 2760        | 26900      | 1         | /      | 5          | 7828.967   | -42.51      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.150   | -36.30      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.950   | -36.10      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2703.050   | -35.93      | -13         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:70MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2655MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2585        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -24.64      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.050   | -41.33      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2705.450   | -43.24      | -13         | Pass   |

### 4.2.7 30k\_SISO\_80MHz\_NTNV


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1634.550   | -52.28      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2490.113   | -50.37      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.38      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2724.077   | -50.47      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7986.093   | -49.26      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2488.931   | -40.15      | 25          | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.433   | -38.30      | -13         | Pass   |
| 2495        | 2496       | 0.821     | CHP    | 3          | 2495.875   | -34.52      | -13         | Pass   |
| 2496        | 2616.02    | 0.821     | CHP    | /          | /          | /           | /           | /      |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Inner\_1RB\_Left\_AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1651.817   | -52.18      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2382.197   | -50.23      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.51      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2703.357   | -50.63      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7961.057   | -48.88      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2569.99     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.147   | -27.61      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.047   | -37.38      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2745.050   | -44.37      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 30.500     | -44.38      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1153.673   | -45.27      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2379.607   | -43.36      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.84      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2758.610   | -43.28      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7838.463   | -42.56      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2569.99     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.147   | -34.79      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2694.947   | -35.37      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.097   | -35.29      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2569.99     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.147   | -34.87      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.197   | -38.34      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2705.448   | -51.17      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.979   | -51.57      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.302   | -43.49      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.613   | -45.13      | -13         | Pass   |
| 2496        | 2616.02    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 38.000     | -51.36      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1678.580   | -52.07      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2434.860   | -50.27      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.19      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2750.840   | -50.31      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7993.000   | -48.98      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2485.786   | -37.03      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.040   | -36.44      | -13         | Pass   |
| 2495        | 2496       | 0.824     | CHP    | 3          | 2495.875   | -36.12      | -13         | Pass   |
| 2496        | 2616.02    | 0.824     | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Inner\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2487.358   | -51.75      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.958   | -39.17      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.089   | -44.75      | -13         | Pass   |
| 2496        | 2616.02    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 44.950     | -51.15      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1662.177   | -52.31      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2465.077   | -50.43      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.43      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2703.357   | -50.55      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7846.233   | -49.15      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2569.99     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.147   | -31.30      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.647   | -48.85      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.097   | -51.12      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 36.500     | -51.08      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1643.183   | -52.10      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2410.687   | -50.12      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.54      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2752.567   | -50.55      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7968.827   | -49.06      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1






Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2485.524   | -44.81      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.827   | -30.23      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.089   | -41.13      | -13         | Pass   |
| 2496        | 2616.02    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 40.450     | -44.55      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1568.073   | -45.54      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2220.753   | -43.39      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.87      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2768.107   | -43.72      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7984.367   | -42.40      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.717   | -35.39      | 25          | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2492.992   | -34.31      | -13         | Pass   |
| 2495        | 2496       | 0.828     | CHP    | 3          | 2495.875   | -31.05      | -13         | Pass   |
| 2496        | 2616.02    | 0.828     | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2536.02MHz\_LTE: 1RB\_Left NR: Inner 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.372   | -51.31      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.433   | -42.95      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.875   | -39.46      | -13         | Pass   |
| 2496        | 2616.02    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 30.500     | -51.34      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1208.063   | -52.27      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2338.167   | -50.36      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.95      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2718.897   | -50.31      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7827.240   | -48.84      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2569.99     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.447   | -37.26      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.047   | -47.92      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2703.797   | -51.04      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 43.400     | -51.29      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2649.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1682.033   | -52.07      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2339.893   | -50.38      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.39      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2770       | 1         | /      | 4          | 2762.063   | -50.15      | -13         | Pass   |
| 2770        | 26900      | 1         | /      | 5          | 7836.737   | -49.13      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:80MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
CC2:2649.99MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




### 4.2.8 30k\_SISO\_90MHz\_NTNV

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1






Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1646.637   | -52.13      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2487.523   | -50.32      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -50.84      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2780       | 1         | /      | 4          | 2728.393   | -50.41      | -13         | Pass   |
| 2780        | 26900      | 1         | /      | 5          | 7977.460   | -48.54      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2488.358   | -34.34      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2491.570   | -34.81      | -13         | Pass   |
| 2495        | 2496       | 0.923     | CHP    | 3          | 2495.950   | -20.51      | -13         | Pass   |
| 2496        | 2631       | 0.923     | CHP    | /          | /          | /           | /           | /      |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2487.336   | -44.32      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.490   | -38.01      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.950   | -13.98      | -13         | Pass   |
| 2496        | 2631       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.850     | -44.10      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1621.600   | -45.12      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2338.167   | -43.34      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.95      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2780       | 1         | /      | 4          | 2711.127   | -43.40      | -13         | Pass   |
| 2780        | 26900      | 1         | /      | 5          | 7998.180   | -42.23      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2644.98MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.144   | -27.16      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.644   | -40.90      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.094   | -44.07      | -13         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.144   | -37.52      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2693.744   | -33.91      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2699.895   | -36.96      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.294   | -27.39      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.644   | -40.97      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.544   | -43.93      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.234   | -43.83      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.490   | -39.58      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.950   | -14.02      | -13         | Pass   |
| 2496        | 2631       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.700     | -44.27      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1604.333   | -45.18      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2389.103   | -43.44      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.84      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2780       | 1         | /      | 4          | 2707.673   | -43.40      | -13         | Pass   |
| 2780        | 26900      | 1         | /      | 5          | 7983.503   | -42.08      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.964   | -33.37      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2490.548   | -33.80      | -13         | Pass   |
| 2495        | 2496       | 0.924     | CHP    | 3          | 2495.950   | -22.16      | -13         | Pass   |
| 2496        | 2631       | 0.924     | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.402   | -43.94      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.490   | -39.17      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.950   | -25.82      | -13         | Pass   |
| 2496        | 2631       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 32.850     | -44.17      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1602.607   | -44.97      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2485.797   | -43.16      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.11      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2780       | 1         | /      | 4          | 2764.653   | -43.28      | -13         | Pass   |
| 2780        | 26900      | 1         | /      | 5          | 7997.317   | -42.06      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.594   | -44.85      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.044   | -46.44      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.844   | -50.92      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 30.850     | -51.14      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1628.507   | -52.08      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2433.133   | -50.25      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -51.39      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2780       | 1         | /      | 4          | 2730.120   | -50.10      | -13         | Pass   |
| 2780        | 26900      | 1         | /      | 5          | 7872.997   | -48.86      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2644.98MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.144   | -36.11      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2693.444   | -37.58      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2700.195   | -34.48      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
CC2:2644.98MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.144   | -24.79      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.644   | -43.30      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2704.545   | -44.49      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2486.022   | -44.50      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.490   | -37.81      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.804   | -19.64      | -13         | Pass   |
| 2496        | 2631       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 44.200     | -44.45      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1587.067   | -45.08      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2437.450   | -42.86      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.85      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2780       | 1         | /      | 4          | 2761.200   | -43.38      | -13         | Pass   |
| 2780        | 26900      | 1         | /      | 5          | 7978.323   | -41.93      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2490.402   | -36.23      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.490   | -34.35      | -13         | Pass   |
| 2495        | 2496       | 0.93      | CHP    | 3          | 2495.950   | -27.30      | -13         | Pass   |
| 2496        | 2631       | 0.93      | CHP    | /          | /          | /           | /           | /      |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2541MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.234   | -44.84      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.490   | -37.04      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.950   | -25.52      | -13         | Pass   |
| 2496        | 2631       | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 32.450     | -44.46      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1656.997   | -45.10      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | 2          | 2246.653   | -43.07      | -25         | Pass   |
| 1805        | 2490.5     | 1         | /      | 3          | 2490.977   | -44.65      | -13         | Pass   |
| 2490.5      | 2495       | 1         | /      | 4          | 2767.243   | -43.44      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | 5          | 7989.547   | -41.99      | -25         | Pass   |
| 2695        | 2780       | 1         | /      |            |            |             |             |        |
| 2780        | 26900      | 1         | /      |            |            |             |             |        |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.144   | -28.73      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.044   | -32.81      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.244   | -44.02      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1






**Test Report No.: PSU-NQN2504150110RF05**

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB Left NR: Outer Full AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.144   | -35.71      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.644   | -35.29      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2702.145   | -35.63      | -13         | Pass   |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:90MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2644.98MHz\_LTE: 1RB Left NR: Inner 1RB Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2554.98     | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.144   | -33.67      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.194   | -36.30      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2696.445   | -44.25      | -13         | Pass   |

### 4.2.9 30k\_SISO\_100MHz\_NTNV


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left\_AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1657.860   | -45.16      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2490.113   | -43.30      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.25      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2726.667   | -43.25      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7978.323   | -42.21      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2546.01MHz\_LTE: 1RB\_Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.352   | -35.42      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2491.152   | -35.80      | -13         | Pass   |
| 2495        | 2496       | 1         | CHP    | 3          | 2495.954   | -18.69      | -13         | Pass   |
| 2496        | 2646.01    | 1         | CHP    | /          | /          | /           | /           | /      |


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2546.01MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
CC2:2640MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Right AntLTE 1






Test Report No.: PSU-NQN2504150110RF05


DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1



DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.150   | -37.70      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2694.950   | -35.42      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2710.700   | -34.44      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM PI/2 BPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -22.45      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -41.29      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2697.050   | -43.83      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2485.600   | -44.25      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.454   | -39.20      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.954   | -13.27      | -13         | Pass   |
| 2496        | 2646.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.750     | -44.30      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1673.400   | -45.07      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2314.857   | -43.09      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -42.77      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2715.443   | -43.58      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7989.547   | -42.23      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2485.600   | -33.85      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2490.552   | -34.55      | -13         | Pass   |
| 2495        | 2496       | 1         | CHP    | 3          | 2495.954   | -20.51      | -13         | Pass   |
| 2496        | 2646.01    | 1         | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left NR: Inner\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2487.401   | -44.98      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.454   | -42.69      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.954   | -34.92      | -13         | Pass   |
| 2496        | 2646.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 30.500     | -44.45      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1578.433   | -45.37      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2475.437   | -43.28      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.09      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2786.237   | -43.27      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7984.367   | -41.50      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge\_1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.900   | -34.30      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.050   | -37.57      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2699.000   | -44.27      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.600     | -44.20      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1675.127   | -45.04      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2424.500   | -43.32      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.49      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2706.810   | -43.16      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7987.820   | -42.05      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.150   | -38.68      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2692.250   | -32.02      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2711.000   | -34.17      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: DFT-s-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.300   | -24.54      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -34.93      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2695.850   | -44.11      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2487.785   | -43.45      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.500   | -39.67      | -13         | Pass   |
| 2495        | 2496       | 0.005     | CHP    | 3          | 2495.959   | -36.68      | -13         | Pass   |
| 2496        | 2646.01    | 0.005     | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 44.500     | -44.47      | -25         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left\_NR: Edge\_1RB\_Left\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1630.233   | -45.01      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2427.953   | -43.25      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -43.01      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2709.400   | -43.58      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7980.050   | -42.03      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left\_NR: Outer\_Full\_AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2489.202   | -35.79      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2492.053   | -34.68      | -13         | Pass   |
| 2495        | 2496       | 1         | CHP    | 3          | 2495.954   | -21.13      | -13         | Pass   |
| 2496        | 2646.01    | 1         | CHP    | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2546.01MHz\_LTE: 1RB\_Left NR: Inner 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2485        | 2490.5     | 1         | CHP    | 1          | 2487.251   | -44.43      | -25         | Pass   |
| 2490.5      | 2495       | 1         | CHP    | 2          | 2494.904   | -36.56      | -13         | Pass   |
| 2495        | 2496       | 0.3       | /      | 3          | 2495.804   | -14.64      | -13         | Pass   |
| 2496        | 2646.01    | 0.3       | /      | /          | /          | /           | /           | /      |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 46.550     | -44.20      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
CC2:2592.99MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Left AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1663.903   | -45.13      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2272.553   | -43.54      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.52      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2757.747   | -43.23      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7841.053   | -42.05      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
CC2:2640MHz\_LTE: 1RB\_Right NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.900   | -34.15      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.050   | -36.21      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2696.800   | -44.15      | -13         | Pass   |




Test Report No.: PSU-NQN2504150110RF05

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 41.850     | -44.23      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB\_Left NR: Edge 1RB\_Right AntLTE 1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 2490.5     | 1         | /      | 1          | 1118.277   | -44.97      | -25         | Pass   |
| 2490.5      | 1805       | 1         | /      | /          | /          | /           | /           | /      |
| 1805        | 2490.5     | 1         | /      | 2          | 2331.260   | -43.15      | -25         | Pass   |
| 2490.5      | 2495       | 1         | /      | 3          | 2490.977   | -44.61      | -13         | Pass   |
| 2495        | 2695       | 1         | /      | /          | /          | /           | /           | /      |
| 2695        | 2790       | 1         | /      | 4          | 2700.767   | -43.23      | -13         | Pass   |
| 2790        | 26900      | 1         | /      | 5          | 7984.367   | -41.93      | -25         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB Left NR: Outer\_Full\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 1         | CHP    | /          | /          | /           | /           | /      |
| 2690        | 2691       | 1         | CHP    | 1          | 2690.150   | -38.81      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -37.88      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2705.000   | -35.56      | -13         | Pass   |

DC\_66A\_n41A\_30kHz\_SISO\_NTNV\_CC1:20 CC2:100MHz\_LTE: QPSK NR: CP-OFDM QPSK\_CC1:1745  
 CC2:2640MHz\_LTE: 1RB Left NR: Inner\_1RB\_Right\_AntLTE 1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 2540        | 2690       | 0.3       | /      | /          | /          | /           | /           | /      |
| 2690        | 2691       | 0.3       | /      | 1          | 2690.150   | -16.27      | -10         | Pass   |
| 2691        | 2695       | 1         | CHP    | 2          | 2691.500   | -40.22      | -10         | Pass   |
| 2695        | 2750       | 1         | CHP    | 3          | 2718.200   | -43.87      | -13         | Pass   |

--END--