



## Request for transmitter Limited Modular Approval

### Transmitter Module Characteristics

#### Item Requirements EUT

1	<b>No</b>	Has its own RF shielding	Does not have its own RF Shielding. Product will be installed on final host desktop PC that would have shielding protection effect.
2	<b>Yes</b>	Have buffered modulation/data inputs (if such inputs are provided),	Buffered data inputs stage has been integrated in chip CYRF6936-40LFXC
3	<b>Yes</b>	Have it own power supply regulation	The part number of the power regulator is S1112B33MC-L6STFG
4	<b>Yes</b>	Meet the antenna requirements of Section 15.203	The EUT contain a PCB antenna. Refer to exhibit Internal Photo
5	<b>Yes</b>	Be tested in a stand-alone configuration, i.e., the antenna, AC or DC power and data input/output lines must be connected to the module but, the module must not be inside another case during testing	Device is tested external to a host on an extender board in a standalone configuration Refer to exhibit Test Report and Test Set-up
6	<b>Yes</b>	Be labeled with its own FCC ID number, and if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.	The instruction on the labeling rule of the end product has been stated in the User's manual of the final host. Please also see the exhibition Label Sample.



7	Yes	The modular transmitter is manufactured so that the user cannot influence the operation of the transmitter that will operate outside of the scope of the regulations.	The required FCC rule has been fulfilled and all the instructions for maintaining compliance have been clearly stated in the Users Manual.
8	Yes	Address compliance with the Commission's RF exposure limits in Sections 1.1310 and 2.1093. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF exposure compliance in accordance with Section 15.247(b) (4).	RF exposure requirement is fulfilled only for mobile application configuration.

Certified By: John Luo  
Date: JUNE 27, 2008