

TEST REPORT

MEASUREMENT PER SECTION 2.1033 (C) (14) OF THE RULES**SECTION 2.1033 (c) (14)**

The data required by Section 2.1046 through 2.1057, inclusive, measured in accordance with the procedures set out in Section 2.1041.

RESPONSE:

The following pages include the data required for the **AS5BBTRX-02**, measured in accordance with the procedures set out in Section 2. 1033 (c) (14) of the Rules.

Each required measurement and its corresponding exhibit number are:

Measurement: 1	Section 2.1046	RF Power Output - See Measurement 3
Measurement: 2	Section 2.1047	Modulation Characteristics
Measurement: 3	Section 2.1049	(a) Emissions Bandwidth (b) Occupied Bandwidth
Measurement: 4	Section 2.1051	Spurious Emissions at Antenna Terminals
Measurement: 5	Section 2.1053	Field Strength of Spurious Radiation
Measurement: 6	Section 2.1055	Measurement of Frequency Stability
	Section 2.1057	Frequency Spectrum to be Investigated

Measurement 1

FCC Section 2.1046 RF Power output

Refer to Measurement 3 Occupied Bandwidth Measurement during that measurement RF Output was continuously monitored.


Measurement 2

FCC Section 2.1047 Modulation Characteristics

The modulation techniques used are explained in the submission as part section 2.1033 (c) (13). The RF signal at the antenna port was demodulated and verified for correctness of modulation signal used before each test was performed. The attached plot of graphs show the modulation components: In phase (I) and Quadrature (Q) components.

- (1) Quadrature Phase Shift Keying (QPSK) modulation scheme uses 2 bits are transmitted simultaneously (one per channel) and a symbol can be represented by 2 bits. Therefore there are $2^2 = 4$ states (Binary 00 to 11). The theoretical bandwidth is 2bits/second/Hz.
- (2) 16 Quadrature amplitude modulation (QAM): In 16QAM, there 16-states. There are four I values and four Q values, therefore 4 bits are available for represent a symbol. Therefore there are $2^4 = 16$ states (Binary 0000 to 1111). The theoretical bandwidth is 4bits/second/Hz.
- (3) 64 Quadrature amplitude modulation (QAM): In 64QAM: The 64QAM is similar to 16QAM and there will be 64 states and 6 bits are available to represent a symbol.

QPSK MODULATION




LTE

FCC Part 27.53 Block C; QPSK Modulation; RRH2X40-AWS PWR: 40 (2x40W MIMO)

FCCID: AS5BBTRX-02

TEST ENGINEER: SEG

16QAM MODULATION




LTE

FCC Part 27.53 Block C; 16QAM Modulation; RRH2X40-AWS PWR: 40 (2x40W MIMO)

FCCID: AS5BBTRX-02

TEST ENGINEER: SEG

64QAM MODULATION



LTE

FCC Part 27.53 Block C; 64QAM Modulation; RRH2X40-AWS PWR: 40 (2x40W MIMO)

FCCID: AS5BBTRX-02

TEST ENGINEER: SEG

Measurement 3

FCC Section 2.1049

- (a) Emissions Bandwidth Measurement
- (b) Occupied Bandwidth Measurement showing spurious Emissions 100 kHz close to Block edges.

Spectrum Bandwidth Measurement For Emissions Type

FCC approves two measurement methods for Spectrum Bandwidth.

- (A) 99% Bandwidth
- (B) 26 dB Band width.

Both methods were used to measure the bandwidth at modulations and highest is recorded. The modulations used are:

- 1. QPSK
- 2. 16 QAM
- 3. 64 QAM

Highest Bandwidth is used for Emissions type designation: 9.45 MHz for 10 MHz Bandwidth, and 4.72 MHz for 5 MHz Bandwidth.

Therefore:

Measured Emission type: **9M45F9W** for 10 MHz Bandwidth.

Measured Emission type: **4M72F9W** for 5 MHz Bandwidth.

**MEASUREMENT OF SPECTRUM BANDWIDTH
26 dB POWER BANDWIDTH**

**(b) MEASUREMENT OF
SPECTRUM BANDWIDTH
For Emissions Type**

The occupied bandwidth of the Long Term Evolution (LTE) is measured using a Rohde & Schwarz ESI Spectrum Analyzer/Receiver and an HP Model 520 DeskJet Printer. The emissions bandwidth is provided in section 27.53(h) (1) is used. Accordingly “The emissions bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26dB below the transmitter power.”

The measurements were made on a “**LTE AWS 2100 Remote Radio Head (RRH)**” in the following configurations:

1. QPSK
2. 16 QAM
3. 64 QAM


Results:

The plots are provided for QPSK, 16QAM and 64QAM modulations for 10 MHz band and 5MHz band. The Measured 26dB emissions bandwidth is 9.45 MHz for Block F, 10 MHz band, and 4.72 MHz for Block F, 5 MHz band.


Block: A

10 MHz Bandwidth 2110 – 2120 MHz

(26dB Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 05:23:43




Title: 26dB BANDWIDTH; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 06:20:32




Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 06:40:12


Block: A
Band A1 (5 MHz Band)

5 MHz Bandwidth, 2110 – 2115 MHz
(Left Edge)


(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 15.MAR.2010 11:56:02



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 06:12:26




Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 05:41:34


Block: A
Band A2 (5 MHz Band)

5 MHz Bandwidth 2115 – 2120 MHz
(Right Edge)

(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 06:47:28




Title: 26dB BANDWIDTH; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 16.MAR.2010 07:07:10



Title: 26dB BANDWIDTH; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz


PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 16.MAR.2010 07:43:17


Block: B

10 MHz Bandwidth 2120 – 2130 MHz


(26dB Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 06:17:00



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 06:49:31




Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 07:05:32


Block: B
Band B1

5 MHz Bandwidth 2120 – 2125 MHz
(Right Edge)


(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 08:26:54



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 09:47:46




Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 10:22:59


Block: B
Band B2

5 MHz Bandwidth 2125 – 2130 MHz
(Right Edge)


(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 10:42:10



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 11:13:26



Title: 26dB BANDWIDTH; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz


PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 12:05:28


Block: C

5 MHz Bandwidth 2130 – 2135 MHz


(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 10:02:41



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 09:39:35




Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 08:15:53


Block: D

5 MHz Bandwidth 2135 – 2140 MHz

(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 07:47:06




Title: 26dB BANDWIDTH; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 08:14:46




Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:44:42


Block: E


5 MHz Bandwidth 2140 – 2145 MHz

(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 10:52:23






Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 11:54:44


Block: F


10 MHz Bandwidth 2145 – 2155 MHz

(26dB Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 12:46:40






Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 13:39:11


Block: F
Band F1

5 MHz Bandwidth 2145 – 2150 MHz
(Right Edge)


(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 10:02:29



Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 10:45:20




Title: 26dB BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 10:59:26


Block: F
Band F2

5 MHz Bandwidth 2150 – 2155 MHz
(Right Edge)

(26 dB Power Bandwidth)



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 11:36:02




Title: 26dB BANDWIDTH; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 11:54:35



Title: 26dB BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 12:26:32

**MEASUREMENT OF
SPECTRUM MASK/OCCUPIED BANDWIDTH
(1MHz ADJACENT TO CHANNEL EDGE)**
Section 27.53 (H)

MEASUREMENT OF SPECTRUM MASK OCCUPIED BANDWIDTH

The Spectrum mask close to the center of the carrier frequency (Occupied bandwidth) of the Long Term Evolution (LTE) Trials were measured using a Rohde & Schwarz ESI Spectrum Analyzer/Receiver and an HP Model 520 DeskJet Printer. The RF power level was measured using RF power meter as shown in the test setup in Figure A. The RF output from the LTE EAC port to spectrum analyzer was reduced (to an amplitude usable by the spectrum analyzer) by using a calibrated attenuator. This attenuation was offset on the display and the signal for single carrier was adjusted to the corrected RF power level for a 100 kHz resolution bandwidth for 10MHz wide transmit signal, and 50 kHz resolution bandwidth for 5 MHz wide transmit signal (1% of signal BW). While adjusting the corrected RF power level in the spectrum analyzer, the attenuator and resolution BW of spectrum analyzer were considered.

The measurements were made on a “**LTE AWS 2100 Remote Radio Head (RRH)**”.

The reference line on the spectrum analyzer display corresponds to level measured by the RF power meter. Occupied Bandwidth plots were made at antenna terminals for an output of 40 Watts (46.0 dBm)/carrier.

The frequencies and blocks used were tabulated on the bottom of each plot. The output signals at RF filter were plotted at each frequency/block. The LTE RRHs is capable of operating in the band of 2110 MHz to 2155 MHz (Block A,B,C,D,E and F). The Base station presently tested was configured to operate at all blocks and bands listed in Table below Plots were provided for a single carrier. These frequencies were chosen to show the occupied bandwidth in the blocks in the frequency band in which this radio can be operated. All tests were performed for QPSK, 16QAM and 64QAM modulations.

Block edge requirements:

FCC Section 27.53(h): *In 1MHz bands immediately outside and adjacent to the licensee’s frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be used. The power of any emission outside a licensee’s frequency block shall be attenuated below the transmitter power (P) by at least $43+10\log(P)$ dB or -13dBm.*

The list of Blocks, Bands and Power measured at External Antenna Connector (EAC)

Band	Block	Frequency (MHz)	Power (Watts)
	A	2115	40
Band A1	A	2112.5	40
Band A2	A	2117.5	40
	B	2125	40
Band B1	B	2122.5	40
Band B2	B	2127.5	40
	C	2132.5	40
	D	2137.5	40
	E	2142.5	40
	F	2150	40


Band	Block	Frequency (MHz)	Power (Watts)
Band F1	F	2147.5	40
Band F2	F	2152.5	40

Measurement uncertainty:

Frequency: 100 Hz

Amplitude: 0.5 dB

**Figure A. TEST CONFIGURATION FOR SPECTRUM MASK
(OCCUPIED BANDWIDTH)**




All components are calibrated over the frequency range of interest


Block: A

**10 MHz Bandwidth 2110 – 2120 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 05:21:42



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 06:17:13




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 06:43:18


Block: A1

**5 MHz Bandwidth 2110 – 2115 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 15.MAR.2010 11:57:26



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 15.MAR.2010 11:09:01




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 15.MAR.2010 10:44:40


Block: A2

**5 MHz Bandwidth 2115 – 2120 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 06:45:17



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 07:08:37




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 07:40:43


Block: B

**10 MHz Bandwidth 2120 – 2130 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 06:14:49



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 06:47:43




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 07:11:11


Block: B1

**5 MHz Bandwidth 2120 – 2125 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 08:23:54



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 09:49:36




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 10:18:40


Block: B2

**5 MHz Bandwidth 2125 – 2130 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 10:44:29



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 11:10:05




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 12:07:30


Block: C

**5 MHz Bandwidth 2130 – 2135 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 10:04:49



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 09:27:32




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 08:17:42


Block: D

**5 MHz Bandwidth 2135 – 2140 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 07:43:21



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:16:41




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:41:26


Block: E

**5 MHz Bandwidth 2140 – 2145 MHz
(Left Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 10:48:39



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 11:16:36




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 11:39:09


Block: F

**10 MHz Bandwidth 2145 – 2155 MHz
(Right Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 12:48:01



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 13:18:38




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 13:41:15


Block: F1

**5 MHz Bandwidth 2145 – 2150 MHz
(Right Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 10:05:08



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 10:41:15




Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 11:01:45


Block: F2

**5 MHz Bandwidth 2150 – 2155 MHz
(Right Edge)**


SPECTRUM MASK/OCCUPIED BANDWIDTH



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 11:33:01



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 11:57:07



Title: OCCUPIED BANDWIDTH; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 12:23:52

Measurement 4

FCC Section 2.1051 and 27.53 (C) Spurious Emissions at Antenna Transmit Terminals

Measurement -4

MEASUREMENT OF SPURIOUS EMISSIONS AT TRANSMIT ANTENNA PORT FCC 27.53 (C)

Spurious Emissions at Transmit Antenna Terminals

Spurious Emissions at the transmit-antenna terminals were investigated over the frequency range of 9 kHz to the 22 GHz. The test setup is as described in Figure A. Measurements were made using a Rohde & Schwarz ESI 40 (9 kHz to 40 GHz) EMI Test receiver and a HP Model 520 DeskJet Printer. The RF output from the transmitter was reduced (to an amplitude usable by the receivers) using calibrated attenuators. The RF power level was continuously monitored via RF Power Meter as shown in the test setup in Figure A. The required emission limitation is specified in 27.53 (h) and FCC Part 24 Subpart E section 24.238. Measurements were made at 40W per carrier for 10 MHz Bandwidth, and 40W per carrier for 5MHz Bandwidth at antenna terminals. The measured spurious emission levels were plotted for the frequency range 9 kHz to 22 GHz. The measurements were made using following receiver parameters:

The list of blocks and bands, tested are listed below:

Band	Block	Frequency (MHz)	Power (Watts)
	A	2115	40
Band A1	A	2112.5	40
Band A2	A	2117.5	40
	B	2125	40
Band B1	B	2122.5	40
Band B2	B	2127.5	40
	C	2132.5	40
	D	2137.5	40
	E	2142.5	40
	F	2150	40
Band F1	F	2147.5	40
Band F2	F	2152.5	40

FCC Section 27.53(h): FCC Section 27.53(h): In 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be used. The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43+10\log(P)$ dB or -13dBm.

The tests were performed in following modulation configurations:

- A. QPSK
- B. 16 QAM
- C. 64 QAM

RESULTS:

The magnitude of spurious emissions is within the specification limits of FCC Part 27.53(c).


Measurement uncertainty:

9 kHz to 20 MHz: Frequency = 10 Hz, Amplitude = 0.5 dB

20 MHz to 1 GHz: Frequency = 100Hz, Amplitude = 0.5 dB


1 GHz to 10 GHz: Frequency = 10 kHz, Amplitude = 0.5 dB

Figure A. TEST CONFIGURATION FOR CONDUCTED SPURIOUS




Transmit Port
Antenna Conducted Spurious Emissions


Block: A
QPSK Modulation
Bandwidth 2110 – 2120 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 05:41:59



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 05:42:56




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 05:45:21

**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: A
16QAM Modulation
Bandwidth 2110 – 2120 MHz**

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 06:14:24




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 17.MAR.2010 06:13:27




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 06:11:26

Transmit Port
Antenna Conducted Spurious Emissions

Block: A
64QAM Modulation
Bandwidth 2110 – 2120 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 06:45:49




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 06:46:49



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2120 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 17.MAR.2010 06:48:57

**Transmit Port
Antenna Conducted Spurious Emissions**


**Block: A1
QPSK Modulation
Bandwidth 2110 – 2115 MHz**



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 15.MAR.2010 12:01:21



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 15.MAR.2010 12:05:22



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz

PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02

Date: 16.MAR.2010 05:20:56


Transmit Port
Antenna Conducted Spurious Emissions

Block: A1
16QAM Modulation
Bandwidth 2110 – 2115 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 15.MAR.2010 07:55:23

SWT	3 s	Unit	dBm
-----	-----	------	-----




Date: 15.MAR.2010 08:21:22




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 06:16:49

Transmit Port
Antenna Conducted Spurious Emissions

Block: A1
64QAM Modulation
Bandwidth 2110 – 2115 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 15.MAR.2010 10:14:36




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 15.MAR.2010 10:12:18




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2110 - 2115 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 05:31:26

Transmit Port
Antenna Conducted Spurious Emissions


Block: A2
QPSK Modulation
Bandwidth 2115 – 2120 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 06:41:05




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 06:39:44




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 06:36:06

**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: A2
16QAM Modulation
Bandwidth 2115 – 2120 MHz**



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 07:11:57




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 16.MAR.2010 07:17:34



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 16.MAR.2010 07:19:16

Transmit Port
Antenna Conducted Spurious Emissions

Block: A2
64QAM Modulation
Bandwidth 2115 – 2120 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 07:36:11




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 16.MAR.2010 07:34:32




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block A; 2115 - 2120 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 07:32:31

Transmit Port
Antenna Conducted Spurious Emissions


Block: B
QPSK Modulation
Bandwidth 2120 – 2130 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 06:20:08




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 06:20:55




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 06:22:16

Transmit Port
Antenna Conducted Spurious Emissions


Block: B
16QAM Modulation
Bandwidth 2120 – 2130 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 06:43:10




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 06:42:11



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 06:40:23


**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: B
64QAM Modulation
Bandwidth 2120 – 2130 MHz**



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 07:13:56

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 07:15:17



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2130 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 07:17:01

Transmit Port
Antenna Conducted Spurious Emissions

Block: B1
QPSK Modulation
Bandwidth 2120 – 2125 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz

PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 08:18:01



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 08:16:17



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 08:14:27

Transmit Port
Antenna Conducted Spurious Emissions

Block: B1
16QAM Modulation
Bandwidth 2120 – 2125 MHz

52 dB Offset

1AVG


D1 -13 dBm

IN1 1RM


P0

Start 9 kHz 3.9991 MHz/ Stop 40 MHz

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 09:52:16




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 09:54:02



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 09:55:44

Transmit Port
Antenna Conducted Spurious Emissions

Block: B1
64QAM Modulation
Bandwidth 2120 – 2125 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 10:14:38




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 10:13:14




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2120 - 2125 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 10:11:31


**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: B2
QPSK Modulation
Bandwidth 2125 – 2130 MHz**

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 10:46:33




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 10:47:58



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 10:49:20

**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: B2
16QAM Modulation
Bandwidth 2125 – 2130 MHz**




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 17.MAR.2010 11:07:53



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 11:06:26




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 11:05:10


**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: B2
64QAM Modulation
Bandwidth 2125 – 2130 MHz**

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 17.MAR.2010 12:10:02



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 17.MAR.2010 12:12:03



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block B; 2125 - 2130 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 17.MAR.2010 12:13:40

Transmit Port
Antenna Conducted Spurious Emissions


Block: C
QPSK Modulation
Bandwidth 2130 – 2135 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 10:07:32



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 10:08:24




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 10:10:52


**Transmit Port
Antenna Conducted Spurious Emissions**

**Block: C
16QAM Modulation
Bandwidth 2130 – 2135 MHz**

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 09:25:10




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 09:23:52




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 09:22:37

Transmit Port
Antenna Conducted Spurious Emissions


Block: C
64QAM Modulation
Bandwidth 2130 – 2135 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 08:20:08



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 08:22:03



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block C; 2130 - 2135 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 16.MAR.2010 08:23:51


Transmit Port
Antenna Conducted Spurious Emissions

Block: D
QPSK Modulation
Bandwidth 2135 – 2140 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 07:39:11


Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 07:37:33




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 07:35:25

Transmit Port
Antenna Conducted Spurious Emissions


Block: D
16QAM Modulation
Bandwidth 2135 – 2140 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:18:54




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:20:41



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:22:23

Transmit Port
Antenna Conducted Spurious Emissions

Block: D
64QAM Modulation
Bandwidth 2135 – 2140 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 08:38:46


Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 08:37:11




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block D; 2135 - 2140 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 08:35:54

Transmit Port
Antenna Conducted Spurious Emissions

Block: E
QPSK Modulation
Bandwidth 2140 – 2145 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 10:45:42




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz

PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02

Date: 16.MAR.2010 10:44:04




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 10:41:51


Transmit Port
Antenna Conducted Spurious Emissions

Block: E
16QAM Modulation
Bandwidth 2140 – 2145 MHz

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 11:19:10



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 11:20:28



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 16.MAR.2010 11:23:12

Transmit Port
Antenna Conducted Spurious Emissions


Block: E
64QAM Modulation
Bandwidth 2140 – 2145 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 16.MAR.2010 11:36:37



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 16.MAR.2010 11:35:39



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block E; 2140 - 2145 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 17.MAR.2010 07:41:15

Transmit Port
Antenna Conducted Spurious Emissions


Block: F
QPSK Modulation
Bandwidth 2145 – 2155 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 12:50:44




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 12:52:55



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 12:54:35

Transmit Port
Antenna Conducted Spurious Emissions

Block: F
16QAM Modulation
Bandwidth 2145 – 2155 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 13:16:22



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
 PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 13:14:50



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 13:13:36

Transmit Port
Antenna Conducted Spurious Emissions

Block: F
64QAM Modulation
Bandwidth 2145 – 2155 MHz




Title:
 SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A:
 RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz

PWR:
 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date:
 18.MAR.2010 13:43:54

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 13:46:06



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2155 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 18.MAR.2010 13:47:37

Transmit Port
Antenna Conducted Spurious Emissions


Block: F1
QPSK Modulation
Bandwidth 2145 – 2150 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 10:07:44




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 10:08:50



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 10:10:16

Transmit Port
Antenna Conducted Spurious Emissions

Block: F1
16QAM Modulation
Bandwidth 2145 – 2150 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 10:36:36




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 10:35:35



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02


Date: 18.MAR.2010 10:34:17

Transmit Port
Antenna Conducted Spurious Emissions


Block: F1
64QAM Modulation
Bandwidth 2145 – 2150 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
 PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 11:03:45



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 11:04:58



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block F; 2145 - 2150 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 11:06:13

Transmit Port
Antenna Conducted Spurious Emissions

Block: F2
QPSK Modulation
Bandwidth 2150 – 2155 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 11:28:08




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02


Date: 18.MAR.2010 11:26:34



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
 Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
 PWR: 40W; QPSK; FCC Part 27; FCCID: AS5BBTRX-02
 Date: 18.MAR.2010 11:25:10

Transmit Port
Antenna Conducted Spurious Emissions

Block: F2
16QAM Modulation
Bandwidth 2150 – 2155 MHz




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 11:59:00




Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 12:00:21



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG


Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; 16QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 12:01:45


Transmit Port
Antenna Conducted Spurious Emissions

Block: F2
64QAM Modulation
Bandwidth 2150 – 2155 MHz



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 12:21:05

Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG
Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz
PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02
Date: 18.MAR.2010 12:19:01



Title: SPURIOUS EMISSIONS AT TX ANTENNA PORT; Test Engineer: SEG

Comment A: RRH2x40-AWS; -48VDC; Block F; 2150 - 2155 MHz

PWR: 40W; 64QAM; FCC Part 27; FCCID: AS5BBTRX-02

Date: 18.MAR.2010 12:16:25

Measurement -5

FIELD STRENGTH OF SPURIOUS RADIATION SECTION 2.1053 and 27.53 (g)

MEASUREMENT: 5**SECTION 2.1053****FIELD STRENGTH OF SPURIOUS RADIATION**

Field strength measurements of radiated spurious emissions were made at 3 m semi anechoic room of Global Product Compliance Laboratory of Alcatel-Lucent Murray Hill. A complete description and full measurement data for the site is on file with the Commission (FCC File 515091).

The “LTE 9442 Remote Radio Head (RRH)” was tested at a RF output of 40W at Antenna Interface Connector (AIC). The operation of RRH was simulated using Base Band Unit (BBU)/(D2U placed outside the chamber. The interconnection between RRH and D2U was through optical fiber. The radiated emissions tests were performed serially with RRH operating with 10 MHz and 5 bandwidths in the frequency blocks A, B, C, D, E and F. All tests were performed RRH operating in QPSK and 64QAM modulations. For some frequency blocks tests were performed in 16QAM modulations. During the tests RRH AIC were terminated with 50 ohm load. The spectrum from 10 MHz to the 10th harmonic (22GHz) of the carrier was searched for spurious radiation. Measurements were made according to ANSI C63.4. All emissions more than 20 dB below the specification limit were considered not reportable (Section 2.1057(c)).

All emissions more than 20 dB below the specification limit were considered not reportable (Section 2.1057(c)).

The calculated emission levels were found by:

$$\text{Measured level (dB}\mu\text{V)} + \text{Cable Loss(dB)} + \text{Antenna Factor(dB)} = \text{Field Strength (dB}\mu\text{V/m)}$$

Section 27.53 and 2.1053 contains the requirements for the levels of spurious radiation as a function of the level of the unmodulated carrier.

The reference level for the un-modulated carriers calculated as the field produced by an ideal isotropic antenna excited by the transmitter output power according to the following relation taken from Reference Data for Radio Engineers,
Page 27-7 6th edition, IT&T Corp

$$E = [(30 \cdot P)^{1/2}] / R$$

$$20 \log (E \cdot 10^6) - (43 + 10 \log P) = 82.2 \text{ dB } \mu\text{V/meter}$$

E = Field Intensity in Volts/meter

P = Transmitted Power in Watts

R = Distance from the ideal isotropic antenna in meters = 3 m

RESULTS:

For this particular test, the field strength of any spurious radiation is required to be less than 82.2 dB μ V/meter. Reportable measurements are equal to or greater than 62.2 dB μ V/meter. Over the spectrum investigated, 10 MHz to 10th of the carrier (22 GHz), no reportable spurious emissions were detected. This demonstrates that the “LTE 9442 Remote Radio Head (RRH)” the subject of this application, complies with Sections 2.1053, 27.53 (g) and 2.1057 of the Rules.

Measurement -6

MEASUREMENT OF FREQUENCY STABILITY

Measurement -6

MEASUREMENT OF FREQUENCY STABILITY


9442 RRH2x40-AWS

MEASUREMENT OF FREQUENCY STABILITY

The frequency stabilization and accuracy of the LTE signals modulated and amplified by the 2100 MHz Transmitter is a function of the input signal which is derived from the CPRI link coming from the Baseband Unit (d2uV3).

The 9442 RRH and the Baseband Unit were subjected to the FCC specified environments while operating at full rated power of 2x40W at External Antenna Connector (EAC) port. The carrier Frequency deviations were measured. The nominal Voltage input to this device is -48V DC. The 9442 RRH is designed to operate in the Voltage range of 40.0V to 56.5V and in the temperature range of – 40C to +55C.

The measurement setup is depicted in Block diagram A.



Frequency Stability Test Set-up Block Diagram
9442 AWS RRH

Block Diagram A

TEST RESULTS:**Transmit Frequency Deviation at -48VDC Over Temperature Range**

Temperature in Degrees Celsius	TX Frequency Deviation in (Hz)	
	Tx1	Tx2
25	-4.95	-4.55
30	-3.2	3.18
40	2.63	3.63
55	3.35	3.55
50	-5.29	3.37
40	-5.35	-5.78
30	-7.08	-5.79
20	-5.30	-7.32
10	-4.14	-4.01
0	-4.90	-4.00
-10	-3.93	-5.42
-20	-5.9	-4.74
-30	-5.76	-5.45
-40	-8.17	-9.94
-30	-6.08	-4.95
-20	-5.3	4.35
-10	-4.07	-5.18
0	4.37	-4.18
10	-3.95	-4.27
20	-4.74	-5.85
25	-4.12	-3.89

Transmit Frequency (2.1325GHz) Deviation at 25C Over Voltage Range

Voltage id DC	TX Frequency Deviation in (Hz)	
	TX1	TX2
-48	-4.95	-4.55
-47	-3.96	3.54
-46	-3.15	-4.65
-45	-5.07	-3.19
-44	-3.66	3.54
-43	-3.36	-4.38
-42	-3.98	-4.27
-41	-4.04	3.76
-40	-4.12	3.81
-41	3.33	-3.37
-42	-5.58	-5.02
-43	-3.6	3.24
-44	-4.49	-4.32
-45	-3.72	-2.86
-46	-4.90	4.63
-47	-4.34	-5.01
-48	-5.04	-5.46
-49	5.05	-3.27
-50	-5.9	-3.83
-51	-5.12	-4.64
-52	-5.35	-5.08
-53	-4.25	-3.64
-54	-5.66	-4.5
-55	-6.02	-4.08
-56	-5.61	-3.69
-56.5	-6.07	-4.17

Instrument Used for Measurement

Equipment description	Manufacture	Model	Serial Number	Calibration Due Date
Signal Analyzer	Rohde&Schwarz	FSV	101568	30APR2010
Frequency Counter	Fluke	PM6685R	SM668747	30APR2010
Environmental Chamber	Votsch	VSKZ06/180/S	84905	08MAY2010

**FREQUENCY SPECTRUM TO BE INVESTIGATED
SECTION 2.1057**

SECTION 2.1057

FREQUENCY SPECTRUM TO BE INVESTIGATED

Frequency Spectrum to be investigated, Measurement Bandwidth and detector function used meet or exceed the Specification contained in Section 2.1057, 27, and 3GPP TS36.104 V8.4.0 (2008-12)

Measurement Instrumentation and Antennas

All instrumentations, antennas and test Chamber used for the purpose of tests contained in the report were in calibration and calibrations are traceable to NIST