

**INDEX OF SUBMITTED MEASURED DATA**

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Tables):

- 6F-1: Hi-Power Harmonic of Carrier 136.525 MHz, 25 kHz Channel Spacing
- 6F-2: Hi-Power Harmonic of Carrier 154.525 MHz, 25 kHz Channel Spacing
- 6F-3: Hi-Power Harmonic of Carrier 173.525 MHz, 25 kHz Channel Spacing
- 6F-4: Lo-Power Harmonic of Carrier 136.525 MHz, 25 kHz Channel Spacing
- 6F-5: Lo-Power Harmonic of Carrier 154.525 MHz, 25 kHz Channel Spacing
- 6F-6: Lo-Power Harmonic of Carrier 173.525 MHz, 25 kHz Channel Spacing
- 6F-7: Hi-Power Harmonic of Carrier 136.525 MHz, 12.5 kHz Channel Spacing
- 6F-8: Hi-Power Harmonic of Carrier 154.525 MHz, 12.5 kHz Channel Spacing
- 6F-9: Hi-Power Harmonic of Carrier 173.525 MHz, 12.5 kHz Channel Spacing
- 6F-10: Lo-Power Harmonic of Carrier 136.525 MHz, 12.5 kHz Channel Spacing
- 6F-11: Lo-Power Harmonic of Carrier 154.525 MHz, 12.5 kHz Channel Spacing
- 6F-12: Lo-Power Harmonic of Carrier 173.525 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (12 Graphs):

- 6G-1: Hi-Power, 136.0125 MHz, 25 kHz Channel Spacing  
& Hi-Power, 153.0125 MHz, 25 kHz Channel Spacing
- 6G-2: Hi-Power, 173.9875 MHz, 25 kHz Channel Spacing
- 6G-3: Lo-Power, 136.0125 MHz, 25 kHz Channel Spacing  
& Lo-Power, 153.0125 MHz, 25 kHz Channel Spacing
- 6G-4: Lo-Power, 173.9875 MHz, 25 kHz Channel Spacing
- 6G-5: Hi-Power, 136.0125 MHz, 12.5 kHz Channel Spacing  
& Hi-Power, 153.0125 MHz, 12.5 kHz Channel Spacing
- 6G-6: Hi-Power, 173.9875 MHz, 12.5 kHz Channel Spacing
- 6G-7: Lo-Power, 136.0125 MHz, 12.5 kHz Channel Spacing  
& Lo-Power, 153.0125 MHz, 12.5 kHz Channel Spacing
- 6G-8: Lo-Power, 173.9875 MHz, 12.5 kHz Channel Spacing

**EXHIBIT 6F (Revised)**

**Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)**




Table 6F-1: Hi-Power Harmonic of Carrier 136.525 MHz, 25 kHz Channel Spacing




Table 6F-2: Hi-Power Harmonic of Carrier 154.525 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-3: Hi-Power Harmonic of Carrier 173.525 MHz, 25 kHz Channel Spacing




Table 6F-4: Lo-Power Harmonic of Carrier 136.525 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-5: Lo-Power Harmonic of Carrier 154.525 MHz, 25 kHz Channel Spacing




Table 6F-6: Lo-Power Harmonic of Carrier 173.525 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-7: Hi-Power Harmonic of Carrier 136.525 MHz, 12.5 kHz Channel Spacing




Table 6F-8: Hi-Power Harmonic of Carrier 154.525 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-9: Hi-Power Harmonic of Carrier 173.525 MHz, 12.5 kHz Channel Spacing




Table 6F-10: Lo-Power Harmonic of Carrier 136.525 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-11: Lo-Power Harmonic of Carrier 154.525 MHz, 12.5 kHz Channel Spacing




Table 6F-12: Lo-Power Harmonic of Carrier 173.525 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.

Exhibit 6-G (Revised)

Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)

<b>Motorola Inc.</b>	<b>FCC ID:AZ489FT3794</b>		
<b>Transmit Radiated Spurious Emissions: Lazarus VHF</b>			
<b>Tx Power: 5 Watts</b>			
<b>136.0125 MHz</b>	<b>Channel Spacing 25kHz   S/N WGWCBOW</b>		
Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
272.0250	-13	-59.81	-49.53
408.0375	-13	-61.95	-47.46
544.0500	-13	*	*
680.0625	-13	-59.12	-48.07
816.0750	-13	-55.37	-52.20
952.0875	-13	-67.87	-59.87
1088.1000	-13	*	*
1224.1125	-13	*	*
1360.1250	-13	*	*

<b>Transmit Radiated Spurious Emissions: Lazarus VHF</b>			
<b>Tx Power: 5 Watts</b>			
<b>153.0125 MHz</b>	<b>Channel Spacing 25kHz   S/N WGWCBOW</b>		
Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
306.0250	-13	-57.35	-46.64
459.0375	-13	-60.77	-47.49
612.0500	-13	-52.34	-37.53
765.0625	-13	*	-51.31
918.0750	-13	-58.03	-55.80
1071.0875	-13	-53.74	-55.05
1224.1000	-13	-68.66	-57.75
1377.1125	-13	*	-61.30
1530.1250	-13	-62.93	-61.09

\* Indicates the spurious emission could not be detected due to noise limitations or ambients.  
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

**Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan** **February 23, 2005**  
**FCC Registration: 91932 / Industry Canada: IC3679**

6G-1: Hi-Power, 136.0125 MHz, 25 kHz Channel Spacing  
 & Hi-Power, 153.0125 MHz, 25 kHz Channel Spacing

<b>Motorola Inc.</b>		<b>FCC ID:AZ489FT3794</b>	
<b>Transmit Radiated Spurious Emissions: Lazarus VHF</b>			
<b>Tx Power: 5 Watts</b>			
<b>173.9875 MHz</b>		<b>Channel Spacing 25kHz   S/N WGWCBOW</b>	
Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
347.9750	-13	-57.46	-45.50
521.9625	-13	*	*
695.9500	-13	-42.34	-37.79
869.9375	-13	-29.38	-29.65
1043.9250	-13	-51.01	-51.66
1217.9125	-13	-62.01	-54.25
1391.9000	-13	-49.73	-41.40
1565.8875	-13	-49.06	-47.65
1739.8750	-13	-51.80	-49.39

**Radiated Spurious Emissions**

Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)  
 Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)  
 FCC Failing Limit (dBm)

\* Indicates the spurious emission could not be detected due to noise limitations or ambients.  
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

**Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan** **February 23, 2005**  
**FCC Registration: 91932 / Industry Canada: IC3679**

6G-2: Hi-Power, 173.9875 MHz, 25 kHz Channel Spacing

Motorola Inc. FCC ID:AZ489FT3794


**Transmit Radiated Spurious Emissions: Lazarus VHF**

**Tx Power: 1.2 Watts**

**136.0125 MHz**

**Channel Spacing 25kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
272.0250	-13	-65.12	-52.92
408.0375	-13	-64.11	-50.54
544.0500	-13	*	*
680.0625	-13	-65.09	-53.77
816.0750	-13	-69.01	-59.55
952.0875	-13	-68.08	-66.02
1088.1000	-13	*	*
1224.1125	-13	*	*
1360.1250	-13	*	*




**Transmit Radiated Spurious Emissions: Lazarus VHF**

**Tx Power: 1.2 Watts**

**153.0125 MHz**

**Channel Spacing 25kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
306.0250	-13	-61.29	-49.99
459.0375	-13	-63.74	-50.54
612.0500	-13	-56.49	-42.16
765.0625	-13	*	-55.25
918.0750	-13	-59.19	-63.12
1071.0875	-13	-58.46	-64.85
1224.1000	-13	-70.27	-58.72
1377.1125	-13	-66.39	-60.65
1530.1250	-13	-63.87	-61.51



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan  
 FCC Registration: 91932 / Industry Canada: IC3679

February 23, 2005

6G-3: Lo-Power, 136.0125 MHz, 25 kHz Channel Spacing  
 & Lo-Power, 173.0125 MHz, 25 kHz Channel Spacing

<b>Motorola Inc.</b>		<b>FCC ID:AZ489FT3794</b>	
<b>Transmit Radiated Spurious Emissions: Lazarus VHF</b>			
<b>Tx Power: 1.2 Watts</b>			
<b>173.9875 MHz</b>		<b>Channel Spacing 25kHz   S/N WGWCBFW</b>	
Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
347.9750	-13	-63.15	-45.61
521.9625	-13	*	*
695.9500	-13	-47.74	-42.17
869.9375	-13	-47.57	-48.21
1043.9250	-13	-53.63	-60.64
1217.9125	-13	-60.25	-49.57
1391.9000	-13	-64.90	-58.62
1565.8875	-13	-48.70	-48.73
1739.8750	-13	-48.41	-47.83

**Radiated Spurious Emissions**

Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)  
 Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)  
 FCC Failing Limit (dBm)

\* Indicates the spurious emission could not be detected due to noise limitations or ambients.  
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

<b>Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan</b>	<b>February 23, 2005</b>
<b>FCC Registration: 91932 / Industry Canada: IC3679</b>	

6G-4: Lo-Power, 173.9875 MHz, 25 kHz Channel Spacing

Motorola Inc. FCC ID:AZ489FT3794


**Transmit Radiated Spurious Emissions: Lazarus VHF**

**Tx Power: 5 Watts**

**136.0125 MHz**

**Channel Spacing 12.5kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
272.0250	-20	-61.04	-50.19
408.0375	-20	-62.39	-47.19
544.0500	-20	*	*
680.0625	-20	-58.65	-45.84
816.0750	-20	-55.14	-53.23
952.0875	-20	-67.45	-60.36
1088.1000	-20	*	*
1224.1125	-20	*	*
1360.1250	-20	*	*




**Transmit Radiated Spurious Emissions: Lazarus VHF**

**Tx Power: 5 Watts**

**153.0125 MHz**

**Channel Spacing 12.5kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
306.0250	-20	-56.89	-46.03
459.0375	-20	-60.90	-48.62
612.0500	-20	-52.37	-36.99
765.0625	-20	*	-51.70
918.0750	-20	-59.38	-55.89
1071.0875	-20	-57.42	-57.97
1224.1000	-20	-69.02	-58.36
1377.1125	-20	-66.07	-60.55
1530.1250	-20	-61.72	-60.50



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan  
 FCC Registration: 91932 / Industry Canada: IC3679

February 23, 2005


6G-5: Hi-Power, 136.0125 MHz, 12.5 kHz Channel Spacing  
& Hi-Power, 153.0125 MHz, 12.5 kHz Channel Spacing

Motorola Inc. FCC ID:AZ489FT3794

**Transmit Radiated Spurious Emissions: Lazarus VHF**  
**Tx Power: 5 Watts**

**173.9875 MHz** **Channel Spacing 12.5kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
347.9750	-20	-56.35	-45.24
521.9625	-20	*	*
695.9500	-20	-44.36	-42.58
869.9375	-20	-38.15	-31.12
1043.9250	-20	-50.24	-54.48
1217.9125	-20	-63.29	-58.32
1391.9000	-20	-51.32	-41.18
1565.8875	-20	-49.38	-47.47
1739.8750	-20	-51.31	-48.56



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.  
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan February 23, 2005  
 FCC Registration: 91932 / Industry Canada: IC3679

6G-6: Hi-Power, 173.9875 MHz, 12.5 kHz Channel Spacing

Motorola Inc. FCC ID:AZ489FT3794


**Transmit Radiated Spurious Emissions: Lazarus VHF**

**Tx Power: 1.2 Watts**

**136.0125 MHz**

**Channel Spacing 12.5kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
272.0250	-20	-63.39	-53.58
408.0375	-20	-64.53	-50.82
544.0500	-20	*	*
680.0625	-20	-62.49	-53.96
816.0750	-20	-58.20	-57.62
952.0875	-20	-70.71	-66.48
1088.1000	-20	*	*
1224.1125	-20	*	*
1360.1250	-20	*	*




**Transmit Radiated Spurious Emissions: Lazarus VHF**

**Tx Power: 1.2 Watts**

**153.0125 MHz**

**Channel Spacing 12.5kHz | S/N WGWCBOFW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
306.0250	-20	-62.48	-49.77
459.0375	-20	-63.32	-51.05
612.0500	-20	-57.22	-42.28
765.0625	-20	*	-58.33
918.0750	-20	-60.31	-55.69
1071.0875	-20	-58.29	-60.23
1224.1000	-20	-70.20	-60.23
1377.1125	-20	-67.76	-60.96
1530.1250	-20	-62.96	-58.64



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan

February 23, 2005

FCC Registration: 91932 / Industry Canada: IC3679


6G-7: Lo-Power, 136.0125 MHz, 12.5 kHz Channel Spacing  
 & Lo-Power, 153.0125 MHz, 12.5 kHz Channel Spacing

Motorola Inc. FCC ID:AZ489FT3794

**Transmit Radiated Spurious Emissions: Lazarus VHF**  
**Tx Power: 1.2 Watts**

**173.9875 MHz** **Channel Spacing 12.5kHz | S/N WGWCBOW**

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
347.9750	-20	-63.66	-45.75
521.9625	-20	*	*
695.9500	-20	-48.69	-43.86
869.9375	-20	-45.27	-45.78
1043.9250	-20	-55.04	-57.24
1217.9125	-20	-60.84	-49.87
1391.9000	-20	-68.58	-57.72
1565.8875	-20	-48.67	-47.16
1739.8750	-20	-48.20	-49.34



\* Indicates the spurious emission could not be detected due to noise limitations or ambients.  
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

**Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan** **February 23, 2005**  
**FCC Registration: 91932 / Industry Canada: IC3679**

6G-8: Lo-Power, 173.9875 MHz, 12.5 kHz Channel Spacing