



**MOTOROLA**



TESTING CERT # 2518.01

**Exhibit 7B: SAR Test Report Photographs**

**Enterprise Mobility Solutions**  
EME Test Laboratory  
8000 West Sunrise Blvd  
Fort Lauderdale, FL. 33322



*Signature on file – Deanna Zakharia*  
**Deanna Zakharia**  
**EMS EME Lab Senior Resource Manager,**  
**Laboratory Director**

**Approval Date: 7/7/2010**

**Report Revision History**

<b>Date</b>	<b>Revision</b>	<b>Comments</b>
7/7/10	0	Initial release

**1.0 Highest SAR Test Position per body location**

**1.1 Body**


DUT w/ antenna NAR6593A, battery PMNN4403A, audio cable RMN5058A, and belt clip NTN8266B against the phantom. Similar position for other audios HMN4104A and PMLN5275A.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	8	27	45

**1.2 Face**

DUT w/ front side separated 2.5cm from phantom with antenna NAR6593A and battery PMNN4403A.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	25	34	40

**1.3 Head**  
Not applicable.

**1.4 Hand**  
Not applicable.

**2.0 Other SAR tested positions at the body**

**2.1 Body worn**

DUT w/ antenna NAR6593A, battery PMNN4403A, audio cable RMN5058A, and belt clip HLN6875A against the phantom. Similar position for other audios HMN4104A and PMLN5275A.




Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	<1	45	98

**2.2 Front Side against phantom**  
Not applicable.

**2.3 Back side against phantom**  
Not applicable.

**2.4 Front 2.5cm separation**


DUT w/ front side separated 2.5cm from phantom: antenna NAR6593A, battery PMNN4403A, audio cable RMN5058A.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	25	35	40

**2.5 Antenna 2.5cm separation**

DUT w/ back of DUT facing phantom and antenna at 2.5cm from the phantom with antenna NAR6593A, battery PMNN4403A, audio cable RMN5058A.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	22	25	25


**2.6 Back 2.5cm separation**

Not applicable due to peak SAR is on antenna.

**3.0 Other SAR tested position at the face**

**3.1 Back of DUT at 2.5cm separation**

DUT w/ back of DUT separated 2.5cm from phantom with antenna NAR6593A, battery PMNN4403A.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	29	43	55

**4.0 Other SAR tested positions at the head**

**4.1 Left ear touch**

Not applicable.

**4.2 Left ear tilt**

Not applicable.

**4.3 Right ear touch**

Not applicable.

**4.4 Right ear tilt**

Not applicable.

**5.0 Other SAR tested positions at the hand**

**5.1 Left side**

Not applicable.

**5.2 Right side**

Not applicable.

**5.3 Top side**

Not applicable.

**5.4 Bottom side**

Not applicable.

**5.5 Back side**

Not applicable.

**6.0 DUT and Accessory Photos**

The purpose of these photos is to illustrate the offered antenna and belt clip accessories.

**6.1 Antenna photo:**  
Refers to 6.2 “Body worn accessories” section, there is only one antenna offered for this product.

**6.2 Body worn accessories**



**DUT Back View  
Belt Clip NTN8266B  
Battery PMNN4403A**



**DUT Side View  
Belt Clip NTN8266B  
Battery PMNN4403A**



**DUT Back View  
Belt Clip HLN6875A  
Battery PMNN4403A**



**DUT Side View  
Belt Clip HLN6875A  
Battery PMNN4403A**

6.3 DUT with audio accessory



DUT Front View w/ Headset RMN5058A

6.4 Tested audio accessories



HMN4104A  
RSM



PMLN5275A  
Headset