



Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc
EME Test Laboratory
8000 West Sunrise Blvd
Fort Lauderdale, FL. 33322



A handwritten signature in black ink that reads 'Deanna Zakharia'.

Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 4/23/2013

Report Revision History

Date	Revision	Comments
4/23/2013	O	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body

DUT w/antenna NAR6593A, battery NNTN8128B, and body worn PMLN7008A against the phantom



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	6	29 – 34(*)	47-53(*)

(*) Depending on battery

1.2 Face
Not applicable

1.3 Head
Not applicable.

1.4 Hand
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT w/antenna PMAD4125A and battery NNTN8128B against the phantom. Same position used for the other applicable offered battery and without audio cable attached.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAD4125A	0	8-22 (*)	12

(*) depending on battery

DUT w/antenna NAR6593A, battery NNTN8128B, audio HMN4104B and body worn PMLN7008A against the phantom. Same position used for the other applicable offered battery and without audio cable attached.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	6	29-34(*)	47-53(*)

(*) Depending on battery

DUT w/antenna NAR6593A battery NNTN8128B, audio HMN4104B and body worn PMLN4651A against the phantom. Same position used for the other applicable offered battery accessories.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	6	29-34 (*)	46-51 (*)

(*) Depending on battery

DUT w/antenna NAR6593A battery NNTN8305A, audio HMN4104B and body worn PMLN6327A against the phantom.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
NAR6593A	14	29	37

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable

3.2 Front of DUT at 2.5cm separation
Not applicable

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the offered accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Antenna Kit #	Physical Length (mm)	Electrical Length
NAR6593A	200	¼ wave
PMAD4125A	440	¼ wave



Left: NAR6593A, Right: PMAD4125A

6.2 Body worn accessories



DUT Back View
Belt clip
PMLN4651A



DUT Side View
Belt clip
PMLN4651A



DUT Back View
PMLN7008A



DUT Side View
PMLN7008A



DUT Back View
Carry holder
PMLN6327A



DUT Side View
Carry holder
PMLN6327A



DUT Front View
Carry holder
PMLN6327A

6.3 Battery accessories:



Left – Right; front and side views: NNTN8128B, NNTN8129A




Left-Right; Back, front and side views: NNTN8305A

6.4 Audio accessories:



Left – Right: PMLN5275B, PMLN5111A



Left – Right: HMN4104B, RMN5116A



Left – Right: Remote Speaker Microphone (RSM) PMMN4062A, PMMN4065A and PMMN4024A



Left – Right: PMLN5101A, RLN5882A/RLN5883, RMN5058A



RLN5880A



PMLN5102A



PMMN4040A



PMMN4046A/PMMN4050A



PMLN5096A



PMLN5097A



PMLN5653A



RLN4922A



BDN6667A/BDN6729A



BDN6669A/BDN6731A



BDN6668A/BDN6730A



BDN6783A

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	141.5	55.04	27.00
Radio with battery NNTN8128B	141.5	55.04	31.05
Radio with battery NNTN8129A	141.5	55.04	36.35
Radio with battery NNTN8305A	141.5	55.04	27.00

For illustration purposes the following figure reflects the location of the device’s dimensions.



Note: H = Height; W = Width; D = Depth

W1 = (Width @ Top) / (Width @ PTT)

D2 = (Depth @ Bottom) / (Depth @ PTT)