

INDEX OF SUBMITTED MEASURED DATA

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Tables):

- 6F-1: Hi-Power Harmonic of Carrier 403.0125 MHz, 25 kHz Channel Spacing
- 6F-2: Hi-Power Harmonic of Carrier 436.0125 MHz, 25 kHz Channel Spacing
- 6F-3: Hi-Power Harmonic of Carrier 469.9875 MHz, 25 kHz Channel Spacing
- 6F-4: Lo-Power Harmonic of Carrier 403.0125 MHz, 25 kHz Channel Spacing
- 6F-5: Lo-Power Harmonic of Carrier 436.0125 MHz, 25 kHz Channel Spacing
- 6F-6: Lo-Power Harmonic of Carrier 469.9875 MHz, 25 kHz Channel Spacing
- 6F-7: Hi-Power Harmonic of Carrier 403.0125 MHz, 12.5 kHz Channel Spacing
- 6F-8: Hi-Power Harmonic of Carrier 436.0125 MHz, 12.5 kHz Channel Spacing
- 6F-9: Hi-Power Harmonic of Carrier 469.9875 MHz, 12.5 kHz Channel Spacing
- 6F-10: Lo-Power Harmonic of Carrier 403.0125 MHz, 12.5 kHz Channel Spacing
- 6F-11: Lo-Power Harmonic of Carrier 436.0125 MHz, 12.5 kHz Channel Spacing
- 6F-12: Lo-Power Harmonic of Carrier 469.9875 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (12 Graphs):

- 6G-1: Hi-Power, 403.0125 MHz, 25 kHz Channel Spacing
& Hi-Power, 436.0125 MHz, 25 kHz Channel Spacing
- 6G-2: Hi-Power, 469.9875 MHz, 25 kHz Channel Spacing
- 6G-3: Lo-Power, 403.0125 MHz, 25 kHz Channel Spacing
& Lo-Power, 436.0125 MHz, 25 kHz Channel Spacing
- 6G-4: Lo-Power, 469.9875 MHz, 25 kHz Channel Spacing
- 6G-5: Hi-Power, 403.0125 MHz, 12.5 kHz Channel Spacing
& Hi-Power, 436.0125 MHz, 12.5 kHz Channel Spacing
- 6G-6: Hi-Power, 469.9875 MHz, 12.5 kHz Channel Spacing
- 6G-7: Lo-Power, 403.0125 MHz, 12.5 kHz Channel Spacing
& Lo-Power, 436.0125 MHz, 12.5 kHz Channel Spacing
- 6G-8: Lo-Power, 469.9875 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6F (Revised)
Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: Hi-Power Harmonic of Carrier 403.0125 MHz, 25 kHz Channel Spacing




Table 6F-2: Hi-Power Harmonic of Carrier 436.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-3: Hi-Power Harmonic of Carrier 469.9875 MHz, 25 kHz Channel Spacing




Table 6F-4: Lo-Power Harmonic of Carrier 403.0125 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-5: Lo-Power Harmonic of Carrier 436.0125 MHz, 25 kHz Channel Spacing




Table 6F-6: Lo-Power Harmonic of Carrier 469.9875 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-7: Hi-Power Harmonic of Carrier 403.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-8: Hi-Power Harmonic of Carrier 436.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-9: Hi-Power Harmonic of Carrier 469.9875 MHz, 12.5 kHz Channel Spacing




Table 6F-10: Lo-Power Harmonic of Carrier 403.0125 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-11: Lo-Power Harmonic of Carrier 436.0125 MHz, 12.5 kHz Channel Spacing




Table 6F-12: Lo-Power Harmonic of Carrier 469.9875 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.

Exhibit 6-G (Revised)

Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)

Motorola Inc.

FCC ID:AZ489FT4826


Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 4 Watts

403.0125 MHz

Channel Spacing 25kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
806.0250	-13	-58.17	-59.31
1209.0375	-13	-55.96	-49.85
1612.0500	-13	-61.42	-61.19
2015.0625	-13	-56.61	-49.01
2418.0750	-13	*	-50.24
2821.0875	-13	-56.19	-55.27
3224.1000	-13	-59.10	-58.55
3627.1125	-13	*	*
4030.1250	-13	*	*




Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 4 Watts

436.0125 MHz

Channel Spacing 25kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
872.0250	-13	-49.40	-45.92
1308.0375	-13	-44.97	-34.17
1744.0500	-13	-52.99	-51.62
2180.0625	-13	-44.94	-51.70
2616.0750	-13	-47.26	-47.74
3052.0875	-13	-61.65	-59.76
3488.1000	-13	-55.83	-56.51
3924.1125	-13	-56.01	-51.65
4360.1250	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader

April 14, 2005

6G-1: Hi-Power, 403.0125 MHz, 25 kHz Channel Spacing
& Hi-Power, 436.0125 MHz, 25 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4826


Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power : 4 Watts

469.9875 MHz

Channel Spacing 25kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-13	-36.31	-42.50
1409.9625	-13	-45.08	-37.12
1879.9500	-13	-45.32	-49.46
2349.9375	-13	-43.84	-43.25
2819.9250	-13	-44.14	-44.15
3289.9125	-13	-52.86	-55.27
3759.9000	-13	-52.86	-52.61
4229.8875	-13	*	*
4699.8750	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679

April 14, 2005

6G-2: Hi-Power, 469.9875 MHz, 25 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4826


Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 1.2 Watts

403.0125 MHz

Channel Spacing 25kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
806.0250	-13	-59.15	-60.36
1209.0375	-13	-60.07	-50.06
1612.0500	-13	-60.57	-56.30
2015.0625	-13	-52.14	-48.39
2418.0750	-13	*	-51.46
2821.0875	-13	-52.82	-53.88
3224.1000	-13	*	*
3627.1125	-13	*	*
4030.1250	-13	*	*




Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 1.2 Watts

436.0125 MHz

Channel Spacing 25kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
872.0250	-13	-54.56	-50.13
1308.0375	-13	-50.81	-41.44
1744.0500	-13	-55.71	*
2180.0625	-13	-47.18	-51.99
2616.0750	-13	-47.40	-47.17
3052.0875	-13	*	*
3488.1000	-13	*	*
3924.1125	-13	*	*
4360.1250	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679

April 14, 2005

6G-3: Lo-Power, 403.0125 MHz, 25 kHz Channel Spacing
 & Lo-Power, 436.0125 MHz, 25 kHz Channel Spacing

Motorola Inc.

FCC ID:AZ489FT4826


Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 1.2 Watts

469.9875 MHz

Channel Spacing 25kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-13	-41.05	-39.06
1409.9625	-13	-50.50	-40.27
1879.9500	-13	-49.83	-52.96
2349.9375	-13	-56.67	-59.40
2819.9250	-13	-52.27	-52.56
3289.9125	-13	*	*
3759.9000	-13	*	*
4229.8875	-13	*	*
4699.8750	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679

April 14, 2005

6G-4: Lo-Power, 469.9875 MHz, 25 kHz Channel Spacing

Motorola Inc.

FCC ID:NA


Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power : 4 Watts

403.0125 MHz

Channel Spacing 12.5kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
806.0250	-20	-58.18	-57.13
1209.0375	-20	-56.25	-49.67
1612.0500	-20	-61.93	-63.67
2015.0625	-20	-53.31	-48.74
2418.0750	-20	*	-49.49
2821.0875	-20	-56.88	-54.34
3224.1000	-20	-58.92	-58.02
3627.1125	-20	-59.38	-59.63
4030.1250	-20	*	*




Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power : 4 Watts

436.0125 MHz

Channel Spacing 12.5kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
872.0250	-20	-50.43	-44.41
1308.0375	-20	-45.91	-32.40
1744.0500	-20	-54.62	-54.25
2180.0625	-20	-45.52	-51.07
2616.0750	-20	-47.96	-48.09
3052.0875	-20	-62.49	*
3488.1000	-20	-57.71	-56.18
3924.1125	-20	-57.27	-52.54
4360.1250	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679

April 13, 2005

6G-5: Hi-Power, 403.0125 MHz, 12.5 kHz Channel Spacing
 & Hi-Power, 436.0125 MHz, 12.5 kHz Channel Spacing

Motorola Inc.


FCC ID:NA

Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1
Tx Power : 4 Watts

469.9875 MHz

Channel Spacing 12.5kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-20	-36.14	-39.40
1409.9625	-20	-47.06	-36.79
1879.9500	-20	-47.46	-49.71
2349.9375	-20	-45.06	-43.06
2819.9250	-20	-44.79	-44.11
3289.9125	-20	-54.33	-56.74
3759.9000	-20	-53.03	-54.17
4229.8875	-20	*	*
4699.8750	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
FCC Registration: 91932 / Industry Canada: IC3679

April 13, 2005

6G-6: Hi-Power, 469.9875 MHz, 12.5 kHz Channel Spacing

Motorola Inc.

FCC ID:NA


Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 1.2 Watts

403.0125 MHz

Channel Spacing 12.5kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
806.0250	-20	-60.35	-60.67
1209.0375	-20	-61.33	-56.60
1612.0500	-20	-61.05	-58.88
2015.0625	-20	-52.86	-48.52
2418.0750	-20	*	*
2821.0875	-20	-56.86	-54.49
3224.1000	-20	*	*
3627.1125	-20	*	*
4030.1250	-20	*	*




Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1

Tx Power: 1.2 Watts

436.0125 MHz

Channel Spacing 12.5kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
872.0250	-20	-57.25	-51.86
1308.0375	-20	-53.35	-38.73
1744.0500	-20	-58.17	*
2180.0625	-20	-50.30	-53.92
2616.0750	-20	-49.47	-49.36
3052.0875	-20	-63.75	*
3488.1000	-20	*	*
3924.1125	-20	*	*
4360.1250	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
 FCC Registration: 91932 / Industry Canada: IC3679

April 14, 2005

6G-7: Lo-Power, 403.0125 MHz, 12.5 kHz Channel Spacing
 & Lo-Power, 436.0125 MHz, 12.5 kHz Channel Spacing

Motorola Inc.


FCC ID:NA

Transmit Radiated Spurious Emissions: Lazarus EPP UHF 1
Tx Power: 1.2 Watts

469.9875 MHz

Channel Spacing 12.5kHz | S/N WLNCLIWU

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.9750	-20	-42.35	-42.64
1409.9625	-20	-52.19	-39.98
1879.9500	-20	-55.92	-57.16
2349.9375	-20	-61.25	-59.74
2819.9250	-20	-55.39	-53.95
3289.9125	-20	*	*
3759.9000	-20	*	*
4229.8875	-20	*	*
4699.8750	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Frank Baader
FCC Registration: 91932 / Industry Canada: IC3679

April 14, 2005

6G-8: Lo-Power, 469.9875 MHz, 12.5 kHz Channel Spacing