

EXHIBIT 6

INDEX OF SUBMITTED MEASURED DATA

This exhibit contains the measured data for this equipment as follows:

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Tables):

- 6F-1: Hi-Power Harmonic of Carrier 403.035 MHz, 25 kHz Channel Spacing
- 6F-2: Hi-Power Harmonic of Carrier 436.535 MHz, 25 kHz Channel Spacing
- 6F-3: Hi-Power Harmonic of Carrier 469.975 MHz, 25 kHz Channel Spacing
- 6F-4: Lo-Power Harmonic of Carrier 403.035 MHz, 25 kHz Channel Spacing
- 6F-5: Lo-Power Harmonic of Carrier 436.535 MHz, 25 kHz Channel Spacing
- 6F-6: Lo-Power Harmonic of Carrier 469.975 MHz, 25 kHz Channel Spacing
- 6F-7: Hi-Power Harmonic of Carrier 403.035 MHz, 12.5 kHz Channel Spacing
- 6F-8: Hi-Power Harmonic of Carrier 436.535 MHz, 12.5 kHz Channel Spacing
- 6F-9: Hi-Power Harmonic of Carrier 469.975 MHz, 12.5 kHz Channel Spacing
- 6F-10: Lo-Power Harmonic of Carrier 403.035 MHz, 12.5 kHz Channel Spacing
- 6F-11: Lo-Power Harmonic of Carrier 436.535 MHz, 12.5 kHz Channel Spacing
- 6F-12: Lo-Power Harmonic of Carrier 469.975 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (12 Graphs):

- 6G-1: Hi-Power, 403.035 MHz, 25 kHz Channel Spacing
- 6G-2: Hi-Power, 436.535 MHz, 25 kHz Channel Spacing
- 6G-3: Hi-Power, 469.975 MHz, 25 kHz Channel Spacing
- 6G-4: Lo-Power, 403.035 MHz, 25 kHz Channel Spacing
- 6G-5: Lo-Power, 436.535 MHz, 25 kHz Channel Spacing
- 6G-6: Lo-Power, 469.975 MHz, 25 kHz Channel Spacing
- 6G-7: Hi-Power, 403.035 MHz, 12.5 kHz Channel Spacing
- 6G-8: Hi-Power, 436.535 MHz, 12.5 kHz Channel Spacing
- 6G-9: Hi-Power, 469.975 MHz, 12.5 kHz Channel Spacing
- 6G-10: Lo-Power, 403.035 MHz, 12.5 kHz Channel Spacing
- 6G-11: Lo-Power, 436.535 MHz, 12.5 kHz Channel Spacing
- 6G-12: Lo-Power, 469.975 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6I – Transient Frequency Behavior (8 Graphs)

- 6I-1-1: 2.5ppm, 1 Watt, 12.5 kHz Key-Up Attack Time
- 6I-1-2: 2.5ppm, 1 Watt, 12.5 kHz De-Key Decay Time
- 6I-1-3: 2.5ppm, 1 Watt, 25 kHz Key-Up Attack Time
- 6I-1-4: 2.5ppm, 1 Watt, 25 kHz De-Key Decay Time
- 6I-1-5: 2.5ppm, 4 Watts, 12.5 kHz Key-Up Attack Time
- 6I-1-6: 2.5ppm, 4 Watts, 12.5 kHz De-Key Decay Time
- 6I-1-7: 2.5ppm, 4 Watts, 25 kHz Key-Up Attack Time
- 6I-1-8: 2.5ppm, 4 Watts, 25 kHz De-Key Decay Time

EXHIBIT 6F (Revised)

Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: Hi-Power Harmonic of Carrier 403.035 MHz, 25 kHz Channel Spacing




Table 6F-2: Hi-Power Harmonic of Carrier 436.535 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-3: Hi-Power Harmonic of Carrier 469.975 MHz, 25 kHz Channel Spacing




Table 6F-4: Lo-Power Harmonic of Carrier 403.035 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-5: Lo-Power Harmonic of Carrier 436.535 MHz, 25 kHz Channel Spacing




Table 6F-6: Lo-Power Harmonic of Carrier 469.975 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-7: Hi-Power Harmonic of Carrier 403.035 MHz, 12.5 kHz Channel Spacing




Table 6F-8: Hi-Power Harmonic of Carrier 436.535 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-9: Hi-Power Harmonic of Carrier 469.975 MHz, 12.5 kHz Channel Spacing




Table 6F-10: Lo-Power Harmonic of Carrier 403.035 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-11: Lo-Power Harmonic of Carrier 436.535 MHz, 12.5 kHz Channel Spacing





Table 6F-12: Lo-Power Harmonic of Carrier 469.975 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.


Exhibit 6-G (Revised)

EXHIBIT 6I


Transient Frequency Behavior (FCC Rules Part 90.214)




6I-1-1: 2.5ppm, 1 Watt, 12.5 kHz Key-Up Attack Time




6I-1-2: 2.5ppm, 1 Watt, 12.5 kHz De-Key Decay Time




6I-1-3: 2.5ppm, 1 Watt, 25 kHz Key-Up Attack Time




6I-1-4: 2.5ppm, 1 Watt, 25 kHz De-Key Decay Time




6I-1-5: 2.5ppm, 4 Watts, 12.5 kHz Key-Up Attack Time



6I-1-6: 2.5ppm, 4 Watts, 12.5 kHz De-Key Decay Time



6I-1-7: 2.5ppm, 4 Watts, 25 kHz Key-Up Attack Time



6I-1-8: 2.5ppm, 4 Watts, 25 kHz De-Key Decay Time