




LIST OF EXHIBITS

DESCRIPTION	EXHIBIT	REFERENCE
I. Identification label information &	1A, 1B	2.983-(f)
General Information 1. Production Plans 2. Application References 3. Data Submittal Procedure 4. Similar Applications	1C	2.981-(a) 2.1061
II. Certification of DataIII. External PhotographsIV. Block DiagramsV. Schematic Diagrams	2 3 4 5	2.983-(g)
•		2.983-(d)-7
VI. Test Report	6	
Data Index RF Output Data Modulation Characteristics	6 6A	2.985 2.987
A. Audio Response & Low Pass Filter B. Modulation Limiting 4. Occupied Bandwidth 5. Frequency Stability	Response 6B, 9C 6D 6E	2.989
(Temperature & Supply Voltage)	6G	2.995
6. Transient Frequency Behavior	6H	90.214
VII. Test Set-up Procedures VIII. Instruction Manual IX. Internal Photographs.	7 8 9	2.999 2.983-(d)-8 2.983-(g)
X. Parts List and Tune-Up proceduresXI. RF Exposure Information	10 11	2.983-(d)-6, 9 2.1093
XII. Operational Description	12	2.983-(d)-1,2,3,4,5
1.Technical Characteristics2. Frequency Stabilizing3. Modulation Limitingand Post Limiter Filter	12A 12B 12C	
4.Harmonic Suppression 5.Power Limiting	12D 12E	
XIII. Cover Letter	13	





IDENTIFICATION LABEL

LOCATION

Χ	See the attached Photograph or Sketch
	Back of Radio
	Back of Radio under Belt Clip

TYPE

X The label is a paper polyester film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with minimum peel strength of 40 oz/ inch.
The label is laser etched into the Urethane paint, exposing the Nickel plating on
the Zamak casting substrate. Since no adhesive is required, the label is permanent and tamper-
proof. (** - NOTE- The label attached below is a paper polyester film laminate, as described above
This is just for sample purposes, as the actual label is laser etched into the casting)

HANDSET MARKINGS (TEXT)

See Photograph, Exhibit 1A.

See photographs in exhibit 3 for location of label on handset unit.



Text Molded on inside cover of battery door:

This device complies with part 15 of the FCC rules. Operation is subject to the condition that this device does not cause harmful interference



FCC ID: AZ489FT4863



EXHIBIT 1A

BASE MARKINGS (TEXT)

See Sketch, Exhibit 1B.

See photographs in exhibit 3 for location of label on base unit.



Text Molded on inside cover of battery door:

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Privacy of communication may not be ensured when using this phone. Complies with 47 CFR part 68 requirements.








EXHIBIT 1B

GENERAL INFORMATION

I. Production Plans—Pursuant 2.983 (c).

Quantity production is planned.

II. Application References -- Pursuant 2.1061

Reference is made to the following Motorola "Application References"

- 1. Portable Products and their application.
- 2. Portable Products Transmitter Modulations Methods.
- III. Data Submittal Procedure:

Data is supplied in accordance with Part 2, Sub-part J of the Commissions' Rules.

IV.Similar, currently Type Accepted Transmitter, FCC ID: AZ489FT4851.





EXHIBIT 1C