

**EXHIBIT 3**

**EXTERNAL PHOTOGRAPHS**

Pursuant to 47 CFR 2.1033(c) 12



Figure 3-1: Front view of display and full keypad radio



Figure 3-2: Front view of display and half keypad radio



Figure 3-3: Front view of no display and no keypad radio



Figure 3-4: Front view of XTS2250 radio



Figure 3-5: Front view of MT1500 radio




Figure 3-6: Back view of complete radio



Figure 3-7: Right side (side connector) view of complete radio



Figure 3-8: Left side (PTT) view of complete radio



Figure 3-9: Rear view of radio showing FCC & Safety labels location




Figure 3-10: Close-up view of FCC & RF Safety Label



Figure 3-11: Types of Antenna

**Model List**

| Sales Model Number | Name Plates | Tanapa Number | Descriptions  |
|--------------------|-------------|---------------|---|
| H46QDF9PW6AN       | XTS2500     | PMUE 2110A    | 380-470 MHz, 12.5/25 kHz 1-5 Watt ASTRO25, 255 Channels, 3x2 keypad, 6-line display (Model 2)               |
| H46QDH9PW7AN       | XTS2500     | PMUE2111A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt ASTRO25, 255 Channels, 3x6 keypad, 6-line display (Model 3)               |
| H46QDH9PW7ANI      | XTS2250     | PMUE2285A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt ASTRO25, 255 Channels, 3x6 keypad, 6-line display (Model 3)               |
| H66QDC9PW5AN       | XTS1500     | PMUE2289A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt 9600 ASTRO25 Digital Trunking, 16 Channels No keypad, no display, grey    |
| H66QDC9PW5AN       | XTS1500     | PMUE2290A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt 3600 Analog and Digital Trunking, 16 Channels No keypad, no display, grey |
| H66QDC9PW5AN       | XTS1500     | PMUE2291A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt P25 Digital Conventional, 16 Channels No keypad, no display, grey         |
| H67QDC9PW5AN       | MT1500      | PMUE2292A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt MDC 1200 Analog Conventional, 48 Channels No keypad, no display, grey     |
| H67QDC9PW5AN       | MT1500      | PMUE2293A     | 380-470 MHz, 12.5/25 kHz 1-5 Watt 3600 Analog Trunking, 48 Channels No keypad, no display, grey             |