



**MOTOROLA**



TESTING CERT # 2518.05

**Exhibit 7B: SAR Test Report Photographs**

**Government & Public Safety EME Test Laboratory**  
Motorola Technology Sdn Bhd (455657-H)  
Customer Solution Center  
Plot 2, Bayan Lepas Technoplex Industrial Park,  
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.




[Signature on file – Deanna Zakharia](#)

Deanna Zakharia G&PS EME Lab Senior Resource Manager, Laboratory Director


Approval Date: 9/9/2008

**1.0 Highest SAR Test Position per body location****1.1 Body**

DUT w/ back of radio facing phantom and antenna at 2.5cm from the phantom; worst case audio accessory PMMN4001A attached and antenna PMAE4006A. (Same position used for antennas PMAE4008A, NAE6522AR and PMAE4016A)

**1.2 Face**

DUT w/ front side separated 2.5cm from phantom with antenna PMAE4006A. (Same test position for antennas PMAE4008A, NAE6522AR, NAE6483AR, PMAE4003A and PMAE4016A)



**1.3 Head**  
**Not applicable.**

**1.4 Hand**  
**Not applicable.**

**2.0 Other SAR tested positions at the body****2.1 Body worn**

DUT w/ audio cable PMMN4008A, belt clip HLN9844A and antenna PMAE4008A against the phantom (same position used for all other audio accessories and antenna position).



DUT w/ audio cable PMMN4008A and PMLN5334A soft leather case with HLN9844A belt clip against the phantom.




**2.2 Front Side against phantom**  
Not applicable.

**2.3 Back side against phantom**  
Not applicable.

**2.4 Back 2.5cm separation**

DUT w/ back of radio facing phantom at 2.5cm; with worst case audio accessory PMMN4001A attached and antenna PMAE4006A. (Same position used for antennas PMAE4008A, NAE6522AR and PMAE4016A)

**2.5 Front 2.5cm separation**

DUT w/ front side separated 2.5cm from phantom; worst case audio accessory PMMN4001A attached and antenna PMAE4006A. (Same position used for PMAE4008A; NAE6522AR and PMAE4016A)



**2.6 Antenna 2.5cm separation**  
Refer to the photo for body highest SAR test position at section 1.1.

**3.0 Other SAR tested position at the face**

**3.1 Front 2.5cm separation**  
Refer to the photo for face highest SAR test position at section 1.2.

**4.0 Other SAR tested positions at the head**

**4.1 Left ear touch**  
Not applicable.

**4.2 Left ear tilt**  
Not applicable.

**4.3 Right ear touch**  
Not applicable.

**4.4 Right ear tilt**  
Not applicable.

**5.0 Other SAR tested positions at the hand**

**5.1 Left side**  
Not applicable.

**5.2 Right side**  
Not applicable.

**5.3 Top side**  
Not applicable.

**5.4 Bottom side**  
Not applicable.

**5.5 Back side**  
Not applicable.

6.0 DUT and body worn Accessory Photos

The purpose of these photos is to illustrate the offered body-worn carry accessory(ies). The sample that was used in the following photos represents the product used to obtain the results presented herein.

6.1 Tested body worn accessories (Back, Side, Front views)



Front View  
PMLN5334A with HLN9844A



Side View  
PMLN5334A with HLN9844A



Back View  
PMLN5334A with HLN9844A



Side View  
HLN9844A



Back View  
HLN9844A