



**Exhibit 7B: SAR Test Report Photographs**

**Motorola Solutions Inc**  
**EME Test Laboratory**  
8000 West Sunrise Blvd  
Fort Lauderdale, FL. 33322



A handwritten signature in black ink that reads 'Deanna Zakharia'.

**Deanna Zakharia**  
**EMS EME Lab Senior Resource Manager,**  
**Laboratory Director**

**Approval Date: 5/20/2013**


**Report Revision History**

Date	Revision	Comments
5/15/2013	0	Initial release

**1.0 Highest SAR Test Position per body location**

**1.1 Body**

DUT w/ antenna FAF5260A with offered battery NNTN8128B and body worn kit PMLN7008A against the phantom without an audio accessory attached.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
FAF5260A	7	29	39

**1.2 Face**  
Not applicable

**1.3 Head**  
Not applicable.

**1.4 Hand**  
Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT w/antenna FAF5260A battery NNTN8128B, audio HMN4104B and body worn PMLN7008A against the phantom. Same position used for the other applicable offered antenna, battery and audio accessories.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
FAF5260A	7	*29-34	*39-42
PMAE4065A	7	29	46

(\*) Depending on applicable offered battery

DUT w/antenna FAF5260A battery NNTN8128B, audio HMN4104B and body worn PMLN4651A against the phantom. Same position used for the other applicable offered antenna and battery.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
FAF5260A	*7-8	*29-34	*38-42
PMAE4065A	8	29	45

(\*) Depending on applicable offered battery

DUT w/antenna PMAE4065A, battery NNTN8305A, audio HMN4104B and body worn PMLN6327A against the phantom. Same position used for the other antenna.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4065A	15	29	40
FAF5260A	15	29	34

**2.2 Front Side against phantom**  
Not applicable.

**2.3 Back side against phantom**  
Not applicable.

**2.4 Front 2.5cm separation**  
Not applicable

**2.5 Antenna 2.5cm separation**  
Not applicable

**2.6 Back 2.5cm separation**  
Not applicable

**3.0 Other SAR tested positions at the face**

**3.1 Back of DUT at 2.5cm separation**  
Not applicable

**3.2 Front of DUT at 2.5cm separation**  
Not applicable

**4.0 Other SAR tested positions at the head**

4.1 **Left ear touch**  
Not applicable.

4.2 **Left ear tilt**  
Not applicable.

4.3 **Right ear touch**  
Not applicable.

4.4 **Right ear tilt**  
Not applicable.

5.0 **Other SAR tested positions at the hand**

5.1 **Left side**  
Not applicable.

5.2 **Right side**  
Not applicable.

5.3 **Top side**  
Not applicable.

5.4 **Bottom side**  
Not applicable.

5.5 **Back side**  
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the offered accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Antenna Kit #	Physical Length (mm)	Electrical Length
PMAE4065A	140	1/2 wave
FAF5260A	90	1/4 wave



Left: FAF5260A, Right: PMAE4065A

6.2 Body worn accessories



DUT Back View  
Belt clip  
PMLN4651A



DUT Side View  
Belt clip  
PMLN4651A



DUT Back View  
PMLN7008A



DUT Side View  
PMLN7008A



DUT Back View  
Carry holder  
PMLN6327A



DUT Side View  
Carry holder  
PMLN6327A



DUT Front View  
Carry holder  
PMLN6327A

6.3 Battery accessories:



Left – Right; front and side views: NNTN8128B, NNTN8129A




Left-Right; Back, front and side views: NNTN8305A

6.4 Audio accessories:



Left – Right: PMLN5275B, PMLN5111A



Left – Right: HMN4104B, RMN5116A



Left – Right: Remote Speaker Microphone (RSM) PMMN4062A, PMMN4065A and PMMN4024A



Left – Right: PMLN5101A, RLN5882A, RMN5058A



PMLN5102A



PMMN4040A



PMMN4046A



PMLN5096B



PMLN5097A



PMLN5653A



RLN4922A



BDN6729A



BDN6731A



BDN6730A



BDN6783A



NTN2574B

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	140	60	25
Radio with battery NNTN8128B	140	60	33
Radio with battery NNTN8129A	140	60	40
Radio with battery NNTN8305A	140	60	25

For illustration purposes only - the following figure reflects the location of the device's dimensions.



Note: H = Height; W = Width; D = Depth

$$W1 = (\text{Width @ Top}) / (\text{Width @ PTT})$$

$$D2 = (\text{Depth @ Bottom}) / (\text{Depth @ PTT})$$