



Exhibit 7B: SAR Test Report Photographs

Enterprise Mobility Solutions
EME Test Laboratory
Motorola Solutions Malaysia Sdn Bhd (455657-H)
Customer Solution Center
Plot 2, Bayan Lepas Technoplex Industrial Park,
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.



Deanna Zakharia
EMS EME Lab Senior Resource Manager,
Laboratory Director

Approval Date: 5/9/2013

Report Revision History

Date	Revision	Comments
05/07/2013	0	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body


DUT w/ antenna PMAE4071A with offered battery PMNN4440A and body worn PMLN6545A against the phantom and without audio cable attached. Same position used for the other applicable offered antennas and audio accessory.



Antenna kit #	Battery kit #	Separation Distances (mm)		
		@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4069A	PMNN4440A	5	33	48
PMAE4070A	PMNN4440A	5	33	48
PMAE4071A	PMNN4440A	5	33	48

1.2 Face

DUT w/ front side separated 2.5cm from phantom with antenna PMAE4071A and battery PMNN4440A. Same position used for the other applicable offered antenna.



Antenna kit #	Battery kit #	Separation Distances (mm)		
		@ bottom surface of the DUT	@ antenna's base	@ antenna's tip
PMAE4069A	PMNN4440A	30	38	41
PMAE4070A	PMNN4440A	30	38	41
PMAE4071A	PMNN4440A	30	38	41

1.3 Head
Not applicable.

1.4 Hand
Not applicable.

2.0 Other SAR tested positions at the body

2.1 Body worn
Not applicable. Only one body worn offered.

2.2 Front Side against phantom
Not applicable.

2.3 Back side against phantom
Not applicable.

2.4 Front 2.5cm separation
Not applicable

2.5 Antenna 2.5cm separation
Not applicable

2.6 Back 2.5cm separation
Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation
Not applicable.

3.2 Front of DUT at 2.5cm separation
Refer to section 1.2

4.0 Other SAR tested positions at the head

4.1 Left ear touch
Not applicable.

4.2 Left ear tilt
Not applicable.

4.3 Right ear touch
Not applicable.

4.4 Right ear tilt
Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side
Not applicable.

5.2 Right side
Not applicable.

5.3 Top side
Not applicable.

5.4 Bottom side
Not applicable.

5.5 Back side
Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the offered accessories. Refer to Part 1 of 2, section 7.0 for more details.

6.1 Antenna dimension and photo(s):

No.	Antenna Kit #	Physical Length (cm)	Electrical Length
1	PMAE4071A	9	1/4 wave
2	PMAE4069A	9	1/4 wave
3	PMAE4070A	9	1/4 wave

Left-Right; 1 to 3



6.2 Body worn accessory:



DUT Back View
PMLN6545A Plastic Carry Case
with Belt Clip



DUT Side View
PMLN6545A Plastic Carry Case with
Belt Clip

6.3 Battery accessory:



Left-Right; Back, front and side views: PMNN4440A

6.4 Audio accessories:



**PMMN4075A RSM Small, No
Emergency, IP57**



**PMLN5727A Earpiece In-Line
Mic/PTT Swivel, MagOne**



**PMLN5732A Earset with Boom
Microphone, MagOne**



**PMLN5731A Heavy Duty Headset,
Noise Cancelling with In-Line PTT**



PMLN5724A 2-Wire Surveillance Kit, Black



PMMN4076A RSM w/ AARLN4885B



PMMN4073A RSM w/ AARLN4885B




PMMN4071A RSM w/ AARLN4885B

6.5 DUT Dimensions:

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	99.75	56	16.58
Radio with battery PMNN4440A	99.75	56	29.70

For illustration purposes the following figure reflects the location of the device’s dimensions.



Note: H = Height; W = Width; D₁ = Depth w/ battery; D₂ = Depth w/o battery