

**Exhibit 1. Identification Label -- Pursuant to 47 CFR 2.925, 2.1065 and 2.1033(c)11****1.1. Location**

Back side of the transceiver unit chassis. (See the attached photograph 3.5 in exhibit 3)

**1.2. Type**

The label is a white polyester film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with minimum peel strength of 5 lbs/in.

**1.3. Markings (Text)**

Enlarged view of label (showing FCC ID and manufacturer type number):



**Figure 1.1: Label positions on unit's back housing.**



Figure 1.2: Zoom in of label containing FCC ID



Figure 1.3: Zoom in of label containing FCC Logo  
(To support operation as a computer peripheral)

## **Exhibit 1A. General Information**

### **1A.1. Production Plans**

Quantity production is planned.

### **1A.2. Application References -- Pursuant to 47 CFR 2.948 and 2.1061**

Reference is made to the following Motorola "Application References"

The Motorola PCS EME Laboratory, 1500 Gateway Blvd., Boynton Beach, Florida, 33426 which is accredited to ISO/IEC 17025 from the American Association for Laboratory Accreditation (FCC Registration: 100,000/Industry Canada: IC3908).

### **1A.3. Data Submittal Procedure**

Data located in Exhibit 6 is supplied in accordance with 47CFR2, Sub-part J and Part 90, Sub-parts I and Sub-part S of the Commission's rules.

### **1A.4. Similar, currently Certified Transceiver**

FCC ID: AZ489FT5815

### **1A.5. Additional Considerations**

This transceiver can function as a Part 15.3(r) computer peripheral device when functioning as an RF modem when connected to a computer via a data cable accessory (ref: Exhibit 12.1).

A Declaration of Conformity in accordance with 47CFR2.1077(a) is provided in page 6 of Exhibit 8 as evidence of compliance with Part 15 requirements for these additional Class B digital device functionalities per 47 CFR 15.101(a).

Compliance with Part 15 requirements for the superheterodyne receiver has been determined by verification in accordance with 47CFR15.1.