

EXHIBIT 6

INDEX OF SUBMITTED MEASURED DATA

This exhibit contains the measured data for this equipment as follows:


EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Graphs):

- 6F-1 – 1 Watt, 806.0125 MHz
- 6F-2 – 1 Watt, 815.0125 MHz
- 6F-3 – 1 Watt, 823.9875 MHz
- 6F-4 – 1 Watt, 851.0125 MHz
- 6F-5 – 1 Watt, 860.0125 MHz
- 6F-6 – 1 Watt, 869.0000 MHz
- 6F-7 – 2.95 Watts, 806.0125 MHz
- 6F-8 – 2.95 Watts, 815.0125 MHz
- 6F-9 – 2.95 Watts, 823.9875 MHz
- 6F-10 – 2.40 Watts, 851.0125 MHz
- 6F-11 – 2.40 Watts, 860.0125 MHz
- 6F-12 – 2.40 Watts, 869.0000 MHz

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (12 Graphs):


- 6G-1 – 2.95 Watts, 806.0125 MHz
- 6G-2 – 2.95 Watts, 815.0125 MHz
- 6G-3 – 2.95 Watts, 823.9875 MHz
- 6G-4 – 2.40 Watts, 851.0125 MHz
- 6G-5 – 2.40 Watts, 860.0125 MHz
- 6G-6 – 2.40 Watts, 868.9875 MHz
- 6G-7 – 1 Watt, 806.0125 MHz
- 6G-8 – 1 Watt, 815.0125 MHz
- 6G-9 – 1 Watt, 823.9875 MHz
- 6G-10 – 1 Watt, 851.0125 MHz
- 6G-11 – 1 Watt, 860.0125 MHz
- 6G-12 – 1 Watt, 869.0000 MHz

EXHIBIT 6F (Revised)
Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-1: 1 Watt, 806.0125 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-2: 1 Watt, 815.0125 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-3: 1 Watt, 823.9875 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-4: 1 Watt, 851.0125 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-5: 1 Watt, 860.0125 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-6: 1 Watt, 869.0000 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-7: 2.95 Watts, 806.0125 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-8: 2.95 Watts, 815.0125 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-9: 2.95 Watts, 823.9875 MHz, 25 kHz Channel Spacing




Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-10: 2.40 Watts, 851.0125 MHz, 25 kHz Channel Spacing



Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-11: 2.40 Watts, 860.0125 MHz, 25 kHz Channel Spacing



Note: Other emissions not reported were more than 50dB below the limit

Figure 6F-12: 2.40 Watts, 869.0000 MHz, 25 kHz Channel Spacing

EXHIBIT 6G (Revised)
Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)

- Notes: 1) The shown results are the worst-case results for the given frequency. Measurements were made to the 10th harmonic, antenna polarization horizontal and vertical.
 2) The margin [dB] is the amount in dB below the FCC specification limit of -13dBm (line on graph)

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1612.0250	-13	-31.60	-27.32
2418.0375	-13	-37.10	-31.84
3224.0500	-13	-34.75	-30.84
4030.0625	-13	-42.94	-44.03
4836.0750	-13	-50.65	-50.76
5642.0875	-13	*	*
6448.1000	-13	-52.43	*
7254.1125	-13	-54.00	*
8060.1250	-13	*	*




Figure 6G-1: 2.95 Watts, 806.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1630.0250	-13	-31.54	-29.60
2445.0375	-13	-30.85	-28.09
3260.0500	-13	-29.97	-33.20
4075.0625	-13	-38.11	-43.69
4890.0750	-13	-33.93	-36.00
5705.0875	-13	-45.19	-45.67
6520.1000	-13	-49.14	*
7335.1125	-13	-52.41	*
8150.1250	-13	-45.88	*




Figure 6G-2: 2.95 Watts, 815.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1647.9750	-13	-34.30	-29.27
2471.9625	-13	-33.25	-38.06
3295.9500	-13	-31.59	-40.65
4119.9375	-13	-38.93	-43.55
4943.9250	-13	-45.87	-46.10
5767.9125	-13	-44.11	-43.39
6591.9000	-13	-52.61	*
7415.8875	-13	-51.14	*
8239.8750	-13	*	*




Figure 6G-3: 2.95 Watts, 823.9875 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1702.0250	-13	-29.10	-29.17
2553.0375	-13	-49.22	-42.78
3404.0500	-13	-29.85	-29.66
4255.0625	-13	-34.23	-44.39
5106.0750	-13	-49.79	-50.05
5957.0875	-13	-42.71	-44.45
6808.1000	-13	-51.53	*
7659.1125	-13	-53.10	*
8510.1250	-13	*	*




Figure 6G-4: 2.40 Watts, 851.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1720.0250	-13	-22.80	-25.88
2580.0375	-13	-36.88	-33.29
3440.0500	-13	-25.52	-25.45
4300.0625	-13	-35.36	-42.85
5160.0750	-13	-47.23	-47.70
6020.0875	-13	-48.20	-45.23
6880.1000	-13	*	*
7740.1125	-13	*	*
8600.1250	-13	*	*




Figure 6G-5: 2.40 Watts, 860.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1738.0000	-13	-17.67	-21.38
2607.0000	-13	-31.88	-27.16
3476.0000	-13	-22.03	-21.10
4345.0000	-13	-37.30	-39.05
5214.0000	-13	-44.98	-45.44
6083.0000	-13	-46.28	-48.63
6952.0000	-13	*	*
7821.0000	-13	-51.32	*
8690.0000	-13	*	*




Figure 6G-6: 2.40 Watts, 868.9875 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1612.0250	-13	-28.65	-26.58
2418.0375	-13	-33.06	-31.09
3224.0500	-13	-37.39	-32.52
4030.0625	-13	-31.76	-36.20
4836.0750	-13	-40.84	-43.50
5642.0875	-13	-54.59	-48.05
6448.1000	-13	-53.75	*
7254.1125	-13	-46.78	-46.62
8060.1250	-13	*	*




Figure 6G-7: 1.0 Watt, 806.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1630.0250	-13	-31.82	-26.44
2445.0375	-13	-27.16	-29.38
3260.0500	-13	-31.89	-34.93
4075.0625	-13	-31.42	-36.21
4890.0750	-13	-35.27	-40.81
5705.0875	-13	-51.07	-48.34
6520.1000	-13	-50.00	*
7335.1125	-13	-48.66	-47.46
8150.1250	-13	-47.14	*




Figure 6G-8: 1.0 Watt, 815.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1647.9750	-13	-35.63	-27.58
2471.9625	-13	-29.74	-26.51
3295.9500	-13	-32.12	-38.07
4119.9375	-13	-35.46	-37.34
4943.9250	-13	-41.08	-40.98
5767.9125	-13	-51.28	-48.04
6591.9000	-13	-51.66	*
7415.8875	-13	-50.73	*
8239.8750	-13	*	*




Figure 6G-9: 1.0 Watt, 823.9875 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1702.0250	-13	-26.16	-28.22
2553.0375	-13	-32.92	-26.71
3404.0500	-13	-30.16	-29.65
4255.0625	-13	-33.80	-39.89
5106.0750	-13	-44.18	-45.89
5957.0875	-13	-48.51	-47.04
6808.1000	-13	-48.38	*
7659.1125	-13	-48.28	*
8510.1250	-13	*	*




Figure 6G-10: 1.0 Watt, 851.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1720.0250	-13	-21.26	-25.58
2580.0375	-13	-30.58	-28.85
3440.0500	-13	-31.05	-32.25
4300.0625	-13	-37.57	-40.93
5160.0750	-13	-48.23	-46.10
6020.0875	-13	-51.44	-47.20
6880.1000	-13	-50.98	*
7740.1125	-13	-51.11	*
8600.1250	-13	*	*




Figure 6G-11: 1.0 Watt, 860.0125 MHz

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
1738.0000	-13	-15.62	-18.67
2607.0000	-13	-36.64	-33.82
3476.0000	-13	-34.08	-36.85
4345.0000	-13	-31.70	-35.90
5214.0000	-13	-47.88	-47.53
6083.0000	-13	-52.05	*
6952.0000	-13	-48.23	-44.00
7821.0000	-13	-51.89	*
8690.0000	-13	*	*




Figure 6G-12: 1.0 Watt, 869.0000 MHz