



**Exhibit 7B: SAR Test Report Photographs**

**Enterprise Mobility Solutions  
EME Test Laboratory**  
Motorola Solutions Malaysia Sdn Bhd (455657-H)  
Customer Solution Center  
Plot 2, Bayan Lepas Technoplex Industrial Park,  
Mukim 12 SWD 11900 Bayan Lepas Penang, Malaysia.



*Deanna M. Zakharia*

**EMS EME Lab Senior Resource Manager,  
Laboratory Director**

**Approval Date: 6/26/2013**

**Exhibit 7B Revision History**

Date	Revision	Comments
06/26/2013	0	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body


DUT w/ fixed antenna 85012072001 offered battery HKNN4013A, body worn accessory PMLN5956A with no audio accessory against the phantom.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna`s base	@ antenna`s tip
85012072001	14	24	25

1.2 Face

DUT w/ front side separated 2.5cm from phantom with fixed antenna 85012072001 and battery HKNN4013A.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna`s base	@ antenna`s tip
85012072001	25	32	33


1.3 **Head**  
Not Applicable

1.4 **Hand**  
Not Applicable

2.0 **Other SAR tested positions at the body**

2.1 **Body worn**

DUT w/ fixed antenna 85012072001 offered battery HKNN4013A, body worn accessory PMLN5956A and audio accessory PMLN5957A against the phantom. Same position used for other offered audio accessories.



Antenna kit #	Separation Distances (mm)		
	@ bottom surface of the DUT	@ antenna`s base	@ antenna`s tip
85012072001	14	24	25

3.0

3.1 **Front side against phantom**  
Not Applicable

3.2 **Back side against phantom**  
Not Applicable

3.3 **Front 2.5cm separation**  
Not Applicable

3.4 **Back 2.5cm separation**  
Not Applicable

3.5 **Antenna 2.5cm separation**  
Not Applicable

**3.0 Other SAR tested position at the face**

**3.1 Back of DUT at 2.5 cm separation**  
Not Applicable

**3.2 Front of DUT at 2.5cm separation**  
Refer to section 1.2

**4.0 Other SAR tested positions at the head**

**4.1 Left ear touch**  
Not Applicable

**4.2 Left ear tilt**  
Not Applicable

**4.3 Right ear touch**  
Not Applicable

**4.4 Right ear tilt**  
Not Applicable

**5.0 Other SAR tested positions at the hand**

**5.1 Left side**  
Not Applicable

**5.2 Right side**  
Not Applicable

**5.3 Top side**  
Not Applicable

**5.4 Bottom side**  
Not Applicable

**5.5 Back side**  
Not Applicable

**6.0 DUT and Accessory Photos**

The purpose of these photos is to illustrate the offered accessories.

**6.1 Antennas dimension:  
Fixed Antenna**

Antenna Kit #	Physical Length (cm)	Electrical Length
85012072001	2.5	¼ wave
PMLF4122A	2.5	¼ wave

**6.2 Body worn accessory**



**DUT Front View  
Carry Holder PMLN5956A**



**DUT Side View  
Carry Holder PMLN5956A**



**DUT Back View  
Carry Holder PMLN5956A**

**6.3 Battery accessory**



**Left to Right: Back, Front, and Side View  
HKNN4013A**

6.4 Audio accessories



**PMLN5957A Surveillance Earpiece with in-line microphone and PTT**



**PMLN5958A Swivel Earpiece with in-line microphone and PTT**

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio with battery HKNN4013A and battery cover PMLN6001A	121	55	19.8

For illustration purposes the following figure reflects the location of the device's dimensions.

