

**EXHIBIT 9**

**INTERNAL PHOTOGRAPHS**


(Pursuant to FCC Part 2.1033(b)(7), 2.1033(c)(14) and RSP 100 Sec 4)

The following photographs are attached.

Exhibit


- |   |    |
|---|----|
| 1. PCB Bottom with shield                 | 9A |
| 2. PCB Bottom without Shield              | 9B |
| 3. PCB Top with shield                    | 9C |
| 4. PCB Top without Shield                 | 9D |
| 5. Overall Internal Assembly with housing | 9E |
| 6. Exploded View                          | 9F |

**Exhibits 9A**




PCB Bottom with shield

**Exhibit 9B**




PCB Bottom without Shield

**Exhibit 9C**




PCB Top with shield

**Exhibit 9D**



PCB Top without Shield

**Exhibit 9E**




Overall Internal Assembly with housing

Exhibit 9F

14	1800895201	LABEL, BARCODE WITH ED CONTACT	1
13	1800895201	LABEL, MODEL NAME	1
12	34012316001	LABEL, AIRBORNE VENTILATION	1
11	3785501C01	SEAL, VENT	1
10	3718201001	SCREW, HOUSING-CHASSIS	4
9	32012098001	SEAL, BATTERY CONTACT	1
8	316005201	ASSEMBLY, CHASSIS	1
7	32012287001	SEAL, O-RING	1
6	3160075300	ASSEMBLY, MAIN BOARD	1
5	3800224801	RETAINER, WIRE	1
4	3800224801	RETAINER, O-RING	1
3	1201224001	PCB, SCREEN KEYPAD	1
2	3160052700	ASSEMBLY, WIRELESS RSM BOARD	1
1	3160075300	ASSEMBLY, FRONT HOUSING	1
ITEM NO.	PART NUMBER	DESCRIPTION	QUANTITY

TABLE 2: ASSEMBLY COMPONENT

EXPLODED VIEW



1. DESCRIPTION AND APPLICATION: WIRELESS RSM ASSEMBLY FOR USE IN PORTABLE COMMUNICATION EQUIPMENT.

2. APPLICABLE DOCUMENTS:

- 12M8067A78 MOTOROLA VENDOR MATERIAL QUALITY PROCEDURE
- 12S10801A MOTOROLA PACKAGING RULES FOR VENDORS
- 12M05022A13 MOTOROLA QUALIFICATION REQUIREMENTS
- 12M05022A43 MOTOROLA QUALIFICATION PROCEDURE
- 12S224808 MOTOROLA MARKING STANDARD
- 1202897W8 CONTROLLED AND REPORTABLE MATERIALS DISCLOSURE INSTRUCTION, BEST LONG-RANGE WIRELESS RSM
- MPO00211A01

3. REQUIREMENTS:

3.1. GENERAL:

- 3.1.1. PARTS SHALL BE CLEAN AND FREE OF ALL FOREIGN MATTER.
- 3.1.2. A "REFERENCE" DIMENSION IS USED FOR INFORMATION PURPOSES ONLY, WITH TOLERANCE EXCLUDED, E.G., .325X1.
- 3.1.3. PARTS SHALL BE ADEQUATELY PACKAGED TO PREVENT DAMAGE IN SHIPMENT AND HANDLING PER MOTOROLA SPEC. NO. 12S10801A.
- 3.1.3.1. PARTS TO BE INDIVIDUALLY PACKAGED IN PLASTIC BAGS.
- 3.1.3.2. ADHESIVE-BACKED LABEL SHALL BE ATTACHED TO EACH PLASTIC BAG IDENTIFYING PACKING LABEL NUMBER.
- 3.1.4. ALL MATERIALS USED MUST COMPLY WITH MOTOROLA CONTROLLED AND REPORTABLE MATERIALS DISCLOSURE, 1202897W8.
- 3.1.5. ASSEMBLY PROCEDURES SHALL REFER TO MPO00211A01.
- 3.1.6. OPERATING TEMPERATURE RANGE: -30°C TO 40°C.
- 3.1.7. STORAGE TEMPERATURE RANGE: -35°C TO 40°C.

4. VENDOR QUALITY ASSURANCE PROVISIONS: PER 12M8067A78 AND 12M05022A32.

4.1. VQA TESTS: THE INCOMING INSPECTION DEPARTMENT SHALL SAMPLE EACH PRODUCTION SHIPMENT PER 12M8067A78. THE SAMPLES SHALL CONFORM TO ALL THE FOLLOWING REQUIREMENTS.

4.2. QUALIFICATION TESTS: REPRESENTATIVE SAMPLES TAKEN FROM FIRST PRODUCTION SHIPMENT AND PERIODICALLY THEREAFTER SHALL CONFORM TO ALL THE REQUIREMENTS OF 12M05022A13.

5. EXCEPTIONS:

5.1. NO CHANGE SHALL BE ALLOWED ON PRODUCTION MATERIAL, REGARDLESS OF WHETHER SUCH CHANGE AFFECTS REQUIREMENTS SPECIFIED, WITHOUT PRIOR EXPLICIT WRITTEN APPROVAL BY MOTOROLA DEVELOPMENT ENGINEERING AND PURCHASING DEPARTMENTS.

UNIT	STANDARD	MOTOROLA CONFIDENTIAL/PROPRIETARY	DESIGNED BY
BIU	TOLERANCES	COPYRIGHT 2016 MOTOROLA	CHOR PC
NEVER USE DIMENSIONS AND TOLERANCES PER ASME Y14.1M-1994		INFORMATION CONTAINED ON ALL SHEETS OF THIS PRINT CANNOT BE REPRODUCED OR USED, IN WHOLE OR IN PART, WITHOUT MOTOROLA'S CONSENT. THIS NOTICE DOES NOT IMPLY PUBLICATION.	DRAWN BY
TOLERANCES UNLESS OTHERWISE SPECIFIED IN THIS DOCUMENT			CHOR PC
ONE PLACE	1. X	THIRD ANGLE PROJECTION	APPROVED BY
TWO PLACE	1. X		CS YANG
ANGULAR DIM	1. X		
MILE DIM. UNFINISHED	1. X		
REFERENCE	18. 001 REF		

REVISION HISTORY - ALL SHEETS ARE THE SAME REVISION STATUS																											
REV	DATE	DESCRIPTION	ECR NUM																								
A	N/A	RELEASED FOR PRODUCTION	31 OCT 2014 CHOR PC																								
<table border="1" data-bbox="1161 1060 1479 1167"> <tr><td colspan="2">MOTOROLA SOLUTIONS</td><td colspan="2">PEYANG</td></tr> <tr><td colspan="4">TITLE</td></tr> <tr><td colspan="4">WIRELESS RSM FOR PORTABLES</td></tr> <tr><td>SIZE</td><td>CASE CODE</td><td>DRAWING NUMBER</td><td>REV</td></tr> <tr><td>A1</td><td>N/A</td><td>PMMN4096A</td><td>A</td></tr> <tr><td>SCALE</td><td>2:000</td><td>PRODUCT ID 0372</td><td>SHEET 1 OF 2</td></tr> </table>				MOTOROLA SOLUTIONS		PEYANG		TITLE				WIRELESS RSM FOR PORTABLES				SIZE	CASE CODE	DRAWING NUMBER	REV	A1	N/A	PMMN4096A	A	SCALE	2:000	PRODUCT ID 0372	SHEET 1 OF 2
MOTOROLA SOLUTIONS		PEYANG																									
TITLE																											
WIRELESS RSM FOR PORTABLES																											
SIZE	CASE CODE	DRAWING NUMBER	REV																								
A1	N/A	PMMN4096A	A																								
SCALE	2:000	PRODUCT ID 0372	SHEET 1 OF 2																								

PMMN4096A	WIRELESS RSM FOR PORTABLES	RELEASED	0372
MOTOROLA P/N	DESCRIPTION	P/N STATUS	PRODUCT ID
TABLE 1: MODEL INFORMATION			