

EXHIBIT #1

Identification Label

LOCATION

- _____ See the Attached Photograph or Sketch
- X Back of Radio
- _____ Back of Radio under Belt Clip

TYPE

- X The label is a paper polyester film laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with minimum peel strength of 40 oz/inch.

MARKINGS (TEXT)

- X See the Attached Photograph and Exhibit 3C for the actual location of the FCC label on the device.
- _____ Label Attached Below.
- _____ See Attached Drawing.

APX 8000XE – FCC / IC Labels

APX 8000XE V/U7-8

MODEL: H91TGD9PW5AN
FCC ID: AZ489FT7061
IC: 109U-89FT7061
IC MODEL: 8000XE1
Motorola. Made in Malaysia
Flashport Code: 50X0688014800
Serial No: 579CRV0494






Track No: 579TRT0987

Restricted to occupational use to satisfy FCC RF exposure limits. See user manual for operating requirements. 

APX 8000XE1
No Keypad/Display

APX 8000XE V/U7-8

MODEL: H91TGD9PW5AN
FCC ID: AZ489FT7061
IC: 109U-89FT7061
IC MODEL: 8000XE2
Motorola. Made in Malaysia
Flashport Code: 0123456789012
Serial No: 123ABC4567






Track No: ABC123DEFG

Restricted to occupational use to satisfy FCC RF exposure limits. See user manual for operating requirements. 

APX 8000XE2
Limited Keypad

APX 8000XE V/U7-8

MODEL: H91TGD9PW7AN
FCC ID: AZ489FT7061
IC: 109U-89FT7061
IC MODEL: 8000XE3
Motorola. Made in Malaysia
Flashport Code: 50X0688014800
Serial No: 579CRV0493






Track No: 579TRT1009

Restricted to occupational use to satisfy FCC RF exposure limits. See user manual for operating requirements. 

APX 8000XE3
Full Keypad

General Information

I. Production Plans -- Pursuant 2.907 (b)

Quantity production is planned only after approval. The data taken for the device is identical to the production vintage.

II. Application References

Reference is made to the following Motorola "Application References". The device is pursuant to 2.1033.

1. Portable Products and their application.
2. Portable Products Transmitter Modulations Methods.
3. Motorola Solutions EMC Laboratory
4. Motorola Solutions ATE P25 Compliance Lab

III. Data Submittal Procedure:

Data is supplied in accordance with Part 2, Subpart J of the Commissions' rules.

IV. Applicable References:

- Reference Certification FCC ID: AZ489FT7061, IC: 109U-89FT7061
- EIA/TIA-603 Land Mobile FM or PM Communications Equipment Measurement and Performance Standards
- TIA-102.CAAA-D Digital C4FM/CQPSK Transceiver Measurement Methods
- TIA-102.CAAB-D LMR Transceiver Performance Recommendations, Digital Radio Technology
- TIA-102.CCAA-A Two Slot TDMA Transceiver Measurement Methods
- TIA-102.CCAB-A Two Slot TDMA Transceiver Performance Recommendations
- FCC Federal Regulation 47CFR Part 2.1033-2.1055, 90, 90.210, 80, 74, 22 and 15C
- IC standards RSS-119 Issue 11 (Jun 2011), RSS-247 Issue 1 (May 2015), RSS-182 Issue 5 (Jan 2012)