

**Test Report No. 7191120542-EEC15/02**  
dated 04 Nov 2015



PSB Singapore

**Note:** This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

**Choose certainty.  
Add value.**

**TEST REPORT COVER PAGE**

Product Information			
Product Name / Description:	HANDHELD RADIO	Applicant Company Number:	109U
Model Number(s):	AAH56UCN9RB1AN	UPN Number:	89FT7067
All Used IC Test Site(s) Reg. #:	29321-1	SAR Test Lab Company Number:	--

Emissions Information								
	Band 1	Band 2	Band 3	Band 4	Band 5	Band 6	Band 7	Band 8
RSS # & Issue #	RSS-247 & Issue 1							
Frequency Min (MHz)	2412							
Frequency Max (MHz)	2462							
RF Power Min (W) Conducted / EIRP / ERP	--							
RF Power Max (W) Conducted	0.0229							
Field Strength Units @ distance	104.8dB $\mu$ V/m @ 3m							
Measured BW (kHz) (99%, 26dB, 6dB, etc.)	17767 (99%)							
Calculated BW (kHz) As per TRC-43	17900							
Emission Classification (FID, GID, DID, etc.)	17M9D1D							
Transmitter Spurious Units @ distance	3.6GHz 40.2 dB $\mu$ V/m (Peak) @ 3m							
	B	B	B	B	B	B	B	B
RSS # & Issue #								
Frequency Min (MHz)								
Frequency Max (MHz)								
RF Power Min (W) Conducted / EIRP / ERP								
RF Power Max (W) Conducted / EIRP / ERP								
Field Strength Units @ distance								
Measured BW (kHz) (99%, 26dB, 6dB, etc.)								
Calculated BW (kHz) As per TRC-43								
Emission Classification (FID, GID, DID, etc.)								
Transmitter Spurious Units @ distance								

**Agreement Signature**

ATTESTATION: The test measurements were made in accordance with the above-mentioned departmental standard(s), and that the radio equipment identified in this application has been subject to all the applicable test conditions specified in the departmental standards and all of the requirements of the standards have been met.

Applicant / Agent Name:	Lim Cher Hwee	Applicant / Agent Title:	Assistant Vice President
Applicant / Agent Signature:		Signature Date:	04 Nov 2015

**Test Report No. 7191120542-EEC15/02**  
**dated 04 Nov 2015**



PSB Singapore

**Note:** This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

**Choose certainty.  
Add value.**

FORMAL REPORT ON TESTING IN ACCORDANCE WITH  
47 CFR FCC Parts 15B & C  
RSS-GEN Issue 4: 2014  
RSS-247 Issue 1: 2015  
OF A  
**HANDHELD RADIO (2.4GHz WiFi)**  
[ Model : AAH56UCN9RB1AN ]  
[ FCC ID : AZ489FT7067 ]  
[ IC : 109U-89FT7067 ]

**TEST FACILITY** TÜV SÜD PSB Pte Ltd  
Electrical & Electronics Centre (EEC), Product Services,  
No. 1 Science Park Drive, Singapore 118221

**FCC REG. NO.** 99142 (3m and 10m Semi-Anechoic Chamber, Science Park)

**IND. CANADA REG. NO.** 2932I-1 (3m and 10m Semi-Anechoic Chamber, Science Park)

**PREPARED FOR** Motorola Solutions Malaysia Sdn Bhd  
Plot 2, Technoplex Industrial Park Mukim 12 Swd,  
Medan Bayan Lepas, Bayan Lepas Industrial Park, 11900 Bayan Lepas,  
Pulau Penang,  
Malaysia  
Tel : +604 2528543 Fax : +604 8503099

**QUOTATION NUMBER** 2191024453

**JOB NUMBER** 7191120542

**TEST PERIOD** 18 Aug 2015 – 24 Oct 2015

**PREPARED BY**

  
\_\_\_\_\_  
Quek Keng Huat  
Higher Associate Engineer

**APPROVED BY**

  
\_\_\_\_\_  
Lim Cher Hwee  
Assistant Vice President



TÜV SÜD PSB

Laboratory:  
TÜV SÜD PSB Pte. Ltd.  
No.1 Science Park Drive  
Singapore 118221

Phone : +65-6885 1333  
Fax : +65-6776 8670  
E-mail: testing@tuv-sud-psb.sg  
www.tuv-sud-psb.sg  
Co. Reg : 199002667R

Regional Head Office:  
TÜV SÜD Asia Pacific Pte. Ltd.  
1 Science Park Drive, #02-01  
Singapore 118221  
TUV®



**TABLE OF CONTENTS**

---

TEST SUMMARY .....	4
PRODUCT DESCRIPTION .....	7
SUPPORTING EQUIPMENT DESCRIPTION.....	9
EUT OPERATING CONDITIONS.....	10
RADIATED EMISSION TEST.....	11
SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST.....	20
MAXIMUM PEAK POWER TEST .....	59
RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST.....	62
RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST.....	97
BAND EDGE COMPLIANCE (CONDUCTED) TEST.....	199
BAND EDGE COMPLIANCE (RADIATED) TEST .....	213
PEAK POWER SPECTRAL DENSITY TEST.....	224
ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS.....	246
ANNEX B USER MANUAL TECHNICAL DESCRIPTION BLOCK & CIRCUIT DIAGRAMS.....	254
ANNEX C FCC, IC LABEL & POSITION .....	255
ANNEX D TEST SITE DESCRIPTION .....	257



**TEST SUMMARY**

The product was tested in accordance with the customer's specifications.

**Test Results Summary**

Test Standard	Description	Pass / Fail
47 CFR FCC Part 15 and RSS-GEN Issue 4: 2014 and RSS-247 Issue 1: 2015		
15.207 RSS-GEN 8.8	Conducted Emissions	Not Applicable *See Note 4
15.205, 15.209 RSS-GEN 8.9, 8.10	Radiated Emissions (Spurious Emissions inclusive Restricted Bands Requirement)	Pass
15.247(a)(2) RSS-247 5.2(1)	Spectrum Bandwidth (6dB and 99% Bandwidth Measurement)	Pass
15.247(b)(3) RSS-247 5.4(4)	Maximum Peak Power	Pass
15.247(d) RSS-247 5.5	RF Conducted Spurious Emissions (Non-Restricted Bands)	Pass
15.247(d) RSS-247 5.5	RF Conducted Spurious Emissions (Restricted Bands)	Pass
15.247(d) RSS-247 5.5	Band Edge Compliance (Conducted)	Pass
15.247(d) RSS-247 5.5	Band Edge Compliance (Radiated)	Pass
15.247(e) RSS-247 5.2(2)	Peak Power Spectral Density	Pass

**TEST SUMMARY**

**Notes**

1. The channels as listed below, under the different configurations were tested for 802.11b WLAN.

Transmit Channel	Frequency (GHz)	Modulation	Data Rate
Channel 1 (Lower Channel)	2.412	DBPSK	1Mbps
Channel 6 (Middle Channel)	2.437	DBPSK	1Mbps
Channel 11 (Upper Channel)	2.462	DBPSK	1Mbps
Channel 1 (Lower Channel)	2.412	DQPSK	2Mbps
Channel 6 (Middle Channel)	2.437	DQPSK	2Mbps
Channel 11 (Upper Channel)	2.462	DQPSK	2Mbps
Channel 1 (Lower Channel)	2.412	CCK	11Mbps
Channel 6 (Middle Channel)	2.437	CCK	11Mbps
Channel 11 (Upper Channel)	2.462	CCK	11Mbps

2. The channels as listed below, under the different configurations were tested for 802.11g WLAN.

Transmit Channel	Frequency (GHz)	Modulation	Data Rate
Channel 1 (Lower Channel)	2.412	BPSK	9Mbps
Channel 6 (Middle Channel)	2.437	BPSK	9Mbps
Channel 11 (Upper Channel)	2.462	BPSK	9Mbps
Channel 1 (Lower Channel)	2.412	QPSK	18Mbps
Channel 6 (Middle Channel)	2.437	QPSK	18Mbps
Channel 11 (Upper Channel)	2.462	QPSK	18Mbps
Channel 1 (Lower Channel)	2.412	16QAM	36Mbps
Channel 6 (Middle Channel)	2.437	16QAM	36Mbps
Channel 11 (Upper Channel)	2.462	16QAM	36Mbps
Channel 1 (Lower Channel)	2.412	64QAM	54Mbps
Channel 6 (Middle Channel)	2.437	64QAM	54Mbps
Channel 11 (Upper Channel)	2.462	64QAM	54Mbps

3. The channels as listed below, under the different configurations were tested for 802.11n WLAN.

Transmit Channel	Frequency (GHz)	Modulation	Data Rate
Channel 1 (Lower Channel)	2.412	BPSK	6.5Mbps
Channel 6 (Middle Channel)	2.437	BPSK	6.5Mbps
Channel 11 (Upper Channel)	2.462	BPSK	6.5Mbps
Channel 1 (Lower Channel)	2.412	QPSK	19.5Mbps
Channel 6 (Middle Channel)	2.437	QPSK	19.5Mbps
Channel 11 (Upper Channel)	2.462	QPSK	19.5Mbps
Channel 1 (Lower Channel)	2.412	16QAM	39Mbps
Channel 6 (Middle Channel)	2.437	16QAM	39Mbps
Channel 11 (Upper Channel)	2.462	16QAM	39Mbps
Channel 1 (Lower Channel)	2.412	64QAM	65Mbps
Channel 6 (Middle Channel)	2.437	64QAM	65Mbps
Channel 11 (Upper Channel)	2.462	64QAM	65Mbps



## TEST SUMMARY

### Notes (continued)

2. The EUT is a Class B device when in non-transmitting state and meets the 47 CFR FCC Part15B Class B requirements.
3. All test measurement procedures are according to ANSI C63.4: 2014, ANSI C63.10: 2013 and KDB 558074 D01 DTS Measurement Guidance V03R03.
4. The Equipment Under Test (EUT) is a battery operated device / DC operated device and contains no provision for public utility connections. The Equipment Under Test (EUT) will be powered off and not operational during the charging mode.
5. The EUT was tested using fully charged batteries with DC voltage of 7.45V.
6. 99% Bandwidth Measurement is applicable to RSS-247 only.
7. RSS-102 is RSS-102 Issue 4: 2015.
8. The unit was also investigated for inter-modulation products between the co-located WiFi and the land mobile radios. All inter-modulation products between the co-located radios were found to be compliant to the FCC limits of 15.209 and Industry Canada RSS-GEN.
9. The EUT uses a -4dBi internal PIFA which connects to the RF port via a spring contact. The EUT meets the requirement of FCC 15.203.
10. The maximum measured RF power of the Equipment Under Test is 13.60dBm.
11. All tests except Maximum Peak Power and Band Edge Compliance (Radiated) were tested at the maximum power of the RF module which is higher than the supported maximum EUT RF power. The Maximum Peak Power and Band Edge Compliance (Radiated) tests were tested at the maximum RF power of the EUT.

### Modifications

No modifications were made.



**PRODUCT DESCRIPTION**

Description	: The Equipment Under Test (EUT) is a <b>HANDHELD RADIO</b> .
Manufacturer	: Motorola Solutions Malaysia Sdn Bhd Plot 2, Technoplex Industrial Park Mukim 12 Swd, Medan Bayan Lepas, Bayan Lepas Industrial Park, 11900 Bayan Lepas, Pulau Penang, Malaysia
Model Number	: AAH56UCN9RB1AN
FCC ID	: AZ489FT7067
IC	: 109U-89FT7067
Serial Number	: 126TRV0122
Microprocessor	: Ti OMAPL138BZCEA3R
Operating / Transmitting Frequency	: <u>Bluetooth / Bluetooth LE</u> 2.402GHz (lower channel) to 2.480GHz (upper channel) 79 channels (Bluetooth), 40 channels (Bluetooth LE)  <u>WiFi</u> 2.412GHz (lower channel) to 2.462GHz (upper channel) 11 channels  <u>Land Mobile</u> 806MHz – 825MHz, 851MHz – 870MHz, 896MHz – 902MHz, 935MHz – 941MHz / Channel Spacing 12.5kHz/25kHz
Clock / Oscillator Frequency	: Reference Clock: 38.4MHz , LO: 1612MHz - 1650MHz, 1702MHz - 1740MHz, 1792MHz - 1804MHz, 1870MHz - 1882MHz
Modulation	: <u>Bluetooth</u> Gaussian Frequency Shift Keying (GFSK) ( $\pi/4$ ) DQPSK 8DPSK  <u>WiFi</u> Differential Binary Phase Shift Keying (DBPSK) Differential Quadrature Phase Shift Keying (DQPSK) Complementary Code Keying (CCK ) Binary Phase Shift Keying (BPSK) Quadrature Phase Shift Keying (QPSK) 16-Quadrature Amplitude Modulation (16QAM) 64-Quadrature Amplitude Modulation (64QAM)  <u>Land Mobile</u> Frequency Modulation (FM)
Antenna Gain	: -4.0 dBi (PIFA Antenna)



---

**PRODUCT DESCRIPTION**

(Continued)

Port / Connectors : Refer to manufacturer's user manual / operating manual  
Rated Input Power : 7.4Vdc 20.7Wh 2800mAh Lithium ION battery  
Accessories : Refer to manufacturer's user manual / operating manual





**SUPPORTING EQUIPMENT DESCRIPTION**

<b>Equipment Description (Including Brand Name)</b>	<b>Model, Serial &amp; FCC ID Number</b>	<b>Cable Description (List Length, Type &amp; Purpose)</b>
Fujitsu Laptop	M/N: S6310 S/N: R7100269 FCC ID: DoC	Nil
Fujitsu AC Adapter	M/N: CP293662-01 S/N: O6X00399B FCC ID: DoC	1.80m unshielded power cable
Microsoft Wheel Mouse	M/N: X08-71118 S/N: Nil FCC ID: DoC	Nil






**EUT OPERATING CONDITIONS**

**47 CFR FCC Part 15 and RSS-GEN Issue 4 and RSS-247 Issue 1**

- 1. Radiated Emissions (Spurious Emissions inclusive Restricted Bands Requirement)**
- 2. Spectrum Bandwidth (6dB Bandwidth Measurement)**
- 3. Maximum Peak Power**
- 4. RF Conducted Spurious Emissions Emission (Non-Restricted Bands)**
- 5. RF Conducted Spurious Emissions Emission (Restricted Bands)**
- 6. Band Edge Compliance (Conducted)**
- 7. Band Edge Compliance (Radiated)**
- 8. Peak Power Spectral Density**

The EUT was exercised by operating in maximum continuous transmission in test mode, i.e transmitting at lower, middle and upper channels respectively at one time.





**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205 and RSS-GEN 8.10 Restricted Bands**

MHz		MHz		MHz		GHz	
0.090	- 0.110	16.42	- 16.423	399.9	- 410	4.5	- 5.15
0.495	- 0.505	16.69475	- 16.69525	608	- 614	5.35	- 5.46
2.1735	- 2.1905	16.80425	- 16.80475	960	- 1240	7.25	- 7.75
4.125	- 4.128	25.5	- 25.67	1300	- 1427	8.025	- 8.5
4.17725	- 4.17775	37.5	- 38.25	1435	- 1626.5	9.0	- 9.2
4.20725	- 4.20775	73	- 74.6	1645.5	- 1646.5	9.3	- 9.5
6.215	- 6.218	74.8	- 75.2	1660	- 1710	10.6	- 12.7
6.26775	- 6.26825	108	- 121.94	1718.8	- 1722.2	13.25	- 13.4
6.31175	- 6.31225	123	- 138	2200	- 2300	14.47	- 14.5
8.291	- 8.294	149.9	- 150.05	2310	- 2390	15.35	- 16.2
8.362	- 8.366	156.52475	- 156.52525	2483.5	- 2500	17.7	- 21.4
8.37625	- 8.38675	156.7	- 156.9	2690	- 2900	22.01	- 23.12
8.41425	- 8.41475	162.0125	- 167.17	3260	- 3267	23.6	- 24.0
12.29	- 12.293	167.72	- 173.2	3332	- 3339	31.2	- 31.8
12.51975	- 12.52025	240	- 285	3345.8	- 3358	36.43	- 36.5
12.57675	- 12.57725	322	- 335.4	3600	- 4400	Above 38.6	
13.36	- 13.41						

**47 CFR FCC Part 15.209 and RSS-GEN 8.9 Radiated Emission Limits**

Frequency Range (MHz)	Quasi-Peak Limit Values (dBµV/m)
0.009 - 0.490	20 log [2400 / F (kHz)] @ 300m
0.490 - 1.705	20 log [24000 / F (kHz)] @ 30m
1.705 - 30.0	30.0 @ 30m
30 - 88	40.0 @ 3m
88 - 216	43.5 @ 3m
216 - 960	46.0 @ 3m
Above 960	54.0* @ 3m

\* For frequency bands 9kHz – 90kHz, 110kHz – 490kHz and above 1GHz, average detector was used. A peak limit of 20dB above the average limit does apply.

**47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
R&S Test Receiver – ESI1	ESI40	100010	14 Jul 2016	1 year
Schaffner Bilog Antenna –(30MHz-2GHz) BL3 (Ref)	CBL6112D	2549	29 Jan 2016	1 year
ETS Horn Antenna(18GHz-40GHz)(Ref)	3116	0004-2474	02 Oct 2015	1 year
EMCO Horn Antenna(1GHz-18GHz)	3115	0003-6088	20 Apr 2016	1 year
R&S Preamplifier (1GHz -18GHz)	SCU18	102191	13 Mar 2016	1 year
Agilent Preamplifier(1GHz-26.5GHz) (PA18)	8449D	3008A02305	06 Oct 2015	1 year
Com-Power Preamplifier (1MHz-1GHz)	PAM-103	441096	13 Oct 2015	1 year
Micro-Tronics Bandstop Filter (2.4-2.5 GHz)	BRM50701	017	13 Aug 2016	1 year



**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Setup**

1. The EUT and supporting equipment were set up in accordance with the requirements of the standard on top of a 1.5m X 1.0m X 0.8m high, non-metallic table. For >1GHz measurements, the EUT is raised further to a height of 1.5m with a non-metallic foam block.
2. The filtered power supply for the EUT and supporting equipment were tapped from the appropriate power sockets located on the turntable.
3. The relevant broadband antenna was set at the required test distance away from the EUT and supporting equipment boundary.

**47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Method**

1. The EUT was switched on and allowed to warm up to its normal operating condition.
2. A prescan was carried out to pick the worst emission frequencies from the EUT. For EUT which is a portable device, the prescan was carried out by rotating the EUT through three orthogonal axes to determine which altitude and equipment arrangement produces such emissions.
3. The test was carried out at the selected frequency points obtained from the prescan in step 2. Maximization of the emissions, was carried out by rotating the EUT, changing the antenna polarization, and adjusting the antenna height in the following manner:
  - a. Vertical or horizontal polarisation (whichever gave the higher emission level over a full rotation of the EUT) was chosen.
  - b. The EUT was then rotated to the direction that gave the maximum emission.
  - c. Finally, the antenna height was adjusted to the height that gave the maximum emission.
4. A Quasi-peak measurement was made for that frequency point if it was less than or equal to 1GHz. For frequency point in the range of 9kHz – 90kHz, 110kHz – 490kHz and above 1GHz, both Peak and Average measurements were carried out.
5. Steps 3 and 4 were repeated for the next frequency point, until all selected frequency points were measured.
6. The frequency range covered was from the lowest radio frequency signal generated from the EUT, without going below 9kHz to 10<sup>th</sup> harmonics of the EUT fundamental frequency, using the loop antenna for frequency below 30MHz, Bi-log antenna for frequencies from 30MHz up to 1GHz, and the Horn antenna above 1GHz.

**Sample Calculation Example**

At 300 MHz

Q-P limit (Class B) = 46.0 dB $\mu$ V/m

Log-periodic antenna factor & cable loss at 300 MHz = 18.5 dB

Q-P reading obtained directly from EMI Receiver = 40.0 dB $\mu$ V/m  
(Calibrated level including antenna factors & cable losses)

Therefore, Q-P margin = 46.0 - 40.0 = 6.0

i.e. 6.0 dB below Q-P limit



**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results**

Test Input Power	7.4Vdc	Temperature	24°C
Test Distance	3m (30MHz –1GHz)	Relative Humidity	60%
	802.11b @ 2Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBµV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel (Worst)
31.0900	20.2	40.0	19.8	400	102	V	1
41.9750	25.1	40.0	14.9	100	357	V	1
80.0740	19.7	40.0	20.3	400	352	H	1
90.9600	24.9	43.5	18.6	100	261	V	1
119.2615	21.7	43.5	21.8	100	340	H	1
154.0955	21.4	43.5	22.1	200	180	V	1

Test Input Power	7.4Vdc	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11b @ 2Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	25.9	74.0	48.1	--	54.0	28.1	100	34	H	1
1.6578	28.2	74.0	45.8	--	54.0	25.8	100	317	V	1
1.8602	30.6	74.0	43.4	--	54.0	23.4	100	3	V	1
1.9918	29.1	74.0	44.9	--	54.0	24.9	100	53	H	1
2.1335	30.8	74.0	43.2	--	54.0	23.2	100	3	V	1
3.6009	39.4	74.0	34.6	--	54.0	14.6	100	265	V	1

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.0810	25.2	74.0	48.8	--	54.0	28.8	100	140	H	6
1.5060	26.7	74.0	47.3	--	54.0	27.3	100	346	V	6
1.6578	27.6	74.0	46.4	--	54.0	26.4	100	317	V	6
1.8602	31.4	74.0	42.6	--	54.0	22.6	100	2	V	6
1.9918	29.3	74.0	44.7	--	54.0	24.7	100	53	H	6
2.1335	31.3	74.0	42.7	--	54.0	22.7	100	8	V	6



**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results**

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1518	25.6	74.0	48.4	--	54.0	28.4	100	41	H	11
1.5060	26.1	74.0	47.9	--	54.0	27.9	100	8	V	11
1.6578	27.8	74.0	46.2	--	54.0	26.2	100	317	V	11
1.7084	28.8	74.0	45.2	--	54.0	25.2	100	317	V	11
1.9918	29.4	74.0	44.6	--	54.0	24.6	100	235	V	11
3.6009	40.0	74.0	34.0	--	54.0	14.0	100	265	V	11





**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results**

Test Input Power	7.4Vdc	Temperature	24°C
Test Distance	3m (30MHz –1GHz)	Relative Humidity	60%
	802.11g @ 18Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBµV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel (Worst)
96.7530	20.8	43.5	22.7	400	12	V	6
251.8560	20.2	46.0	25.8	100	163	V	6
324.4990	23.3	46.0	22.7	100	347	V	6
395.1790	27.3	46.0	18.7	200	12	V	6
540.4650	37.0	46.0	9.0	300	212	H	6
560.0980	33.8	46.0	12.2	300	220	H	6

Test Input Power	7.4Vdc	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11g @ 18Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.0810	26.0	74.0	48.0	--	54.0	28.0	100	44	H	1
1.1619	25.0	74.0	49.0	--	54.0	29.0	100	53	H	1
1.6578	28.2	74.0	45.8	--	54.0	25.8	100	313	V	1
1.9918	29.5	74.0	44.5	--	54.0	24.5	100	280	V	1
2.1335	30.8	74.0	43.2	--	54.0	23.2	100	3	V	1
3.6009	40.0	74.0	34.0	--	54.0	14.0	100	61	V	1

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1012	25.4	74.0	48.6	--	54.0	28.6	25.4	74.0	H	6
1.1619	25.4	74.0	48.6	--	54.0	28.6	25.4	74.0	H	6
1.1619	25.5	74.0	48.5	--	54.0	28.5	25.5	74.0	V	6
1.6578	28.0	74.0	46.0	--	54.0	26.0	28.0	74.0	V	6
1.9918	29.5	74.0	44.5	--	54.0	24.5	29.5	74.0	V	6
3.6009	39.8	74.0	34.2	--	54.0	14.2	39.8	74.0	V	6



**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results**

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.3238	26.3	74.0	47.7	--	54.0	27.7	100	227	H	11
1.5060	28.5	74.0	45.5	--	54.0	25.5	100	308	V	11
1.6578	27.8	74.0	46.2	--	54.0	26.2	100	308	V	11
1.9918	28.7	74.0	45.3	--	54.0	25.3	100	300	V	11
2.4168	29.2	74.0	44.8	--	54.0	24.8	100	158	V	11
3.6009	39.7	74.0	34.3	--	54.0	14.3	100	108	V	11





**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results**

Test Input Power	7.4Vdc	Temperature	24°C
Test Distance	3m (30MHz –1GHz)	Relative Humidity	60%
	802.11n @ 65Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBµV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel (Worst)
96.7530	20.5	43.5	23.0	200	239	V	1
251.8560	20.1	46.0	25.9	100	172	V	1
324.4990	22.6	46.0	23.4	200	355	V	1
395.1790	27.1	46.0	18.9	300	13	V	1
540.4650	36.9	46.0	9.1	400	217	H	1
560.0980	32.2	46.0	13.8	300	193	H	1

Test Input Power	7.4Vdc	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11n @ 65Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1012	26.2	74.0	47.8	--	54.0	27.8	100	44	H	1
1.3441	25.6	74.0	48.4	--	54.0	28.4	100	316	V	1
1.6578	27.7	74.0	46.3	--	54.0	26.3	100	307	V	1
1.9918	29.9	74.0	44.1	--	54.0	24.1	100	307	V	1
2.2347	26.1	74.0	47.9	--	54.0	27.9	100	344	H	1
3.6009	39.8	74.0	34.2	--	54.0	14.2	100	182	V	1

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) *See Note4	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	25.7	74.0	48.3	--	54.0	28.3	100	52	H	6
1.6578	27.5	74.0	46.5	--	54.0	26.5	100	304	V	6
1.6882	28.5	74.0	45.5	--	54.0	25.5	100	154	V	6
1.9918	29.1	74.0	44.9	--	54.0	24.9	100	52	H	6
2.2347	26.2	74.0	47.8	--	54.0	27.8	100	344	H	6
3.6009	40.2	74.0	33.8	--	54.0	13.8	100	62	V	6



**RADIATED EMISSION TEST**

**47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results**

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m) <small>*See Note4</small>	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	PoI (H/V)	Ch
1.1619	26.3	74.0	47.7	--	54.0	27.7	100	52	H	11
1.6578	28.6	74.0	45.4	--	54.0	25.4	100	314	V	11
1.6882	27.9	74.0	46.1	--	54.0	26.1	100	309	V	11
1.9918	30.8	74.0	43.2	--	54.0	23.2	100	300	V	11
2.2358	28.3	74.0	45.7	--	54.0	25.7	100	158	V	11
3.6009	39.6	74.0	34.4	--	54.0	14.4	100	327	V	11





**RADIATED EMISSION TEST**

Notes

1. All possible modes of operation were investigated. Only the worst case emissions measured, using the correct CISPR detectors, are reported. All other emissions were relatively insignificant.
2. Quasi-peak measurement was used for frequency measurement up to 1GHz. Average and peak measurements were used for emissions above 1GHz. The average measurement was done by averaging over a complete cycle of the pulse train, including the blanking interval as the pulse train duration does not exceed 0.1 second.
3. A "positive" margin indicates a PASS as it refers to the margin present below the limit line at the particular frequency. Conversely, a "negative" margin indicates a FAIL.
4. As the measured peak shows compliance to the average limits, as such no average measurements were carried out. The EUT is deemed to meet both requirements.
5. EMI receiver Resolution Bandwidth (RBW) and Video Bandwidth (VBW) settings:  
30MHz - 1GHz  
RBW: 100kHz            VBW: 1MHz  
>1GHz  
RBW: 1MHz            VBW: 3MHz
6. The upper frequency of radiated emission investigations was according to requirements stated in Section 15.33(a) for intentional radiators & Section 15.33(b) for unintentional radiators.
7. The upper frequency of radiated emission investigations was according to requirements stated in RSS-GEN 6.13.
8. The channel in the table refers to the transmit channel of the EUT.
9. Radiated Emissions Measurement Uncertainty  
All test measurements carried out are traceable to national standards. The uncertainty of the measurement at a confidence level of approximately 95%, with a coverage factor of 2, in the range 30MHz – 25GHz is  $\pm 4.0$ dB.



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Limits**

The EUT shows compliance to the requirements of this section, which states that the minimum bandwidth of the EUT employing digital modulation techniques shall be at least 500kHz.

**47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

**47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Setup**

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to the following:  
RBW = 100kHz  
VBW = 3 times RBW
5. All other supporting equipment were powered separately from another filtered mains.

**47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Method**

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel.
2. The center frequency of the spectrum analyser was set to the transmitting frequency with the frequency span wide enough to capture the 6dB and 99% bandwidth of the transmitting frequency.
3. The spectrum analyser was set to max hold to capture the transmitting frequency. The signal capturing was continuous until no further changes were observed.
4. The peak of the transmitting frequency was detected with the marker peak function of the spectrum analyser. For 6dB bandwidth measurement, the frequencies below the 6dB peak frequency at lower ( $f_L$ ) and upper ( $f_H$ ) sides of the transmitting frequency were marked and measured by using the marker-delta function of the spectrum analyser. For 99% bandwidth measurement, the spectrum analyser power measurement was activated with bandwidth measurement as 99%.
5. For 6dB bandwidth measurement, the 6dB bandwidth of the transmitting frequency is the frequency difference between the marked lower and upper frequencies,  $|f_H - f_L|$ . For 99% bandwidth measurement, the measured 99% bandwidth shown on the spectrum analyser was recorded.
6. The steps 2 to 5 were repeated with the transmitting frequency was set to middle and upper channel respectively.



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Results**

Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

**802.11b**

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 (lower ch)	2.412	10.125	13.369	DBPSK @ 1Mbps
		9.938	13.566	DQPSK @ 2Mbps
		9.438	13.640	CCK @ 11Mbps
6 (mid ch)	2.437	10.170	13.533	DBPSK @ 1Mbps
		9.960	13.555	DQPSK @ 2Mbps
		9.330	13.583	CCK @ 11Mbps
11 (upper ch)	2.462	10.170	13.594	DBPSK @ 1Mbps
		9.870	13.641	DQPSK @ 2Mbps
		9.300	13.656	CCK @ 11Mbps

**802.11g**

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 (lower ch)	2.412	16.500	16.460	BPSK @ 9Mbps
		16.500	16.492	QPSK @ 18Mbps
		16.625	16.542	16QAM @ 36Mbps
		16.625	16.619	64QAM @ 54Mbps
6 (mid ch)	2.437	16.540	16.568	BPSK @ 9Mbps
		16.540	16.482	QPSK @ 18Mbps
		16.580	16.518	16QAM @ 36Mbps
		16.580	16.527	64QAM @ 54Mbps
11 (upper ch)	2.462	16.500	16.516	BPSK @ 9Mbps
		16.500	16.436	QPSK @ 18Mbps
		16.580	16.573	16QAM @ 36Mbps
		16.580	16.562	64QAM @ 54Mbps



**SPECTRUM BANDWIDTH (6dB BANDWIDTH MEASUREMENT) TEST**

**47 CFR FCC Part 15.247(a)(2) Spectrum Bandwidth (6dB Bandwidth Measurement) Results**

Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin


**802.11n**

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 (lower ch)	2.412	17.540	17.636	BPSK @ 6.5Mbps (MCS0)
		17.750	17.723	QPSK @ 19.5Mbps (MCS2)
		17.830	17.728	16QAM @ 39Mbps (MCS4)
		17.790	17.646	64QAM @ 65Mbps (MCS7)
6 (mid ch)	2.437	17.750	17.767	BPSK @ 6.5Mbps (MCS0)
		17.750	17.730	QPSK @ 19.5Mbps (MCS2)
		17.830	17.648	16QAM @ 39Mbps (MCS4)
		17.790	17.597	64QAM @ 65Mbps (MCS7)
11 (upper ch)	2.462	17.750	17.620	BPSK @ 6.5Mbps (MCS0)
		17.750	17.738	QPSK @ 19.5Mbps (MCS2)
		17.790	17.626	16QAM @ 39Mbps (MCS4)
		17.790	17.746	64QAM @ 65Mbps (MCS7)




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b**



Plot 1 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 2 - Channel 1 (lower ch) @ DQPSK 2Mbps



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b**




Plot 3 - Channel 1 (lower ch) @ CCK 11Mbps






**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g**



Plot 4 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 5 - Channel 1 (lower ch) @ QPSK 18Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g**



Plot 6 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 7 - Channel 1 (lower ch) @ 64QAM 54Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n**



Plot 8 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 9 - Channel 1 (lower ch) @ QPSK 19.5Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n**



Plot 10 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 11 - Channel 1 (lower ch) @ 64QAM 65Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b**



**Plot 12 - Channel 6 (middle ch) @ DBPSK 1Mbps**




**Plot 13 - Channel 6 (middle ch) @ DQPSK 2Mbps**



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b**




Plot 14 - Channel 6 (middle ch) @ CCK 11Mbps






**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g**



Plot 15 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 16 - Channel 6 (middle ch) @ QPSK 18Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g**



**Plot 17 - Channel 6 (middle ch) @ 16QAM 36Mbps**




**Plot 18 - Channel 6 (middle ch) @ 64QAM 54Mbps**




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n**



Plot 19 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 20 - Channel 6 (middle ch) @ QPSK 19.5Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n**



Plot 21 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 22 - Channel 6 (middle ch) @ 64QAM 65Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b**



Plot 23 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 24 - Channel 11 (upper ch) @ DQPSK 2Mbps



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b**




Plot 25 - Channel 11 (upper ch) @ CCK 11Mbps






**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g**



**Plot 26 - Channel 11 (upper ch) @ BPSK 9Mbps**




**Plot 27 - Channel 11 (upper ch) @ QPSK 18Mbps**




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g**



Plot 28 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 29 - Channel 11 (upper ch) @ 64QAM 54Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n**



Plot 30 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 31 - Channel 11 (upper ch) @ QPSK 19.5Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n**



**Plot 32 - Channel 11 (upper ch) @ 16QAM 39Mbps**




**Plot 33 - Channel 11 (upper ch) @ 64QAM 65Mbps**




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b**



Plot 34 - Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 35 - Channel 1 (lower ch) @ DQPSK 2Mbps



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b**




Plot 36 - Channel 1 (lower ch) @ CCK 11Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g**



Plot 37 - Channel 1 (lower ch) @ BPSK 9Mbps




Plot 38 - Channel 1 (lower ch) @ QPSK 18Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g**



Plot 39 - Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 40 - Channel 1 (lower ch) @ 64QAM 54Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n**



Plot 41 - Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 42 - Channel 1 (lower ch) @ QPSK 19.5Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n**



Plot 43 - Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 44 - Channel 1 (lower ch) @ 64QAM 65Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b**



Plot 45 - Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 46 - Channel 6 (middle ch) @ DQPSK 2Mbps



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b**




Plot 47 - Channel 6 (middle ch) @ CCK 11Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g**



Plot 48 - Channel 6 (middle ch) @ BPSK 9Mbps




Plot 49 - Channel 6 (middle ch) @ QPSK 18Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g**



Plot 50 - Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 51 - Channel 6 (middle ch) @ 64QAM 54Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n**



Plot 52 - Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 53 - Channel 6 (middle ch) @ QPSK 19.5Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n**



Plot 54 - Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 55 - Channel 6 (middle ch) @ 64QAM 65Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b**



Plot 56 - Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 57 - Channel 11 (upper ch) @ DQPSK 2Mbps



**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b**




Plot 58 - Channel 11 (upper ch) @ CCK 11Mbps






**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g**



Plot 59 - Channel 11 (upper ch) @ BPSK 9Mbps




Plot 60 - Channel 11 (upper ch) @ QPSK 18Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g**



Plot 61 - Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 62 - Channel 11 (upper ch) @ 64QAM 54Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n**



Plot 63 - Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 64 - Channel 11 (upper ch) @ QPSK 19.5Mbps




**SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST**

**Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n**



Plot 65 - Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 66 - Channel 11 (upper ch) @ 64QAM 65Mbps



**MAXIMUM PEAK POWER TEST**

**47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Limits**

The EUT shows compliance to the requirements of this section, which states the maximum peak power of the EUT employing digital modulation shall not exceed 1W (30dBm).

**47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
Boonton Electronics RF Power Meter	4532	72901	27 Aug 2016	1 year
Boonton Electronics Peak Power Sensor	56218-S/1	1417	27 Aug 2016	1 year

**47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Setup**

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the power meter.
4. All other supporting equipment were powered separately from another filtered mains.

**47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Method**

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel with specified modulation and data rate.
2. The maximum peak power of the transmitting frequency was detected and recorded.
3. Repeat steps 1 to 2 with all possible modulations and data rates.
4. The steps 2 to 3 were repeated with the transmitting frequency was set to middle and upper respectively.



**MAXIMUM PEAK POWER TEST**

**47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Results**

Test Input Power	7.4Vdc	Temperature	24°C
Antenna Gain	-4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

**802.11b**

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
1 (lower ch)	2.412	0.0229	1.0	DBPSK @ 1Mbps
		0.0222	1.0	DQPSK @ 2Mbps
		0.0224	1.0	CCK @ 11Mbps
6 (mid ch)	2.437	0.0209	1.0	DBPSK @ 1Mbps
		0.0204	1.0	DQPSK @ 2Mbps
		0.0208	1.0	CCK @ 11Mbps
11 (upper ch)	2.462	0.0182	1.0	DBPSK @ 1Mbps
		0.0179	1.0	DQPSK @ 2Mbps
		0.0180	1.0	CCK @ 11Mbps

Test Input Power	7.4Vdc	Temperature	24°C
Antenna Gain	-4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

**802.11g**

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
1 (lower ch)	2.412	0.0077	1.0	BPSK @ 9Mbps
		0.0077	1.0	QPSK @ 18Mbps
		0.0075	1.0	16QAM @ 36Mbps
		0.0072	1.0	64QAM @ 54Mbps
6 (mid ch)	2.437	0.0077	1.0	BPSK @ 9Mbps
		0.0077	1.0	QPSK @ 18Mbps
		0.0076	1.0	16QAM @ 36Mbps
		0.0073	1.0	64QAM @ 54Mbps
11 (upper ch)	2.462	0.0067	1.0	BPSK @ 9Mbps
		0.0068	1.0	QPSK @ 18Mbps
		0.0073	1.0	16QAM @ 36Mbps
		0.0075	1.0	64QAM @ 54Mbps



**MAXIMUM PEAK POWER TEST**

**47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Results**

Test Input Power	7.4Vdc	Temperature	24°C
Antenna Gain	-4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

**802.11n**

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
1 (lower ch)	2.412	0.0119	1.0	BPSK @ 6.5Mbps (MCS0)
		0.0118	1.0	QPSK @ 19.5Mbps (MCS2)
		0.0118	1.0	16QAM @ 39Mbps (MCS4)
		0.0121	1.0	64QAM @ 65Mbps (MCS7)
6 (mid ch)	2.437	0.0113	1.0	BPSK @ 6.5Mbps (MCS0)
		0.0113	1.0	QPSK @ 19.5Mbps (MCS2)
		0.0111	1.0	16QAM @ 39Mbps (MCS4)
		0.0116	1.0	64QAM @ 65Mbps (MCS7)
11 (upper ch)	2.462	0.0108	1.0	BPSK @ 6.5Mbps (MCS0)
		0.0107	1.0	QPSK @ 19.5Mbps (MCS2)
		0.0106	1.0	16QAM @ 39Mbps (MCS4)
		0.0102	1.0	64QAM @ 65Mbps (MCS7)

Notes

1. Nil.



**RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Limits**

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power.

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Setup**

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz.
5. All other supporting equipment were powered separately from another filtered mains.

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Method**

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
2. The start and stop frequencies of the spectrum analyser were set to 30MHz and 10GHz.
3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
4. The steps 2 to 3 were repeated with frequency span was set from 10GHz to 25GHz.
5. Repeat steps 1 to 4 with all possible modulations and data rates.
6. The steps 2 to 5 were repeated with the transmitting frequency was set to middle and upper channel respectively.



**RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Results**

Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots	67 – 84 (802.11b) 85 – 108 (802.11g) 109 – 132 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin


All spurious signals found were below the specified limit. Please refer to the attached plots.






RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 67 – Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 68 – Channel 1 (lower ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 69 – Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 70 – Channel 1 (lower ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 71 – Channel 1 (lower ch) @ CCK 11Mbps




Plot 72 – Channel 1 (lower ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 73 – Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 74 – Channel 6 (middle ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 75 – Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 76 – Channel 6 (middle ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 77 – Channel 6 (middle ch) @ CCK 11Mbps




Plot 78 – Channel 6 (middle ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 79 – Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 80 – Channel 11 (upper ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 81 – Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 82 – Channel 11 (upper ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 83 – Channel 11 (upper ch) @ CCK 11Mbps




Plot 84 – Channel 11 (upper ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 85 – Channel 1 (lower ch) @ BPSK 9Mbps




Plot 86 – Channel 1 (lower ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 87 – Channel 1 (lower ch) @ QPSK 18Mbps




Plot 88 – Channel 1 (lower ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 89 – Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 90 – Channel 1 (lower ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 91 – Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 92 – Channel 1 (lower ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 93 – Channel 6 (middle ch) @ BPSK 9Mbps




Plot 94 – Channel 6 (middle ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 95 – Channel 6 (middle ch) @ QPSK 18Mbps




Plot 96 – Channel 6 (middle ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 97 – Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 98 – Channel 6 (middle ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 99 – Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 100 – Channel 6 (middle ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 101 – Channel 11 (upper ch) @ BPSK 9Mbps




Plot 102 – Channel 11 (upper ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 103 – Channel 11 (upper ch) @ QPSK 18Mbps




Plot 104 – Channel 11 (upper ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 105 – Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 106 – Channel 11 (upper ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 107 – Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 108 – Channel 11 (upper ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 109 – Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 110 – Channel 1 (lower ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 111 – Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 112 – Channel 1 (lower ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 113 – Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 114 – Channel 1 (lower ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 115 – Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 116 – Channel 1 (lower ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 117 – Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 118 – Channel 6 (middle ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 119 – Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 120 – Channel 6 (middle ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 121 – Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 122 – Channel 6 (middle ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 123 – Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 124 – Channel 6 (middle ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 125 – Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 126 – Channel 11 (upper ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 127 – Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 128 – Channel 11 (upper ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 129 – Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 130 – Channel 11 (upper ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (NON-RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 131 – Channel 11 (upper ch) @ 64QAM 65Mbps



Plot 132 – Channel 11 (upper ch) @ 64QAM 65Mbps



**RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST**

**47 CFR FCC Part 15.205 and RSS-GEN 8.10 Restricted Bands**

MHz		MHz		MHz		GHz	
0.090	- 0.110	16.42	- 16.423	399.9	- 410	4.5	- 5.15
0.495	- 0.505	16.69475	- 16.69525	608	- 614	5.35	- 5.46
2.1735	- 2.1905	16.80425	- 16.80475	960	- 1240	7.25	- 7.75
4.125	- 4.128	25.5	- 25.67	1300	- 1427	8.025	- 8.5
4.17725	- 4.17775	37.5	- 38.25	1435	- 1626.5	9.0	- 9.2
4.20725	- 4.20775	73	- 74.6	1645.5	- 1646.5	9.3	- 9.5
6.215	- 6.218	74.8	- 75.2	1660	- 1710	10.6	- 12.7
6.26775	- 6.26825	108	- 121.94	1718.8	- 1722.2	13.25	- 13.4
6.31175	- 6.31225	123	- 138	2200	- 2300	14.47	- 14.5
8.291	- 8.294	149.9	- 150.05	2310	- 2390	15.35	- 16.2
8.362	- 8.366	156.52475	- 156.52525	2483.5	- 2500	17.7	- 21.4
8.37625	- 8.38675	156.7	- 156.9	2690	- 2900	22.01	- 23.12
8.41425	- 8.41475	162.0125	- 167.17	3260	- 3267	23.6	- 24.0
12.29	- 12.293	167.72	- 173.2	3332	- 3339	31.2	- 31.8
12.51975	- 12.52025	240	- 285	3345.8	- 3358	36.43	- 36.5
12.57675	- 12.57725	322	- 335.4	3600	- 4400	Above 38.6	
13.36	- 13.41						

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Limits**

The EUT shows compliance to the requirements of this section, which states that emissions which fall in the restricted bands must comply with the radiated emission limits specified in the table below:

Frequency Range (MHz)	EIRP (dBm)	Radiated Emissions (dBµV/m)
0.009 – 0.490	-6.7 – (-41.4) **	67.6 – 20logF* @ 300m **
0.490 – 1.705	-41.4 – (-52.3) **	87.6 – 20logF* @ 30m **
1.705 – 30	-45.7	29.5 @ 30m
30 - 88	-55.2	40.0 @ 3m
88 - 216	-51.7	43.5 @ 3m
216 - 960	-49.2	46.0 @ 3m
>960	-41.2 ***	54.0 @ 3m ***
* F is frequency in kHz.		
** Decreasing linearly with the logarithm of the frequency.		
*** Above 1GHz, a peak limit of 20dB above the average limit does apply.		

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year
Micro-tronics Bandstop Filter (2.4GHz)	BRM50701-02	007	13 Aug 2016	1 year



**RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands)**

**Test Setup**

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) of the spectrum analyser was set to the following settings. The video bandwidth (VBW) was set to at least three times of the RBW.

Frequency (MHz)	RBW (kHz)
0.009 – 0.150	0.2
0.150 – 30.0	9.0
30.0 - 1000	100.0
> 1000	1000.0

5. The detector of the spectrum analyser was set to peak detection mode.
6. All other supporting equipment were powered separately from another filtered mains.

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands)**

**Test Method**

1. Measurement in the range 9kHz – 1000MHz
  - 1.1 The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
  - 1.2 The start and stop frequencies of the spectrum analyser were set according to the supported RBW.
  - 1.3 The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
  - 1.4 No further measurement was required if all the captured emissions complied to the limits. Else, the spectrum analyser was set to zoom to the captured emission with the detector of the spectrum analyser was set to quasi-peak. The emission level of the captured frequency was measured.
  - 1.5 The step 1.4 was repeated until all the captured emissions which exceeding the limits were measured.
  - 1.6 Repeat steps 1.1 to 1.5 with all possible modulations and data rates.
  - 1.7 The steps 1.2 to 1.6 were repeated with the transmitting frequency was set to middle and upper channel respectively.
2. Measurement above 1000MHz
  - 2.1 The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
  - 2.2 The start and stop frequencies of the spectrum analyser were set according to the supported frequency band of the set RBW with the number of points in a sweep was set to equal or greater than 2 times of the ratio of span over RBW.
  - 2.3 The detector of the spectrum analyser was set to power average (RMS) mode with the sweep time was set to equal or greater than 10 times of the product of number of measurement points in a sweep and transmission symbol time.
  - 2.4 The spectrum analyser was then allowed to capture any spurious emissions within a single sweep. The peak marker function of the spectrum analyser was used to locate the highest power level.
  - 2.5 The steps 2.2 to 2.4 were repeated until all the required frequency bands were measured.
  - 2.6 Repeat steps 2.1 to 2.5 with all possible modulations and data rates.
  - 2.7 The steps 2.2 to 2.6 were repeated with the transmitting frequency was set to middle and upper channel respectively.
  - 2.8 The measurements were repeated with the detector of the spectrum analyser was set to peak detecting mode. The sweep time was set to auto coupler.



**RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands)  
Results**

Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots	133 – 186 (802.11b) 187 – 258 (802.11g) 259 – 330 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit


All spurious signals found were below the specified limit. Please refer to the attached plots.






RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 133 – Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 134 – Channel 1 (lower ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 135 – Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 136 – Channel 1 (lower ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 137 – Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 138 – Channel 1 (lower ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 139 – Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 140 – Channel 1 (lower ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 141 – Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 142 – Channel 1 (lower ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 143 – Channel 1 (lower ch) @ DQPSK 2Mbps




Plot 144 – Channel 1 (lower ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 145 – Channel 1 (lower ch) @ CCK 11Mbps




Plot 146 – Channel 1 (lower ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 147 – Channel 1 (lower ch) @ CCK 11Mbps




Plot 148 – Channel 1 (lower ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 149 – Channel 1 (lower ch) @ CCK 11Mbps




Plot 150 – Channel 1 (lower ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 151 – Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 152 – Channel 6 (middle ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 153 – Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 154 – Channel 6 (middle ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 155 – Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 156 – Channel 6 (middle ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 157 – Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 158 – Channel 6 (middle ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 159 – Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 160 – Channel 6 (middle ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 161 – Channel 6 (middle ch) @ DQPSK 2Mbps




Plot 162 – Channel 6 (middle ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 163 – Channel 6 (middle ch) @ CCK 11Mbps




Plot 164 – Channel 6 (middle ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 165 – Channel 6 (middle ch) @ CCK 11Mbps




Plot 166 – Channel 6 (middle ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 167 – Channel 6 (middle ch) @ CCK 11Mbps




Plot 168 – Channel 6 (middle ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 169 – Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 170 – Channel 11 (upper ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 171 – Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 172 – Channel 11 (upper ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 173 – Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 174 – Channel 11 (upper ch) @ DBPSK 1Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 175 – Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 176 – Channel 11 (upper ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 177 – Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 178 – Channel 11 (upper ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 179 – Channel 11 (upper ch) @ DQPSK 2Mbps




Plot 180 – Channel 11 (upper ch) @ DQPSK 2Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 181 – Channel 11 (upper ch) @ CCK 11Mbps




Plot 182 – Channel 11 (upper ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 183 – Channel 11 (upper ch) @ CCK 11Mbps




Plot 184 – Channel 11 (upper ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 185 – Channel 11 (upper ch) @ CCK 11Mbps




Plot 186 – Channel 11 (upper ch) @ CCK 11Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 187 – Channel 1 (lower ch) @ BPSK 9Mbps




Plot 188 – Channel 1 (lower ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 189 – Channel 1 (lower ch) @ BPSK 9Mbps




Plot 190 – Channel 1 (lower ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 191 – Channel 1 (lower ch) @ BPSK 9Mbps




Plot 192 – Channel 1 (lower ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 193 – Channel 1 (lower ch) @ QPSK 18Mbps




Plot 194 – Channel 1 (lower ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 195 – Channel 1 (lower ch) @ QPSK 18Mbps




Plot 196 – Channel 1 (lower ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 197 – Channel 1 (lower ch) @ QPSK 18Mbps




Plot 198 – Channel 1 (lower ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 199 – Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 200 – Channel 1 (lower ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 201 – Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 202 – Channel 1 (lower ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 203 – Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 204 – Channel 1 (lower ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 205 – Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 206 – Channel 1 (lower ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 207 – Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 208 – Channel 1 (lower ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 209 – Channel 1 (lower ch) @ 64QAM 54Mbps




Plot 210 – Channel 1 (lower ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 211 – Channel 6 (middle ch) @ BPSK 9Mbps




Plot 212 – Channel 6 (middle ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 213 – Channel 6 (middle ch) @ BPSK 9Mbps




Plot 214 – Channel 6 (middle ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 215 – Channel 6 (middle ch) @ BPSK 9Mbps




Plot 216 – Channel 6 (middle ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 217 – Channel 6 (middle ch) @ QPSK 18Mbps




Plot 218 – Channel 6 (middle ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 219 – Channel 6 (middle ch) @ QPSK 18Mbps




Plot 220 – Channel 6 (middle ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 221 – Channel 6 (middle ch) @ QPSK 18Mbps




Plot 222 – Channel 6 (middle ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 223 – Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 224 – Channel 6 (middle ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 225 – Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 226 – Channel 6 (middle ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 227 – Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 228 – Channel 6 (middle ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 229 – Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 230 – Channel 6 (middle ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 231 – Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 232 – Channel 6 (middle ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 233 – Channel 6 (middle ch) @ 64QAM 54Mbps




Plot 234 – Channel 6 (middle ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 235 – Channel 11 (upper ch) @ BPSK 9Mbps




Plot 236 – Channel 11 (upper ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 237 – Channel 11 (upper ch) @ BPSK 9Mbps




Plot 238 – Channel 11 (upper ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 239 – Channel 11 (upper ch) @ BPSK 9Mbps




Plot 240 – Channel 11 (upper ch) @ BPSK 9Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 241 – Channel 11 (upper ch) @ QPSK 18Mbps




Plot 242 – Channel 11 (upper ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 243 – Channel 11 (upper ch) @ QPSK 18Mbps




Plot 244 – Channel 11 (upper ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 245 – Channel 11 (upper ch) @ QPSK 18Mbps




Plot 246 – Channel 11 (upper ch) @ QPSK 18Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 247 – Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 248 – Channel 11 (upper ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 249 – Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 250 – Channel 11 (upper ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 251 – Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 252 – Channel 11 (upper ch) @ 16QAM 36Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 253 – Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 254 – Channel 11 (upper ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 255 – Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 256 – Channel 11 (upper ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 257 – Channel 11 (upper ch) @ 64QAM 54Mbps




Plot 258 – Channel 11 (upper ch) @ 64QAM 54Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 259 – Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 260 – Channel 1 (lower ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 261 – Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 262 – Channel 1 (lower ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 263 – Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 264 – Channel 1 (lower ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 265 – Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 266 – Channel 1 (lower ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 267 – Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 268 – Channel 1 (lower ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 269 – Channel 1 (lower ch) @ QPSK 19.5Mbps




Plot 270 – Channel 1 (lower ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 271 – Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 272 – Channel 1 (lower ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 273 – Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 274 – Channel 1 (lower ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 275 – Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 276 – Channel 1 (lower ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 277 – Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 278 – Channel 1 (lower ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 279 – Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 280 – Channel 1 (lower ch) @ 64QAM 65Mbps




**RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST**

**RF Conducted Spurious Emissions (Restricted) Plots – 802.11n**



Plot 281 – Channel 1 (lower ch) @ 64QAM 65Mbps




Plot 282 – Channel 1 (lower ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 283 – Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 284 – Channel 6 (middle ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 285 – Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 286 – Channel 6 (middle ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 287 – Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 288 – Channel 6 (middle ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 289 – Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 290 – Channel 6 (middle ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 291 – Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 292 – Channel 6 (middle ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 293 – Channel 6 (middle ch) @ QPSK 19.5Mbps




Plot 294 – Channel 6 (middle ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 295 – Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 296 – Channel 6 (middle ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 297 – Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 298 – Channel 6 (middle ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 299 – Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 300 – Channel 6 (middle ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 301 – Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 302 – Channel 6 (middle ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 303 – Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 304 – Channel 6 (middle ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 305 – Channel 6 (middle ch) @ 64QAM 65Mbps




Plot 306 – Channel 6 (middle ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 307 – Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 308 – Channel 11 (upper ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 309 – Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 310 – Channel 11 (upper ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 311 – Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 312 – Channel 11 (upper ch) @ BPSK 6.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 313 – Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 314 – Channel 11 (upper ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 315 – Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 316 – Channel 11 (upper ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 317 – Channel 11 (upper ch) @ QPSK 19.5Mbps




Plot 318 – Channel 11 (upper ch) @ QPSK 19.5Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 319 – Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 320 – Channel 1 (lower ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 321 – Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 322 – Channel 11 (upper ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 323 – Channel 11 (upper ch) @ 16QAM 39Mbps




Plot 324 – Channel 11 (upper ch) @ 16QAM 39Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 325 – Channel 11 (upper ch) @ 64QAM 65Mbps




Plot 326 – Channel 11 (upper ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 327 – Channel 11 (upper ch) @ 64QAM 65Mbps




Plot 328 – Channel 11 (upper ch) @ 64QAM 65Mbps




RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 329 – Channel 11 (upper ch) @ 64QAM 65Mbps



Plot 330 – Channel 11 (upper ch) @ 64QAM 65Mbps



**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Limits**

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power.

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Setup**

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz.
5. All other supporting equipment were powered separately from another filtered mains.

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Method**

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode with specified modulation and data rate.
2. The frequency span of the spectrum analyser was set to wide enough to capture the lower band edge of the transmission band, 2.400GHz and any spurious emissions at the band edge.
3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
4. Repeat steps 1 to 3 with all possible modulations and data rates.
5. The steps 2 to 4 were repeated with the frequency span of the spectrum analyser was set to wide enough to capture the upper band edge frequency of the transmission band, 2.4835GHz and the any spurious emissions at the band-edge.



**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Results**

Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots	331 – 336 (802.11b) 337 – 344 (802.11g) 345 – 352 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin


No significant signal was found and they were below the specified limit.






**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11b**



**Plot 331 – Lower Band Edge at 2.400GHz @ DBPSK 1Mbps**




**Plot 332 – Lower Band Edge at 2.400GHz @ DQPSK 2Mbps**



**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11b**




**Plot 333 – Lower Band Edge at 2.4000GHz @ CCK 11Mbps**





**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11b**



**Plot 334 – Upper Band Edge at 2.4835GHz @ DBPSK 1Mbps**




**Plot 335 – Upper Band Edge at 2.4835GHz @ DQPSK 2Mbps**



**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11b**




**Plot 336 – Upper Band Edge at 2.4835GHz @ CCK 11Mbps**






**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11g**



**Plot 337 – Lower Band Edge at 2.4000GHz @ BPSK 9Mbps**




**Plot 338 – Lower Band Edge at 2.4000GHz @ QPSK 18Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11g**



**Plot 339 – Lower Band Edge at 2.4000GHz @ 16QAM 36Mbps**




**Plot 340 – Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11g**



**Plot 341 – Upper Band Edge at 2.4835GHz @ BPSK 9Mbps**




**Plot 342 – Upper Band Edge at 2.4835GHz @ QPSK 18Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11g**



**Plot 343 – Upper Band Edge at 2.4835GHz @ 16QAM 36Mbps**




**Plot 344 – Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11n**



**Plot 345 – Lower Band Edge at 2.400GHz @ BPSK 6.5Mbps**




**Plot 346 – Lower Band Edge at 2.400GHz @ QPSK 19.5Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11n**



**Plot 347 – Lower Band Edge at 2.4000GHz @ 16QAM 39Mbps**




**Plot 348 – Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11n**



**Plot 349 – Upper Band Edge at 2.4835GHz @ BPSK 6.5Mbps**




**Plot 350 – Upper Band Edge at 2.4835GHz @ QPSK 19.5Mbps**




**BAND EDGE COMPLIANCE (CONDUCTED) TEST**

**Band Edge Compliance (Conducted) Plots – 802.11n**



**Plot 351 – Upper Band Edge at 2.4835GHz @ 16QAM 39Mbps**



**Plot 352 – Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps**



## BAND EDGE COMPLIANCE (RADIATED) TEST

### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Limits

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power. In addition, radiated emissions which fall in the restricted bands shall comply to the radiated emission limits specified in 15.209.

### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
R&S Test Receiver – ESI1	ESI40	100010	14 Jul 2016	1 year
EMCO Horn Antenna(1GHz-18GHz)	3115	0003-6088	20 Apr 2016	1 year
R&S Preamplifier (1GHz -18GHz)	SCU18	102191	13 Mar 2016	1 year

### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz to show compliance of spurious at band edges are at least 20dB below the carriers. For restricted band spurious at band edges, peak and average measurement plots were taken using the following setting:
  - a. Peak Plot:  
RBW = 1MHz, VBW = 3MHz
  - b. Average Plot  
RBW = 1MHz, VBW = 30Hz
4. All other supporting equipment were powered separately from another filtered mains.

### 47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode with specified modulation and data rate.
2. The frequency span of the spectrum analyser was set to wide enough to capture the lower band edge of the transmission band, 2.400GHz and any spurious emissions at the band edge.
3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected. For the average measurement, it was done via a video average mode with a reduced VBW.
4. Repeat steps 1 to 3 with all possible modulations and data rates.
5. The steps 2 to 4 were repeated with the frequency span of the spectrum analyser was set to wide enough to capture the upper band edge frequency of the transmission band, 2.4835GHz and the any spurious emissions at the band-edge.



**BAND EDGE COMPLIANCE (RADIATED) TEST**

**47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Results**


Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots	353 – 358 (802.11b) 359 – 364 (802.11g) 365 – 370 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

No significant signal was found and they were below the specified limit.




**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) – 802.11b**




**Plot 353 – Lower Band Edge at 2.4000GHz @ CCK 11Mbps**




**Plot 354 – Upper Band Edge at 2.4835GHz @ CCK 11Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11b**




**Plot 355 – Peak Plot at Lower Band Edge at 2.4000GHz @ CCK 11Mbps**




**Plot 356 – Average Plot at Lower Band Edge at 2.4000GHz @ CCK 11Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11b**




**Plot 357 – Peak Plot at Upper Band Edge at 2.4835GHz @ CCK 11Mbps**




**Plot 358 – Average Plot at Upper Band Edge at 2.4835GHz @ CCK 11Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) – 802.11g**




**Plot 359 – Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps**




**Plot 360 – Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11g**




**Plot 361 – Peak Plot at Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps**




**Plot 362 – Average Plot at Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11g**




**Plot 363 – Peak Plot at Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps**




**Plot 364 – Average Plot at Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) – 802.11n**




**Plot 365 – Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps**




**Plot 366 – Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11n**




**Plot 367 – Peak Plot at Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps**




**Plot 368 – Average Plot at Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps**

**BAND EDGE COMPLIANCE (RADIATED) TEST**

**Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11n**



**Plot 369 – Peak Plot at Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps**



**Plot 370 – Average Plot at Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps**



**PEAK POWER SPECTRAL DENSITY TEST**

**47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Limits**

The EUT shows compliance to the requirements of this section, which states the peak power spectral density conducted from the intentional radiator (EUT) to the antenna shall not be greater than 8dBm (6.3mW) in any 3kHz band during any time interval of continuous transmission.

**47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Instrumentation**

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

**47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Setup**

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum via a low-loss coaxial cable.
4. The resolution bandwidth (RBW), video bandwidth (VBW) and span of the spectrum analyser were set to the following:  
RBW = 3kHz  
VBW = 9kHz  
Span = 1.5 times the channel bandwidth  
Sweep time = auto couple
5. All other supporting equipment were powered separately from another filtered mains.

**47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Method**

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel with specified modulation and data rate.
2. The peak of the transmitting frequency was detected with the marker peak function of the spectrum analyser.
3. The peak power density of the transmitting frequency was plotted and recorded.
4. Repeat steps 1 to 3 with all possible modulations and data rates.
5. The steps 2 to 4 were repeated with the transmitting frequency was set to middle and upper channel respectively.



**PEAK POWER SPECTRAL DENSITY TEST**

**47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Results**

Test Input Power	7.4Vdc	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

**802.11b**

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
1 (lower ch)	2.412	0.1540	6.3	DBPSK @ 1Mbps
		0.3850	6.3	DQPSK @ 2Mbps
		0.3392	6.3	CCK @ 11Mbps
6 (mid ch)	2.437	0.1754	6.3	DBPSK @ 1Mbps
		0.9285	6.3	DQPSK @ 2Mbps
		0.3204	6.3	CCK @ 11Mbps
11 (upper ch)	2.462	0.1456	6.3	DBPSK @ 1Mbps
		0.8937	6.3	DQPSK @ 2Mbps
		0.2633	6.3	CCK @ 11Mbps

**802.11g**

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
1 (lower ch)	2.412	0.1320	6.3	BPSK @ 9Mbps
		0.1113	6.3	QPSK @ 18Mbps
		0.2904	6.3	16QAM @ 36Mbps
		0.1061	6.3	64QAM @ 54Mbps
6 (mid ch)	2.437	0.0965	6.3	BPSK @ 9Mbps
		0.0985	6.3	QPSK @ 18Mbps
		0.1121	6.3	16QAM @ 36Mbps
		0.0970	6.3	64QAM @ 54Mbps
11 (upper ch)	2.462	0.1112	6.3	BPSK @ 9Mbps
		0.0934	6.3	QPSK @ 18Mbps
		0.1130	6.3	16QAM @ 36Mbps
		0.1037	6.3	64QAM @ 54Mbps



**PEAK POWER SPECTRAL DENSITY TEST**

**47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Results**

Test Input Power	7.4Vdc	Temperature	24°C
Attached Plots		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin


**802.11n**

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
1 (lower ch)	2.412	0.1190	6.3	BPSK @ 6.5Mbps (MCS0)
		0.1020	6.3	QPSK @ 19.5Mbps (MCS2)
		0.1029	6.3	16QAM @ 39Mbps (MCS4)
		0.0928	6.3	64QAM @ 65Mbps (MCS7)
6 (mid ch)	2.437	0.1007	6.3	BPSK @ 6.5Mbps (MCS0)
		0.0861	6.3	QPSK @ 19.5Mbps (MCS2)
		0.0879	6.3	16QAM @ 39Mbps (MCS4)
		0.1028	6.3	64QAM @ 65Mbps (MCS7)
11 (upper ch)	2.462	0.0919	6.3	BPSK @ 6.5Mbps (MCS0)
		0.0908	6.3	QPSK @ 19.5Mbps (MCS2)
		0.0820	6.3	16QAM @ 39Mbps (MCS4)
		0.0768	6.3	64QAM @ 65Mbps (MCS7)




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11b



Plot 371 – Channel 1 (lower ch) @ DBPSK 1Mbps




Plot 372 – Channel 1 (lower ch) @ DQPSK 2Mbps



PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11b




Plot 373 – Channel 1 (lower ch) @ CCK 11Mbps






PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11g



Plot 374 – Channel 1 (lower ch) @ BPSK 9Mbps




Plot 375 – Channel 1 (lower ch) @ QPSK 18Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11g



Plot 376 – Channel 1 (lower ch) @ 16QAM 36Mbps




Plot 377 – Channel 1 (lower ch) @ 64QAM 54Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11n



Plot 378 – Channel 1 (lower ch) @ BPSK 6.5Mbps




Plot 379 – Channel 1 (lower ch) @ QPSK 19.5Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11n



Plot 380 – Channel 1 (lower ch) @ 16QAM 39Mbps




Plot 381 – Channel 1 (lower ch) @ 64QAM 65Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11b



Plot 382 – Channel 6 (middle ch) @ DBPSK 1Mbps




Plot 383 – Channel 6 (middle ch) @ DQPSK 2Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11b




Plot 384 – Channel 6 (middle ch) @ CCK 11Mbps






PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11g



Plot 385 – Channel 6 (middle ch) @ BPSK 9Mbps




Plot 386 – Channel 6 (middle ch) @ QPSK 18Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11g



Plot 387 – Channel 6 (middle ch) @ 16QAM 36Mbps




Plot 388 – Channel 6 (middle ch) @ 64QAM 54Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11n



Plot 389 – Channel 6 (middle ch) @ BPSK 6.5Mbps




Plot 390 – Channel 6 (middle ch) @ QPSK 19.5Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11n



Plot 391 – Channel 6 (middle ch) @ 16QAM 39Mbps




Plot 392 – Channel 6 (middle ch) @ 64QAM 65Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11b



Plot 393 – Channel 11 (upper ch) @ DBPSK 1Mbps




Plot 394 – Channel 11 (upper ch) @ DQPSK 2Mbps



PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11b




Plot 395 – Channel 11 (upper ch) @ CCK 11Mbps






PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11g



Plot 396 – Channel 11 (upper ch) @ BPSK 9Mbps




Plot 397 – Channel 11 (upper ch) @ QPSK 18Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11g



Plot 398 – Channel 11 (upper ch) @ 16QAM 36Mbps




Plot 399 – Channel 11 (upper ch) @ 64QAM 54Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11n



Plot 400 – Channel 11 (upper ch) @ BPSK 6.5Mbps




Plot 401 – Channel 11 (upper ch) @ QPSK 19.5Mbps




PEAK POWER SPECTRAL DENSITY TEST

Peak Power Spectral Density Plots – 802.11n



Plot 402 – Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 403 Channel 11 (upper ch) @ 64QAM 65Mbps



Please note that this Report is issued under the following terms :

1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
2. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
3. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
4. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
5. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

July 2011






---

**ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS**




**ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS**

**TEST SETUP (30MHz to 1GHz)**




**Radiated Emissions Test Setup (Front View)**




**Radiated Emissions Test Setup (Rear View)**

**ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS**

**TEST SETUP (Above 1GHz)**



**Radiated Emissions Test Setup (Front View)**



**Radiated Emissions Test Setup (Rear View)**

**ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS**

**TEST SETUP**



**Spectrum Bandwidth (6dB Bandwidth Measurement) Test Setup**



**Maximum Peak Power Test Setup**

ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

TEST SETUP



RF Conducted Spurious Emissions (Non-Restricted Bands) Test Setup




RF Conducted Spurious Emissions (Restricted Bands) Test Setup

**ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS**

**TEST SETUP**



**Band Edge Compliance (Conducted) Test Setup**




**Band Edge Compliance (Radiated) Test Setup**

**ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS**

**TEST SETUP**



**Peak Power Spectral Density Test Setup**



ANNEX A TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

EUT PHOTOGRAPHS



Front View



Rear View



**ANNEX B USER MANUAL TECHNICAL DESCRIPTION BLOCK & CIRCUIT DIAGRAMS**

---





---

**ANNEX C FCC, IC LABEL & POSITION**



**ANNEX C FCC LABEL & POSITION**

Labelling requirements per Section 2.925, 15.19 and RSS-GEN 2.1

The label shown will be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time of purchase.



Sample Label



Physical Location of FCC and IC Label on EUT



---

**ANNEX D TEST SITE DESCRIPTION**



## ANNEX D TEST SITE DESCRIPTION

### Radiated Emission Test Site Description


The Radiated Emission test facility consists of a RF-shielded enclosure (Model: 04" x 07") manufactured by Lindgren whose dimensions are shown below. The exterior of the chamber is made of rigid steel panels while the interior is covered with RF absorbing panels on the 4 walls and ceiling. The steel-clad ground plane is covered with vinyl flooring.

The turntable is mounted flushed with the chamber floor and is driven by a pneumatic motor, which is capable of supporting 4,000 kg.

The boresight antenna mast is driven by a pneumatic motor with heights variation from 1m- 4m for both vertical and horizontal polarity and with tilt capability.

Both turntable and antenna mast in the chamber are controlled by system controller stationed outside the chamber.

The physical layout of the chamber is show below:



**ANNEX D TEST SITE DESCRIPTION**

Conducted Emission Test Site Description

The Conducted Emission facility consists of an RF-shielded enclosure measuring 4.3m x 3.7m x 2.45m manufactured by Universal Shielding Corporation. The Conducted Emission data were taken using two LISNs.

The physical layout of the test site is show below:

