

INDEX OF SUBMITTED MEASURED DATA

EXHIBIT 6F (Revised) – Conducted Spurious Emissions (12 Graphs):

- 6F-1: 30 Watts, 403.100 MHz, 25 kHz Channel Spacing
- 6F-2: 30 Watts, 435.100 MHz, 25 kHz Channel Spacing
- 6F-3: 30 Watts, 469.900 MHz, 25 kHz Channel Spacing
- 6F-4: 1 Watt, 403.100 MHz, 25 kHz Channel Spacing
- 6F-5: 1 Watt, 435.100 MHz, 25 kHz Channel Spacing
- 6F-6: 1 Watt, 469.900 MHz, 25 kHz Channel Spacing
- 6F-7: 30 Watts, 403.100 MHz, 12.5 kHz Channel Spacing
- 6F-8: 30 Watts, 435.100 MHz, 12.5 kHz Channel Spacing
- 6F-9: 30 Watts, 469.900 MHz, 12.5 kHz Channel Spacing
- 6F-10: 1 Watt, 403.100 MHz, 12.5 kHz Channel Spacing
- 6F-11: 1 Watt, 435.100 MHz, 12.5 kHz Channel Spacing
- 6F-12: 1 Watt, 469.900 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6G (Revised) – Radiated Spurious Emissions (12 Graphs):

- 6G-1: 30 Watts, 403.100 MHz, 25 kHz Channel Spacing
& 30 Watts, 435.100 MHz, 25 kHz Channel Spacing
- 6G-2: 30 Watts, 469.900 MHz, 25 kHz Channel Spacing
- 6G-3: 1 Watt, 403.100 MHz, 25 kHz Channel Spacing
& 1 Watt, 435.100 MHz, 25 kHz Channel Spacing
- 6G-4: 1 Watt, 469.900 MHz, 25 kHz Channel Spacing
- 6G-5: 30 Watts, 403.100 MHz, 12.5 kHz Channel Spacing
& 30 Watts, 435.100 MHz, 12.5 kHz Channel Spacing
- 6G-6: 30 Watts, 469.900 MHz, 12.5 kHz Channel Spacing
- 6G-7: 1 Watt, 403.100 MHz, 12.5 kHz Channel Spacing
& 1 Watt, 435.100 MHz, 12.5 kHz Channel Spacing
- 6G-8: 1 Watt, 469.900 MHz, 12.5 kHz Channel Spacing

EXHIBIT 6F (Revised)
Transmitter Conducted Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c) (13)




Table 6F-1: 30 Watts, 403.100 MHz, 25 kHz Channel Spacing




Table 6F-2: 30 Watts, 435.100 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-3: 30 Watts, 469.900 MHz, 25 kHz Channel Spacing




Table 6F-4: 1 Watt, 403.100 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-5: 1 Watt, 435.100 MHz, 25 kHz Channel Spacing




Table 6F-6: 1 Watt, 469.900 MHz, 25 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-7: 30 Watts, 403.100 MHz, 12.5 kHz Channel Spacing




Table 6F-8: 30 Watts, 435.100 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-9: 30 Watts, 469.900 MHz, 12.5 kHz Channel Spacing




Table 6F-10: 1 Watt, 403.100 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.




Table 6F-11: 1 Watt, 435.100 MHz, 12.5 kHz Channel Spacing




Table 6F-12: 1 Watt, 469.900 MHz, 12.5 kHz Channel Spacing

Note: Spurs which are not shown is 50dB below the specification limits.

Exhibit 6-G (Revised)
Transmitter Radiated Spurious Emissions - Pursuant 47 CFR 2.1047 and 2.1033(c)(13)


Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 30 Watts

403.1 MHz

Channel Spacing 25kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
806.2000	-13	-72.30	-71.58
1209.3000	-13	-71.36	-72.18
1612.4000	-13	*	-69.86
2015.5000	-13	*	-61.30
2418.6000	-13	*	-53.77
2821.7000	-13	*	*
3224.8000	-13	*	*
3627.9000	-13	*	*
4031.0000	-13	*	*




Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 30 Watts

435.1 MHz

Channel Spacing 25kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
870.2000	-13	*	*
1305.3000	-13	-62.27	-60.08
1740.4000	-13	*	*
2175.5000	-13	-64.31	-60.44
2610.6000	-13	-66.72	*
3045.7000	-13	-60.00	-58.58
3480.8000	-13	*	*
3915.9000	-13	*	*
4351.0000	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006


Graph 6G-1: 30 Watts, 403.100 MHz, 25 kHz Channel Spacing & 30 Watts, 435.100 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1
Tx Power: 30 Watts

469.9 MHz

Channel Spacing 25kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
939.8000	-13	*	*
1409.7000	-13	-53.47	-55.72
1879.6000	-13	-57.27	-56.16
2349.5000	-13	-56.87	-54.55
2819.4000	-13	-63.64	-59.88
3289.3000	-13	-60.09	*
3759.2000	-13	*	*
4229.1000	-13	*	*
4699.0000	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006

Graph 6G-2: 30 Watts, 469.900 MHz, 25 kHz Channel Spacing


Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 1 Watts

403.1 MHz

Channel Spacing 25kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
806.2000	-13	*	*
1209.3000	-13	*	*
1612.4000	-13	*	*
2015.5000	-13	-67.27	-65.23
2418.6000	-13	*	*
2821.7000	-13	-64.96	*
3224.8000	-13	*	*
3627.9000	-13	*	*
4031.0000	-13	*	*




Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 1 Watts

435.1 MHz

Channel Spacing 25kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
870.2000	-13	*	*
1305.3000	-13	-72.72	-72.15
1740.4000	-13	*	*
2175.5000	-13	-66.61	-64.27
2610.6000	-13	*	*
3045.7000	-13	*	*
3480.8000	-13	*	*
3915.9000	-13	*	*
4351.0000	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006


Graph 6G-3: 1 Watt, 403.100 MHz, 25 kHz Channel Spacing & 1 Watt, 435.100 MHz, 25 kHz Channel Spacing

Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1
Tx Power: 1 Watts

469.9 MHz

Channel Spacing 25kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.8000	-13	*	*
1409.7000	-13	-71.03	-70.29
1879.6000	-13	*	*
2349.5000	-13	-66.43	-61.98
2819.4000	-13	*	*
3289.3000	-13	*	*
3759.2000	-13	*	*
4229.1000	-13	*	*
4699.0000	-13	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006

Graph 6G-4: 1 Watt, 469.900 MHz, 25 kHz Channel Spacing


Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 30 Watts

403.1 MHz

Channel Spacing 12.5kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
806.2000	-20	*	*
1209.3000	-20	-67.86	-67.94
1612.4000	-20	-71.26	-70.53
2015.5000	-20	-67.32	-62.17
2418.6000	-20	*	*
2821.7000	-20	-63.49	-60.77
3224.8000	-20	*	*
3627.9000	-20	*	*
4031.0000	-20	*	*




Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 30 Watts

435.1 MHz

Channel Spacing 12.5kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
870.2000	-20	*	*
1305.3000	-20	-67.45	-67.30
1740.4000	-20	*	*
2175.5000	-20	-59.30	-57.61
2610.6000	-20	-64.35	*
3045.7000	-20	-59.65	-57.43
3480.8000	-20	-60.92	*
3915.9000	-20	*	*
4351.0000	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.

The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006


Graph 6G-5: 30 Watts, 403.100 MHz, 12.5 kHz Channel Spacing & 30 Watts, 435.100 MHz, 12.5 kHz Channel Spacing

Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1
Tx Power: 30 Watts

469.9 MHz

Channel Spacing 12.5kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
939.8000	-20	*	*
1409.7000	-20	-46.93	-47.09
1879.6000	-20	-58.74	-56.64
2349.5000	-20	-57.05	-53.03
2819.4000	-20	-63.33	-57.81
3289.3000	-20	-59.34	*
3759.2000	-20	-60.35	*
4229.1000	-20	*	*
4699.0000	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006

Graph 6G-6: 30 Watts, 469.900 MHz, 12.5 kHz Channel Spacing


Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 1 Watts

403.1 MHz

Channel Spacing 12.5kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
806.2000	-20	*	*
1209.3000	-20	*	*
1612.4000	-20	*	*
2015.5000	-20	*	*
2418.6000	-20	*	*
2821.7000	-20	-62.50	-60.05
3224.8000	-20	*	*
3627.9000	-20	*	*
4031.0000	-20	*	*




Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 1 Watts

435.1 MHz

Channel Spacing 12.5kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv Pwr Into Ideal Dipole (dBm)
870.2000	-20	*	*
1305.3000	-20	*	*
1740.4000	-20	*	*
2175.5000	-20	-65.52	-63.51
2610.6000	-20	*	*
3045.7000	-20	*	*
3480.8000	-20	*	*
3915.9000	-20	*	*
4351.0000	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006

Graph 6G-7: 1 Watt, 403.100 MHz, 12.5 kHz Channel Spacing & 1 Watt, 435.100 MHz, 12.5 kHz Channel Spacing


Transmit Radiated Spurious Emissions: EPP Waris Mobile UHF1

Tx Power: 1 Watts

469.9 MHz

Channel Spacing 12.5kHz | S/N BB6EKT05

Frequency (MHz)	FCC Failing Limit (dBm)	Horizontal Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)	Vertical Measured Emission Equiv. Pwr Into Ideal Dipole (dBm)
939.8000	-20	*	*
1409.7000	-20	-69.18	-67.74
1879.6000	-20	-68.00	-65.08
2349.5000	-20	-66.46	-60.76
2819.4000	-20	*	*
3289.3000	-20	*	*
3759.2000	-20	*	*
4229.1000	-20	*	*
4699.0000	-20	*	*



* Indicates the spurious emission could not be detected due to noise limitations or ambients.
 The data presented here was taken using the substitution method as found in the TIA/EIA-603 document.

Motorola Plantation EMC Lab – Test Performed by: Curt Mc Lennan
 FCC Registration: 91932 / Industry Canada: IC3679

April 21, 2006

Graph 6G-8: 1 Watt, 469.900 MHz, 12.5 kHz Channel Spacing