

LIST OF EXHIBITS

	DESCRIPTION	EXHIBIT	FCC REFERENCE
I	Identification label information & General Information	1 1A	2.983-(f) 2.981-(c) & 2.1061
	1. Production Plans		
	2. Application References		
	3. Data Submittal Procedures		
II	Certification Of Data	2	2.907
III	External Photographs	3	2.983-(g)
IV	Block Diagrams or Circuit Descriptions	4	2.983-(d)-10,11
	1. Frequency Stabilization		
	2. Modulation Limiting		
	3. Attenuation Of Higher Audio Frequencies		
	4. Attenuation Of Spurious Emissions		
	5. Limiting Output Power		
	6. Modulation Techniques		
	7. Transient Frequency Behavior		
V	Schematic Diagrams	5	2.983-(d)-7
VI	Test Report	6	
	1. Data Index	6	
	2. RF Output Data	6A	2.985 (a)
	3. Modulation Characteristics		2.987 (a)
	a) Audio Response	6B	
	b) Low Pass Filter Response	6C	
	c) Modulation Limiting	6D	
	4. Occupied Bandwidth	6E	2.989
	5. Conducted Spurious Emissions	6F	2.991
	6. Radiated Spurious Emissions	6G	2.993
	7. Frequency Stability (Temp. & Supply Volt)	6H & 6I	2.995
	8. Transient Frequency Behavior	6J	2.2.19(EIA/TIA SP-2218)
VII	Test Set-Up Procedures	7	
	a) Test Equipment Used		
	b) Method of Measurements		
	c) Emission Designator Information		
VIII	Instruction Manual	8	
IX	Internal Photograph(s)	9	2.983-(g)
X	Parts List & Tune-up Procedures	10 & 10A	2.983-(d)-6 & 2.983-(d)-9
XI	RF Exposure Information	11	
XII	Operational Description	12	
	a) Technical Characteristics		2.983-(d)-1,2,3,4,5
	b) Application		
XIII	Cover Letter	13	2.1033

IDENTIFICATION LABEL

LOCATION


- See the attached Photograph or Sketch
- Back of Radio
- Back of Radio under Belt Clip

TYPE

- The label is a paper polyester firm laminate with a pressure sensitive adhesive backing. The adhesive is a permanent type acrylic with a minimum peel strength of 40 oz/inches.
- The label is laser etched into the Urethane paint, exposing the Nickel plating on the Zamak casting substrate. Since no adhesive is required, the label is permanent and tamper-proof.
(*-NOTE- The label attached below is a paper polyester film laminate, as described above. This is just for sample purposes, as the actual label is laser etched into the casting)

MARKINGS (TEXT)

- See the attached Photograph
- Label attached below
- See attached Drawing



GENERAL INFORMATION

I. Production Plans -- Pursuant 2.981 (c)

Quantity production is planned

II. Application References -- Pursuant 2.1061

EIA/TIA-603 Land Mobile FM or PM Communications Equipment Measurement and Performance Standards

Code of Federal Regulations Title 47, Part 2, Sec. 2.983-2.999 and Part 90, Sec.90.210

III. Data Submittal Procedure:

Data is supplied in accordance with Part 2, Sub-part J of the Commissions' Rules.

The intended use of this transceiver includes applications covered in the Code of Federal Regulations Title 47, Parts 22, 74, and 90.