Test Report No. 7191120725-EEC15/02
dated 25 Sep 2015

PSB Singapore

Choose certainty.
Add value.

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

TEST REPORT COVER PAGE

Product Information			
Product Name / Description:	MOTOTRBO MOBILE RADIO (2.4GHz WiFi)	Applicant Company Number:	109U
Model Number(s):	AAM28QPN9RA1AN	UPN Number:	92FT7079
All Used IC Test Site(s) Reg. #:	2932I-1	SAR Test Lab Company Number:	--

Emissions Information								
	Band 1	Band 2	Band 3	Band 4	Band 5	Band 6	Band 7	Band 8
RSS # & Issue #	RSS-247 & Issue 1							
Frequency Min (MHz)	2412							
Frequency Max (MHz)	2462							
RF Power Min (W) Conducted / EIRP / ERP	--							
RF Power Max (W) Conducted	0.018							
Field Strength Units @ distance	111.8 dBµV/m @ 3m							
Measured BW (kHz) (99%, 26dB, 6dB, etc.)	17840 (99%)							
Calculated BW (kHz) As per TRC-43	17900							
Emission Classification (FID, GID, DID, etc.)	17M9D1 D							
Transmitter Spurious Units @ distance	1.46GHz 50.4 dBµV/m (Peak) @ 3m							
	B	B	B	B	B	B	B	B
RSS # & Issue #								
Frequency Min (MHz)								
Frequency Max (MHz)								
RF Power Min (W) Conducted / EIRP / ERP								
RF Power Max (W) Conducted / EIRP / ERP								
Field Strength Units @ distance								
Measured BW (kHz) (99%, 26dB, 6dB, etc.)								
Calculated BW (kHz) As per TRC-43								
Emission Classification (FID, GID, DID, etc.)								
Transmitter Spurious Units @ distance								

Agreement Signature

ATTESTATION: The test measurements were made in accordance with the above-mentioned departmental standard(s), and that the radio equipment identified in this application has been subject to all the applicable test conditions specified in the departmental standards and all of the requirements of the standards have been met.

Applicant / Agent Name:	Lim Cher Hwee	Applicant / Agent Title:	Assistant Vice President
Applicant / Agent Signature:		Signature Date:	25 Sep 2015

Test Report No. 7191120725-EEC15/02
dated 25 Sep 2015

PSB Singapore

Choose certainty.
Add value.

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.

FORMAL REPORT ON TESTING IN ACCORDANCE WITH
47 CFR FCC Parts 15B & C
RSS-GEN Issue 4: 2014
RSS-247 Issue 1: 2015
OF A
MOTOTRBO MOBILE RADIO (2.4GHz WiFi)
[Model : AAM28QPN9RA1AN]
[FCC ID : AZ492FT7079 & IC : 109U-92FT7079]

TEST FACILITY	TÜV SÜD PSB Pte Ltd Electrical & Electronics Centre (EEC), Product Services, No. 1 Science Park Drive, Singapore 118221
FCC REG. NO.	99142 (3m and 10m Semi-Anechoic Chamber, Science Park)
IND. CANADA REG. NO.	2932I-1 (3m and 10m Semi-Anechoic Chamber, Science Park)
PREPARED FOR	Motorola Solutions Malaysia Sdn Bhd Plot 2, Technoplex Industrial Park Mukim 12 Swd, Medan Bayan Lepas, Bayan Lepas Industrial Park, 11900 Bayan Lepas, Pulau Penang, Malaysia Tel : +604 2528543 Fax : +604 8503099
QUOTATION NUMBER	2191024729
JOB NUMBER	7191120730
TEST PERIOD	14 Sep 2015 – 25 Sep 2015

PREPARED BY	**APPROVED BY**
Quek Keng Huat	Lim Cher Hwee
Higher Associate Engineer	Assistant Vice President

TÜV SÜD PSB

ilac-MRA

ACCREDITED LABORATORY SAC-SINGLAS

LA-2007-0380-A LA-2007-0384-G
LA-2007-0381-F LA-2007-0385-E
LA-2007-0382-B LA-2007-0386-C
LA-2007-0383-G LA-2010-0464-D

The results reported herein have been performed in accordance with the laboratory's terms of accreditation under the Singapore Accreditation Council - Singapore Laboratory Accreditation Scheme. Tests/Calibrations marked "Not SAC-SINGLAS Accredited" in this Report are not included in the SAC-SINGLAS Accreditation Schedule for our laboratory.

Laboratory:
TÜV SÜD PSB Pte. Ltd.
No.1 Science Park Drive
Singapore 118221

Phone : +65-6885 1333
Fax : +65-6776 8670
E-mail: testing@tuv-sud-psb.sg
www.tuv-sud-psb.sg
Co. Reg : 199002667R

Regional Head Office:
TÜV SÜD Asia Pacific Pte. Ltd.
3 Science Park Drive, #04-01/05
The Franklin, Singapore 118223

TABLE OF CONTENTS

The product was tested in accordance with the customer's specifications.

Test Results Summary

Test Standard	Description	Pass / Fail
47 CFR FCC Part 15 and RSS-GEN Issue 4: 2014 and RSS-247 Issue 1: 2015		
15.207 RSS-GEN 8.8	Conducted Emissions	Pass
15.205, 15.209 RSS-GEN 8.9, 8.10	Radiated Emissions (Spurious Emissions inclusive Restricted Bands Requirement)	Pass
15.247(a)(2) RSS-247 5.2(1)	Spectrum Bandwidth (6dB and 99% Bandwidth Measurement)	Pass
15.247(b)(3) RSS-247 5.4(4)	Maximum Peak Power	Pass
15.247(d) RSS-247 5.5	RF Conducted Spurious Emissions (Non-Restricted Bands)	Pass
15.247(d) RSS-247 5.5	RF Conducted Spurious Emissions (Restricted Bands)	Pass
15.247(d) RSS-247 5.5	Band Edge Compliance (Conducted)	Pass
15.247(d) RSS-247 5.5	Band Edge Compliance (Radiated)	Pass
15.247(e) RSS-247 5.2(2)	Peak Power Spectral Density	Pass
1.1310 RSS-102 4.0, RSS-GEN 3.2	Maximum Permissible Exposure	Pass

Notes

1. The channels as listed below, under the different configurations were tested for 802.11b WLAN.

Transmit Channel	Frequency (GHz)	Modulation	Data Rate
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	DBPSK DBPSK DBPSK	1Mbps 1Mbps 1Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	DQPSK DQPSK DQPSK	2Mbps 2Mbps 2Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	CCK CCK CCK	11Mbps 11Mbps 11Mbps

2. The channels as listed below, under the different configurations were tested for 802.11g WLAN.

Transmit Channel	Frequency (GHz)	Modulation	Data Rate
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	BPSK BPSK BPSK	9Mbps 9Mbps 9Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	QPSK QPSK QPSK	18Mbps 18Mbps 18Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	16QAM 16QAM 16QAM	36Mbps 36Mbps 36Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	64QAM 64QAM 64QAM	54Mbps 54Mbps 54Mbps

3. The channels as listed below, under the different configurations were tested for 802.11n WLAN.

Transmit Channel	Frequency (GHz)	Modulation	Data Rate
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	BPSK BPSK BPSK	6.5Mbps 6.5Mbps 6.5Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	QPSK QPSK QPSK	19.5Mbps 19.5Mbps 19.5Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	16QAM 16QAM 16QAM	39Mbps 39Mbps 39Mbps
Channel 1 (Lower Channel) Channel 6 (Middle Channel) Channel 11 (Upper Channel)	2.412 2.437 2.462	64QAM 64QAM 64QAM	65Mbps 65Mbps 65Mbps

Notes (Contimuced)

4. The EUT is a Class B device when in non-transmitting state and meets the 47 CFR FCC Part15B Class B requirements.

5. All test measurement procedures are according to ANSI C63.4: 2014, ANSI C63.10: 2013 and KDB 558074 D01 DTS Measurement Guidance V03R03.

6. RSS-102 is RSS-102 Issue 4: 2015.

Modifications

No modifications were made.

PRODUCT DESCRIPTION

Description	:	The Equipment Under Test (EUT) is a **MOTOTRBO MOBILE RADIO.**
Manufacturer	:	Motorola Solutions Malaysia Sdn Bhd Plot 2, Technoplex Industrial Park Mukim 12 Swd, Medan Bayan Lepas, Bayan Lepas Industrial Park, 11900 Bayan Lepas, Pulau Penang, Malaysia
Model Number	:	AAM28QPN9RA1AN
FCC ID	:	AZ492FT7079
IC	:	109U-92FT7079
Serial Number	:	511TRMB983
Microprocessor	:	Ti OMAPL138BZWTA3R
Operating / Transmitting Frequency	:	Bluetooth / Bluetooth LE 2.402GHz (lower channel) to 2.480GHz (upper channel) 79 channels (Bluetooth), 40 channels (Bluetooth LE) WiFi 2.412GHz (lower channel) to 2.462GHz (upper channel) 11 channels Land Mobile 403MHz to 470MHz /Channel Spacing 12.5kHz/25kHz
Clock / Oscillator Frequency	:	Reference Clock: 19.2 MHz , LO: 329.65 MHz - 396.65 MHz
Modulation	:	Bluetooth Gaussian Frequency Shift Keying (GFSK) (π/4) DQPSK 8DPSK WiFi Differential Binary Phase Shift Keying (DBPSK) Differential Quadrature Phase Shift Keying (DQPSK) Complementary Code Keying (CCK) Binary Phase Shift Keying (BPSK) Quadrature Phase Shift Keying (QPSK) 16-Quadrature Amplitude Modulation (16QAM) 64-Quadrature Amplitude Modulation (64QAM) Land Mobile Frequency Modulation (FM)
Antenna Gain	:	4.0 dBi (PIFA Antenna)

(Continued)

Port / Connectors	:	Refer to manufacturer's user manual / operating manual
Rated Input Power	:	120V 60Hz
Accessories	:	Refer to manufacturer's user manual / operating manual

SUPPORTING EQUIPMENT DESCRIPTION

Equipment Description (Including Brand Name)	Model, Serial & FCC ID Number	Cable Description (List Length, Type & Purpose)
Fujitsu Laptop	M/N: S6310 S/N: R7100269 FCC ID: DoC	Nil
Fujitsu AC Adapter	M/N: CP293662-01 S/N: O6X00399B FCC ID: DoC	1.80m unshielded power cable
Microsoft Wheel Mouse	M/N: X08-71118 S/N: Nil FCC ID: DoC	Nil
Alfatronix Limited Desktop Power Supply	M/N: AD MT 3100/DM S/N: Nil FCC ID: DoC	Nil
Motorola IMPRES Keypad Microphone	M/N: RMN5127C S/N: Nil FCC ID: DoC	Nil

EUT OPERATING CONDITIONS

47 CFR FCC Part 15 and RSS-GEN Issue 4 and RSS-247 Issue 1
1. Conducted Emissions **2. Radiated Emissions (Spurious Emissions inclusive Restricted Bands Requirement)** **3. Spectrum Bandwidth (6dB Bandwidth Measurement)** **4. Maximum Peak Power** **5. RF Conducted Spurious Emissions Emission (Non-Restricted Bands)** **6. RF Conducted Spurious Emissions Emission (Restricted Bands)** **7. Band Edge Compliance (Conducted)** **8. Band Edge Compliance (Radiated)** **9. Peak Power Spectral Density** **10. Maximum Permissible Exposure**
The EUT was exercised by operating in maximum continuous transmission in test mode, i.e transmitting at lower, middle and upper channels respectively at one time.

47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Limits

Frequency Range (MHz)	Limit Values (dBµV)	
	Quasi-peak (Q-P)	Average (AV)
0.15 - 0.5	66 – 56 *	56 – 46 *
0.5 - 5.0	56	46
5.0 - 30.0	60	50
* Decreasing linearly with the logarithm of the frequency		

47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Schaffner EMI Receiver	SMR4503	040	11 Feb 2016	1 year
Agilent EMC Analyzer-SA7	E7403A	US41160167	28 May 2016	1 year
Schaffner LISN –LISN10 (EUT)	NNB42	04/10055	31 Oct 2015	1 year
EMCO LISN (for supporting) – LISN6	3825/2	9309-2127	31 Oct 2015	1 year

47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Test Setup

1. The EUT and supporting equipment were set up in accordance with the requirements of the standard on top of a 1.5m x 1m x 0.8m high, non-metallic table.
2. The power supply for the EUT was fed through a 50Ω/50μH EUT LISN, connected to filtered mains.
3. The RF OUT of the EUT LISN was connected to the EMI test receiver via a low-loss coaxial cable.
4. All other supporting equipment were powered separately from another LISN.

47 CFR FCC Part 15.207 and RSS-GEN 8.8 Conducted Emission Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition.
2. A scan was made on the NEUTRAL line over the required frequency range using an EMI test receiver.
3. High peaks, relative to the limit line, were then selected.
4. The EMI test receiver was then tuned to the selected frequencies and the necessary measurements made with a receiver bandwidth setting of 9kHz. Both Quasi-peak and Average measurements were made.
5. Steps 2 to 4 were then repeated for the LIVE line.

Sample Calculation Example

At 20 MHz Q-P limit = 60.0 dBμV
Transducer factor of LISN, pulse limiter & cable loss at 20 MHz = 11.2 dB
Q-P reading obtained directly from EMI Receiver = 40.0 dBμV (Calibrated for system losses)
Therefore, Q-P margin = 60.0 - 40.0 = 20.0 i.e. 20.0 dB below Q-P limit

47 CFR FCC Part 15.207 and and RSS-GEN 8.8 Conducted Emission Results

Test Input Power	120V 60Hz	Temperature	22°C
Line Under Test	AC Mains	Relative Humidity	55%
802.11 Protocol	802.11b @ 1Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Li Chaoming

Frequency (MHz)	Peak Value (dBµV)	Q-P Limit (dBµV)	Q-P Margin (dB)	AV Value (dBµV)	AV Limit (dBµV)	AV Margin (dB)	Line	Channel
0.5664	35.8	56.0	20.2	-- *See Note 3	46.0	10.2	Live	1
0.7256	33.2	56.0	22.8	-- *See Note 3	46.0	12.8	Neutral	1
1.2644	34.1	56.0	21.9	-- *See Note 3	46.0	11.9	Live	1
1.6440	33.0	56.0	23.0	-- *See Note 3	46.0	13.0	Neutral	1
1.9380	33.5	56.0	22.5	-- *See Note 3	46.0	12.5	Neutral	1
2.2809	33.2	56.0	22.8	-- *See Note 3	46.0	12.8	Neutral	1

Test Input Power	120V 60Hz	Temperature	22°C
Line Under Test	AC Mains	Relative Humidity	55%
802.11 Protocol	802.11g @ 9Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Li Chaoming

Frequency (MHz)	Peak Value (dBµV)	Q-P Limit (dBµV)	Q-P Margin (dB)	AV Value (dBµV)	AV Limit (dBµV)	AV Margin (dB)	Line	Channel
0.6031	32.8	56.0	23.2	-- *See Note 3	46.0	13.2	Live	1
0.7011	34.5	56.0	21.5	-- *See Note 3	46.0	11.5	Neutral	1
1.1542	34.7	56.0	21.3	-- *See Note 3	46.0	11.3	Neutral	1
2.5258	34.6	56.0	21.4	-- *See Note 3	46.0	11.4	Live	1
4.1300	32.9	56.0	23.1	-- *See Note 3	46.0	13.1	Live	1
10.0505	36.9	60.0	23.1	-- *See Note 3	50.0	13.1	Neutral	1

Test Input Power	120V 60Hz	Temperature	22°C
Line Under Test	AC Mains	Relative Humidity	55%
802.11 Protocol	802.11n @ 6.5Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Li Chaoming

Frequency (MHz)	Peak Value (dBµV)	Q-P Limit (dBµV)	Q-P Margin (dB)	AV Value (dBµV)	AV Limit (dBµV)	AV Margin (dB)	Line	Channel
0.1867	43.2	64.2	21.0	-- *See Note 3	54.2	11.0	Live	1
0.5419	33.2	56.0	22.8	-- *See Note 3	46.0	12.8	Neutral	1
0.6521	33.1	56.0	22.9	-- *See Note 3	46.0	12.9	Neutral	1
0.9093	33.4	56.0	22.6	-- *See Note 3	46.0	12.6	Live	1
1.0440	33.1	56.0	22.9	-- *See Note 3	46.0	12.9	Live	1
4.2525	33.6	56.0	22.4	-- *See Note 3	46.0	12.4	Neutral	1

Notes

1. All possible modes of operation were investigated from 150kHz to 30MHz. Only the worst case emissions measured, using the correct CISPR detectors, are reported. All other emissions were relatively insignificant.
2. A "positive" margin indicates a PASS as it refers to the margin present below the limit line at the particular frequency. Conversely, a “negative” margin indicates a FAIL.
3. As the measured peak shows compliance to the Q-P & Average limits, as such no Q-P & Average measurements was carried out. The EUT is deemed to meet both requirements.
4. EMI receiver Resolution Bandwidth (RBW) and Video Bandwidth (VBW) settings:
   9kHz - 30MHz
   RBW: 9kHz VBW: 30kHz
5. Conducted Emissions Measurement Uncertainty
   All test measurements carried out are traceable to national standards. The uncertainty of the measurement at a confidence level of approximately 95%, with a coverage factor of 2, in the range 9kHz – 30MHz is ±2.2dB.

47 CFR FCC Part 15.205 and RSS-GEN 8.10 Restricted Bands

MHz			MHz			MHz			GHz		
0.090	-	0.110	16.42	-	16.423	399.9	-	410	4.5	-	5.15
0.495	-	0.505	16.69475	-	16.69525	608	-	614	5.35	-	5.46
2.1735	-	2.1905	16.80425	-	16.80475	960	-	1240	7.25	-	7.75
4.125	-	4.128	25.5	-	25.67	1300	-	1427	8.025	-	8.5
4.17725	-	4.17775	37.5	-	38.25	1435	-	1626.5	9.0	-	9.2
4.20725	-	4.20775	73	-	74.6	1645.5	-	1646.5	9.3	-	9.5
6.215	-	6.218	74.8	-	75.2	1660	-	1710	10.6	-	12.7
6.26775	-	6.26825	108	-	121.94	1718.8	-	1722.2	13.25	-	13.4
6.31175	-	6.31225	123	-	138	2200	-	2300	14.47	-	14.5
8.291	-	8.294	149.9	-	150.05	2310	-	2390	15.35	-	16.2
8.362	-	8.366	156.52475	-	156.52525	2483.5	-	2500	17.7	-	21.4
8.37625	-	8.38675	156.7	-	156.9	2690	-	2900	22.01	-	23.12
8.41425	-	8.41475	162.0125	-	167.17	3260	-	3267	23.6	-	24.0
12.29	-	12.293	167.72	-	173.2	3332	-	3339	31.2	-	31.8
12.51975	-	12.52025	240	-	285	3345.8	-	3358	36.43	-	36.5
12.57675	-	12.57725	322	-	335.4	3600	-	4400	Above 38.6		
13.36	-	13.41									

47 CFR FCC Part 15.209 and RSS-GEN 8.9 Radiated Emission Limits

Frequency Range (MHz)	Quasi-Peak Limit Values (dBµV/m)
0.009 - 0.490	20 log [2400 / F (kHz)] @ 300m
0.490 - 1.705	20 log [24000 / F (kHz)] @ 30m
1.705 - 30.0	30.0 @ 30m
30 - 88	40.0 @ 3m
88 - 216	43.5 @ 3m
216 - 960	46.0 @ 3m
Above 960	54.0* @ 3m
* For frequency bands 9kHz – 90kHz, 110kHz – 490kHz and above 1GHz, average detector was used. A peak limit of 20dB above the average limit does apply.	

47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
R&S Test Receiver – ESI1	ESI40	100010	14 Jul 2016	1 year
Schaffner Bilog Antenna –(30MHz-2GHz) BL3 (Ref)	CBL6112D	2549	29 Jan 2016	1 year
ETS Horn Antenna(18GHz-40GHz)(Ref)	3116	0004-2474	02 Oct 2016	1 year
EMCO Horn Antenna(1GHz-18GHz)	3115	0003-6088	20 Apr 2016	1 year
R&S Preamplifier (1GHz -18GHz)	SCU18	102191	13 Mar 2016	1 year
Agilent Preamplifier(1GHz-26.5GHz) (PA18)	8449D	3008A02305	06 Oct 2016	1 year
Com-Power Preamplifier (1MHz-1GHz)	PAM-103	441096	13 Oct 2015	1 year
Micro-Tronics Bandstop Filter (2.4-2.5 GHz)	BRM50701	017	13 Aug 2016	1 year

47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Setup

1. The EUT and supporting equipment were set up in accordance with the requirements of the standard on top of a 1.5m X 1.0m X 0.8m high, non-metallic table. For >1GHz measurements, the EUT is raised further to a height of 1.5m with a non-metallic foam block.
2. The filtered power supply for the EUT and supporting equipment were tapped from the appropriate power sockets located on the turntable.
3. The relevant broadband antenna was set at the required test distance away from the EUT and supporting equipment boundary.

47 CFR FCC Part 15.209, RSS-GEN 8.9 and 8.10 Radiated Emission Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition.
2. A prescan was carried out to pick the worst emission frequencies from the EUT. For EUT which is a portable device, the prescan was carried out by rotating the EUT through three orthogonal axes to determine which altitude and equipment arrangement produces such emissions.
3. The test was carried out at the selected frequency points obtained from the prescan in step 2. Maximization of the emissions, was carried out by rotating the EUT, changing the antenna polarization, and adjusting the antenna height in the following manner:
   a. Vertical or horizontal polarisation (whichever gave the higher emission level over a full rotation of the EUT) was chosen.
   b. The EUT was then rotated to the direction that gave the maximum emission.
   c. Finally, the antenna height was adjusted to the height that gave the maximum emission.
4. A Quasi-peak measurement was made for that frequency point if it was less than or equal to 1GHz. For frequency point in the range of 9kHz – 90kHz, 110kHz – 490kHz and above 1GHz, both Peak and Average measurements were carried out.
5. Steps 3 and 4 were repeated for the next frequency point, until all selected frequency points were measured.
6. The frequency range covered was from the lowest radio frequency signal generated from the EUT, without going below 9kHz to 10th harmonics of the EUT fundamental frequency, using the loop antenna for frequency below 30MHz, Bi-log antenna for frequencies from 30MHz up to 1GHz, and the Horn antenna above 1GHz.

Sample Calculation Example

At 300 MHz	Q-P limit (Class B) = 46.0 dBμV/m
Log-periodic antenna factor & cable loss at 300 MHz = 18.5 dB	
Q-P reading obtained directly from EMI Receiver = 40.0 dBμV/m (Calibrated level including antenna factors & cable losses)	
Therefore, Q-P margin = 46.0 - 40.0 = 6.0	i.e. 6.0 dB below Q-P limit

47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (30MHz –1GHz)	Relative Humidity	60%
	802.11b @11Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBµV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel
320.0130	10.4	46.0	35.6	97	80	H	11
448.7250	8.6	46.0	37.4	267	31	V	11
452.7930	8.6	46.0	37.4	255	327	V	11
455.8430	8.6	46.0	37.4	232	257	V	11
605.1660	25.2	46.0	20.8	131	305	H	11
667.6610	15.3	46.0	30.7	123	323	H	11

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (1GHz –25GHz)	Relative Humidity	60%
	802.11b @1Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.3238	45.6	74.0	28.4	29.0	54.0	25.0	400	170	V	1
1.6679	50.7	74.0	23.3	30.5	54.0	23.5	200	179	V	1
1.9918	48.7	74.0	25.3	29.4	54.0	24.6	100	244	V	1
2.9633	37.0	74.0	37.0	29.3	54.0	24.7	400	193	V	1
3.6009	45.0	74.0	29.0	42.7	54.0	11.3	300	321	V	1
14.7925	49.8	74.0	24.2	39.2	54.0	14.8	400	64	V	1

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.6983	43.8	74.0	30.2	28.4	54.0	25.6	100	313	V	6
1.9918	43.7	74.0	30.3	29.6	54.0	24.4	100	243	V	6
2.1233	36.2	74.0	37.8	26.6	54.0	27.4	200	349	V	6
2.9633	40.5	74.0	33.5	28.7	54.0	25.3	400	183	V	6
3.6009	44.9	74.0	29.1	42.6	54.0	11.4	300	321	V	6
14.7196	42.7	74.0	31.3	39.0	54.0	15.0	300	179	V	6

47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.4453	49.0	74.0	25.0	29.0	54.0	25.0	200	39	H	11
1.5465	48.8	74.0	25.2	26.4	54.0	27.6	100	150	H	11
1.6679	47.2	74.0	26.8	30.1	54.0	23.9	100	331	V	11
1.9918	48.5	74.0	25.5	29.0	54.0	25.0	300	91	V	11
2.9633	42.9	74.0	31.1	29.0	54.0	25.0	400	194	V	11
3.6009	44.3	74.0	29.7	42.0	54.0	12.0	300	321	V	11

47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (30MHz –1GHz)	Relative Humidity	60%
	802.11g 9Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBµV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel
47.9990	13.1	40.0	26.9	100	23	V	1
260.0670	8.2	46.0	37.8	100	82	H	1
293.4970	7.1	46.0	38.9	111	220	H	1
325.6140	7.9	46.0	38.1	148	213	H	1
449.9360	8.8	46.0	37.2	282	344	V	1
805.1400	14.7	46.0	31.3	100	305	H	1

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (1GHz – 25GHz)	Relative Humidity	60%
	802.11g 18Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.4352	48.7	74.0	25.3	27.9	54.0	26.1	200	337	V	1
1.6578	46.7	74.0	27.3	27.6	54.0	26.4	100	320	V	1
1.9918	45.0	74.0	29.0	28.9	54.0	25.1	100	104	V	1
2.1537	47.9	74.0	26.1	27.7	54.0	26.3	300	23	V	1
2.9633	42.1	74.0	31.9	29.2	54.0	24.8	400	175	V	1
3.6009	44.0	74.0	30.0	42.0	54.0	12.0	300	300	V	1

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1518	49.5	74.0	24.5	25.6	54.0	28.4	100	251	H	6
1.3238	49.2	74.0	24.8	28.5	54.0	25.5	200	300	H	6
1.6578	47.1	74.0	26.9	26.3	54.0	27.7	400	9	H	6
1.9918	45.4	74.0	28.6	30.0	54.0	24.0	300	57	H	6
2.9633	43.0	74.0	31.0	28.8	54.0	25.2	400	195	V	6
3.6009	44.2	74.0	29.8	40.8	54.0	13.2	300	3	V	6

47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.6578	45.2	74.0	28.8	26.5	54.0	27.5	400	11	H	11
1.8602	38.8	74.0	35.2	27.6	54.0	26.4	300	337	V	11
1.9918	45.3	74.0	28.7	29.4	54.0	24.6	300	50	H	11
2.1335	45.3	74.0	28.7	28.8	54.0	25.2	300	337	V	11
2.9633	42.2	74.0	31.8	29.3	54.0	24.7	300	179	V	11
3.6009	44.1	74.0	29.9	41.3	54.0	12.7	300	312	V	11

47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (30MHz – 1GHz)	Relative Humidity	60%
	802.11n 6.5Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions ranging from 30MHz – 1GHz

Frequency (MHz)	Q-P Value (dBµV/m)	Q-P Limit (dBµV/m)	Q-P Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Channel
47.9550	10.6	40.0	29.4	102	39	V	1
256.0170	6.8	46.0	39.2	114	269	H	1
325.3070	6.2	46.0	39.8	117	79	H	1
337.8920	6.5	46.0	39.5	108	266	H	1
448.4160	8.6	46.0	37.4	122	229	V	1
829.8510	13.4	46.0	32.6	281	201	V	1

Test Input Power	120V 60Hz	Temperature	24°C
Test Distance	3m (1GHz – 25GHz)	Relative Humidity	60%
	802.11n 19.5Mbps (Worst)	Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.3238	41.7	74.0	32.3	28.3	54.0	25.7	200	32	V	1
1.5161	37.2	74.0	36.8	28.0	54.0	26.0	200	23	V	1
1.6578	42.9	74.0	31.1	30.5	54.0	23.5	100	309	V	1
1.9918	43.5	74.0	30.5	29.1	54.0	24.9	100	334	V	1
2.9633	40.5	74.0	33.5	28.8	54.0	25.2	300	195	V	1
3.6009	44.3	74.0	29.7	41.0	54.0	13.0	200	162	H	1

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.1619	40.2	74.0	33.8	26.6	54.0	27.4	100	304	H	6
1.6477	45.7	74.0	28.3	30.0	54.0	24.0	300	78	V	6
1.9918	44.0	74.0	30.0	28.6	54.0	25.4	300	58	H	6
2.2270	36.0	74.0	38.0	27.9	54.0	26.1	200	184	V	6
2.9633	41.3	74.0	32.7	28.9	54.0	25.1	300	179	V	6
3.6009	44.7	74.0	29.3	41.2	54.0	12.8	200	95	H	6

47 CFR FCC Part 15.205, 15.209 and RSS-GEN 8.9 and 8.10 Radiated Emission Results

Spurious Emissions above 1GHz - 25GHz

Freq (GHz)	Peak Value (dBµV/m)	Peak Limit (dBµV/m)	Peak Margin (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Azimuth (Degrees)	Pol (H/V)	Ch
1.3238	48.8	74.0	25.2	26.5	54.0	27.5	200	293	H	11
1.4573	50.4	74.0	23.6	26.2	54.0	27.8	200	190	V	11
1.6882	46.6	74.0	27.4	29.0	54.0	25.0	100	326	V	11
1.9918	43.8	74.0	30.2	29.3	54.0	24.7	100	317	V	11
2.9633	43.0	74.0	31.0	29.0	54.0	25.0	400	195	V	11
3.6009	44.1	74.0	29.9	41.5	54.0	12.5	200	91	H	11

Notes

1. All possible modes of operation were investigated. Only the worst case emissions measured, using the correct CISPR detectors, are reported. All other emissions were relatively insignificant.
2. Quasi-peak measurement was used for frequency measurement up to 1GHz. Average and peak measurements were used for emissions above 1GHz. The average measurement was done by averaging over a complete cycle of the pulse train, including the blanking interval as the pulse train duration does not exceed 0.1 second.
3. A "positive" margin indicates a PASS as it refers to the margin present below the limit line at the particular frequency. Conversely, a “negative” margin indicates a FAIL.
4. EMI receiver Resolution Bandwidth (RBW) and Video Bandwidth (VBW) settings:
   30MHz - 1GHz
   RBW: 100kHz VBW: 1MHz
   >1GHz
   RBW: 1MHz VBW: 1MHz
5. The upper frequency of radiated emission investigations was according to requirements stated in Section 15.33(a) for intentional radiators & Section 15.33(b) for unintentional radiators.
6. The upper frequency of radiated emission investigations was according to requirements stated in RSS-GEN 6.13.
7. The channel in the table refers to the transmit channel of the EUT.
8. Radiated Emissions Measurement Uncertainty
   All test measurements carried out are traceable to national standards. The uncertainty of the measurement at a confidence level of approximately 95%, with a coverage factor of 2, in the range 30MHz – 25GHz is ±4.0dB.

SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Limits

The EUT shows compliance to the requirements of this section, which states that the minimum bandwidth of the EUT employing digital modulation techniques shall be at least 500kHz.

47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to the following:
   RBW = 100kHz
   VBW = 3 times RBW
5. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel.
2. The center frequency of the spectrum analyser was set to the transmitting frequency with the frequency span wide enough to capture the 6dB and 99% bandwidth of the transmitting frequency.
3. The spectrum analyser was set to max hold to capture the transmitting frequency. The signal capturing was continuous until no further changes were observed.
4. The peak of the transmitting frequency was detected with the marker peak function of the spectrum analyser. For 6dB bandwidth measurement, the frequencies below the 6dB peak frequency at lower (f_L) and upper (f_H) sides of the transmitting frequency were marked and measured by using the marker-delta function of the spectrum analyser. For 99% bandwidth measurement, the spectrum analyser power measurement was activated with bandwidth measurement as 99%.
5. For 6dB bandwidth measurement, the 6dB bandwidth of the transmitting frequency is the frequency difference between the marked lower and upper frequencies, $| f_H - f_L |$. For 99% bandwidth measurement, the measured 99% bandwidth shown on the spectrum analyser was recorded.
6. The steps 2 to 5 were repeated with the transmitting frequency was set to middle and upper channel respectively.

SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11b

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 *(lower ch)*	2.412	10.125	13.37	DBPSK @ 1Mbps
		9.938	13.22	DQPSK @ 2Mbps
		10.375	13.29	CCK @ 11Mbps
6 *(mid ch)*	2.437	10.250	13.46	DBPSK @ 1Mbps
		10.000	13.42	DQPSK @ 2Mbps
		10.125	13.60	CCK @ 11Mbps
11 *(upper ch)*	2.462	10.250	13.52	DBPSK @ 1Mbps
		9.938	13.60	DQPSK @ 2Mbps
		10.375	13.70	CCK @ 11Mbps

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11g

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 *(lower ch)*	2.412	16.500	16.53	BPSK @ 9Mbps
		16.563	16.53	QPSK @ 18Mbps
		16.625	16.50	16QAM @ 36Mbps
		16.625	16.60	64QAM @ 54Mbps
6 *(mid ch)*	2.437	16.625	16.41	BPSK @ 9Mbps
		16.563	16.53	QPSK @ 18Mbps
		16.625	16.51	16QAM @ 36Mbps
		16.625	16.65	64QAM @ 54Mbps
11 *(upper ch)*	2.462	16.563	16.55	BPSK @ 9Mbps
		16.500	16.51	QPSK @ 18Mbps
		16.625	16.57	16QAM @ 36Mbps
		16.625	16.66	64QAM @ 54Mbps

SPECTRUM BANDWIDTH (6dB and 99% BANDWIDTH MEASUREMENT) TEST

47 CFR FCC Part 15.247(a)(2) and RSS-247 5.2(1) Spectrum Bandwidth (6dB and 99% Bandwidth Measurement) Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11n

Channel	Channel Frequency (GHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)	Modulation @ Data Rate
1 *(lower ch)*	2.412	17.750	17.62	BPSK @ 6.5Mbps (MCS0)
		17.750	17.70	QPSK @ 19.5Mbps (MCS2)
		17.875	17.65	16QAM @ 39Mbps (MCS4)
		17.875	17.64	64QAM @ 65Mbps (MCS7)
6 *(mid ch)*	2.437	17.750	17.65	BPSK @ 6.5Mbps (MCS0)
		17.750	17.72	QPSK @ 19.5Mbps (MCS2)
		17.875	17.76	16QAM @ 39Mbps (MCS4)
		17.875	17.83	64QAM @ 65Mbps (MCS7)
11 *(upper ch)*	2.462	17.750	17.68	BPSK @ 6.5Mbps (MCS0)
		17.750	17.67	QPSK @ 19.5Mbps (MCS2)
		17.875	17.65	16QAM @ 39Mbps (MCS4)
		17.875	17.84	64QAM @ 65Mbps (MCS7)

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b



Plot 1 - Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 2 - Channel 1 *(lower ch)* @ DQPSK 2Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b



Plot 3 - Channel 1 *(lower ch)* @ CCK 11Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g



Plot 4 - Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 5 - Channel 1 *(lower ch)* @ QPSK 18Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g



Plot 6 - Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 7 - Channel 1 *(lower ch)* @ 64QAM 54Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n



Plot 8 - Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 9 - Channel 1 *(lower ch)* @ QPSK 19.5Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n



Plot 10 - Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 11 - Channel 1 *(lower ch)* @ 64QAM 65Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b



Plot 12 - Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 13 - Channel 6 *(middle ch)* @ DQPSK 2Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b



Plot 14 - Channel 6 *(middle ch)* @ CCK 11Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g



Plot 15 - Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 16 - Channel 6 *(middle ch)* @ QPSK 18Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g



Plot 17 - Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 18 - Channel 6 *(middle ch)* @ 64QAM 54Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n



Plot 19 - Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 20 - Channel 6 *(middle ch)* @ QPSK 19.5Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n



Plot 21 - Channel 6 *(middle ch)* @ 16QAM 39Mbps



Plot 22 - Channel 6 *(middle ch)* @ 64QAM 65Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b



Plot 23 - Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 24 - Channel 11 *(upper ch)* @ DQPSK 2Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11b



Plot 25 - Channel 11 *(upper ch)* @ CCK 11Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g



Plot 26 - Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 27 - Channel 11 *(upper ch)* @ QPSK 18Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11g



Plot 28 - Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 29 - Channel 11 *(upper ch)* @ 64QAM 54Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n



Plot 30 - Channel 11 *(upper ch)* @ BPSK 6.5Mbps



Plot 31 - Channel 11 *(upper ch)* @ QPSK 19.5Mbps

Spectrum Bandwidth (6dB Bandwidth Measurement) Plots – 802.11n



Plot 32 - Channel 11 *(upper ch)* @ 16QAM 39Mbps



Plot 33 - Channel 11 *(upper ch)* @ 64QAM 65Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 34 - Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 35 - Channel 1 *(lower ch)* @ DQPSK 2Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 36 - Channel 1 *(lower ch)* @ CCK 11Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 37 - Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 38 - Channel 1 *(lower ch)* @ QPSK 18Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 39 - Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 40 - Channel 1 *(lower ch)* @ 64QAM 54Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n



Plot 41 - Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 42 - Channel 1 *(lower ch)* @ QPSK 19.5Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n



Plot 43 - Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 44 - Channel 1 *(lower ch)* @ 64QAM 65Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 45 - Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 46 - Channel 6 *(middle ch)* @ DQPSK 2Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 47 - Channel 6 *(middle ch)* @ CCK 11Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 48 - Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 49 - Channel 6 *(middle ch)* @ QPSK 18Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 50 - Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 51 - Channel 6 *(middle ch)* @ 64QAM 54Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n



Plot 52 - Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 53 - Channel 6 *(middle ch)* @ QPSK 19.5Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n



Plot 54 - Channel 6 *(middle ch)* @ 16QAM 39Mbps



Plot 55 - Channel 6 *(middle ch)* @ 64QAM 65Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 56 - Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 57 - Channel 11 *(upper ch)* @ DQPSK 2Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11b



Plot 58 - Channel 11 *(upper ch)* @ CCK 11Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 59 - Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 60 - Channel 11 *(upper ch)* @ QPSK 18Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11g



Plot 61 - Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 62 - Channel 11 *(upper ch)* @ 64QAM 54Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n



Plot 63 - Channel 11 *(upper ch)* @ BPSK 6.5Mbps



Plot 64 - Channel 11 *(upper ch)* @ QPSK 19.5Mbps

Spectrum Bandwidth (99% Bandwidth Measurement) Plots – 802.11n



Plot 65 - Channel 11 *(upper ch)* @ 16QAM 39Mbps



Plot 66 - Channel 11 *(upper ch)* @ 64QAM 65Mbps

47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Limits

The EUT shows compliance to the requirements of this section, which states the maximum peak power of the EUT employing digital modulation shall not exceed 1W (30dBm).

47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Boonton Electronics RF Power Meter	4532	72901	27 Aug 2016	1 year
Boonton Electronics Peak Power Sensor	56218-S/1	1417	27 Aug 2016	1 year

47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the power meter.
4. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel with specified modulation and data rate.
2. The maximum peak power of the transmitting frequency was detected and recorded.
3. Repeat steps 1 to 2 with all possible modulations and data rates.
4. The steps 2 to 3 were repeated with the transmitting frequency was set to middle and upper respectively.

47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Results

Test Input Power	120V 60Hz	Temperature	24°C
Antenna Gain	4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11b

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
1 *(lower ch)*	2.412	0.0171	1.0	DBPSK @ 1Mbps
		0.0169	1.0	DQPSK @ 2Mbps
		0.0181	1.0	CCK @ 11Mbps
6 *(mid ch)*	2.437	0.0167	1.0	DBPSK @ 1Mbps
		0.0162	1.0	DQPSK @ 2Mbps
		0.0164	1.0	CCK @ 11Mbps
11 *(upper ch)*	2.462	0.0169	1.0	DBPSK @ 1Mbps
		0.0167	1.0	DQPSK @ 2Mbps
		0.0164	1.0	CCK @ 11Mbps

802.11g

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
1 *(lower ch)*	2.412	0.0112	1.0	BPSK @ 9Mbps
		0.0110	1.0	QPSK @ 18Mbps
		0.0105	1.0	16QAM @ 36Mbps
		0.0100	1.0	64QAM @ 54Mbps
6 *(mid ch)*	2.437	0.0111	1.0	BPSK @ 9Mbps
		0.0099	1.0	QPSK @ 18Mbps
		0.0097	1.0	16QAM @ 36Mbps
		0.0100	1.0	64QAM @ 54Mbps
11 *(upper ch)*	2.462	0.0109	1.0	BPSK @ 9Mbps
		0.0100	1.0	QPSK @ 18Mbps
		0.0108	1.0	16QAM @ 36Mbps
		0.0101	1.0	64QAM @ 54Mbps

47 CFR FCC Part 15.247(b)(3) and RSS-247 5.4(4) Maximum Peak Power Results

Test Input Power	120V 60Hz	Temperature	24°C
Antenna Gain	4.0 dBi	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11n

Channel	Channel Frequency (GHz)	Maximum Peak Power (W)	Limit (W)	Modulation @ Data Rate
1 *(lower ch)*	2.412	0.0070	1.0	BPSK @ 6.5Mbps (MCS0)
		0.0070	1.0	QPSK @ 19.5Mbps (MCS2)
		0.0069	1.0	16QAM @ 39Mbps (MCS4)
		0.0066	1.0	64QAM @ 65Mbps (MCS7)
6 *(mid ch)*	2.437	0.0064	1.0	BPSK @ 6.5Mbps (MCS0)
		0.0062	1.0	QPSK @ 19.5Mbps (MCS2)
		0.0054	1.0	16QAM @ 39Mbps (MCS4)
		0.0059	1.0	64QAM @ 65Mbps (MCS7)
11 *(upper ch)*	2.462	0.0070	1.0	BPSK @ 6.5Mbps (MCS0)
		0.0069	1.0	QPSK @ 19.5Mbps (MCS2)
		0.0066	1.0	16QAM @ 39Mbps (MCS4)
		0.0066	1.0	64QAM @ 65Mbps (MCS7)

Notes

1. Nil.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Limits

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz.
5. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Non-Restricted Bands) Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.
2. The start and stop frequencies of the spectrum analyser were set to 30MHz and 10GHz.
3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
4. The steps 2 to 3 were repeated with frequency span was set from 10GHz to 25GHz.
5. Repeat steps 1 to 4 with all possible modulations and data rates.
6. The steps 2 to 5 were repeated with the transmitting frequency was set to middle and upper channel respectively.

47 CFR FCC Part 15.247(d) RF Conducted Spurious Emissions (Non-Restricted Bands) Results

Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	67 – 84 (802.11b) 85 – 108 (802.11g) 109 – 132 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

All spurious signals found were below the specified limit. Please refer to the attached plots.

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 67 – Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 68 – Channel 1 *(lower ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 69 – Channel 1 *(lower ch)* @ DQPSK 2Mbps



Plot 70 – Channel 1 *(lower ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 71 – Channel 1 *(lower ch)* @ CCK 11Mbps



Plot 72 – Channel 1 *(lower ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 73 – Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 74 – Channel 6 *(middle ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 75 – Channel 6 *(middle ch)* @ DQPSK 2Mbps



Plot 76 – Channel 6 *(middle ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 77 – Channel 6 *(middle ch)* @ CCK 11Mbps



Plot 78 – Channel 6 *(middle ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 79 – Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 80 – Channel 11 *(upper ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 81 – Channel 11 *(upper ch)* @ DQPSK 2Mbps



Plot 82 – Channel 11 *(upper ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11b



Plot 83 – Channel 11 *(upper ch)* @ CCK 11Mbps



Plot 84 – Channel 11 *(upper ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 85 – Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 86 – Channel 1 *(lower ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 87 – Channel 1 *(lower ch)* @ QPSK 18Mbps



Plot 88 – Channel 1 *(lower ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 89 – Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 90 – Channel 1 *(lower ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 91 – Channel 1 *(lower ch)* @ 64QAM 54Mbps



Plot 92 – Channel 1 *(lower ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 93 – Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 94 – Channel 6 *(middle ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 95 – Channel 6 *(middle ch)* @ QPSK 18Mbps



Plot 96 – Channel 6 *(middle ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 97 – Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 98 – Channel 6 *(middle ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 99 – Channel 6 *(middle ch)* @ 64QAM 54Mbps



Plot 100 – Channel 6 *(middle ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 101 – Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 102 – Channel 11 *(upper ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 103 – Channel 11 *(upper ch)* @ QPSK 18Mbps



Plot 104 – Channel 11 *(upper ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 105 – Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 106 – Channel 11 *(upper ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 107 – Channel 11 *(upper ch)* @ 64QAM 54Mbps



Plot 108 – Channel 11 *(upper ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 109 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 110 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 111 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps



Plot 112 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 113 – Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 114 – Channel 1 *(lower ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 115 – Channel 1 *(lower ch)* @ 64QAM 65Mbps



Plot 116 – Channel 1 *(lower ch)* @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 117 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 118 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 119 – Channel 6 *(middle ch)* @ QPSK 19.5Mbps



Plot 120 – Channel 6 *(middle ch)* @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 121 – Channel 6 *(middle ch)* @ 16QAM 39Mbps



Plot 122 – Channel 6 *(middle ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 123 – Channel 6 *(middle ch)* @ 64QAM 65Mbps



Plot 124 – Channel 6 *(middle ch)* @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 125 – Channel 11 *(upper ch)* @ BPSK 6.5Mbps



Plot 126 – Channel 11 *(upper ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 127 – Channel 11 *(upper ch)* @ QPSK 19.5Mbps



Plot 128 – Channel 11 *(upper ch)* @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11n



Plot 129 – Channel 11 *(upper ch)* @ 16QAM 39Mbps



Plot 130 – Channel 11 *(upper ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Non-Restricted Bands) Plots – 802.11g



Plot 131 – Channel 11 *(upper ch)* @ 64QAM 65Mbps



Plot 132 – Channel 11 *(upper ch)* @ 64QAM 65Mbps

47 CFR FCC Part 15.205 and RSS-GEN 8.10 Restricted Bands

MHz			MHz			MHz			GHz		
0.090	-	0.110	16.42	-	16.423	399.9	-	410	4.5	-	5.15
0.495	-	0.505	16.69475	-	16.69525	608	-	614	5.35	-	5.46
2.1735	-	2.1905	16.80425	-	16.80475	960	-	1240	7.25	-	7.75
4.125	-	4.128	25.5	-	25.67	1300	-	1427	8.025	-	8.5
4.17725	-	4.17775	37.5	-	38.25	1435	-	1626.5	9.0	-	9.2
4.20725	-	4.20775	73	-	74.6	1645.5	-	1646.5	9.3	-	9.5
6.215	-	6.218	74.8	-	75.2	1660	-	1710	10.6	-	12.7
6.26775	-	6.26825	108	-	121.94	1718.8	-	1722.2	13.25	-	13.4
6.31175	-	6.31225	123	-	138	2200	-	2300	14.47	-	14.5
8.291	-	8.294	149.9	-	150.05	2310	-	2390	15.35	-	16.2
8.362	-	8.366	156.52475	-	156.52525	2483.5	-	2500	17.7	-	21.4
8.37625	-	8.38675	156.7	-	156.9	2690	-	2900	22.01	-	23.12
8.41425	-	8.41475	162.0125	-	167.17	3260	-	3267	23.6	-	24.0
12.29	-	12.293	167.72	-	173.2	3332	-	3339	31.2	-	31.8
12.51975	-	12.52025	240	-	285	3345.8	-	3358	36.43	-	36.5
12.57675	-	12.57725	322	-	335.4	3600	-	4400	Above 38.6		
13.36	-	13.41									

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Limits

The EUT shows compliance to the requirements of this section, which states that emissions which fall in the restricted bands must comply with the radiated emission limits specified in the table below:

Frequency Range (MHz)	EIRP (dBm)	Radiated Emissions (dBµV/m)
0.009 – 0.490	-6.7 – (-41.4) **	67.6 – 20logF* @ 300m **
0.490 – 1.705	-41.4 – (-52.3) **	87.6 – 20logF* @ 30m **
1.705 – 30	-45.7	29.5 @ 30m
30 - 88	-55.2	40.0 @ 3m
88 - 216	-51.7	43.5 @ 3m
216 - 960	-49.2	46.0 @ 3m
>960	-41.2 ***	54.0 @ 3m ***
* F is frequency in kHz.		
** Decreasing linearly with the logarithm of the frequency.		
*** Above 1GHz, a peak limit of 20dB above the average limit does apply.		

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year
Micro-tronics Bandstop Filter (2.4GHz)	BRM50701-02	007	13 Aug 2016	1 year

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) of the spectrum analyser was set to the following settings. The video bandwidth (VBW) was set to at least three times of the RBW.

Frequency (MHz)	RBW (kHz)
0.009 – 0.150	0.2
0.150 – 30.0	9.0
30.0 - 1000	100.0
> 1000	1000.0

5. The detector of the spectrum analyser was set to peak detection mode.
6. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Test Method

1. Measurement in the range 9kHz – 1000MHz

1.1 The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.

1.2 The start and stop frequencies of the spectrum analyser were set according to the supported RBW.

1.3 The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.

1.4 No further measurement was required if all the captured emissions complied to the limits. Else, the spectrum analyser was set to zoom to the captured emission with the detector of the spectrum analyser was set to quasi-peak. The emission level of the captured frequency was measured.

1.5 The step 1.4 was repeated until all the captured emissions which exceeding the limits were measured.

1.6 Repeat steps 1.1 to 1.5 with all possible modulations and data rates.

1.7 The steps 1.2 to 1.6 were repeated with the transmitting frequency was set to middle and upper channel respectively.

2. Measurement above 1000MHz

2.1 The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode, with the transmitting frequency was set to lower channel with specified modulation and data rate.

2.2 The start and stop frequencies of the spectrum analyser were set according to the supported frequency band of the set RBW with the number of points in a sweep was set to equal or greater than 2 times of the ratio of span over RBW.

2.3 The detector of the spectrum analyser was set to power average (RMS) mode with the sweep time was set to equal or greater than 10 times of the product of number of measurement points in a sweep and transmission symbol time.

2.4 The spectrum analyser was then allowed to capture any spurious emissions within a single sweep. The peak marker function of the spectrum analyser was used to locate the highest power level.

2.5 The steps 2.2 to 2.4 were repeated until all the required frequency bands were measured.

2.6 Repeat steps 2.1 to 2.5 with all possible modulations and data rates.

2.7 The steps 2.2 to 2.6 were repeated with the transmitting frequency was set to middle and upper channel respectively.

2.8 The measurements were repeated with the detector of the spectrum analyser was set to peak detecting mode. The sweep time was set to auto coupler.

RF CONDUCTED SPURIOUS EMISSIONS (RESTRICTED BANDS) TEST

47 CFR FCC Part 15.247(d) and RSS-247 5.5 RF Conducted Spurious Emissions (Restricted Bands) Results

Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	133 – 186 (802.11b) 187 – 258 (802.11g) 259 – 330 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Chang Wai Kit

All spurious signals found were below the specified limit. Please refer to the attached plots.

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 133 – Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 134 – Channel 1 *(lower ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 135 – Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 136 – Channel 1 *(lower ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 137 – Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 138 – Channel 1 *(lower ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 139 – Channel 1 *(lower ch)* @ DQPSK 2Mbps



Plot 140 – Channel 1 *(lower ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 141 – Channel 1 *(lower ch)* @ DQPSK 2Mbps



Plot 142 – Channel 1 *(lower ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 143 – Channel 1 *(lower ch)* @ DQPSK 2Mbps



Plot 144 – Channel 1 *(lower ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 145 – Channel 1 *(lower ch)* @ CCK 11Mbps



Plot 146 – Channel 1 *(lower ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 147 – Channel 1 *(lower ch)* @ CCK 11Mbps



Plot 148 – Channel 1 *(lower ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 149 – Channel 1 *(lower ch)* @ CCK 11Mbps



Plot 150 – Channel 1 *(lower ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 151 – Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 152 – Channel 6 *(middle ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 153 – Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 154 – Channel 6 *(middle ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 155 – Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 156 – Channel 6 *(middle ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 157 – Channel 6 *(middle ch)* @ DQPSK 2Mbps



Plot 158 – Channel 6 *(middle ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 159 – Channel 6 *(middle ch)* @ DQPSK 2Mbps



Plot 160 – Channel 6 *(middle ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 161 – Channel 6 *(middle ch)* @ DQPSK 2Mbps



Plot 162 – Channel 6 *(middle ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 163 – Channel 6 *(middle ch)* @ CCK 11Mbps



Plot 164 – Channel 6 *(middle ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 165 – Channel 6 *(middle ch)* @ CCK 11Mbps



Plot 166 – Channel 6 *(middle ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 167 – Channel 6 *(middle ch)* @ CCK 11Mbps



Plot 168 – Channel 6 *(middle ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 169 – Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 170 – Channel 11 *(upper ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 171 – Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 172 – Channel 11 *(upper ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 173 – Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 174 – Channel 11 *(upper ch)* @ DBPSK 1Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 175 – Channel 11 *(upper ch)* @ DQPSK 2Mbps



Plot 176 – Channel 11 *(upper ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 177 – Channel 11 *(upper ch)* @ DQPSK 2Mbps



Plot 178 – Channel 11 *(upper ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 179 – Channel 11 *(upper ch)* @ DQPSK 2Mbps



Plot 180 – Channel 11 *(upper ch)* @ DQPSK 2Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 181 – Channel 11 *(upper ch)* @ CCK 11Mbps



Plot 182 – Channel 11 *(upper ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 183 – Channel 11 *(upper ch)* @ CCK 11Mbps



Plot 184 – Channel 11 *(upper ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11b



Plot 185 – Channel 11 *(upper ch)* @ CCK 11Mbps



Plot 186 – Channel 11 *(upper ch)* @ CCK 11Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 187 – Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 188 – Channel 1 *(lower ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 189 – Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 190 – Channel 1 *(lower ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 191 – Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 192 – Channel 1 *(lower ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 193 – Channel 1 *(lower ch)* @ QPSK 18Mbps



Plot 194 – Channel 1 *(lower ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 195 – Channel 1 *(lower ch)* @ QPSK 18Mbps



Plot 196 – Channel 1 *(lower ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 197 – Channel 1 *(lower ch)* @ QPSK 18Mbps



Plot 198 – Channel 1 *(lower ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 199 – Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 200 – Channel 1 *(lower ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 201 – Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 202 – Channel 1 *(lower ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 203 – Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 204 – Channel 1 *(lower ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 205 – Channel 1 *(lower ch)* @ 64QAM 54Mbps



Plot 206 – Channel 1 *(lower ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 207 – Channel 1 *(lower ch)* @ 64QAM 54Mbps



Plot 208 – Channel 1 *(lower ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 209 – Channel 1 *(lower ch)* @ 64QAM 54Mbps



Plot 210 – Channel 1 *(lower ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 211 – Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 212 – Channel 6 *(middle ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 213 – Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 214 – Channel 6 *(middle ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 215 – Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 216 – Channel 6 *(middle ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 217 – Channel 6 *(middle ch)* @ QPSK 18Mbps



Plot 218 – Channel 6 *(middle ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 219 – Channel 6 *(middle ch)* @ QPSK 18Mbps



Plot 220 – Channel 6 *(middle ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 221 – Channel 6 *(middle ch)* @ QPSK 18Mbps



Plot 222 – Channel 6 *(middle ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 223 – Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 224 – Channel 6 *(middle ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 225 – Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 226 – Channel 6 *(middle ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 227 – Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 228 – Channel 6 *(middle ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 229 – Channel 6 *(middle ch)* @ 64QAM 54Mbps



Plot 230 – Channel 6 *(middle ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 231 – Channel 6 *(middle ch)* @ 64QAM 54Mbps



Plot 232 – Channel 6 *(middle ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 233 – Channel 6 *(middle ch)* @ 64QAM 54Mbps



Plot 234 – Channel 6 *(middle ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 235 – Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 236 – Channel 11 *(upper ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 237 – Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 238 – Channel 11 *(upper ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 239 – Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 240 – Channel 11 *(upper ch)* @ BPSK 9Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 241 – Channel 11 *(upper ch)* @ QPSK 18Mbps



Plot 242 – Channel 11 *(upper ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 243 – Channel 11 *(upper ch)* @ QPSK 18Mbps



Plot 244 – Channel 11 *(upper ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 245 – Channel 11 *(upper ch)* @ QPSK 18Mbps



Plot 246 – Channel 11 *(upper ch)* @ QPSK 18Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 247 – Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 248 – Channel 11 *(upper ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 249 – Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 250 – Channel 11 *(upper ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 251 – Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 252 – Channel 11 *(upper ch)* @ 16QAM 36Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 253 – Channel 11 *(upper ch)* @ 64QAM 54Mbps



Plot 254 – Channel 11 *(upper ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 255 – Channel 11 *(upper ch)* @ 64QAM 54Mbps



Plot 256 – Channel 11 *(upper ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11g



Plot 257 – Channel 11 *(upper ch)* @ 64QAM 54Mbps



Plot 258 – Channel 11 *(upper ch)* @ 64QAM 54Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 259 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 260 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 261 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 262 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 263 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 264 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 265 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps



Plot 266 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 267 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps



Plot 268 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 269 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps



Plot 270 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 271 – Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 272 – Channel 1 *(lower ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 273 – Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 274 – Channel 1 *(lower ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 275 – Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 276 – Channel 1 *(lower ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 277 – Channel 1 *(lower ch)* @ 64QAM 65Mbps



Plot 278 – Channel 1 *(lower ch)* @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 279 – Channel 1 *(lower ch)* @ 64QAM 65Mbps



Plot 280 – Channel 1 *(lower ch)* @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 281 – Channel 1 *(lower ch)* @ 64QAM 65Mbps



Plot 282 – Channel 1 *(lower ch)* @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 283 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 284 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 285 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 286 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 287 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 288 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 289 – Channel 6 (middle ch) @ QPSK 19.5Mbps



Plot 290 – Channel 6 (middle ch) @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 291 – Channel 6 (middle ch) @ QPSK 19.5Mbps



Plot 292 – Channel 6 (middle ch) @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 293 – Channel 6 (middle ch) @ QPSK 19.5Mbps



Plot 294 – Channel 6 (middle ch) @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 295 – Channel 6 (middle ch) @ 16QAM 39Mbps



Plot 296 – Channel 6 (middle ch) @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 297 – Channel 6 (middle ch) @ 16QAM 39Mbps



Plot 298 – Channel 6 (middle ch) @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 299 – Channel 6 (middle ch) @ 16QAM 39Mbps



Plot 300 – Channel 6 (middle ch) @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 301 – Channel 6 (middle ch) @ 64QAM 65Mbps



Plot 302 – Channel 6 (middle ch) @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 303 – Channel 6 (middle ch) @ 64QAM 65Mbps



Plot 304 – Channel 6 (middle ch) @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 305 – Channel 6 (middle ch) @ 64QAM 65Mbps



Plot 306 – Channel 6 (middle ch) @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 307 – Channel 11 (upper ch) @ BPSK 6.5Mbps



Plot 308 – Channel 11 (upper ch) @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 309 – Channel 11 (upper ch) @ BPSK 6.5Mbps



Plot 310 – Channel 11 (upper ch) @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 311 – Channel 11 (upper ch) @ BPSK 6.5Mbps



Plot 312 – Channel 11 (upper ch) @ BPSK 6.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 313 – Channel 11 (upper ch) @ QPSK 19.5Mbps



Plot 314 – Channel 11 (upper ch) @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 315 – Channel 11 (upper ch) @ QPSK 19.5Mbps



Plot 316 – Channel 11 (upper ch) @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 317 – Channel 11 (upper ch) @ QPSK 19.5Mbps



Plot 318 – Channel 11 (upper ch) @ QPSK 19.5Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 319 – Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 320 – Channel 1 *(lower ch)* @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 321 – Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 322 – Channel 11 (upper ch) @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 323 – Channel 11 (upper ch) @ 16QAM 39Mbps



Plot 324 – Channel 11 (upper ch) @ 16QAM 39Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 325 – Channel 11 (upper ch) @ 64QAM 65Mbps



Plot 326 – Channel 11 (upper ch) @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 327 – Channel 11 (upper ch) @ 64QAM 65Mbps



Plot 328 – Channel 11 (upper ch) @ 64QAM 65Mbps

RF Conducted Spurious Emissions (Restricted) Plots – 802.11n



Plot 329 – Channel 11 (upper ch) @ 64QAM 65Mbps



Plot 330 – Channel 11 (upper ch) @ 64QAM 65Mbps

BAND EDGE COMPLIANCE (CONDUCTED) TEST

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Limits

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum analyser via a low-loss coaxial cable.
4. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz.
5. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode with specified modulation and data rate.
2. The frequency span of the spectrum analyser was set to wide enough to capture the lower band edge of the transmission band, 2.400GHz and any spurious emissions at the band edge.
3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
4. Repeat steps 1 to 3 with all possible modulations and data rates.
5. The steps 2 to 4 were repeated with the frequency span of the spectrum analyser was set to wide enough to capture the upper band edge frequency of the transmission band, 2.4835GHz and the any spurious emissions at the band-edge.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Conducted) Results

Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	331 – 336 (802.11b) 337 – 344 (802.11g) 345 – 352 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

No significant signal was found and they were below the specified limit.

Band Edge Compliance (Conducted) Plots – 802.11b



Plot 331 – Lower Band Edge at 2.4000GHz @ DBPSK 1Mbps



Plot 332 – Lower Band Edge at 2.4000GHz @ DQPSK 2Mbps

Band Edge Compliance (Conducted) Plots – 802.11b



Plot 333 – Lower Band Edge at 2.4000GHz @ CCK 11Mbps

Band Edge Compliance (Conducted) Plots – 802.11b

Plot 334 – Upper Band Edge at 2.4835GHz @ DBPSK 1Mbps



Plot 335 – Upper Band Edge at 2.4835GHz @ DQPSK 2Mbps

Band Edge Compliance (Conducted) Plots – 802.11b



Plot 336 – Upper Band Edge at 2.4835GHz @ CCK 11Mbps

Band Edge Compliance (Conducted) Plots – 802.11g



Plot 337 – Lower Band Edge at 2.4000GHz @ BPSK 9Mbps



Plot 338 – Lower Band Edge at 2.4000GHz @ QPSK 18Mbps

Band Edge Compliance (Conducted) Plots – 802.11g



Plot 339 – Lower Band Edge at 2.4000GHz @ 16QAM 36Mbps



Plot 340 – Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps

Band Edge Compliance (Conducted) Plots – 802.11g



Plot 341 – Upper Band Edge at 2.4835GHz @ BPSK 9Mbps



Plot 342 – Upper Band Edge at 2.4835GHz @ QPSK 18Mbps

Band Edge Compliance (Conducted) Plots – 802.11g



Plot 343 – Upper Band Edge at 2.4835GHz @ 16QAM 36Mbps



Plot 344 – Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps

Band Edge Compliance (Conducted) Plots – 802.11n



Plot 345 – Lower Band Edge at 2.4000GHz @ BPSK 6.5Mbps



Plot 346 – Lower Band Edge at 2.4000GHz @ QPSK 19.5Mbps

Band Edge Compliance (Conducted) Plots – 802.11n



Plot 347 – Lower Band Edge at 2.4000GHz @ 16QAM 39Mbps



Plot 348 – Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps

Band Edge Compliance (Conducted) Plots – 802.11n



Plot 349 – Upper Band Edge at 2.4835GHz @ BPSK 6.5Mbps



Plot 350 – Upper Band Edge at 2.4835GHz @ QPSK 19.5Mbps

Band Edge Compliance (Conducted) Plots – 802.11n



Plot 351 – Upper Band Edge at 2.4835GHz @ 16QAM 39Mbps



Plot 352 – Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Limits

The EUT shows compliance to the requirements of this section, which states in any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator (EUT) is operating, the radio frequency power that is produced by the EUT shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of desired power. In addition, radiated emissions which fall in the restricted bands shall comply to the radiated emission limits specified in 15.209.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
R&S Test Receiver – ESI1	ESI40	100010	23 Jul 2015	1 year
TDK-RF Horn Antenna	HRN-0118	130256	10 Jul 2015	1 year
R&S Preamplifier (1GHz -18GHz)	SCU18	102191	13 Mar 2016	1 year

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The resolution bandwidth (RBW) and the video bandwidth (VBW) of the spectrum analyser were respectively set to 100kHz and 300kHz to show compliance of spurious at band edges are at least 20dB below the carriers. For restricted band spurious at band edges, peak and average measurement plots were taken using the following setting:
   a. Peak Plot:
      RBW = VBW = 1MHz
   b. Average Plot
      RBW = 1MHz, VBW = 30Hz
4. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(d) and RSS-247 5.5 Band Edge Compliance (Radiated) Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode with specified modulation and data rate.
2. The frequency span of the spectrum analyser was set to wide enough to capture the lower band edge of the transmission band, 2.400GHz and any spurious emissions at the band edge.
3. The spectrum analyser was set to max hold to capture any spurious emissions within the span. The signal capturing was continuous until no further spurious emissions were detected.
4. Repeat steps 1 to 3 with all possible modulations and data rates.
5. The steps 2 to 4 were repeated with the frequency span of the spectrum analyser was set to wide enough to capture the upper band edge frequency of the transmission band, 2.4835GHz and the any spurious emissions at the band-edge.

47 CFR FCC Part 15.247(d) Band Edge Compliance (Radiated) Results

Test Input Power	120V 60Hz	Temperature	24°C
Attached Plots	353 – 358 (802.11b) 359 – 364 (802.11g) 365 – 370 (802.11n)	Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Dylan Lin

No significant signal was found and they were below the specified limit.

Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) – 802.11b



Plot 353 – Lower Band Edge at 2.4000GHz @ CCK 11Mbps



Plot 354 – Upper Band Edge at 2.4835GHz @ CCK 11Mbps

Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11b



Plot 355 – Peak Plot at Lower Band Edge at 2.4000GHz @ CCK 11Mbps



Plot 356 – Average Plot at Lower Band Edge at 2.4000GHz @ CCK 11Mbps

Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11b



Plot 357 – Peak Plot at Upper Band Edge at 2.4835GHz @ CCK 11Mbps



Plot 358 – Average Plot at Upper Band Edge at 2.4835GHz @ CCK 11Mbps

Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) – 802.11g



Plot 359 – Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps



Plot 360 – Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps

Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11g



Plot 361 – Peak Plot at Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps



Plot 362 – Average Plot at Lower Band Edge at 2.4000GHz @ 64QAM 54Mbps

Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11g



Plot 363 – Peak Plot at Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps



Plot 364 – Average Plot at Upper Band Edge at 2.4835GHz @ 64QAM 54Mbps

Band Edge Compliance (Radiated) Plots (20dB Delta from Carrier at Band Edge) – 802.11n



Plot 365 – Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps



Plot 366 – Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps

Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11n



Plot 367 – Peak Plot at Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps



Plot 368 – Average Plot at Lower Band Edge at 2.4000GHz @ 64QAM 65Mbps

Band Edge Compliance (Radiated) Plots (Restricted Band) – 802.11n



Plot 369 – Peak Plot at Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps



Plot 370 – Average Plot at Upper Band Edge at 2.4835GHz @ 64QAM 65Mbps

47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Limits

The EUT shows compliance to the requirements of this section, which states the peak power spectral density conducted from the intentional radiator (EUT) to the antenna shall not be greater than 8dBm (6.3mW) in any 3kHz band during any time interval of continuous transmission.

47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Instrumentation

Instrument	Model	S/No	Cal Due Date	Cal Interval
Agilent Spectrum Analyzer	E4440A	MY45304764	12 Dec 2015	1 year

47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Setup

1. The EUT and supporting equipment were set up as shown in the setup photo.
2. The power supply for the EUT was connected to a filtered mains.
3. The RF antenna connector was connected to the spectrum via a low-loss coaxial cable.
4. The resolution bandwidth (RBW), video bandwidth (VBW) and span of the spectrum analyser were set to the following:
   RBW = 3kHz
   VBW = 9kHz
   Span = 1.5 times the channel bandwidth
   Sweep time = auto couple
5. All other supporting equipment were powered separately from another filtered mains.

47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Test Method

1. The EUT was switched on and allowed to warm up to its normal operating condition. The EUT was then configured to operate in the test mode at lower channel with specified modulation and data rate.
2. The peak of the transmitting frequency was detected with the marker peak function of the spectrum analyser.
3. The peak power density of the transmitting frequency was plotted and recorded.
4. Repeat steps 1 to 3 with all possible modulations and data rates.
5. The steps 2 to 4 were repeated with the transmitting frequency was set to middle and upper channel respectively.

47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11b

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
1 *(lower ch)*	2.412	0.0875	6.3	DBPSK @ 1Mbps
		0.2063	6.3	DQPSK @ 2Mbps
		0.1769	6.3	CCK @ 11Mbps
6 *(mid ch)*	2.437	0.0814	6.3	DBPSK @ 1Mbps
		0.1778	6.3	DQPSK @ 2Mbps
		0.1443	6.3	CCK @ 11Mbps
11 *(upper ch)*	2.462	0.0812	6.3	DBPSK @ 1Mbps
		0.1589	6.3	DQPSK @ 2Mbps
		0.1233	6.3	CCK @ 11Mbps

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11g

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
1 *(lower ch)*	2.412	0.0853	6.3	BPSK @ 9Mbps
		0.1038	6.3	QPSK @ 18Mbps
		0.0931	6.3	16QAM @ 36Mbps
		0.2800	6.3	64QAM @ 54Mbps
6 *(mid ch)*	2.437	0.0857	6.3	BPSK @ 9Mbps
		0.0825	6.3	QPSK @ 18Mbps
		0.0877	6.3	16QAM @ 36Mbps
		0.2533	6.3	64QAM @ 54Mbps
11 *(upper ch)*	2.462	0.0842	6.3	BPSK @ 9Mbps
		0.0841	6.3	QPSK @ 18Mbps
		0.0763	6.3	16QAM @ 36Mbps
		0.1699	6.3	64QAM @ 54Mbps

47 CFR FCC Part 15.247(e) and RSS-247 5.2(2) Peak Power Spectral Density Results

Test Input Power	120V 60Hz	Temperature	24°C
		Relative Humidity	60%
		Atmospheric Pressure	1030mbar
		Tested By	Liau Lee Yin

802.11n

Channel	Channel Frequency (GHz)	Peak Power Spectral Density (mW)	Limit (mW)	Modulation @ Data Rate
1 *(lower ch)*	2.412	0.0737	6.3	BPSK @ 6.5Mbps (MCS0)
		0.1009	6.3	QPSK @ 19.5Mbps (MCS2)
		0.1031	6.3	16QAM @ 39Mbps (MCS4)
		0.0998	6.3	64QAM @ 65Mbps (MCS7)
6 *(mid ch)*	2.437	0.0861	6.3	BPSK @ 6.5Mbps (MCS0)
		0.0885	6.3	QPSK @ 19.5Mbps (MCS2)
		0.0971	6.3	16QAM @ 39Mbps (MCS4)
		0.0830	6.3	64QAM @ 65Mbps (MCS7)
11 *(upper ch)*	2.462	0.0844	6.3	BPSK @ 6.5Mbps (MCS0)
		0.0830	6.3	QPSK @ 19.5Mbps (MCS2)
		0.0787	6.3	16QAM @ 39Mbps (MCS4)
		0.0642	6.3	64QAM @ 65Mbps (MCS7)

Peak Power Spectral Density Plots – 802.11b



Plot 371 – Channel 1 *(lower ch)* @ DBPSK 1Mbps



Plot 372 – Channel 1 *(lower ch)* @ DQPSK 2Mbps

Peak Power Spectral Density Plots – 802.11b



Plot 373 – Channel 1 *(lower ch)* @ CCK 11Mbps

Peak Power Spectral Density Plots – 802.11g



Plot 374 – Channel 1 *(lower ch)* @ BPSK 9Mbps



Plot 375 – Channel 1 *(lower ch)* @ QPSK 18Mbps

Peak Power Spectral Density Plots – 802.11g



Plot 376 – Channel 1 *(lower ch)* @ 16QAM 36Mbps



Plot 377 – Channel 1 *(lower ch)* @ 64QAM 54Mbps

Peak Power Spectral Density Plots – 802.11n



Plot 378 – Channel 1 *(lower ch)* @ BPSK 6.5Mbps



Plot 379 – Channel 1 *(lower ch)* @ QPSK 19.5Mbps

Peak Power Spectral Density Plots – 802.11n



Plot 380 – Channel 1 *(lower ch)* @ 16QAM 39Mbps



Plot 381 – Channel 1 *(lower ch)* @ 64QAM 65Mbps

Peak Power Spectral Density Plots – 802.11b



Plot 382 – Channel 6 *(middle ch)* @ DBPSK 1Mbps



Plot 383 – Channel 6 *(middle ch)* @ DQPSK 2Mbps

Peak Power Spectral Density Plots – 802.11b



Plot 384 – Channel 6 *(middle ch)* @ CCK 11Mbps

Peak Power Spectral Density Plots – 802.11g



Plot 385 – Channel 6 *(middle ch)* @ BPSK 9Mbps



Plot 386 – Channel 6 *(middle ch)* @ QPSK 18Mbps

Peak Power Spectral Density Plots – 802.11g



Plot 387 – Channel 6 *(middle ch)* @ 16QAM 36Mbps



Plot 388 – Channel 6 *(middle ch)* @ 64QAM 54Mbps

Peak Power Spectral Density Plots – 802.11n



Plot 389 – Channel 6 *(middle ch)* @ BPSK 6.5Mbps



Plot 390 – Channel 6 *(middle ch)* @ QPSK 19.5Mbps

Peak Power Spectral Density Plots – 802.11n



Plot 391 – Channel 6 *(middle ch)* @ 16QAM 39Mbps



Plot 392 – Channel 6 *(middle ch)* @ 64QAM 65Mbps

Peak Power Spectral Density Plots – 802.11b



Plot 393 – Channel 11 *(upper ch)* @ DBPSK 1Mbps



Plot 394 – Channel 11 *(upper ch)* @ DQPSK 2Mbps

Peak Power Spectral Density Plots – 802.11b



Plot 395 – Channel 11 *(upper ch)* @ CCK 11Mbps

Peak Power Spectral Density Plots – 802.11g



Plot 396 – Channel 11 *(upper ch)* @ BPSK 9Mbps



Plot 397 – Channel 11 *(upper ch)* @ QPSK 18Mbps

Peak Power Spectral Density Plots – 802.11g



Plot 398 – Channel 11 *(upper ch)* @ 16QAM 36Mbps



Plot 399 – Channel 11 *(upper ch)* @ 64QAM 54Mbps

Peak Power Spectral Density Plots – 802.11n



Plot 400 – Channel 11 *(upper ch)* @ BPSK 6.5Mbps



Plot 401 – Channel 11 *(upper ch)* @ QPSK 19.5Mbps

Peak Power Spectral Density Plots – 802.11n



Plot 402 – Channel 11 *(upper ch)* @ 16QAM 39Mbps



Plot 403 Channel 11 *(upper ch)* @ 64QAM 65Mbps

47 CFR FCC Part 1.1310, RSS-102 4.0 and RSS-GEN 3.2 Maximum Permissible Exposure (MPE) Limits

The EUT shows compliance to the requirements of this section, which states the MPE limits for general population / uncontrolled exposure are as shown below:

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm^2)	Average Time (min)
0.3 - 1.34	614	1.63	100 Note 2	30
1.34 - 30	824 / f	2.19 / f	$180 / f^2$ Note 2	30
30 - 300	27.5	0.073	0.2	30
300 - 1500	-	-	f / 1500	30
1500 - 100000	-	-	1.0	30
Notes				
1. f = frequency in MHz				
2. Plane wave equivalent power density				

47 CFR FCC Part 1.1310, RSS-102 4.0 and RSS-GEN 3.2 Maximum Permissible Exposure Computation

The power density at 20cm distance was computed from the following formula:

$S = (30GP) / (377d^2)$

where S = Power density in W/m^2
P = 0.0181W
d = Test distance at 0.2m
G = Numerical isotropic gain, 2.51 (4.0dBi)

Substituting the relevant parameters into the formula:

$S = [(30GP) / 377d^2]$
$= 0.090\ W/m^2$
$= 0.009\ mW/cm^2$

∴ The power density of the EUT at 20cm distance is $0.009mW/cm^2$ based on the above computation and found to be lower than the power density limit of $1.0mW/cm^2$.

PSB Singapore

Please note that this Report is issued under the following terms :

1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.

2. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.

3. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.

4. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.

5. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

July 2011

ANNEX A

TEST SETUP / EUT PHOTOGRAPHS / DIAGRAMS

TEST SETUP

Conducted Emissions Test Setup (Front View)

Conducted Emissions Test Setup (Rear View)

TEST SETUP (30MHz to 1GHz)

Radiated Emissions Test Setup (Front View)



Radiated Emissions Test Setup (Rear View)

TEST SETUP (Above 1GHz)



Radiated Emissions Test Setup (Front View)



Radiated Emissions Test Setup (Rear View)

TEST SETUP



Spectrum Bandwidth (6dB Bandwidth Measurement) Test Setup

Maximum Peak Power Test Setup

TEST SETUP



RF Conducted Spurious Emissions (Non-Restricted Bands) Test Setup

RF Conducted Spurious Emissions (Restricted Bands) Test Setup

TEST SETUP



Band Edge Compliance (Conducted) Test Setup



Band Edge Compliance (Radiated) Test Setup

TEST SETUP



Peak Power Spectral Density Test Setup

EUT PHOTOGRAPHS

Front View

Rear View

ANNEX B

USER MANUAL
TECHNICAL DESCRIPTION
BLOCK & CIRCUIT DIAGRAMS

(Please refer to manufacturer for details)

ANNEX C

FCC LABEL, IC LABEL & POSITION

ANNEX C FCC LABEL, IC LABEL & POSITION

Labelling requirements per Section 2.925, 15.19 & RSS-GEN 2.1

The label shown will be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time of purchase.

Sample Label

Physical Location of FCC, IC Label on EUT