





**Analog: 161.7 MHz, 25 .kHz Channel Spacing, Max. Power
For Part 74**



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.6300	-37.8860	-13.00	PASS
(Fc + Test BW) to <2Fc	174.1305	-38.2500	-13.00	PASS
2Fc to 1GHz	323.4000	-44.6300	-13.00	PASS
	323.4000	-51.2318	-13.00	PASS
	485.1000	-60.7358	-13.00	PASS
	646.8000	-65.6160	-13.00	PASS
	808.5000	-62.3311	-13.00	PASS
	970.2000	-65.6501	-13.00	PASS
	1540.5180	-55.2600	-13.00	PASS
	1131.9000	-56.0407	-13.00	PASS
	1293.6000	-55.9813	-13.00	PASS
	1455.3000	-56.0236	-13.00	PASS
1GHz to 10Fc	1617.0000	-55.9027	-13.00	PASS



**Analog: 161.7 MHz, 25 .kHz Channel Spacing, Low. Power
For Part 74**



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.1400	-37.5780	-13.00	PASS
(Fc + Test BW) to <2Fc	243.2107	-38.1700	-13.00	PASS
2Fc to 1GHz	373.6096	-64.2800	-13.00	PASS
	323.4000	-65.0376	-13.00	PASS
	485.1000	-64.7879	-13.00	PASS
	646.8000	-65.8148	-13.00	PASS
	808.5000	-65.4575	-13.00	PASS
	970.2000	-65.4587	-13.00	PASS
	1265.5940	-55.1200	-13.00	PASS
	1131.9000	-56.0624	-13.00	PASS
	1293.6000	-55.7930	-13.00	PASS
	1455.3000	-56.0931	-13.00	PASS
1GHz to 10Fc	1617.0000	-55.7618	-13.00	PASS

Analog: 173.9875 MHz, 25 .kHz Channel Spacing, Max. Power



Not for FCC review



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	5.0500	-38.2110	-13.00	PASS
(Fc + Test BW) to <2Fc	339.5964	-37.4800	-13.00	PASS
2Fc to 1GHz	522.0000	-41.2300	-13.00	PASS
	347.9750	-58.3696	-13.00	PASS
	521.9625	-46.2347	-13.00	PASS
	695.9500	-66.0800	-13.00	PASS
	869.9375	-60.9860	-13.00	PASS
	1738.9160	-49.2000	-13.00	PASS
	1043.9250	-56.0503	-13.00	PASS
	1217.9120	-55.6991	-13.00	PASS
	1391.9000	-55.9661	-13.00	PASS
	1565.8880	-55.6787	-13.00	PASS
1GHz to 10Fc	1739.8750	-54.1794	-13.00	PASS

Analog: 173.9875 MHz, 25 .kHz Channel Spacing, Low. Power

Not for FCC review





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	2.4400	-39.0440	-13.00	PASS
(Fc + Test BW) to <2Fc	330.6430	-37.7800	-13.00	PASS
2Fc to 1GHz	522.0000	-61.2200	-13.00	PASS
	347.9750	-64.4779	-13.00	PASS
	521.9625	-62.9605	-13.00	PASS
	695.9500	-65.8278	-13.00	PASS
	869.9375	-65.1146	-13.00	PASS
1GHz to 10Fc	1732.2120	-52.7000	-13.00	PASS
	1043.9250	-56.0605	-13.00	PASS
	1217.9120	-55.8208	-13.00	PASS
	1391.9000	-55.9781	-13.00	PASS
	1565.8880	-55.9281	-13.00	PASS
	1739.8750	-55.7989	-13.00	PASS

6.10.1. Test Result (Digital)

Digital: 138.0125 MHz, 12.5 kHz Channel Spacing, Max. Power



Not for FCC review



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.9400	-32.1100	-20.00	PASS
(Fc + Test BW) to <2Fc	256.9316	-31.5300	-20.00	PASS
2Fc to 1GHz	414.0375	-31.6600	-20.00	PASS
	568.4468	-55.0300	-20.00	PASS
	276.0250	-40.3414	-20.00	PASS
	552.0500	-56.1789	-20.00	PASS
	690.0625	-54.2386	-20.00	PASS
	828.0750	-57.6114	-20.00	PASS
	966.0875	-57.6123	-20.00	PASS
1GHz to 10Fc	1368.9500	-42.7400	-20.00	PASS
	1104.1000	-46.5012	-20.00	PASS
	1242.1120	-46.3362	-20.00	PASS
	1380.1250	-46.6179	-20.00	PASS



Digital: 138.0125 MHz, 12.5 kHz Channel Spacing, Low. Power

Not for FCC review





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.2500	-32.3960	-20.00	PASS
(Fc + Test BW) to <2Fc	210.9285	-31.9300	-20.00	PASS
2Fc to 1GHz	276.0250	-54.1400	-20.00	PASS
	731.7372	-55.1200	-20.00	PASS
	414.0375	-57.3924	-20.00	PASS
	552.0500	-57.0757	-20.00	PASS
	690.0625	-58.1478	-20.00	PASS
	828.0750	-58.0845	-20.00	PASS
	966.0875	-58.3002	-20.00	PASS
	1284.9930	-44.0600	-20.00	PASS
	1104.1000	-46.0370	-20.00	PASS
	1242.1120	-45.8965	-20.00	PASS
1GHz to 10Fc	1380.1250	-46.3902	-20.00	PASS

Digital.: 158.55 MHz, 12.5 kHz Channel Spacing, Max. Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.9100	-32.1010	-20.00	PASS
(Fc + Test BW) to <2Fc	304.7323	-31.5100	-20.00	PASS
2Fc to 1GHz	475.6500	-36.9500	-20.00	PASS
	731.7190	-54.3600	-20.00	PASS
	317.1000	-42.3679	-20.00	PASS
	634.2000	-56.4272	-20.00	PASS
	792.7500	-56.2205	-20.00	PASS
	951.3000	-57.8896	-20.00	PASS
	1154.7110	-44.4400	-20.00	PASS
	1109.8500	-46.1643	-20.00	PASS
	1268.4000	-45.9830	-20.00	PASS
	1426.9500	-46.7156	-20.00	PASS
1GHz to 10Fc	1585.5000	-45.7694	-20.00	PASS

Digital.: 158.55 MHz, 12.5 kHz Channel Spacing, Low. Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	78.4600	-32.8480	-20.00	PASS
(Fc + Test BW) to <2Fc	233.5109	-31.9100	-20.00	PASS
2Fc to 1GHz	455.1832	-54.1900	-20.00	PASS
	317.1000	-56.6361	-20.00	PASS
	475.6500	-56.6017	-20.00	PASS
	634.2000	-57.2871	-20.00	PASS
	792.7500	-56.8031	-20.00	PASS
	951.3000	-57.1163	-20.00	PASS
	1201.3610	-44.0100	-20.00	PASS
	1109.8500	-46.2684	-20.00	PASS
	1268.4000	-46.3624	-20.00	PASS
	1426.9500	-46.2305	-20.00	PASS
1GHz to 10Fc	1585.5000	-45.8390	-20.00	PASS

Digital.: 161.7 MHz, 12.5 kHz Channel Spacing, Max. Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	0.9800	-31.8270	-20.00	PASS
(Fc + Test BW) to <2Fc	287.0711	-32.1700	-20.00	PASS
2Fc to 1GHz	323.4000	-36.8200	-20.00	PASS
	323.8528	-46.9500	-20.00	PASS
	485.1000	-50.2657	-20.00	PASS
	646.8000	-57.4754	-20.00	PASS
	808.5000	-53.5241	-20.00	PASS
	970.2000	-57.2937	-20.00	PASS
1GHz to 10Fc	1608.9380	-44.6100	-20.00	PASS
	1131.9000	-46.9738	-20.00	PASS
	1293.6000	-46.6908	-20.00	PASS
	1455.3000	-46.8018	-20.00	PASS
	1617.0000	-46.4103	-20.00	PASS

Digital.: 161.7 MHz, 12.5 kHz Channel Spacing, Low. Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.1400	-30.9550	-20.00	PASS
(Fc + Test BW) to <2Fc	285.1914	-31.6900	-20.00	PASS
2Fc to 1GHz	460.1728	-54.9900	-20.00	PASS
	323.4000	-55.9343	-20.00	PASS
	485.1000	-56.4429	-20.00	PASS
	646.8000	-57.8880	-20.00	PASS
	808.5000	-55.7609	-20.00	PASS
	970.2000	-57.2281	-20.00	PASS
	1282.3880	-44.0600	-20.00	PASS
	1131.9000	-46.3863	-20.00	PASS
	1293.6000	-45.6357	-20.00	PASS
	1455.3000	-46.1660	-20.00	PASS
1GHz to 10Fc	1617.0000	-45.7693	-20.00	PASS

Digital.: 173.3875 MHz, 12.5 kHz Channel Spacing, Max. Power



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.4000	-31.8650	-20.00	PASS
(Fc + Test BW) to <2Fc	338.0717	-31.2000	-20.00	PASS
2Fc to 1GHz	346.3826	-50.6900	-20.00	PASS
	346.7750	-49.0994	-20.00	PASS
	693.5500	-57.6459	-20.00	PASS
	866.9375	-53.0830	-20.00	PASS
	520.1625	-32.5746	-20.00	PASS
	1286.6840	-44.0200	-20.00	PASS
	1040.3250	-46.7596	-20.00	PASS
	1213.7130	-46.1632	-20.00	PASS
	1387.1000	-46.5785	-20.00	PASS
	1560.4870	-46.0507	-20.00	PASS
1GHz to 10Fc	1733.8750	-46.3073	-20.00	PASS


Digital.: 173.3875 MHz, 12.5 kHz Channel Spacing, Low. Power



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.5700	-32.4740	-20.00	PASS
(Fc + Test BW) to <2Fc	321.5752	-30.8500	-20.00	PASS
2Fc to 1GHz	520.1625	-52.9310	-20.00	PASS
	890.7346	-54.8400	-20.00	PASS
	346.7750	-56.0628	-20.00	PASS
	693.5500	-57.6357	-20.00	PASS
	866.9375	-57.6336	-20.00	PASS
1GHz to 10Fc	1222.4010	-44.1100	-20.00	PASS
	1040.3250	-46.5344	-20.00	PASS
	1213.7130	-46.0654	-20.00	PASS
	1387.1000	-45.8936	-20.00	PASS
	1560.4870	-45.4347	-20.00	PASS
	1733.8750	-46.2893	-20.00	PASS

Phase II: 138.0125 MHz, 12.5 kHz Channel Spacing, Max. Power


Not for FCC review



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	127.3600	-32.2900	-20.00	PASS
(Fc + Test BW) to <2Fc	219.3048	-31.7100	-20.00	PASS
2Fc to 1GHz	905.2332	-55.1600	-20.00	PASS
	276.0250	-42.5515	-20.00	PASS
	552.0500	-55.4539	-20.00	PASS
	690.0625	-54.3524	-20.00	PASS
	828.0750	-57.1738	-20.00	PASS
	966.0875	-57.3984	-20.00	PASS
	414.0375	-36.7662	-20.00	PASS
1GHz to 10Fc	1198.3390	-44.7200	-20.00	PASS
	1104.1000	-46.7168	-20.00	PASS
	1242.1120	-46.3534	-20.00	PASS
	1380.1250	-46.0460	-20.00	PASS



Phase II.: 138.0125 MHz, 12.5 kHz Channel Spacing, Low. Power

Not for FCC review





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.1800	-32.7800	-20.00	PASS
(Fc + Test BW) to <2Fc	247.4916	-32.0800	-20.00	PASS
2Fc to 1GHz	331.5299	-54.9100	-20.00	PASS
	276.0250	-53.7222	-20.00	PASS
	414.0375	-56.0859	-20.00	PASS
	552.0500	-58.1065	-20.00	PASS
	690.0625	-58.1327	-20.00	PASS
	828.0750	-56.8990	-20.00	PASS
	966.0875	-57.4202	-20.00	PASS
1GHz to 10Fc	1232.6160	-44.4300	-20.00	PASS
	1104.1000	-46.5833	-20.00	PASS
	1242.1120	-46.1129	-20.00	PASS
	1380.1250	-46.8208	-20.00	PASS

Phase II.: 158.55 MHz, 12.5 kHz Channel Spacing, Max. Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	147.9300	-29.1700	-20.00	PASS
(Fc + Test BW) to <2Fc	306.1137	-32.3400	-20.00	PASS
2Fc to 1GHz	475.1323	-54.7600	-20.00	PASS
	317.1000	-42.3796	-20.00	PASS
	475.6500	-43.5972	-20.00	PASS
	634.2000	-56.7389	-20.00	PASS
	792.7500	-56.1717	-20.00	PASS
	951.3000	-58.3124	-20.00	PASS
1GHz to 10Fc	1540.8980	-44.5500	-20.00	PASS
	1109.8500	-47.0988	-20.00	PASS
	1268.4000	-46.5741	-20.00	PASS
	1426.9500	-47.0213	-20.00	PASS
	1585.5000	-47.0150	-20.00	PASS

Phase II.: 158.55 MHz, 12.5 kHz Channel Spacing, Low. Power





Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	2.6400	-33.2600	-20.00	PASS
(Fc + Test BW) to <2Fc	235.0458	-31.9300	-20.00	PASS
2Fc to 1GHz	363.6925	-54.1000	-20.00	PASS
	317.1000	-57.2530	-20.00	PASS
	475.6500	-55.2013	-20.00	PASS
	634.2000	-56.8455	-20.00	PASS
	792.7500	-56.0351	-20.00	PASS
	951.3000	-57.8915	-20.00	PASS
1GHz to 10Fc	1360.2050	-44.0800	-20.00	PASS
	1109.8500	-46.0536	-20.00	PASS
	1268.4000	-46.3681	-20.00	PASS
	1426.9500	-46.4219	-20.00	PASS
	1585.5000	-46.3989	-20.00	PASS

Phase II.: 161.7 MHz, 12.5 kHz Channel Spacing, Max. Power



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	151.1300	-31.0800	-20.00	PASS
(Fc + Test BW) to <2Fc	294.9033	-31.4300	-20.00	PASS
2Fc to 1GHz	484.7104	-43.7800	-20.00	PASS
	323.4000	-40.3208	-20.00	PASS
	485.1000	-42.7008	-20.00	PASS
	646.8000	-57.5799	-20.00	PASS
	808.5000	-52.9961	-20.00	PASS
	970.2000	-57.8047	-20.00	PASS
1GHz to 10Fc	1500.0880	-44.0200	-20.00	PASS
	1131.9000	-46.9852	-20.00	PASS
	1293.6000	-46.3706	-20.00	PASS
	1455.3000	-47.2028	-20.00	PASS
	1617.0000	-45.9060	-20.00	PASS

Phase II.: 161.7 MHz, 12.5 kHz Channel Spacing, Low. Power



Frequency Range	Highest Spur Frequency (MHz)	Spurious Level (dBm)	Failing Limit (dBm)	Results
FL to (Fc - Test BW)	1.9200	-32.0300	-20.00	PASS
(Fc + Test BW) to <2Fc	241.4876	-31.5500	-20.00	PASS
2Fc to 1GHz	364.0672	-54.8100	-20.00	PASS
	323.4000	-56.4013	-20.00	PASS
	485.1000	-55.7363	-20.00	PASS
	646.8000	-57.0442	-20.00	PASS
	808.5000	-56.5337	-20.00	PASS
	970.2000	-57.7483	-20.00	PASS
1GHz to 10Fc	1233.2500	-43.9400	-20.00	PASS
	1131.9000	-46.1515	-20.00	PASS
	1293.6000	-46.3835	-20.00	PASS
	1455.3000	-45.5049	-20.00	PASS
	1617.0000	-46.1456	-20.00	PASS