





Product Service


Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position B




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position B



Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M






Product Service

Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position T




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position T






Product Service

Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position B




Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position B






Product Service

Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M






Product Service

Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position T



Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position T





Product Service

2.3 BAND EDGE

2.3.1 Specification Reference

FCC CFR 47 Part 2, Clause 2.1051
FCC CFR 47 Part 90, Clause 90.543(e)(1)(2)(3)

2.3.2 Date of Test and Modification State

29 June 2017 - Modification State 0

2.3.3 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.3.4 Environmental Conditions

Ambient Temperature	22.5°C
Relative Humidity	55.2%

2.3.5 Test Method

All measurements were made in accordance with FCC KDB 971168 D01 Clause 6.

The EUT was connected to a Spectrum Analyser via 40 dB of attenuation. The path loss between the EUT and the Spectrum Analyser was measured using a Network Analyser. The measured path loss was entered as a Reference Level Offset in the Spectrum Analyser. The Spectrum Analyser RBW was adjusted to be at least 1% of the measured 26 dB Bandwidth. Using an RMS detector, the frequency spectrum up to 1 MHz away from the Band Edge was investigated. The display line was set to the worst case accounting for 2 Port MIMO operation in accordance with KDB 662911 D01. This equated to $43 + 10\log(P) - 10\log(2) = -16\text{dBm}$.


2.3.6 Test Results

Configuration 1


Maximum Output Power 30 dBm

Antenna	LTE Modulation	LTE Carrier Bandwidth	Band Edge (MHz)	
			Channel Position B	Channel Position T
A	QPSK	5.0 MHz	760.5	765.5
B	QPSK	5.0 MHz	760.5	765.5
A	16QAM	5.0 MHz	760.5	765.5
B	16QAM	5.0 MHz	760.5	765.5
A	64QAM	5.0 MHz	760.5	765.5
B	64QAM	5.0 MHz	760.5	765.5
A	QPSK	10.0 MHz	763.0	763.0
B	QPSK	10.0 MHz	763.0	763.0
A	16QAM	10.0 MHz	763.0	763.0
B	16QAM	10.0 MHz	763.0	763.0
A	64QAM	10.0 MHz	763.0	763.0
B	64QAM	10.0 MHz	763.0	763.0


Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position B



Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position B




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position T






Product Service

Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position T




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B






Product Service

Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T






Product Service

Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T




Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B






Product Service


Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B




Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T




Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M



Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M






Product Service


Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M



Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M




Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M





Product Service

Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 10.0 MHz - Channel Position M



Limit	-13dBm -16 dBm (2 port MIMO)
-------	---------------------------------



Product Service

2.4 TRANSMITTER CONDUCTED SPURIOUS EMISSIONS

2.4.1 Specification Reference

FCC CFR 47 Part 2, Clause 2.1051
FCC CFR 47 Part 90, Clause 90.543(e)(1)(2)(3)(f)

2.4.2 Date of Test and Modification State

29 June 2017 - Modification State 0

2.4.3 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.4.4 Environmental Conditions

Ambient Temperature	22.5°C
Relative Humidity	55.2%

2.4.5 Test Method

All measurements were made in accordance with FCC KDB 971168 D01 Clause 6.

The EUT was connected to a Spectrum Analyser via 40 dB of attenuation for measurements below 1.5 GHz and up to 8 GHz using 30 dB of attenuation and a high pass filter. Prior to testing, a Network Analyser was used to calibrate the path loss between the EUT and the Spectrum Analyser. The worst case path loss in the measured ranges was entered as a reference level offset. Over the measured ranges, the RBW was set to 1 MHz with a VBW of 3 MHz. All measurement results are specified as average with an RMS detector being used in conjunction with a trace setting of Max Hold. Measurements were performed in configurations of the EUT as reported below.

The EUT is capable of operating with a single carrier from each port simultaneously. This can be a MIMO mode of operation – Port A and B with the carriers at the same frequency.

The EUT can operate as either a fixed or mobile unit. Plots are shown which show limits for both Fixed and Mobile operation.

769 – 775 MHz and 799 – 805 MHz – Fixed Stations

$$76 + 10\log(P) + 10\log(2) = -49 \text{ dBm}$$

769 – 775 MHz and 799 – 805 MHz – Mobile Stations

$$65 + 10\log(P) + 10\log(2) = -38 \text{ dBm}$$

1559 – 1610 MHz

$$-40 \text{ dBm} - 10\log(2) = -43 \text{ dBm}$$

Outside of the above listed bands:


$$43 + 10\log(P) + 10\log(2) = -16 \text{ dBm}$$

2.4.6 Test Results

Configuration 1

Maximum Output Power 30 dBm


Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 1 - Range 0.009 to 1500 MHz






Product Service


Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 2 - Range 1500 to 8000 MHz




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 2 - Range 1500 to 8000 MHz




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 1 - Range 0.009 to 1500 MHz




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 2 - Range 1500 to 8000 MHz




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 2 - Range 1500 to 8000 MHz




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 1 - Range 0.009 to 1500 MHz




Antenna A - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 2 - Range 1500 to 8000 MHz




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation QPSK - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 2 - Range 1500 to 8000 MHz




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 1 - Range 0.009 to 1500 MHz




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 2 - Range 1500 to 8000 MHz




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 2 - Range 1500 to 8000 MHz




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 1 - Range 0.009 to 1500 MHz




Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 2 - Range 1500 to 8000 MHz



Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position M - Band 2 - Range 1500 to 8000 MHz






Product Service


Antenna A - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 1 - Range 0.009 to 1500 MHz




Antenna B - LTE Modulation 16QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position T - Band 2 - Range 1500 to 8000 MHz




Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 1 - Range 0.009 to 1500 MHz



Antenna A - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 2 - Range 1500 to 8000 MHz



Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 1 - Range 0.009 to 1500 MHz



Antenna B - LTE Modulation 64QAM - LTE Carrier Bandwidth 5.0 MHz - Channel Position B - Band 2 - Range 1500 to 8000 MHz

