
Test Report No.: 13734832S-A-R2 Page : 17 of 40


APPENDIX 1: Photographs of test setup

Appendix 1-1: Photograph of host platform, EUT and antenna position



Test Report No.: 13734832S-A-R2 Page : 18 of 40


Appendix 1-1: Photograph of Platform, EUT and antenna position (cont'd)




. Size of host device: $384 \text{ mm} \times 307.5 \text{ mm} \times 15.7 \text{ mm}$ (thickness) (. Size of EUT: 28 mm (W) $\times 32 \text{ mm}$ (D) $\times 3 \text{ mm}$ (thickness))

Test Report No.: 13734832S-A-R2 Page : 19 of 40

Appendix 1-2: EUT, platform and support equipment





Description of platform and Support Equipment

Descrip	Description of platform and Support Equipment						
No.	Item	Model number	Serial number	Manufacturer	Remark		
A	Built-in Wireless Module with Bluetooth	WM01B	f4:a9:97:ff:d0:89	Canon Inc.	EUT		
В	Flat Panel Detector	WM5B02	22MED-0053	Canon Inc.	Platform		
C1	Battery Pack (Li-ion)	LB-4A	21SC-009	Canon Inc.	Accessory, Battery ID: 1		
C2	(DC 11.1 V, 1660 mAh, 18 Wh)	LD-4A	21SC-010		Accessory, Battery ID: 2		
D	Laptop PC	HP ProBook 650 G5	JPH107MMGY	HP	Support equipment.		
E	AC Adaptor (Laptop PC)	TPN-CA15	-	HP	Support equipment.		
F	LAN adaptor	LUA4-U3-AGTE-BK	20524791271592	Buffalo Inc.	Support equipment.		
G	Battery Charger	BC-1A	21SC-027	Canon Inc.	Support equipment.		


List of cables used

	No.	Name	Length (m)	Shield
I	1	LAN cable	7	Unshielded
② D		DC cable (PC's AC adaptor)	1.7	Unshielded

No.	Name	Length (m)	Shield
3	AC cable (PC's AC adaptor)	0.9	Unshielded
4	AC cable (Battery charger)	1.9	Unshielded

Test Report No.: 13734832S-A-R2 Page : 20 of 40

Appendix 1-3: Photograph of test setup



Test Report No.: 13734832S-A-R2 Page : 21 of 40

Appendix 1-3: Photograph of test setup (cont'd)

