





Mode	27																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																										
ANT	1																																										
Pol.	Horizontal	Fundamental																																									
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5351.10</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>48.45</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>160</td><td>120 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.10	57.42	74.00	-16.58	48.45	34.59	10.75	36.37	0.00	160	120 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5351.10	57.42	74.00	-16.58	48.45	34.59	10.75	36.37	0.00	160	120 PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.70</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>37.40</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>160</td><td>120 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.70	46.37	54.00	-7.63	37.40	34.59	10.75	36.37	0.00	160	120 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5350.70	46.37	54.00	-7.63	37.40	34.59	10.75	36.37	0.00	160	120 AVERAGE																																	





Mode	27																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.32</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>46.31</td><td>34.38</td><td>10.58</td><td>36.69</td><td>0.00</td><td>295</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.32	54.58	74.00	-19.42	46.31	34.38	10.58	36.69	0.00	295	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.99</td><td>-----</td><td>-----</td><td>92.16</td><td>34.55</td><td>10.72</td><td>36.44</td><td>0.00</td><td>295</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.99	-----	-----	92.16	34.55	10.72	36.44	0.00	295	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5124.32	54.58	74.00	-19.42	46.31	34.38	10.58	36.69	0.00	295	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	100.99	-----	-----	92.16	34.55	10.72	36.44	0.00	295	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.36</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>35.94</td><td>34.36</td><td>10.56</td><td>36.71</td><td>0.00</td><td>295</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.36	44.15	54.00	-9.85	35.94	34.36	10.56	36.71	0.00	295	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.42</td><td>-----</td><td>-----</td><td>83.61</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>295</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.42	-----	-----	83.61	34.54	10.72	36.45	0.00	295	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5107.36	44.15	54.00	-9.85	35.94	34.36	10.56	36.71	0.00	295	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	92.42	-----	-----	83.61	34.54	10.72	36.45	0.00	295	360	AVERAGE																																																																																																			





Mode	27																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																														
ANT	1																																														
Pol.	Vertical						Fundamental																																								
Peak							Blank																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.80</td><td>61.90</td><td>74.00</td><td>-12.10</td><td>52.93</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>295 360 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.80	61.90	74.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5351.80	61.90	74.00	-12.10	52.93	34.59	10.75	36.37	0.00	295 360 PEAK																																					
Avg							Blank																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>41.77</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>295 360 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	50.74	54.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5351.70	50.74	54.00	-3.26	41.77	34.59	10.75	36.37	0.00	295 360 AVERAGE																																					





Mode	27																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.16</td><td>53.99</td><td>68.20</td><td>-14.21</td><td>71.48</td><td>35.61</td><td>12.52</td><td>65.62</td><td>0.00</td><td>102</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>46.00</td><td>68.20</td><td>-22.20</td><td>59.67</td><td>37.55</td><td>15.63</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.16	53.99	68.20	-14.21	71.48	35.61	12.52	65.62	0.00	102	100	PEAK	2	10580.00	46.00	68.20	-22.20	59.67	37.55	15.63	66.85	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.16</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>72.04</td><td>35.61</td><td>12.52</td><td>65.62</td><td>0.00</td><td>100</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>49.93</td><td>68.20</td><td>-18.27</td><td>63.54</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.16	54.55	68.20	-13.65	72.04	35.61	12.52	65.62	0.00	100	331	PEAK	2	10580.00	49.93	68.20	-18.27	63.54	37.58	15.65	66.84	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7053.16	53.99	68.20	-14.21	71.48	35.61	12.52	65.62	0.00	102	100	PEAK																																																																																																																		
2	10580.00	46.00	68.20	-22.20	59.67	37.55	15.63	66.85	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7053.16	54.55	68.20	-13.65	72.04	35.61	12.52	65.62	0.00	100	331	PEAK																																																																																																																		
2	10580.00	49.93	68.20	-18.27	63.54	37.58	15.65	66.84	0.00	--	--	PEAK																																																																																																																		







Mode	27	
	18G-40	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		




Mode	27																																																																																																																																																																																																																							
	30-1G																																																																																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																																																																																							
ANT	1																																																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																																																	
Peak																																																																																																																																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>19.95</td><td>40.00</td><td>-20.05</td><td>27.69</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>140.58</td><td>20.70</td><td>43.50</td><td>-22.80</td><td>35.21</td><td>16.54</td><td>1.78</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>304.51</td><td>27.86</td><td>46.00</td><td>-18.14</td><td>38.60</td><td>19.43</td><td>2.66</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>396.66</td><td>26.64</td><td>46.00</td><td>-19.36</td><td>34.84</td><td>21.60</td><td>3.04</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>561.56</td><td>24.79</td><td>46.00</td><td>-21.21</td><td>29.20</td><td>25.07</td><td>3.62</td><td>33.10</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>743.92</td><td>26.80</td><td>46.00</td><td>-19.20</td><td>29.69</td><td>25.76</td><td>4.17</td><td>32.82</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	19.95	40.00	-20.05	27.69	24.57	0.71	33.02	0.00	---	---	Peak	2	140.58	20.70	43.50	-22.80	35.21	16.54	1.78	32.83	0.00	---	---	Peak	3	304.51	27.86	46.00	-18.14	38.60	19.43	2.66	32.83	0.00	---	---	Peak	4	396.66	26.64	46.00	-19.36	34.84	21.60	3.04	32.84	0.00	---	---	Peak	5	561.56	24.79	46.00	-21.21	29.20	25.07	3.62	33.10	0.00	---	---	Peak	6	743.92	26.80	46.00	-19.20	29.69	25.76	4.17	32.82	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>41.64</td><td>27.34</td><td>40.00</td><td>-12.66</td><td>41.28</td><td>18.11</td><td>0.91</td><td>32.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>21.67</td><td>43.50</td><td>-21.83</td><td>36.18</td><td>16.53</td><td>1.79</td><td>32.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>260.86</td><td>17.44</td><td>46.00</td><td>-28.56</td><td>29.14</td><td>18.61</td><td>2.47</td><td>32.78</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>394.72</td><td>20.70</td><td>46.00</td><td>-25.30</td><td>28.96</td><td>21.55</td><td>3.03</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>589.69</td><td>25.21</td><td>46.00</td><td>-20.79</td><td>29.61</td><td>24.98</td><td>3.71</td><td>33.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>770.11</td><td>27.83</td><td>46.00</td><td>-18.17</td><td>30.36</td><td>26.00</td><td>4.24</td><td>32.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	41.64	27.34	40.00	-12.66	41.28	18.11	0.91	32.96	0.00	---	---	Peak	2	141.55	21.67	43.50	-21.83	36.18	16.53	1.79	32.83	0.00	---	---	Peak	3	260.86	17.44	46.00	-28.56	29.14	18.61	2.47	32.78	0.00	---	---	Peak	4	394.72	20.70	46.00	-25.30	28.96	21.55	3.03	32.84	0.00	---	---	Peak	5	589.69	25.21	46.00	-20.79	29.61	24.98	3.71	33.09	0.00	---	---	Peak	6	770.11	27.83	46.00	-18.17	30.36	26.00	4.24	32.77	0.00	---	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																													
1	30.00	19.95	40.00	-20.05	27.69	24.57	0.71	33.02	0.00	---	---	Peak																																																																																																																																																																																																												
2	140.58	20.70	43.50	-22.80	35.21	16.54	1.78	32.83	0.00	---	---	Peak																																																																																																																																																																																																												
3	304.51	27.86	46.00	-18.14	38.60	19.43	2.66	32.83	0.00	---	---	Peak																																																																																																																																																																																																												
4	396.66	26.64	46.00	-19.36	34.84	21.60	3.04	32.84	0.00	---	---	Peak																																																																																																																																																																																																												
5	561.56	24.79	46.00	-21.21	29.20	25.07	3.62	33.10	0.00	---	---	Peak																																																																																																																																																																																																												
6	743.92	26.80	46.00	-19.20	29.69	25.76	4.17	32.82	0.00	---	---	Peak																																																																																																																																																																																																												
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																													
1	41.64	27.34	40.00	-12.66	41.28	18.11	0.91	32.96	0.00	---	---	Peak																																																																																																																																																																																																												
2	141.55	21.67	43.50	-21.83	36.18	16.53	1.79	32.83	0.00	---	---	Peak																																																																																																																																																																																																												
3	260.86	17.44	46.00	-28.56	29.14	18.61	2.47	32.78	0.00	---	---	Peak																																																																																																																																																																																																												
4	394.72	20.70	46.00	-25.30	28.96	21.55	3.03	32.84	0.00	---	---	Peak																																																																																																																																																																																																												
5	589.69	25.21	46.00	-20.79	29.61	24.98	3.71	33.09	0.00	---	---	Peak																																																																																																																																																																																																												
6	770.11	27.83	46.00	-18.17	30.36	26.00	4.24	32.77	0.00	---	---	Peak																																																																																																																																																																																																												







Mode	28																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.44</td><td>54.94</td><td>74.00</td><td>-19.06</td><td>45.65</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr><tr><td>2</td><td>5462.96</td><td>54.57</td><td>68.20</td><td>-13.63</td><td>45.24</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.44	54.94	74.00	-19.06	45.65	34.69	10.83	36.23	0.00	100	344	PEAK	2	5462.96	54.57	68.20	-13.63	45.24	34.70	10.84	36.21	0.00	100	344	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.36</td><td>-----</td><td>-----</td><td>80.81</td><td>34.76</td><td>10.91</td><td>36.12</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.36	-----	-----	80.81	34.76	10.91	36.12	0.00	100	344	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5451.44	54.94	74.00	-19.06	45.65	34.69	10.83	36.23	0.00	100	344	PEAK																																																																																																																	
2	5462.96	54.57	68.20	-13.63	45.24	34.70	10.84	36.21	0.00	100	344	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	90.36	-----	-----	80.81	34.76	10.91	36.12	0.00	100	344	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.56</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>35.71</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td><td>344</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.56	45.00	54.00	-9.00	35.71	34.69	10.83	36.23	0.00	100	344	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>81.65</td><td>-----</td><td>-----</td><td>72.09</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>100</td><td>344</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	81.65	-----	-----	72.09	34.76	10.92	36.12	0.00	100	344	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5452.56	45.00	54.00	-9.00	35.71	34.69	10.83	36.23	0.00	100	344	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	81.65	-----	-----	72.09	34.76	10.92	36.12	0.00	100	344	AVERAGE																																																																																																																	




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.32</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>44.93</td><td>34.98</td><td>11.23</td><td>37.86</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.32	53.28	68.20	-14.92	44.93	34.98	11.23	37.86	0.00	100	344	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5761.32	53.28	68.20	-14.92	44.93	34.98	11.23	37.86	0.00	100	344	PEAK																																												





Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.48</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>49.82</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>300</td><td>32</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>59.04</td><td>68.20</td><td>-9.16</td><td>49.69</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>32</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.48	59.11	74.00	-14.89	49.82	34.69	10.83	36.23	0.00	300	32	PEAK	2	5469.04	59.04	68.20	-9.16	49.69	34.70	10.85	36.20	0.00	300	32	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>101.31</td><td>-----</td><td>-----</td><td>91.76</td><td>34.76</td><td>10.91</td><td>36.12</td><td>0.00</td><td>300</td><td>32</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.31	-----	-----	91.76	34.76	10.91	36.12	0.00	300	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5450.48	59.11	74.00	-14.89	49.82	34.69	10.83	36.23	0.00	300	32	PEAK																																																																																																				
2	5469.04	59.04	68.20	-9.16	49.69	34.70	10.85	36.20	0.00	300	32	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	101.31	-----	-----	91.76	34.76	10.91	36.12	0.00	300	32	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>40.41</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>32</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	49.73	54.00	-4.27	40.41	34.70	10.84	36.22	0.00	300	32	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.76</td><td>-----</td><td>-----</td><td>82.20</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>300</td><td>32</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.76	-----	-----	82.20	34.76	10.92	36.12	0.00	300	32	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.12	49.73	54.00	-4.27	40.41	34.70	10.84	36.22	0.00	300	32	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	91.76	-----	-----	82.20	34.76	10.92	36.12	0.00	300	32	AVERAGE																																																																																																				







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.20</td><td>53.00</td><td>68.20</td><td>-15.20</td><td>44.30</td><td>34.95</td><td>11.19</td><td>37.44</td><td>0.00</td><td>300</td><td>32</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.20	53.00	68.20	-15.20	44.30	34.95	11.19	37.44	0.00	300	32	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.20	53.00	68.20	-15.20	44.30	34.95	11.19	37.44	0.00	300	32	PEAK																																												




Mode	28																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7373.15</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>62.43</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.79</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7373.15	44.50	74.00	-29.50	62.43	35.00	12.73	66.46	0.00	--	--	PEAK	2	11060.00	45.14	74.00	-28.86	57.79	37.84	16.08	66.57	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7373.15</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>66.22</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>63.32</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>57.61</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7373.15	48.29	74.00	-25.71	66.22	35.00	12.73	66.46	0.00	100	329	PEAK	2	7373.15	45.39	54.00	-8.61	63.32	35.00	12.73	66.46	0.00	100	329	AVERAGE	3	11060.00	44.96	74.00	-29.04	57.61	37.84	16.08	66.57	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7373.15	44.50	74.00	-29.50	62.43	35.00	12.73	66.46	0.00	--	--	PEAK																																																																																																																																	
2	11060.00	45.14	74.00	-28.86	57.79	37.84	16.08	66.57	0.00	--	--	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	7373.15	48.29	74.00	-25.71	66.22	35.00	12.73	66.46	0.00	100	329	PEAK																																																																																																																																	
2	7373.15	45.39	54.00	-8.61	63.32	35.00	12.73	66.46	0.00	100	329	AVERAGE																																																																																																																																	
3	11060.00	44.96	74.00	-29.04	57.61	37.84	16.08	66.57	0.00	--	--	PEAK																																																																																																																																	







Mode	29																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5455.76</td><td>53.15</td><td>74.00</td><td>-20.85</td><td>43.84</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>367</td><td>21 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>53.43</td><td>68.20</td><td>-14.77</td><td>44.09</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>367</td><td>21 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.76	53.15	74.00	-20.85	43.84	34.69	10.84	36.22	0.00	367	21 PEAK	2	5466.64	53.43	68.20	-14.77	44.09	34.70	10.85	36.21	0.00	367	21 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>97.47</td><td>-----</td><td>-----</td><td>87.61</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>367</td><td>21 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	97.47	-----	-----	87.61	34.84	11.02	36.00	0.00	367	21 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5455.76	53.15	74.00	-20.85	43.84	34.69	10.84	36.22	0.00	367	21 PEAK																																																																																																																									
2	5466.64	53.43	68.20	-14.77	44.09	34.70	10.85	36.21	0.00	367	21 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5610.00	97.47	-----	-----	87.61	34.84	11.02	36.00	0.00	367	21 PEAK																																																																																																																									
Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5449.20</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>34.10</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>367</td><td>21 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5449.20	43.39	54.00	-10.61	34.10	34.69	10.83	36.23	0.00	367	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>89.20</td><td>-----</td><td>-----</td><td>79.31</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>367</td><td>21 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	89.20	-----	-----	79.31	34.85	11.03	35.99	0.00	367	21 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5449.20	43.39	54.00	-10.61	34.10	34.69	10.83	36.23	0.00	367	21 AVERAGE																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5610.00	89.20	-----	-----	79.31	34.85	11.03	35.99	0.00	367	21 AVERAGE																																																																																																																									




Mode	29																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5743.16</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>44.31</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>367</td><td>21 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5743.16	52.89	68.20	-15.31	44.31	34.96	11.20	37.58	0.00	367	21 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5743.16	52.89	68.20	-15.31	44.31	34.96	11.20	37.58	0.00	367	21 PEAK																																												





Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.00</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>43.48</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>300</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>53.69</td><td>68.20</td><td>-14.51</td><td>44.34</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	52.77	74.00	-21.23	43.48	34.69	10.83	36.23	0.00	300	41	PEAK	2	5468.72	53.69	68.20	-14.51	44.34	34.70	10.85	36.20	0.00	300	41	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.86</td><td>-----</td><td>-----</td><td>95.97</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>300</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.86	-----	-----	95.97	34.85	11.03	35.99	0.00	300	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5450.00	52.77	74.00	-21.23	43.48	34.69	10.83	36.23	0.00	300	41	PEAK																																																																																																				
2	5468.72	53.69	68.20	-14.51	44.34	34.70	10.85	36.20	0.00	300	41	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	105.86	-----	-----	95.97	34.85	11.03	35.99	0.00	300	41	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>34.39</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>41</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.72	54.00	-10.28	34.39	34.70	10.84	36.21	0.00	300	41	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>96.10</td><td>-----</td><td>-----</td><td>86.21</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>300</td><td>41</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.10	-----	-----	86.21	34.85	11.03	35.99	0.00	300	41	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	43.72	54.00	-10.28	34.39	34.70	10.84	36.21	0.00	300	41	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	96.10	-----	-----	86.21	34.85	11.03	35.99	0.00	300	41	AVERAGE																																																																																																				






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.08</td><td>56.17</td><td>68.20</td><td>-12.03</td><td>47.43</td><td>34.95</td><td>11.18</td><td>37.39</td><td>0.00</td><td>300</td><td>41</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.08	56.17	68.20	-12.03	47.43	34.95	11.18	37.39	0.00	300	41	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.08	56.17	68.20	-12.03	47.43	34.95	11.18	37.39	0.00	300	41	PEAK																																												






		29																																																																											
Mode		Harmonic																																																																											
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																											
ANT		1																																																																											
Pol.		Horizontal						Vertical																																																																					
Peak Avg																																																																													
																																																																													
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7479.81</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>62.14</td><td>35.00</td><td>12.84</td><td>66.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>57.17</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7479.81	44.04	74.00	-29.96	62.14	35.00	12.84	66.74	0.00	--	--	PEAK	2	11220.00	44.77	74.00	-29.23	57.17	37.90	16.18	66.48	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	7479.81	44.04	74.00	-29.96	62.14	35.00	12.84	66.74	0.00	--	--	PEAK																																																																	
2	11220.00	44.77	74.00	-29.23	57.17	37.90	16.18	66.48	0.00	--	--	PEAK																																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7479.81</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>62.74</td><td>35.00</td><td>12.84</td><td>66.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>57.30</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7479.81	44.64	74.00	-29.36	62.74	35.00	12.84	66.74	0.00	--	--	PEAK	2	11220.00	44.90	74.00	-29.10	57.30	37.90	16.18	66.48	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	7479.81	44.64	74.00	-29.36	62.74	35.00	12.84	66.74	0.00	--	--	PEAK																																																																	
2	11220.00	44.90	74.00	-29.10	57.30	37.90	16.18	66.48	0.00	--	--	PEAK																																																																	





Mode	30																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5687.20</td><td>53.06</td><td>68.20</td><td>-15.14</td><td>43.22</td><td>34.84</td><td>11.01</td><td>36.01</td><td>0.00</td><td>317</td><td>24</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>51.59</td><td>69.09</td><td>-17.50</td><td>41.78</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>317</td><td>24</td><td>PEAK</td></tr><tr><td>3</td><td>5788.40</td><td>55.55</td><td>107.65</td><td>-52.10</td><td>46.50</td><td>34.93</td><td>11.15</td><td>37.03</td><td>0.00</td><td>317</td><td>24</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>66.30</td><td>116.37</td><td>-50.07</td><td>57.44</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>317</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5687.20	53.06	68.20	-15.14	43.22	34.84	11.01	36.01	0.00	317	24	PEAK	2	5651.20	51.59	69.09	-17.50	41.78	34.88	11.07	36.14	0.00	317	24	PEAK	3	5788.40	55.55	107.65	-52.10	46.50	34.93	11.15	37.03	0.00	317	24	PEAK	4	5722.40	66.30	116.37	-50.07	57.44	34.94	11.17	37.25	0.00	317	24	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.84</td><td>-----</td><td>-----</td><td>97.28</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>317</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.84	-----	-----	97.28	34.97	11.21	37.62	0.00	317	24	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5687.20	53.06	68.20	-15.14	43.22	34.84	11.01	36.01	0.00	317	24	PEAK																																																																																																																															
2	5651.20	51.59	69.09	-17.50	41.78	34.88	11.07	36.14	0.00	317	24	PEAK																																																																																																																															
3	5788.40	55.55	107.65	-52.10	46.50	34.93	11.15	37.03	0.00	317	24	PEAK																																																																																																																															
4	5722.40	66.30	116.37	-50.07	57.44	34.94	11.17	37.25	0.00	317	24	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.84	-----	-----	97.28	34.97	11.21	37.62	0.00	317	24	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.33</td><td>-----</td><td>-----</td><td>88.77</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>317</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.33	-----	-----	88.77	34.97	11.21	37.62	0.00	317	24	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.33	-----	-----	88.77	34.97	11.21	37.62	0.00	317	24	AVERAGE																																																																																																																															





Mode	30																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.20</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>44.40</td><td>34.87</td><td>11.06</td><td>35.96</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.83</td><td>68.50</td><td>-15.67</td><td>43.00</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>62.71</td><td>110.90</td><td>-48.19</td><td>53.82</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>75.78</td><td>120.02</td><td>-44.24</td><td>66.94</td><td>34.95</td><td>11.17</td><td>37.28</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.20	54.37	68.20	-13.83	44.40	34.87	11.06	35.96	0.00	300	40	PEAK	2	5650.40	52.83	68.50	-15.67	43.00	34.88	11.07	36.12	0.00	300	40	PEAK	3	5720.00	62.71	110.90	-48.19	53.82	34.94	11.17	37.22	0.00	300	40	PEAK	4	5724.00	75.78	120.02	-44.24	66.94	34.95	11.17	37.28	0.00	300	40	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.64</td><td>-----</td><td>-----</td><td>102.08</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.64	-----	-----	102.08	34.97	11.21	37.62	0.00	300	40	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5639.20	54.37	68.20	-13.83	44.40	34.87	11.06	35.96	0.00	300	40	PEAK																																																																																																																													
2	5650.40	52.83	68.50	-15.67	43.00	34.88	11.07	36.12	0.00	300	40	PEAK																																																																																																																													
3	5720.00	62.71	110.90	-48.19	53.82	34.94	11.17	37.22	0.00	300	40	PEAK																																																																																																																													
4	5724.00	75.78	120.02	-44.24	66.94	34.95	11.17	37.28	0.00	300	40	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.64	-----	-----	102.08	34.97	11.21	37.62	0.00	300	40	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.74</td><td>-----</td><td>-----</td><td>93.18</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>300</td><td>40</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.74	-----	-----	93.18	34.97	11.21	37.62	0.00	300	40	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	101.74	-----	-----	93.18	34.97	11.21	37.62	0.00	300	40	AVERAGE																																																																																																																													







Mode	30																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.81</td><td>43.32</td><td>74.00</td><td>-30.68</td><td>61.09</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>57.80</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7659.81	43.32	74.00	-30.68	61.09	36.02	13.07	66.86	0.00	--	--	PEAK	2	11490.00	46.00	74.00	-28.00	57.80	38.18	16.36	66.34	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7659.81</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>62.47</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>57.54</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7659.81	44.70	74.00	-29.30	62.47	36.02	13.07	66.86	0.00	--	--	PEAK	2	11490.00	45.74	74.00	-28.26	57.54	38.18	16.36	66.34	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	7659.81	43.32	74.00	-30.68	61.09	36.02	13.07	66.86	0.00	--	--	PEAK																																																																																																																															
2	11490.00	46.00	74.00	-28.00	57.80	38.18	16.36	66.34	0.00	--	--	PEAK																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	7659.81	44.70	74.00	-29.30	62.47	36.02	13.07	66.86	0.00	--	--	PEAK																																																																																																																															
2	11490.00	45.74	74.00	-28.26	57.54	38.18	16.36	66.34	0.00	--	--	PEAK																																																																																																																															



Mode	31																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>61.16</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>57.50</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	43.52	74.00	-30.48	61.16	36.13	13.12	66.89	0.00	--	PEAK	2	11570.00	45.78	74.00	-28.22	57.50	38.20	16.41	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>45.07</td><td>74.00</td><td>-28.93</td><td>62.71</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>67.20</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>55.99</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>327 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	45.07	74.00	-28.93	62.71	36.13	13.12	66.89	0.00	--	PEAK	2	11570.00	55.48	74.00	-18.52	67.20	38.20	16.41	66.33	0.00	100	327 PEAK	3	11570.00	44.27	54.00	-9.73	55.99	38.20	16.41	66.33	0.00	100	327 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	7713.14	43.52	74.00	-30.48	61.16	36.13	13.12	66.89	0.00	--	PEAK																																																																																																																											
2	11570.00	45.78	74.00	-28.22	57.50	38.20	16.41	66.33	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	7713.14	45.07	74.00	-28.93	62.71	36.13	13.12	66.89	0.00	--	PEAK																																																																																																																											
2	11570.00	55.48	74.00	-18.52	67.20	38.20	16.41	66.33	0.00	100	327 PEAK																																																																																																																											
3	11570.00	44.27	54.00	-9.73	55.99	38.20	16.41	66.33	0.00	100	327 AVERAGE																																																																																																																											





		32																																																																																																																																					
Mode		Band Edge																																																																																																																																					
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																					
ANT		1																																																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.80</td><td>60.25</td><td>115.92</td><td>-55.67</td><td>53.15</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>52.30</td><td>105.80</td><td>-53.50</td><td>45.16</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.63</td><td>68.64</td><td>-20.01</td><td>41.32</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>52.43</td><td>68.20</td><td>-15.77</td><td>45.06</td><td>35.15</td><td>11.41</td><td>39.19</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.80	60.25	115.92	-55.67	53.15	35.07	11.33	39.30	0.00	351	21 PEAK	2	5873.20	52.30	105.80	-53.50	45.16	35.09	11.35	39.30	0.00	351	21 PEAK	3	5924.40	48.63	68.64	-20.01	41.32	35.13	11.40	39.22	0.00	351	21 PEAK	4	5938.80	52.43	68.20	-15.77	45.06	35.15	11.41	39.19	0.00	351	21 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.29</td><td>-----</td><td>-----</td><td>95.79</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.29	-----	-----	95.79	35.04	11.31	38.85	0.00	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5852.80	60.25	115.92	-55.67	53.15	35.07	11.33	39.30	0.00	351	21 PEAK																																																																																																																												
2	5873.20	52.30	105.80	-53.50	45.16	35.09	11.35	39.30	0.00	351	21 PEAK																																																																																																																												
3	5924.40	48.63	68.64	-20.01	41.32	35.13	11.40	39.22	0.00	351	21 PEAK																																																																																																																												
4	5938.80	52.43	68.20	-15.77	45.06	35.15	11.41	39.19	0.00	351	21 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	103.29	-----	-----	95.79	35.04	11.31	38.85	0.00	351	21 PEAK																																																																																																																												
Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.57</td><td>-----</td><td>-----</td><td>88.07</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>351</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.57	-----	-----	88.07	35.04	11.31	38.85	0.00	351	21 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5825.00	95.57	-----	-----	88.07	35.04	11.31	38.85	0.00	351	21 AVERAGE																																																																																																																												






Mode	32																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>59.37</td><td>112.27</td><td>-52.90</td><td>52.29</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00 300 38 PEAK</td></tr><tr><td>2</td><td>5857.60</td><td>58.97</td><td>110.17</td><td>-51.20</td><td>51.89</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00 300 38 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.83</td><td>68.94</td><td>-18.11</td><td>43.52</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00 300 38 PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>52.01</td><td>68.20</td><td>-16.19</td><td>44.62</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00 300 38 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	59.37	112.27	-52.90	52.29	35.07	11.33	39.32	0.00 300 38 PEAK	2	5857.60	58.97	110.17	-51.20	51.89	35.07	11.34	39.33	0.00 300 38 PEAK	3	5924.00	50.83	68.94	-18.11	43.52	35.13	11.40	39.22	0.00 300 38 PEAK	4	5945.20	52.01	68.20	-16.19	44.62	35.15	11.42	39.18	0.00 300 38 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.80</td><td>-----</td><td>-----</td><td>101.30</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00 300 38 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.80	-----	-----	101.30	35.04	11.31	38.85	0.00 300 38 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5854.40	59.37	112.27	-52.90	52.29	35.07	11.33	39.32	0.00 300 38 PEAK																																																																																																							
2	5857.60	58.97	110.17	-51.20	51.89	35.07	11.34	39.33	0.00 300 38 PEAK																																																																																																							
3	5924.00	50.83	68.94	-18.11	43.52	35.13	11.40	39.22	0.00 300 38 PEAK																																																																																																							
4	5945.20	52.01	68.20	-16.19	44.62	35.15	11.42	39.18	0.00 300 38 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5825.00	108.80	-----	-----	101.30	35.04	11.31	38.85	0.00 300 38 PEAK																																																																																																							
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.94</td><td>-----</td><td>-----</td><td>92.44</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00 300 38 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.94	-----	-----	92.44	35.04	11.31	38.85	0.00 300 38 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5825.00	99.94	-----	-----	92.44	35.04	11.31	38.85	0.00 300 38 AVERAGE																																																																																																							






Mode	32																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																									
ANT	1																																																																																																																																																									
Pol.	Horizontal							Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>43.37</td><td>68.20</td><td>-24.83</td><td>60.91</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>57.20</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	43.37	68.20	-24.83	60.91	36.20	13.17	66.91	0.00	--	--	PEAK	2	11650.00	45.58	74.00	-28.42	57.20	38.25	16.46	66.33	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>43.98</td><td>68.20</td><td>-24.22</td><td>61.52</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>67.17</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>56.83</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	43.98	68.20	-24.22	61.52	36.20	13.17	66.91	0.00	--	--	PEAK	2	11650.00	55.55	74.00	-18.45	67.17	38.25	16.46	66.33	0.00	100	326	PEAK	3	11650.00	45.21	54.00	-8.79	56.83	38.25	16.46	66.33	0.00	100	326
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7766.47	43.37	68.20	-24.83	60.91	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																																																																														
2	11650.00	45.58	74.00	-28.42	57.20	38.25	16.46	66.33	0.00	--	--	PEAK																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	7766.47	43.98	68.20	-24.22	61.52	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																																																																														
2	11650.00	55.55	74.00	-18.45	67.17	38.25	16.46	66.33	0.00	100	326	PEAK																																																																																																																																														
3	11650.00	45.21	54.00	-8.79	56.83	38.25	16.46	66.33	0.00	100	326	AVERAGE																																																																																																																																														





Mode	33																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>43.57</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>318</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>43.57</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>318</td><td>22</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>60.65</td><td>110.90</td><td>-50.25</td><td>51.76</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>318</td><td>22</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>69.70</td><td>116.37</td><td>-46.67</td><td>60.84</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>318</td><td>22</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5650.00	53.40	68.20	-14.80	43.57	34.88	11.07	36.12	0.00	318	22	PEAK	2	5650.00	53.40	68.20	-14.80	43.57	34.88	11.07	36.12	0.00	318	22	PEAK	3	5720.00	60.65	110.90	-50.25	51.76	34.94	11.17	37.22	0.00	318	22	PEAK	4	5722.40	69.70	116.37	-46.67	60.84	34.94	11.17	37.25	0.00	318	22	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.09</td><td>-----</td><td>-----</td><td>96.53</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>318</td><td>22</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.09	-----	-----	96.53	34.97	11.21	37.62	0.00	318	22	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5650.00	53.40	68.20	-14.80	43.57	34.88	11.07	36.12	0.00	318	22	PEAK																																																																																																																															
2	5650.00	53.40	68.20	-14.80	43.57	34.88	11.07	36.12	0.00	318	22	PEAK																																																																																																																															
3	5720.00	60.65	110.90	-50.25	51.76	34.94	11.17	37.22	0.00	318	22	PEAK																																																																																																																															
4	5722.40	69.70	116.37	-46.67	60.84	34.94	11.17	37.25	0.00	318	22	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.09	-----	-----	96.53	34.97	11.21	37.62	0.00	318	22	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.84</td><td>-----</td><td>-----</td><td>88.28</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>318</td><td>22</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.84	-----	-----	88.28	34.97	11.21	37.62	0.00	318	22	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	96.84	-----	-----	88.28	34.97	11.21	37.62	0.00	318	22	AVERAGE																																																																																																																															





Mode	33																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.80</td><td>55.12</td><td>68.20</td><td>-13.08</td><td>45.25</td><td>34.87</td><td>11.07</td><td>36.07</td><td>0.00</td><td>290</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.09</td><td>68.50</td><td>-16.41</td><td>42.26</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>290</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>63.22</td><td>110.45</td><td>-47.23</td><td>54.30</td><td>34.94</td><td>11.17</td><td>37.19</td><td>0.00</td><td>290</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>74.87</td><td>117.28</td><td>-42.41</td><td>66.02</td><td>34.94</td><td>11.17</td><td>37.26</td><td>0.00</td><td>290</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.80	55.12	68.20	-13.08	45.25	34.87	11.07	36.07	0.00	290	40	PEAK	2	5650.40	52.09	68.50	-16.41	42.26	34.88	11.07	36.12	0.00	290	40	PEAK	3	5718.40	63.22	110.45	-47.23	54.30	34.94	11.17	37.19	0.00	290	40	PEAK	4	5722.80	74.87	117.28	-42.41	66.02	34.94	11.17	37.26	0.00	290	40	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.78</td><td>-----</td><td>-----</td><td>102.15</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>290</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.78	-----	-----	102.15	34.96	11.20	37.53	0.00	290	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5646.80	55.12	68.20	-13.08	45.25	34.87	11.07	36.07	0.00	290	40	PEAK																																																																																																																														
2	5650.40	52.09	68.50	-16.41	42.26	34.88	11.07	36.12	0.00	290	40	PEAK																																																																																																																														
3	5718.40	63.22	110.45	-47.23	54.30	34.94	11.17	37.19	0.00	290	40	PEAK																																																																																																																														
4	5722.80	74.87	117.28	-42.41	66.02	34.94	11.17	37.26	0.00	290	40	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.78	-----	-----	102.15	34.96	11.20	37.53	0.00	290	40	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.75</td><td>-----</td><td>-----</td><td>94.19</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>290</td><td>40</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.75	-----	-----	94.19	34.97	11.21	37.62	0.00	290	40	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	102.75	-----	-----	94.19	34.97	11.21	37.62	0.00	290	40	AVERAGE																																																																																																																														



Mode	33																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>61.17</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>58.70</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.81	43.40	74.00	-30.60	61.17	36.02	13.07	66.86	0.00	--	--	PEAK	2	11490.00	46.90	74.00	-27.10	58.70	38.18	16.36	66.34	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>61.56</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>66.73</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>101</td><td>327</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>55.25</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>101</td><td>327</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.81	43.79	74.00	-30.21	61.56	36.02	13.07	66.86	0.00	--	--	PEAK	2	11490.00	54.93	74.00	-19.07	66.73	38.18	16.36	66.34	0.00	101	327	PEAK	3	11490.00	43.44	54.00	-10.56	55.25	38.18	16.35	66.34	0.00	101	327
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	7659.81	43.40	74.00	-30.60	61.17	36.02	13.07	66.86	0.00	--	--	PEAK																																																																																																																																								
2	11490.00	46.90	74.00	-27.10	58.70	38.18	16.36	66.34	0.00	--	--	PEAK																																																																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	7659.81	43.79	74.00	-30.21	61.56	36.02	13.07	66.86	0.00	--	--	PEAK																																																																																																																																								
2	11490.00	54.93	74.00	-19.07	66.73	38.18	16.36	66.34	0.00	101	327	PEAK																																																																																																																																								
3	11490.00	43.44	54.00	-10.56	55.25	38.18	16.35	66.34	0.00	101	327	AVERAGE																																																																																																																																								



Mode	34																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal							Vertical																																																																																																																								
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.08</td><td>74.00</td><td>-30.92</td><td>60.72</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>57.55</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	43.08	74.00	-30.92	60.72	36.13	13.12	66.89	0.00	--	--	PEAK	2	11570.00	45.83	74.00	-28.17	57.55	38.20	16.41	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>61.99</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>57.43</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	44.35	74.00	-29.65	61.99	36.13	13.12	66.89	0.00	--	--	PEAK	2	11570.00	45.71	74.00	-28.29	57.43	38.20	16.41	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7713.14	43.08	74.00	-30.92	60.72	36.13	13.12	66.89	0.00	--	--	PEAK																																																																																																																				
2	11570.00	45.83	74.00	-28.17	57.55	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7713.14	44.35	74.00	-29.65	61.99	36.13	13.12	66.89	0.00	--	--	PEAK																																																																																																																				
2	11570.00	45.71	74.00	-28.29	57.43	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																				





Mode	35										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz										
ANT	1										
Pol.	Horizontal										
Peak	Level (dBuV/m)										






Mode	35																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.82</td><td>111.36</td><td>-53.54</td><td>50.74</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>56.10</td><td>109.72</td><td>-53.62</td><td>49.01</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.61</td><td>68.35</td><td>-17.74</td><td>43.30</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5963.20</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>46.01</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	57.82	111.36	-53.54	50.74	35.07	11.34	39.33	0.00	300	38	PEAK	2	5859.20	56.10	109.72	-53.62	49.01	35.07	11.34	39.32	0.00	300	38	PEAK	3	5924.00	50.61	68.35	-17.74	43.30	35.13	11.40	39.22	0.00	300	38	PEAK	4	5963.20	53.47	68.20	-14.73	46.01	35.17	11.44	39.15	0.00	300	38	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.13</td><td>-----</td><td>-----</td><td>101.63</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>300</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.13	-----	-----	101.63	35.04	11.31	38.85	0.00	300	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	57.82	111.36	-53.54	50.74	35.07	11.34	39.33	0.00	300	38	PEAK																																																																																																																														
2	5859.20	56.10	109.72	-53.62	49.01	35.07	11.34	39.32	0.00	300	38	PEAK																																																																																																																														
3	5924.00	50.61	68.35	-17.74	43.30	35.13	11.40	39.22	0.00	300	38	PEAK																																																																																																																														
4	5963.20	53.47	68.20	-14.73	46.01	35.17	11.44	39.15	0.00	300	38	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.13	-----	-----	101.63	35.04	11.31	38.85	0.00	300	38	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.51</td><td>-----</td><td>-----</td><td>92.01</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>300</td><td>38</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.51	-----	-----	92.01	35.04	11.31	38.85	0.00	300	38	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	99.51	-----	-----	92.01	35.04	11.31	38.85	0.00	300	38	AVERAGE																																																																																																																														




Mode	35																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7766.47</td><td>43.57</td><td>68.20</td><td>-24.63</td><td>61.11</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>57.33</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	43.57	68.20	-24.63	61.11	36.20	13.17	66.91	0.00	--	PEAK	2	11650.00	45.71	74.00	-28.29	57.33	38.25	16.46	66.33	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7766.47</td><td>43.69</td><td>68.20</td><td>-24.51</td><td>61.23</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>67.62</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>56.02</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.47	43.69	68.20	-24.51	61.23	36.20	13.17	66.91	0.00	--	PEAK	2	11650.00	56.00	74.00	-18.00	67.62	38.25	16.46	66.33	0.00	100	325 PEAK	3	11650.00	44.40	54.00	-9.60	56.02	38.25	16.46	66.33	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	7766.47	43.57	68.20	-24.63	61.11	36.20	13.17	66.91	0.00	--	PEAK																																																																																																																										
2	11650.00	45.71	74.00	-28.29	57.33	38.25	16.46	66.33	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	7766.47	43.69	68.20	-24.51	61.23	36.20	13.17	66.91	0.00	--	PEAK																																																																																																																										
2	11650.00	56.00	74.00	-18.00	67.62	38.25	16.46	66.33	0.00	100	325 PEAK																																																																																																																										
3	11650.00	44.40	54.00	-9.60	56.02	38.25	16.46	66.33	0.00	100	325 AVERAGE																																																																																																																										






Mode	36																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5641.23</td><td>53.83</td><td>68.20</td><td>-14.37</td><td>43.88</td><td>34.87</td><td>11.06</td><td>35.98</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr><tr><td>2 5650.53</td><td>51.19</td><td>68.59</td><td>-17.40</td><td>41.37</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr><tr><td>3 5707.26</td><td>71.18</td><td>107.33</td><td>-36.15</td><td>62.12</td><td>34.93</td><td>11.15</td><td>37.02</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr><tr><td>4 5720.13</td><td>73.38</td><td>111.19</td><td>-37.81</td><td>64.49</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5641.23	53.83	68.20	-14.37	43.88	34.87	11.06	35.98	0.00	351	21 PEAK	2 5650.53	51.19	68.59	-17.40	41.37	34.88	11.07	36.13	0.00	351	21 PEAK	3 5707.26	71.18	107.33	-36.15	62.12	34.93	11.15	37.02	0.00	351	21 PEAK	4 5720.13	73.38	111.19	-37.81	64.49	34.94	11.17	37.22	0.00	351	21 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>102.90</td><td>-----</td><td>-----</td><td>94.34</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>351</td><td>21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	102.90	-----	-----	94.34	34.97	11.21	37.62	0.00	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5641.23	53.83	68.20	-14.37	43.88	34.87	11.06	35.98	0.00	351	21 PEAK																																																																																																																				
2 5650.53	51.19	68.59	-17.40	41.37	34.88	11.07	36.13	0.00	351	21 PEAK																																																																																																																				
3 5707.26	71.18	107.33	-36.15	62.12	34.93	11.15	37.02	0.00	351	21 PEAK																																																																																																																				
4 5720.13	73.38	111.19	-37.81	64.49	34.94	11.17	37.22	0.00	351	21 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	102.90	-----	-----	94.34	34.97	11.21	37.62	0.00	351	21 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.28</td><td>-----</td><td>-----</td><td>85.89</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>351</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.28	-----	-----	85.89	34.98	11.22	37.81	0.00	351	21 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	94.28	-----	-----	85.89	34.98	11.22	37.81	0.00	351	21 AVERAGE																																																																																																																				




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>50.31</td><td>111.71</td><td>-61.40</td><td>43.23</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>351</td><td>21</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>50.06</td><td>105.38</td><td>-55.32</td><td>42.92</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>351</td><td>21</td><td>PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>50.11</td><td>69.03</td><td>-18.92</td><td>42.80</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>351</td><td>21</td><td>PEAK</td></tr><tr><td>4</td><td>5929.14</td><td>52.49</td><td>68.20</td><td>-15.71</td><td>45.15</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>351</td><td>21</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	50.31	111.71	-61.40	43.23	35.07	11.34	39.33	0.00	351	21	PEAK	2	5874.73	50.06	105.38	-55.32	42.92	35.09	11.35	39.30	0.00	351	21	PEAK	3	5923.87	50.11	69.03	-18.92	42.80	35.13	11.40	39.22	0.00	351	21	PEAK	4	5929.14	52.49	68.20	-15.71	45.15	35.14	11.41	39.21	0.00	351	21	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	50.31	111.71	-61.40	43.23	35.07	11.34	39.33	0.00	351	21	PEAK																																																																									
2	5874.73	50.06	105.38	-55.32	42.92	35.09	11.35	39.30	0.00	351	21	PEAK																																																																									
3	5923.87	50.11	69.03	-18.92	42.80	35.13	11.40	39.22	0.00	351	21	PEAK																																																																									
4	5929.14	52.49	68.20	-15.71	45.15	35.14	11.41	39.21	0.00	351	21	PEAK																																																																									





Mode	36																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.43</td><td>55.25</td><td>68.20</td><td>-12.95</td><td>45.39</td><td>34.87</td><td>11.07</td><td>36.08</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>54.79</td><td>69.29</td><td>-14.50</td><td>44.98</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr><tr><td>3</td><td>5716.56</td><td>79.19</td><td>109.94</td><td>-30.75</td><td>70.25</td><td>34.94</td><td>11.16</td><td>37.16</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr><tr><td>4</td><td>5728.28</td><td>81.78</td><td>111.54</td><td>-29.76</td><td>72.89</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.43	55.25	68.20	-12.95	45.39	34.87	11.07	36.08	0.00	287	39	PEAK	2	5651.46	54.79	69.29	-14.50	44.98	34.88	11.07	36.14	0.00	287	39	PEAK	3	5716.56	79.19	109.94	-30.75	70.25	34.94	11.16	37.16	0.00	287	39	PEAK	4	5728.28	81.78	111.54	-29.76	72.89	34.94	11.17	37.22	0.00	287	39	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.88</td><td>-----</td><td>-----</td><td>101.42</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	109.88	-----	-----	101.42	34.97	11.21	37.72	0.00	287	39	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5647.43	55.25	68.20	-12.95	45.39	34.87	11.07	36.08	0.00	287	39	PEAK																																																																																																																														
2	5651.46	54.79	69.29	-14.50	44.98	34.88	11.07	36.14	0.00	287	39	PEAK																																																																																																																														
3	5716.56	79.19	109.94	-30.75	70.25	34.94	11.16	37.16	0.00	287	39	PEAK																																																																																																																														
4	5728.28	81.78	111.54	-29.76	72.89	34.94	11.17	37.22	0.00	287	39	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	109.88	-----	-----	101.42	34.97	11.21	37.72	0.00	287	39	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.20</td><td>-----</td><td>-----</td><td>91.74</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>287</td><td>39</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.20	-----	-----	91.74	34.97	11.21	37.72	0.00	287	39	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	100.20	-----	-----	91.74	34.97	11.21	37.72	0.00	287	39	AVERAGE																																																																																																																														






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>50.67</td><td>112.60</td><td>-61.93</td><td>43.59</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr><tr><td>2</td><td>5871.42</td><td>51.59</td><td>106.30</td><td>-54.71</td><td>44.46</td><td>35.08</td><td>11.35</td><td>39.30</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr><tr><td>3</td><td>5923.09</td><td>50.84</td><td>69.61</td><td>-18.77</td><td>43.53</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr><tr><td>4</td><td>5939.86</td><td>52.58</td><td>68.20</td><td>-15.62</td><td>45.20</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>287</td><td>39</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	50.67	112.60	-61.93	43.59	35.07	11.33	39.32	0.00	287	39	PEAK	2	5871.42	51.59	106.30	-54.71	44.46	35.08	11.35	39.30	0.00	287	39	PEAK	3	5923.09	50.84	69.61	-18.77	43.53	35.13	11.40	39.22	0.00	287	39	PEAK	4	5939.86	52.58	68.20	-15.62	45.20	35.15	11.42	39.19	0.00	287	39	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.26	50.67	112.60	-61.93	43.59	35.07	11.33	39.32	0.00	287	39	PEAK																																																																									
2	5871.42	51.59	106.30	-54.71	44.46	35.08	11.35	39.30	0.00	287	39	PEAK																																																																									
3	5923.09	50.84	69.61	-18.77	43.53	35.13	11.40	39.22	0.00	287	39	PEAK																																																																									
4	5939.86	52.58	68.20	-15.62	45.20	35.15	11.42	39.19	0.00	287	39	PEAK																																																																									




Mode	36																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>61.78</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>57.79</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.14	44.04	74.00	-29.96	61.78	36.05	13.08	66.87	0.00	--	--	PEAK	2	11510.00	46.03	74.00	-27.97	57.79	38.20	16.37	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7673.14	44.04	74.00	-29.96	61.78	36.05	13.08	66.87	0.00	--	--	PEAK																																																										
2	11510.00	46.03	74.00	-27.97	57.79	38.20	16.37	66.33	0.00	--	--	PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>61.79</td><td>36.05</td><td>13.08</td><td>66.87</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>57.29</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.14	44.05	74.00	-29.95	61.79	36.05	13.08	66.87	0.00	--	--	PEAK	2	11510.00	45.53	74.00	-28.47	57.29	38.20	16.37	66.33	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	7673.14	44.05	74.00	-29.95	61.79	36.05	13.08	66.87	0.00	--	--	PEAK																																																										
2	11510.00	45.53	74.00	-28.47	57.29	38.20	16.37	66.33	0.00	--	--	PEAK																																																										






Mode	37																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.80</td><td>54.10</td><td>68.20</td><td>-14.10</td><td>44.21</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>316</td><td>21</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>51.93</td><td>68.50</td><td>-16.57</td><td>42.10</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>316</td><td>21</td><td>PEAK</td></tr><tr><td>3</td><td>5789.20</td><td>56.16</td><td>107.88</td><td>-51.72</td><td>47.13</td><td>34.93</td><td>11.15</td><td>37.05</td><td>0.00</td><td>316</td><td>21</td><td>PEAK</td></tr><tr><td>4</td><td>5728.80</td><td>58.57</td><td>112.72</td><td>-54.15</td><td>49.69</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>316</td><td>21</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.80	54.10	68.20	-14.10	44.21	34.85	11.03	35.99	0.00	316	21	PEAK	2	5650.40	51.93	68.50	-16.57	42.10	34.88	11.07	36.12	0.00	316	21	PEAK	3	5789.20	56.16	107.88	-51.72	47.13	34.93	11.15	37.05	0.00	316	21	PEAK	4	5728.80	58.57	112.72	-54.15	49.69	34.94	11.17	37.23	0.00	316	21	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.79</td><td>-----</td><td>-----</td><td>94.72</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>316</td><td>21</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	102.79	-----	-----	94.72	35.00	11.26	38.19	0.00	316	21	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5628.80	54.10	68.20	-14.10	44.21	34.85	11.03	35.99	0.00	316	21	PEAK																																																																																																																															
2	5650.40	51.93	68.50	-16.57	42.10	34.88	11.07	36.12	0.00	316	21	PEAK																																																																																																																															
3	5789.20	56.16	107.88	-51.72	47.13	34.93	11.15	37.05	0.00	316	21	PEAK																																																																																																																															
4	5728.80	58.57	112.72	-54.15	49.69	34.94	11.17	37.23	0.00	316	21	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	102.79	-----	-----	94.72	35.00	11.26	38.19	0.00	316	21	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.77</td><td>-----</td><td>-----</td><td>85.70</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>316</td><td>21</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.77	-----	-----	85.70	35.00	11.26	38.19	0.00	316	21	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	93.77	-----	-----	85.70	35.00	11.26	38.19	0.00	316	21	AVERAGE																																																																																																																															



Mode	37																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.18</td><td>113.18</td><td>-53.00</td><td>53.10</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>316</td><td>21 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>53.82</td><td>105.36</td><td>-51.54</td><td>46.68</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>316</td><td>21 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>49.76</td><td>69.23</td><td>-19.47</td><td>42.45</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>316</td><td>21 PEAK</td></tr><tr><td>4</td><td>5966.40</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>46.01</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>316</td><td>21 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	60.18	113.18	-53.00	53.10	35.07	11.33	39.32	0.00	316	21 PEAK	2	5874.00	53.82	105.36	-51.54	46.68	35.09	11.35	39.30	0.00	316	21 PEAK	3	5923.60	49.76	69.23	-19.47	42.45	35.13	11.40	39.22	0.00	316	21 PEAK	4	5966.40	53.47	68.20	-14.73	46.01	35.17	11.44	39.15	0.00	316	21 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.00	60.18	113.18	-53.00	53.10	35.07	11.33	39.32	0.00	316	21 PEAK																																																																						
2	5874.00	53.82	105.36	-51.54	46.68	35.09	11.35	39.30	0.00	316	21 PEAK																																																																						
3	5923.60	49.76	69.23	-19.47	42.45	35.13	11.40	39.22	0.00	316	21 PEAK																																																																						
4	5966.40	53.47	68.20	-14.73	46.01	35.17	11.44	39.15	0.00	316	21 PEAK																																																																						





Mode	37																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>44.46</td><td>34.85</td><td>11.03</td><td>35.98</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>43.97</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5785.60</td><td>61.00</td><td>106.87</td><td>-45.87</td><td>51.91</td><td>34.93</td><td>11.15</td><td>36.99</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>65.22</td><td>113.64</td><td>-48.42</td><td>56.34</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5622.00	54.36	68.20	-13.84	44.46	34.85	11.03	35.98	0.00	300	40	PEAK	2	5650.00	53.80	68.20	-14.40	43.97	34.88	11.07	36.12	0.00	300	40	PEAK	3	5785.60	61.00	106.87	-45.87	51.91	34.93	11.15	36.99	0.00	300	40	PEAK	4	5721.20	65.22	113.64	-48.42	56.34	34.94	11.17	37.23	0.00	300	40	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.10</td><td>-----</td><td>-----</td><td>99.20</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	107.10	-----	-----	99.20	35.01	11.27	38.38	0.00	300	40	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5622.00	54.36	68.20	-13.84	44.46	34.85	11.03	35.98	0.00	300	40	PEAK																																																																																																																														
2	5650.00	53.80	68.20	-14.40	43.97	34.88	11.07	36.12	0.00	300	40	PEAK																																																																																																																														
3	5785.60	61.00	106.87	-45.87	51.91	34.93	11.15	36.99	0.00	300	40	PEAK																																																																																																																														
4	5721.20	65.22	113.64	-48.42	56.34	34.94	11.17	37.23	0.00	300	40	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	107.10	-----	-----	99.20	35.01	11.27	38.38	0.00	300	40	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.25</td><td>-----</td><td>-----</td><td>90.26</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>300</td><td>40</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.25	-----	-----	90.26	35.01	11.26	38.28	0.00	300	40	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	98.25	-----	-----	90.26	35.01	11.26	38.28	0.00	300	40	AVERAGE																																																																																																																														






Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.74</td><td>111.36</td><td>-50.62</td><td>53.66</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>59.84</td><td>109.05</td><td>-49.21</td><td>52.74</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>51.27</td><td>68.64</td><td>-17.37</td><td>43.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5967.60</td><td>52.20</td><td>68.20</td><td>-16.00</td><td>44.73</td><td>35.18</td><td>11.44</td><td>39.15</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	60.74	111.36	-50.62	53.66	35.07	11.34	39.33	0.00	300	40	PEAK	2	5861.60	59.84	109.05	-49.21	52.74	35.08	11.34	39.32	0.00	300	40	PEAK	3	5924.40	51.27	68.64	-17.37	43.96	35.13	11.40	39.22	0.00	300	40	PEAK	4	5967.60	52.20	68.20	-16.00	44.73	35.18	11.44	39.15	0.00	300	40	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	60.74	111.36	-50.62	53.66	35.07	11.34	39.33	0.00	300	40	PEAK																																																																									
2	5861.60	59.84	109.05	-49.21	52.74	35.08	11.34	39.32	0.00	300	40	PEAK																																																																									
3	5924.40	51.27	68.64	-17.37	43.96	35.13	11.40	39.22	0.00	300	40	PEAK																																																																									
4	5967.60	52.20	68.20	-16.00	44.73	35.18	11.44	39.15	0.00	300	40	PEAK																																																																									




Mode	37																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7726.47</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>61.15</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>57.05</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.47	43.54	74.00	-30.46	61.15	36.15	13.13	66.89	0.00	--	PEAK	2	11590.00	45.34	74.00	-28.66	57.05	38.20	16.42	66.33	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7726.47</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>62.17</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>57.01</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.47	44.56	74.00	-29.44	62.17	36.15	13.13	66.89	0.00	--	PEAK	2	11590.00	45.30	74.00	-28.70	57.01	38.20	16.42	66.33	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	7726.47	43.54	74.00	-30.46	61.15	36.15	13.13	66.89	0.00	--	PEAK																																																																																																													
2	11590.00	45.34	74.00	-28.66	57.05	38.20	16.42	66.33	0.00	--	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	7726.47	44.56	74.00	-29.44	62.17	36.15	13.13	66.89	0.00	--	PEAK																																																																																																													
2	11590.00	45.30	74.00	-28.70	57.01	38.20	16.42	66.33	0.00	--	PEAK																																																																																																													






Mode	38																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5619.60</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>46.92</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>313</td><td>25 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.66</td><td>68.50</td><td>-12.84</td><td>45.83</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>313</td><td>25 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>72.83</td><td>106.53</td><td>-33.70</td><td>63.72</td><td>34.93</td><td>11.15</td><td>36.97</td><td>0.00</td><td>313</td><td>25 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.82</td><td>110.90</td><td>-39.08</td><td>62.93</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>313</td><td>25 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.60	56.81	68.20	-11.39	46.92	34.85	11.03	35.99	0.00	313	25 PEAK	2	5650.40	55.66	68.50	-12.84	45.83	34.88	11.07	36.12	0.00	313	25 PEAK	3	5704.40	72.83	106.53	-33.70	63.72	34.93	11.15	36.97	0.00	313	25 PEAK	4	5720.00	71.82	110.90	-39.08	62.93	34.94	11.17	37.22	0.00	313	25 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>99.63</td><td>-----</td><td>-----</td><td>91.33</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>313</td><td>25 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.63	-----	-----	91.33	34.98	11.23	37.91	0.00	313	25 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5619.60	56.81	68.20	-11.39	46.92	34.85	11.03	35.99	0.00	313	25 PEAK																																																																																																																											
2	5650.40	55.66	68.50	-12.84	45.83	34.88	11.07	36.12	0.00	313	25 PEAK																																																																																																																											
3	5704.40	72.83	106.53	-33.70	63.72	34.93	11.15	36.97	0.00	313	25 PEAK																																																																																																																											
4	5720.00	71.82	110.90	-39.08	62.93	34.94	11.17	37.22	0.00	313	25 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5775.00	99.63	-----	-----	91.33	34.98	11.23	37.91	0.00	313	25 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.81</td><td>-----</td><td>-----</td><td>82.58</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>313</td><td>25 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.81	-----	-----	82.58	34.99	11.24	38.00	0.00	313	25 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5775.00	90.81	-----	-----	82.58	34.99	11.24	38.00	0.00	313	25 AVERAGE																																																																																																																											




Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>68.31</td><td>114.09</td><td>-45.78</td><td>61.22</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>313</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>66.44</td><td>109.83</td><td>-43.39</td><td>59.35</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>313</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>54.56</td><td>70.71</td><td>-16.15</td><td>47.25</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>313</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5943.60</td><td>51.98</td><td>68.20</td><td>-16.22</td><td>44.59</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>313</td><td>25</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	68.31	114.09	-45.78	61.22	35.07	11.33	39.31	0.00	313	25	PEAK	2	5858.00	66.44	109.83	-43.39	59.35	35.07	11.34	39.32	0.00	313	25	PEAK	3	5921.60	54.56	70.71	-16.15	47.25	35.13	11.40	39.22	0.00	313	25	PEAK	4	5943.60	51.98	68.20	-16.22	44.59	35.15	11.42	39.18	0.00	313	25	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.60	68.31	114.09	-45.78	61.22	35.07	11.33	39.31	0.00	313	25	PEAK																																																																																		
2	5858.00	66.44	109.83	-43.39	59.35	35.07	11.34	39.32	0.00	313	25	PEAK																																																																																		
3	5921.60	54.56	70.71	-16.15	47.25	35.13	11.40	39.22	0.00	313	25	PEAK																																																																																		
4	5943.60	51.98	68.20	-16.22	44.59	35.15	11.42	39.18	0.00	313	25	PEAK																																																																																		





Mode	38																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Vertical							Fundamental																																																																																																																																				
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5640.80</td><td>59.44</td><td>68.20</td><td>-8.76</td><td>49.48</td><td>34.87</td><td>11.06</td><td>35.97</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>5651.20</td><td>60.69</td><td>69.09</td><td>-8.40</td><td>50.88</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td><td></td></tr><tr><td>3</td><td>5703.60</td><td>76.30</td><td>106.31</td><td>-28.01</td><td>69.18</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td><td></td></tr><tr><td>4</td><td>5720.00</td><td>79.74</td><td>110.90</td><td>-31.16</td><td>70.85</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td><td></td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5640.80	59.44	68.20	-8.76	49.48	34.87	11.06	35.97	0.00	304	40	PEAK		2	5651.20	60.69	69.09	-8.40	50.88	34.88	11.07	36.14	0.00	304	40	PEAK		3	5703.60	76.30	106.31	-28.01	69.18	34.93	11.15	36.96	0.00	304	40	PEAK		4	5720.00	79.74	110.90	-31.16	70.85	34.94	11.17	37.22	0.00	304	40	PEAK		<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.37</td><td>-----</td><td>-----</td><td>96.07</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td><td></td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5775.00	104.37	-----	-----	96.07	34.98	11.23	37.91	0.00	304	40	PEAK	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5640.80	59.44	68.20	-8.76	49.48	34.87	11.06	35.97	0.00	304	40	PEAK																																																																																																																																
2	5651.20	60.69	69.09	-8.40	50.88	34.88	11.07	36.14	0.00	304	40	PEAK																																																																																																																																
3	5703.60	76.30	106.31	-28.01	69.18	34.93	11.15	36.96	0.00	304	40	PEAK																																																																																																																																
4	5720.00	79.74	110.90	-31.16	70.85	34.94	11.17	37.22	0.00	304	40	PEAK																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	104.37	-----	-----	96.07	34.98	11.23	37.91	0.00	304	40	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
								<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.33</td><td>-----</td><td>-----</td><td>88.10</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>304</td><td>40</td><td>AVERAGE</td><td></td></tr></tbody></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5775.00	96.33	-----	-----	88.10	34.99	11.24	38.00	0.00	304	40	AVERAGE																																																																																					
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	96.33	-----	-----	88.10	34.99	11.24	38.00	0.00	304	40	AVERAGE																																																																																																																																





Mode	38																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>70.55</td><td>111.36</td><td>-40.81</td><td>63.47</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>70.59</td><td>108.49</td><td>-37.90</td><td>63.49</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.56</td><td>68.35</td><td>-17.79</td><td>43.25</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>52.38</td><td>68.20</td><td>-15.82</td><td>45.04</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>304</td><td>40</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	70.55	111.36	-40.81	63.47	35.07	11.34	39.33	0.00	304	40	PEAK	2	5863.60	70.59	108.49	-37.90	63.49	35.08	11.34	39.32	0.00	304	40	PEAK	3	5924.80	50.56	68.35	-17.79	43.25	35.13	11.40	39.22	0.00	304	40	PEAK	4	5928.80	52.38	68.20	-15.82	45.04	35.14	11.41	39.21	0.00	304	40	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	70.55	111.36	-40.81	63.47	35.07	11.34	39.33	0.00	304	40	PEAK																																																																									
2	5863.60	70.59	108.49	-37.90	63.49	35.08	11.34	39.32	0.00	304	40	PEAK																																																																									
3	5924.80	50.56	68.35	-17.79	43.25	35.13	11.40	39.22	0.00	304	40	PEAK																																																																									
4	5928.80	52.38	68.20	-15.82	45.04	35.14	11.41	39.21	0.00	304	40	PEAK																																																																									





Mode	38																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.81</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>61.05</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>57.38</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7699.81	43.38	74.00	-30.62	61.05	36.10	13.11	66.88	0.00	--	--	PEAK	2	11550.00	45.64	74.00	-28.36	57.38	38.20	16.39	66.33	0.00	--	--	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.81</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>61.44</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>57.35</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7699.81	43.77	74.00	-30.23	61.44	36.10	13.11	66.88	0.00	--	--	PEAK	2	11550.00	45.61	74.00	-28.39	57.35	38.20	16.39	66.33	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	7699.81	43.38	74.00	-30.62	61.05	36.10	13.11	66.88	0.00	--	--	PEAK																																																																																																																													
2	11550.00	45.64	74.00	-28.36	57.38	38.20	16.39	66.33	0.00	--	--	PEAK																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	7699.81	43.77	74.00	-30.23	61.44	36.10	13.11	66.88	0.00	--	--	PEAK																																																																																																																													
2	11550.00	45.61	74.00	-28.39	57.35	38.20	16.39	66.33	0.00	--	--	PEAK																																																																																																																													





Mode	38	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	38																																																																																																																																																																																																										
	30-1G																																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
Peak																																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>38.00</td><td>20.06</td><td>40.00</td><td>-19.94</td><td>27.80</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>145.43</td><td>20.65</td><td>43.50</td><td>-22.85</td><td>35.17</td><td>16.48</td><td>1.82</td><td>32.82</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>306.45</td><td>28.21</td><td>46.00</td><td>-17.79</td><td>38.90</td><td>19.47</td><td>2.67</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>371.44</td><td>25.10</td><td>46.00</td><td>-20.90</td><td>34.09</td><td>20.96</td><td>2.94</td><td>32.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>395.69</td><td>24.95</td><td>46.00</td><td>-21.05</td><td>33.19</td><td>21.57</td><td>3.03</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>726.46</td><td>26.79</td><td>46.00</td><td>-19.21</td><td>30.05</td><td>25.55</td><td>4.12</td><td>32.93</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	38.00	20.06	40.00	-19.94	27.80	24.57	0.71	33.02	0.00	---	Peak	2	145.43	20.65	43.50	-22.85	35.17	16.48	1.82	32.82	0.00	---	Peak	3	306.45	28.21	46.00	-17.79	38.90	19.47	2.67	32.83	0.00	---	Peak	4	371.44	25.10	46.00	-20.90	34.09	20.96	2.94	32.89	0.00	---	Peak	5	395.69	24.95	46.00	-21.05	33.19	21.57	3.03	32.84	0.00	---	Peak	6	726.46	26.79	46.00	-19.21	30.05	25.55	4.12	32.93	0.00	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>42.61</td><td>28.56</td><td>40.00</td><td>-11.44</td><td>43.02</td><td>17.57</td><td>0.93</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>137.67</td><td>22.71</td><td>43.50</td><td>-20.79</td><td>37.20</td><td>16.58</td><td>1.76</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>257.95</td><td>18.17</td><td>46.00</td><td>-27.83</td><td>29.94</td><td>18.56</td><td>2.45</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>370.47</td><td>20.53</td><td>46.00</td><td>-25.47</td><td>29.55</td><td>20.94</td><td>2.93</td><td>32.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>607.15</td><td>26.49</td><td>46.00</td><td>-19.51</td><td>30.81</td><td>24.98</td><td>3.76</td><td>33.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>905.91</td><td>31.63</td><td>46.00</td><td>-14.37</td><td>32.05</td><td>26.77</td><td>4.60</td><td>31.79</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	42.61	28.56	40.00	-11.44	43.02	17.57	0.93	32.96	0.00	---	Peak	2	137.67	22.71	43.50	-20.79	37.20	16.58	1.76	32.83	0.00	---	Peak	3	257.95	18.17	46.00	-27.83	29.94	18.56	2.45	32.78	0.00	---	Peak	4	370.47	20.53	46.00	-25.47	29.55	20.94	2.93	32.89	0.00	---	Peak	5	607.15	26.49	46.00	-19.51	30.81	24.98	3.76	33.06	0.00	---	Peak	6	905.91	31.63	46.00	-14.37	32.05	26.77	4.60	31.79	0.00	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	38.00	20.06	40.00	-19.94	27.80	24.57	0.71	33.02	0.00	---	Peak																																																																																																																																																																																																
2	145.43	20.65	43.50	-22.85	35.17	16.48	1.82	32.82	0.00	---	Peak																																																																																																																																																																																																
3	306.45	28.21	46.00	-17.79	38.90	19.47	2.67	32.83	0.00	---	Peak																																																																																																																																																																																																
4	371.44	25.10	46.00	-20.90	34.09	20.96	2.94	32.89	0.00	---	Peak																																																																																																																																																																																																
5	395.69	24.95	46.00	-21.05	33.19	21.57	3.03	32.84	0.00	---	Peak																																																																																																																																																																																																
6	726.46	26.79	46.00	-19.21	30.05	25.55	4.12	32.93	0.00	---	Peak																																																																																																																																																																																																
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	42.61	28.56	40.00	-11.44	43.02	17.57	0.93	32.96	0.00	---	Peak																																																																																																																																																																																																
2	137.67	22.71	43.50	-20.79	37.20	16.58	1.76	32.83	0.00	---	Peak																																																																																																																																																																																																
3	257.95	18.17	46.00	-27.83	29.94	18.56	2.45	32.78	0.00	---	Peak																																																																																																																																																																																																
4	370.47	20.53	46.00	-25.47	29.55	20.94	2.93	32.89	0.00	---	Peak																																																																																																																																																																																																
5	607.15	26.49	46.00	-19.51	30.81	24.98	3.76	33.06	0.00	---	Peak																																																																																																																																																																																																
6	905.91	31.63	46.00	-14.37	32.05	26.77	4.60	31.79	0.00	---	Peak																																																																																																																																																																																																





Mode	39																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>60.90</td><td>35.95</td><td>13.04</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>57.24</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	43.04	74.00	-30.96	60.90	35.95	13.04	66.85	0.00	--	--	PEAK	2	11440.00	45.28	74.00	-28.72	57.24	38.08	16.32	66.36	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>62.28</td><td>35.95</td><td>13.04</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>57.65</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.42	74.00	-29.58	62.28	35.95	13.04	66.85	0.00	--	--	PEAK	2	11440.00	45.69	74.00	-28.31	57.65	38.08	16.32	66.36	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	7626.48	43.04	74.00	-30.96	60.90	35.95	13.04	66.85	0.00	--	--	PEAK																																																																																																																										
2	11440.00	45.28	74.00	-28.72	57.24	38.08	16.32	66.36	0.00	--	--	PEAK																																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	7626.48	44.42	74.00	-29.58	62.28	35.95	13.04	66.85	0.00	--	--	PEAK																																																																																																																										
2	11440.00	45.69	74.00	-28.31	57.65	38.08	16.32	66.36	0.00	--	--	PEAK																																																																																																																										





Mode	40																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7626.48</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>60.91</td><td>35.95</td><td>13.04</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>57.83</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7626.48	43.05	74.00	-30.95	60.91	35.95	13.04	66.85	0.00	--	--	PEAK	2	11440.00	45.87	74.00	-28.13	57.83	38.08	16.32	66.36	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7626.48</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>62.36</td><td>35.95</td><td>13.04</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>57.37</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7626.48	44.50	74.00	-29.50	62.36	35.95	13.04	66.85	0.00	--	--	PEAK	2	11440.00	45.41	74.00	-28.59	57.37	38.08	16.32	66.36	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	7626.48	43.05	74.00	-30.95	60.91	35.95	13.04	66.85	0.00	--	--	PEAK																																																																																																																															
2	11440.00	45.87	74.00	-28.13	57.83	38.08	16.32	66.36	0.00	--	--	PEAK																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	7626.48	44.50	74.00	-29.50	62.36	35.95	13.04	66.85	0.00	--	--	PEAK																																																																																																																															
2	11440.00	45.41	74.00	-28.59	57.37	38.08	16.32	66.36	0.00	--	--	PEAK																																																																																																																															



Mode	41																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7613.14</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>61.07</td><td>35.93</td><td>13.03</td><td>66.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>57.50</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7613.14	43.19	74.00	-30.81	61.07	35.93	13.03	66.84	0.00	--	--	PEAK	2	11420.00	45.48	74.00	-28.52	57.50	38.04	16.31	66.37	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7613.14</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>62.96</td><td>35.93</td><td>13.03</td><td>66.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>57.41</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7613.14	45.08	74.00	-28.92	62.96	35.93	13.03	66.84	0.00	--	--	PEAK	2	11420.00	45.39	74.00	-28.61	57.41	38.04	16.31	66.37	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7613.14	43.19	74.00	-30.81	61.07	35.93	13.03	66.84	0.00	--	--	PEAK																																																																																																																																
2	11420.00	45.48	74.00	-28.52	57.50	38.04	16.31	66.37	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7613.14	45.08	74.00	-28.92	62.96	35.93	13.03	66.84	0.00	--	--	PEAK																																																																																																																																
2	11420.00	45.39	74.00	-28.61	57.41	38.04	16.31	66.37	0.00	--	--	PEAK																																																																																																																																







Mode	42																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7586.48</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>61.36</td><td>35.87</td><td>13.00</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>57.42</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7586.48	43.40	74.00	-30.60	61.36	35.87	13.00	66.83	0.00	--	--	PEAK	2	11380.00	45.29	74.00	-28.71	57.42	37.98	16.29	66.40	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7586.48</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>62.87</td><td>35.87</td><td>13.00</td><td>66.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>57.00</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7586.48	44.11	74.00	-29.89	62.87	35.87	13.00	66.83	0.00	--	--	PEAK	2	11380.00	44.87	74.00	-29.13	57.00	37.98	16.29	66.40	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	7586.48	43.40	74.00	-30.60	61.36	35.87	13.00	66.83	0.00	--	--	PEAK																																																																																																																																
2	11380.00	45.29	74.00	-28.71	57.42	37.98	16.29	66.40	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	7586.48	44.11	74.00	-29.89	62.87	35.87	13.00	66.83	0.00	--	--	PEAK																																																																																																																																
2	11380.00	44.87	74.00	-29.13	57.00	37.98	16.29	66.40	0.00	--	--	PEAK																																																																																																																																





Co-location

Mode	43																																																						
	Band Edge																																																						
	2400-2483.5 Bluetooth-LE_GSKF Bluetooth-LE_GSKF_CH39_2480MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>58.66</td><td>74.00</td><td>-15.34</td><td>49.78</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>308</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	58.66	74.00	-15.34	49.78	32.47	7.26	36.85	6.00	100	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	58.66	74.00	-15.34	49.78	32.47	7.26	36.85	6.00	100	308	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>31.13</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	40.01	54.00	-13.99	31.13	32.47	7.26	36.85	6.00	100	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	40.01	54.00	-13.99	31.13	32.47	7.26	36.85	6.00	100	308	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.00</td><td>-----</td><td>-----</td><td>95.23</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>308</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.00	-----	-----	95.23	32.46	7.25	36.86	6.00	100	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	104.00	-----	-----	95.23	32.46	7.25	36.86	6.00	100	308	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.85</td><td>-----</td><td>-----</td><td>94.00</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.85	-----	-----	94.00	32.46	7.25	36.86	6.00	100	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	102.85	-----	-----	94.00	32.46	7.25	36.86	6.00	100	308	AVERAGE																																											







		43																																																																																																														
Mode		Band Edge																																																																																																														
		2400-2483.5_Bluetooth-LE_GSKF_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																														
ANT		1																																																																																																														
Pol.		Fundamental																																																																																																														
Peak	Vertical	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>45.62</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>161</td><td>313</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	54.50	74.00	-19.50	45.62	32.47	7.26	36.85	6.00	161	313	PEAK	Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>101.13</td><td>-----</td><td>-----</td><td>92.28</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>161</td><td>313</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.13	-----	-----	92.28	32.46	7.25	36.86	6.00	161	313	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.62	54.50	74.00	-19.50	45.62	32.47	7.26	36.85	6.00	161	313	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	101.13	-----	-----	92.28	32.46	7.25	36.86	6.00	161	313	PEAK																																																																																																				
Avg	Vertical	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.84</td><td>39.20</td><td>54.00</td><td>-14.80</td><td>30.31</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>161</td><td>313</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.84	39.20	54.00	-14.80	30.31	32.47	7.26	36.84	6.00	161	313	AVERAGE	Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.88</td><td>-----</td><td>-----</td><td>91.03</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>161</td><td>313</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.88	-----	-----	91.03	32.46	7.25	36.86	6.00	161	313	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2485.84	39.20	54.00	-14.80	30.31	32.47	7.26	36.84	6.00	161	313	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	99.88	-----	-----	91.03	32.46	7.25	36.86	6.00	161	313	AVERAGE																																																																																																				





Mode	43																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>60.96</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5290.13</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>66.45</td><td>34.54</td><td>10.71</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.99	74.00	-34.01	60.96	34.22	10.40	65.59	0.00	--	--	PEAK	2	5290.13	46.19	74.00	-27.81	66.45	34.54	10.71	65.51	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>61.73</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5290.13</td><td>40.95</td><td>74.00</td><td>-33.05</td><td>61.21</td><td>34.54</td><td>10.71</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.76	74.00	-33.24	61.73	34.22	10.40	65.59	0.00	--	--	PEAK	2	5290.13	40.95	74.00	-33.05	61.21	34.54	10.71	65.51	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	39.99	74.00	-34.01	60.96	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																																		
2	5290.13	46.19	74.00	-27.81	66.45	34.54	10.71	65.51	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.76	74.00	-33.24	61.73	34.22	10.40	65.59	0.00	--	--	PEAK																																																																																																																		
2	5290.13	40.95	74.00	-33.05	61.21	34.54	10.71	65.51	0.00	--	--	PEAK																																																																																																																		







Mode	43																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.36</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>41.28</td><td>34.37</td><td>10.58</td><td>36.70</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.36	49.53	74.00	-24.47	41.28	34.37	10.58	36.70	0.00	100	312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>100.18</td><td>-----</td><td>-----</td><td>97.32</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>92.90</td><td>-----</td><td>-----</td><td>84.11</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	100.18	-----	-----	97.32	32.46	7.25	36.85	0.00	100	312 PEAK	2	5290.00	92.90	-----	-----	84.11	34.54	10.71	36.46	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5119.36	49.53	74.00	-24.47	41.28	34.37	10.58	36.70	0.00	100	312 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2482.00	100.18	-----	-----	97.32	32.46	7.25	36.85	0.00	100	312 PEAK																																																																																																		
2	5290.00	92.90	-----	-----	84.11	34.54	10.71	36.46	0.00	100	312 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.88</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>31.98</td><td>34.36</td><td>10.56</td><td>36.72</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.88	40.18	54.00	-13.82	31.98	34.36	10.56	36.72	0.00	100	312 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>99.14</td><td>-----</td><td>-----</td><td>96.28</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr><tr><td>2</td><td>5290.00</td><td>86.58</td><td>-----</td><td>-----</td><td>77.79</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	99.14	-----	-----	96.28	32.46	7.25	36.85	0.00	100	312 AVERAGE	2	5290.00	86.58	-----	-----	77.79	34.54	10.71	36.46	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5102.88	40.18	54.00	-13.82	31.98	34.36	10.56	36.72	0.00	100	312 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2482.00	99.14	-----	-----	96.28	32.46	7.25	36.85	0.00	100	312 AVERAGE																																																																																																		
2	5290.00	86.58	-----	-----	77.79	34.54	10.71	36.46	0.00	100	312 AVERAGE																																																																																																		





Mode	43																																																																									
	Band Edge - R																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5353.00</td><td>65.23</td><td>74.00</td><td>-8.77</td><td>56.25</td><td>34.60</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>312</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.00	65.23	74.00	-8.77	56.25	34.60	10.75	36.37								0.00	100									312									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5353.00	65.23	74.00	-8.77	56.25	34.60	10.75	36.37																																																																		
							0.00	100																																																																		
								312																																																																		
								PEAK																																																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5353.30</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>37.10</td><td>34.60</td><td>10.75</td><td>36.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>312</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.30	46.08	54.00	-7.92	37.10	34.60	10.75	36.37								0.00	100									312									AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5353.30	46.08	54.00	-7.92	37.10	34.60	10.75	36.37																																																																		
							0.00	100																																																																		
								312																																																																		
								AVERAGE																																																																		





Mode	43																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.88</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>41.37</td><td>34.36</td><td>10.56</td><td>36.71</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.88	49.58	74.00	-24.42	41.37	34.36	10.56	36.71	0.00	100	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>99.27</td><td>-----</td><td>-----</td><td>96.41</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>87.01</td><td>-----</td><td>-----</td><td>78.22</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	99.27	-----	-----	96.41	32.46	7.25	36.85	0.00	100	234	PEAK	2	5290.00	87.01	-----	-----	78.22	34.54	10.71	36.46	0.00	100	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5106.88	49.58	74.00	-24.42	41.37	34.36	10.56	36.71	0.00	100	234	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	99.27	-----	-----	96.41	32.46	7.25	36.85	0.00	100	234	PEAK																																																																																																				
2	5290.00	87.01	-----	-----	78.22	34.54	10.71	36.46	0.00	100	234	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.48</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>31.82</td><td>34.36</td><td>10.56</td><td>36.72</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.48	40.02	54.00	-13.98	31.82	34.36	10.56	36.72	0.00	100	234	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>97.48</td><td>-----</td><td>-----</td><td>94.62</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr><tr><td>2</td><td>5290.00</td><td>78.40</td><td>-----</td><td>-----</td><td>69.61</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	97.48	-----	-----	94.62	32.46	7.25	36.85	0.00	100	234	AVERAGE	2	5290.00	78.40	-----	-----	69.61	34.54	10.71	36.46	0.00	100	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5100.48	40.02	54.00	-13.98	31.82	34.36	10.56	36.72	0.00	100	234	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2482.00	97.48	-----	-----	94.62	32.46	7.25	36.85	0.00	100	234	AVERAGE																																																																																																				
2	5290.00	78.40	-----	-----	69.61	34.54	10.71	36.46	0.00	100	234	AVERAGE																																																																																																				



Mode	43																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>45.51</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	54.48	74.00	-19.52	45.51	34.59	10.75	36.37	0.00	100	234	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.00	54.48	74.00	-19.52	45.51	34.59	10.75	36.37	0.00	100	234	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.00</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>30.47</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.00	39.44	54.00	-14.56	30.47	34.59	10.75	36.37	0.00	100	234	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.00	39.44	54.00	-14.56	30.47	34.59	10.75	36.37	0.00	100	234	AVERAGE																																											




Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7853.53</td><td>52.81</td><td>68.20</td><td>-15.39</td><td>70.29</td><td>35.61</td><td>12.53</td><td>65.62</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>44.77</td><td>68.20</td><td>-23.43</td><td>58.41</td><td>37.57</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7853.53	52.81	68.20	-15.39	70.29	35.61	12.53	65.62	0.00	--	Peak	2	10580.00	44.77	68.20	-23.43	58.41	37.57	15.64	66.85	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7853.53</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>74.07</td><td>35.61</td><td>12.53</td><td>65.62</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>43.92</td><td>68.20</td><td>-24.28</td><td>57.54</td><td>37.57</td><td>15.65</td><td>66.84</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7853.53	56.59	68.20	-11.61	74.07	35.61	12.53	65.62	0.00	--	Peak	2	10580.00	43.92	68.20	-24.28	57.54	37.57	15.65	66.84	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7853.53	52.81	68.20	-15.39	70.29	35.61	12.53	65.62	0.00	--	Peak																																																																																																															
2	10580.00	44.77	68.20	-23.43	58.41	37.57	15.64	66.85	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7853.53	56.59	68.20	-11.61	74.07	35.61	12.53	65.62	0.00	--	Peak																																																																																																															
2	10580.00	43.92	68.20	-24.28	57.54	37.57	15.65	66.84	0.00	--	PEAK																																																																																																															



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.92	2.044	0.489	0.51Khz
802.11ac VHT20	98.51	-	-	10hz
802.11ac VHT40	96.30	0.942	1.062	1.1KHz
802.11ac VHT80	94.84	0.469	2.134	2.2KHz


802.11a



Date: 26.OCT.2024 06:32:21




802.11ac VHT20



Date: 26.OCT.2024 06:33:51


802.11ac VHT40



Date: 26.OCT.2024 06:34:50



802.11ac VHT80



Date: 26.OCT.2024 06:36:29