













Mode	22																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.56</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>42.41</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.56	54.49	74.00	-19.51	42.41	34.19	9.78	31.89	0.00	100	339	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.67</td><td>-----</td><td>-----</td><td>92.05</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.67	-----	-----	92.05	34.53	9.89	31.80	0.00	100	339
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5146.56	54.49	74.00	-19.51	42.41	34.19	9.78	31.89	0.00	100	339	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5310.00	104.67	-----	-----	92.05	34.53	9.89	31.80	0.00	100	339	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5116.16</td><td>44.81</td><td>54.00</td><td>-9.19</td><td>32.83</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.16	44.81	54.00	-9.19	32.83	34.13	9.76	31.91	0.00	100	339	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>96.48</td><td>-----</td><td>-----</td><td>83.06</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.48	-----	-----	83.06	34.53	9.89	31.80	0.00	100	339
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5116.16	44.81	54.00	-9.19	32.83	34.13	9.76	31.91	0.00	100	339	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5310.00	96.48	-----	-----	83.06	34.53	9.89	31.80	0.00	100	339	AVERAGE																																																																																																							





Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>60.46</td><td>74.00</td><td>-13.54</td><td>47.73</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.40	60.46	74.00	-13.54	47.73	34.60	9.91	31.78	0.00	100	339	PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5350.40	60.46	74.00	-13.54	47.73	34.60	9.91	31.78	0.00	100	339	PEAK																																											
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>50.01</td><td>54.00</td><td>-3.99</td><td>37.28</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	50.01	54.00	-3.99	37.28	34.60	9.91	31.78	0.00	100	339	AVERAGE	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5350.10	50.01	54.00	-3.99	37.28	34.60	9.91	31.78	0.00	100	339	AVERAGE																																											





Mode	22																																																																																												
	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.36	54.81	74.00	-19.19	42.86	34.11	9.75	31.91	0.00	102	49	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.10</td><td>-----</td><td>-----</td><td>84.50</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>102</td><td>49</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.10	-----	-----	84.50	34.52	9.89	31.81	0.00	102	49	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5107.36	54.81	74.00	-19.19	42.86	34.11	9.75	31.91	0.00	102	49	PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5310.00	97.10	-----	-----	84.50	34.52	9.89	31.81	0.00	102	49	PEAK																																																																																	
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.36</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>32.79</td><td>34.18</td><td>9.78</td><td>31.90</td><td>0.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.36	44.85	54.00	-9.15	32.79	34.18	9.78	31.90	0.00	102	49	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>88.48</td><td>-----</td><td>-----</td><td>75.88</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	88.48	-----	-----	75.88	34.52	9.89	31.81	0.00	102	49
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5139.36	44.85	54.00	-9.15	32.79	34.18	9.78	31.90	0.00	102	49	AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5310.00	88.48	-----	-----	75.88	34.52	9.89	31.81	0.00	102	49	AVERAGE																																																																																	







Mode	22																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>41.45</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>102</td><td>49</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.10	54.18	74.00	-19.82	41.45	34.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5351.10	54.18	74.00	-19.82	41.45	34.60	9.91	31.78	0.00	102	49	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>31.95</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>102</td><td>49</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.50	44.68	54.00	-9.32	31.95	34.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5350.50	44.68	54.00	-9.32	31.95	34.60	9.91	31.78	0.00	102	49	AVERAGE																																								




Mode	22																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal										Vertical																																																																																																																																														
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7079.82</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>62.06</td><td>35.76</td><td>11.63</td><td>64.46</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>59.06</td><td>37.60</td><td>14.09</td><td>65.14</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>52.75</td><td>40.29</td><td>17.95</td><td>64.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7079.82	44.99	68.20	-23.21	62.06	35.76	11.63	64.46	0.00	---	PEAK	2	10620.00	45.61	74.00	-28.39	59.06	37.60	14.09	65.14	0.00	---	PEAK	3	15930.00	46.56	74.00	-27.44	52.75	40.29	17.95	64.43	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7079.82</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>62.09</td><td>35.76</td><td>11.63</td><td>64.46</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>58.73</td><td>37.60</td><td>14.09</td><td>65.14</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>52.84</td><td>40.29</td><td>17.95</td><td>64.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7079.82	45.02	68.20	-23.18	62.09	35.76	11.63	64.46	0.00	---	PEAK	2	10620.00	45.28	74.00	-28.72	58.73	37.60	14.09	65.14	0.00	---	PEAK	3	15930.00	46.65	74.00	-27.35	52.84	40.29	17.95	64.43	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7079.82	44.99	68.20	-23.21	62.06	35.76	11.63	64.46	0.00	---	PEAK																																																																																																																																														
2	10620.00	45.61	74.00	-28.39	59.06	37.60	14.09	65.14	0.00	---	PEAK																																																																																																																																														
3	15930.00	46.56	74.00	-27.44	52.75	40.29	17.95	64.43	0.00	---	PEAK																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7079.82	45.02	68.20	-23.18	62.09	35.76	11.63	64.46	0.00	---	PEAK																																																																																																																																														
2	10620.00	45.28	74.00	-28.72	58.73	37.60	14.09	65.14	0.00	---	PEAK																																																																																																																																														
3	15930.00	46.65	74.00	-27.35	52.84	40.29	17.95	64.43	0.00	---	PEAK																																																																																																																																														







Mode	23																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	59.90	74.00	-14.10	46.82	34.78	10.03	31.73	0.00	146	0 PEAK	2	5469.68	64.80	68.20	-3.40	51.72	34.76	10.04	31.72	0.00	146	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.13</td><td>-----</td><td>-----</td><td>94.04</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>146</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.13	-----	-----	94.04	34.70	10.09	31.70	0.00	146
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.12	59.90	74.00	-14.10	46.82	34.78	10.03	31.73	0.00	146	0 PEAK																																																																																											
2	5469.68	64.80	68.20	-3.40	51.72	34.76	10.04	31.72	0.00	146	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	107.13	-----	-----	94.04	34.70	10.09	31.70	0.00	146	0 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.84	54.00	-3.16	37.76	34.78	10.03	31.73	0.00	146	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.72</td><td>-----</td><td>-----</td><td>85.63</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>146</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.72	-----	-----	85.63	34.68	10.11	31.70	0.00	146	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.92	50.84	54.00	-3.16	37.76	34.78	10.03	31.73	0.00	146	0 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	98.72	-----	-----	85.63	34.68	10.11	31.70	0.00	146	0 AVERAGE																																																																																											




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.24</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>42.38</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>146</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.24	55.46	68.20	-12.74	42.38	34.60	10.36	31.88	0.00	146	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.24	55.46	68.20	-12.74	42.38	34.60	10.36	31.88	0.00	146	0 PEAK																																													





Mode	23																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	53.72	74.00	-20.28	40.64	34.79	10.02	31.73	0.00	252	309	PEAK	2	5469.36	58.51	68.20	-9.69	45.43	34.76	10.04	31.72	0.00	252	309	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.47</td><td>-----</td><td>-----</td><td>87.38</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>252</td><td>309</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.47	-----	-----	87.38	34.68	10.11	31.70	0.00	252	309
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5457.20	53.72	74.00	-20.28	40.64	34.79	10.02	31.73	0.00	252	309	PEAK																																																																																													
2	5469.36	58.51	68.20	-9.69	45.43	34.76	10.04	31.72	0.00	252	309	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5510.00	100.47	-----	-----	87.38	34.68	10.11	31.70	0.00	252	309	PEAK																																																																																													
Avg																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.71	54.00	-8.29	32.63	34.78	10.03	31.73	0.00	252	309	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>91.80</td><td>-----</td><td>-----</td><td>78.71</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>252</td><td>309</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.80	-----	-----	78.71	34.69	10.10	31.70	0.00	252	309	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.92	45.71	54.00	-8.29	32.63	34.78	10.03	31.73	0.00	252	309	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5510.00	91.80	-----	-----	78.71	34.69	10.10	31.70	0.00	252	309	AVERAGE																																																																																													





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.36</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>43.16</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>252</td><td>309</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.36	56.25	68.20	-11.95	43.16	34.60	10.35	31.86	0.00	252	309	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.36	56.25	68.20	-11.95	43.16	34.60	10.35	31.86	0.00	252	309	PEAK																																												



Mode	23																																																																
	Harmonic																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																
ANT	1																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7346.48</td><td>50.31</td><td>74.00</td><td>-23.69</td><td>68.18</td><td>35.51</td><td>11.90</td><td>65.28</td><td>0.00</td><td>113</td><td>176 PEAK</td></tr><tr><td>2</td><td>7346.48</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>66.12</td><td>35.51</td><td>11.90</td><td>65.28</td><td>0.00</td><td>113</td><td>176 AVERAGE</td></tr><tr><td>3</td><td>11020.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>58.13</td><td>37.82</td><td>14.25</td><td>64.67</td><td>0.00</td><td>---</td><td>---</td> PEAK</tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7346.48	50.31	74.00	-23.69	68.18	35.51	11.90	65.28	0.00	113	176 PEAK	2	7346.48	48.25	54.00	-5.75	66.12	35.51	11.90	65.28	0.00	113	176 AVERAGE	3	11020.00	45.53	74.00	-28.47	58.13	37.82	14.25	64.67	0.00	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	7346.48	50.31	74.00	-23.69	68.18	35.51	11.90	65.28	0.00	113	176 PEAK																																																						
2	7346.48	48.25	54.00	-5.75	66.12	35.51	11.90	65.28	0.00	113	176 AVERAGE																																																						
3	11020.00	45.53	74.00	-28.47	58.13	37.82	14.25	64.67	0.00	---	---																																																						
4	16530.00	47.78	68.20	-20.42	52.60	41.30	18.31	64.43	0.00	---	---																																																						

 | | Freq | Limit | Over | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | |---|---------|--------|--------|--------|-------|-------|--------|-------|------|------|--------| | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | | 1 | 7346.48 | 42.60 | 74.00 | -31.40 | 60.47 | 35.51 | 11.90 | 65.28 | 0.00 | --- | --- | | | | | | || 2 | 11020.00 | 45.81 | 74.00 | -28.19 | 58.41 | 37.82 | 14.25 | 64.67 | 0.00 | --- | --- | PEAK
| 3 | 16530.00 | 48.12 | 68.20 | -20.08 | 52.95 | 41.30 | 18.30 | 64.43 | 0.00 | --- | --- | PEAK




Mode	24																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7400.40</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>66.96</td><td>35.70</td><td>11.95</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>64.67</td><td>37.90</td><td>14.31</td><td>64.58</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr><tr><td>3</td><td>11100.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>55.45</td><td>37.90</td><td>14.31</td><td>64.58</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr><tr><td>4</td><td>16650.00</td><td>48.04</td><td>68.20</td><td>-20.16</td><td>52.68</td><td>41.42</td><td>18.37</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7400.40	49.16	74.00	-24.84	66.96	35.70	11.95	65.45	0.00	---	---	Peak	2	11100.00	52.30	74.00	-21.70	64.67	37.90	14.31	64.58	0.00	100	302	PEAK	3	11100.00	43.08	54.00	-10.92	55.45	37.90	14.31	64.58	0.00	100	302	AVERAGE	4	16650.00	48.04	68.20	-20.16	52.68	41.42	18.37	64.43	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7400.40</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>64.57</td><td>35.70</td><td>11.95</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>59.27</td><td>37.90</td><td>14.31</td><td>64.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>16650.00</td><td>48.40</td><td>68.20</td><td>-19.80</td><td>53.06</td><td>41.40</td><td>18.37</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7400.40	46.77	74.00	-27.23	64.57	35.70	11.95	65.45	0.00	---	---	Peak	2	11100.00	46.90	74.00	-27.10	59.27	37.90	14.31	64.58	0.00	---	---	PEAK	3	16650.00	48.40	68.20	-19.80	53.06	41.40	18.37	64.43	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7400.40	49.16	74.00	-24.84	66.96	35.70	11.95	65.45	0.00	---	---	Peak																																																																																																																																									
2	11100.00	52.30	74.00	-21.70	64.67	37.90	14.31	64.58	0.00	100	302	PEAK																																																																																																																																									
3	11100.00	43.08	54.00	-10.92	55.45	37.90	14.31	64.58	0.00	100	302	AVERAGE																																																																																																																																									
4	16650.00	48.04	68.20	-20.16	52.68	41.42	18.37	64.43	0.00	---	---	PEAK																																																																																																																																									
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7400.40	46.77	74.00	-27.23	64.57	35.70	11.95	65.45	0.00	---	---	Peak																																																																																																																																									
2	11100.00	46.90	74.00	-27.10	59.27	37.90	14.31	64.58	0.00	---	---	PEAK																																																																																																																																									
3	16650.00	48.40	68.20	-19.80	53.06	41.40	18.37	64.43	0.00	---	---	PEAK																																																																																																																																									







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal					Fundamental																																																																																																										
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.96</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>40.76</td><td>34.69</td><td>9.94</td><td>31.76</td><td>0.00</td><td>138</td><td>0 PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>52.53</td><td>68.20</td><td>-15.67</td><td>39.45</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>138</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.96	53.63	74.00	-20.37	40.76	34.69	9.94	31.76	0.00	138	0 PEAK	2	5465.52	52.53	68.20	-15.67	39.45	34.77	10.03	31.72	0.00	138	0 PEAK	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.21</td><td>-----</td><td>-----</td><td>95.01</td><td>34.60</td><td>10.30</td><td>31.70</td><td>0.00</td><td>138</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.21	-----	-----	95.01	34.60	10.30	31.70	0.00	138	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5394.96	53.63	74.00	-20.37	40.76	34.69	9.94	31.76	0.00	138	0 PEAK																																																																																																					
2	5465.52	52.53	68.20	-15.67	39.45	34.77	10.03	31.72	0.00	138	0 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	108.21	-----	-----	95.01	34.60	10.30	31.70	0.00	138	0 PEAK																																																																																																					
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.48</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>30.98</td><td>34.79</td><td>10.01</td><td>31.73</td><td>0.00</td><td>138</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.48	44.05	54.00	-9.95	30.98	34.79	10.01	31.73	0.00	138	0 AVERAGE	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.52</td><td>-----</td><td>-----</td><td>87.32</td><td>34.60</td><td>10.30</td><td>31.70</td><td>0.00</td><td>138</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.52	-----	-----	87.32	34.60	10.30	31.70	0.00	138	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5446.48	44.05	54.00	-9.95	30.98	34.79	10.01	31.73	0.00	138	0 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	100.52	-----	-----	87.32	34.60	10.30	31.70	0.00	138	0 AVERAGE																																																																																																					



Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>61.43</td><td>68.20</td><td>-6.77</td><td>48.33</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>138</td><td>0</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	61.43	68.20	-6.77	48.33	34.60	10.34	31.84	0.00	138	0	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.40	61.43	68.20	-6.77	48.33	34.60	10.34	31.84	0.00	138	0	PEAK																																		





Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5398.32	53.82	74.00	-20.18	40.94	34.70	9.94	31.76	0.00	123	310 PEAK	2	5465.20	52.87	68.20	-15.33	39.79	34.77	10.03	31.72	0.00	123	310 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.25</td><td>-----</td><td>89.04</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>123</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	102.25	-----	89.04	34.60	10.29	31.68	0.00	123	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5398.32	53.82	74.00	-20.18	40.94	34.70	9.94	31.76	0.00	123	310 PEAK																																																																																																						
2	5465.20	52.87	68.20	-15.33	39.79	34.77	10.03	31.72	0.00	123	310 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5670.00	102.25	-----	89.04	34.60	10.29	31.68	0.00	123	310	PEAK																																																																																																						
Avg																																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5441.36	43.72	54.00	-10.28	30.68	34.78	10.00	31.74	0.00	123	310 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.48</td><td>-----</td><td>81.29</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>123</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	94.48	-----	81.29	34.60	10.30	31.71	0.00	123	310	AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5441.36	43.72	54.00	-10.28	30.68	34.78	10.00	31.74	0.00	123	310 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5670.00	94.48	-----	81.29	34.60	10.30	31.71	0.00	123	310	AVERAGE																																																																																																						







Mode	25																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5728.12</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>44.98</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>123</td><td>310</td><td>PEAK</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5728.12	58.08	68.20	-10.12	44.98	34.60	10.35	31.85	0.00	123	310	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5728.12	58.08	68.20	-10.12	44.98	34.60	10.35	31.85	0.00	123	310	PEAK																														





Mode	25																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>70.18</td><td>35.60</td><td>11.99</td><td>65.85</td><td>0.00</td><td>253</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>7559.98</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>68.82</td><td>35.60</td><td>11.99</td><td>65.85</td><td>0.00</td><td>253</td><td>266</td><td>AVERAGE</td></tr><tr><td>3</td><td>11340.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>58.73</td><td>37.90</td><td>14.49</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>17010.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>53.35</td><td>41.09</td><td>18.56</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.98	51.92	74.00	-22.08	70.18	35.60	11.99	65.85	0.00	253	266	PEAK	2	7559.98	50.56	54.00	-3.44	68.82	35.60	11.99	65.85	0.00	253	266	AVERAGE	3	11340.00	46.82	74.00	-27.18	58.73	37.90	14.49	64.30	0.00	---	---	PEAK	4	17010.00	48.58	68.20	-19.62	53.35	41.09	18.56	64.42	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7559.98</td><td>41.85</td><td>74.00</td><td>-32.15</td><td>60.11</td><td>35.60</td><td>11.99</td><td>65.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>58.32</td><td>37.90</td><td>14.49</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17010.00</td><td>49.14</td><td>68.20</td><td>-19.06</td><td>53.91</td><td>41.09</td><td>18.56</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7559.98	41.85	74.00	-32.15	60.11	35.60	11.99	65.85	0.00	---	---	PEAK	2	11340.00	46.41	74.00	-27.59	58.32	37.90	14.49	64.30	0.00	---	---	PEAK	3	17010.00	49.14	68.20	-19.06	53.91	41.09	18.56	64.42	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7559.98	51.92	74.00	-22.08	70.18	35.60	11.99	65.85	0.00	253	266	PEAK																																																																																																																																																												
2	7559.98	50.56	54.00	-3.44	68.82	35.60	11.99	65.85	0.00	253	266	AVERAGE																																																																																																																																																												
3	11340.00	46.82	74.00	-27.18	58.73	37.90	14.49	64.30	0.00	---	---	PEAK																																																																																																																																																												
4	17010.00	48.58	68.20	-19.62	53.35	41.09	18.56	64.42	0.00	---	---	PEAK																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7559.98	41.85	74.00	-32.15	60.11	35.60	11.99	65.85	0.00	---	---	PEAK																																																																																																																																																												
2	11340.00	46.41	74.00	-27.59	58.32	37.90	14.49	64.30	0.00	---	---	PEAK																																																																																																																																																												
3	17010.00	49.14	68.20	-19.06	53.91	41.09	18.56	64.42	0.00	---	---	PEAK																																																																																																																																																												







Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.28</td><td>61.43</td><td>74.00</td><td>-12.57</td><td>49.35</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.28	61.43	74.00	-12.57	49.35	34.19	9.78	31.89	0.00	168	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.48</td><td>-----</td><td>-----</td><td>88.28</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.48	-----	-----	88.28	34.22	9.84	31.86	0.00	168
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5145.28	61.43	74.00	-12.57	49.35	34.19	9.78	31.89	0.00	168	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	100.48	-----	-----	88.28	34.22	9.84	31.86	0.00	168	0 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.00</td><td>50.69</td><td>54.00</td><td>-3.31</td><td>38.61</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>168</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.00	50.69	54.00	-3.31	38.61	34.19	9.78	31.89	0.00	168	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.74</td><td>-----</td><td>-----</td><td>79.54</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>168</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.74	-----	-----	79.54	34.22	9.84	31.86	0.00	168
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5146.00	50.69	54.00	-3.31	38.61	34.19	9.78	31.89	0.00	168	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	91.74	-----	-----	79.54	34.22	9.84	31.86	0.00	168	0 AVERAGE																																																																																									





Mode	26																																																																
	Band Edge - R																																																																
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																
ANT	1																																																																
Pol.	Horizontal						Fundamental																																																										
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5372.28</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>41.73</td><td>34.64</td><td>9.92</td><td>31.77</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>168</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5372.28	54.52	74.00	-19.48	41.73	34.64	9.92	31.77								0.00	168									0 PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5372.28	54.52	74.00	-19.48	41.73	34.64	9.92	31.77																																																									
							0.00	168																																																									
								0 PEAK																																																									
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5373.72</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>31.79</td><td>34.65</td><td>9.92</td><td>31.77</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>168</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5373.72	44.59	54.00	-9.41	31.79	34.65	9.92	31.77								0.00	168									0 AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5373.72	44.59	54.00	-9.41	31.79	34.65	9.92	31.77																																																									
							0.00	168																																																									
								0 AVERAGE																																																									





Mode	26																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.72</td><td>56.60</td><td>74.00</td><td>-17.40</td><td>44.52</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>105</td><td>63 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.72	56.60	74.00	-17.40	44.52	34.19	9.78	31.89	0.00	105	63 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.68</td><td>-----</td><td>-----</td><td>79.50</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>105</td><td>63 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.68	-----	-----	79.50	34.21	9.83	31.86	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5146.72	56.60	74.00	-17.40	44.52	34.19	9.78	31.89	0.00	105	63 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	91.68	-----	-----	79.50	34.21	9.83	31.86	0.00	105	63 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.88</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>34.42</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>105</td><td>63 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.88	46.50	54.00	-7.50	34.42	34.19	9.78	31.89	0.00	105	63 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>83.79</td><td>-----</td><td>-----</td><td>71.61</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>105</td><td>63 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	83.79	-----	-----	71.61	34.21	9.83	31.86	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5146.88	46.50	54.00	-7.50	34.42	34.19	9.78	31.89	0.00	105	63 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	83.79	-----	-----	71.61	34.21	9.83	31.86	0.00	105	63 AVERAGE																																																																																									







Mode	26																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak							Blank																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.12</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>40.49</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>105</td><td>63 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.12	53.22	74.00	-20.78	40.49	34.60	9.91	31.78	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5352.12	53.22	74.00	-20.78	40.49	34.60	9.91	31.78	0.00	105	63 PEAK																																												
Avg							Blank																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5376.24</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>31.43</td><td>34.65</td><td>9.93</td><td>31.77</td><td>0.00</td><td>105</td><td>63 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5376.24	44.24	54.00	-9.76	31.43	34.65	9.93	31.77	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5376.24	44.24	54.00	-9.76	31.43	34.65	9.93	31.77	0.00	105	63 AVERAGE																																												





Mode	26																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>59.95</td><td>37.54</td><td>14.01</td><td>65.38</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>54.00</td><td>40.13</td><td>17.69</td><td>64.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	46.12	68.20	-22.08	59.95	37.54	14.01	65.38	0.00	---	---	PEAK	2	15630.00	47.49	74.00	-26.51	54.00	40.13	17.69	64.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>46.48</td><td>68.20</td><td>-21.72</td><td>60.31</td><td>37.54</td><td>14.01</td><td>65.38</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>54.50</td><td>40.13</td><td>17.69</td><td>64.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	46.48	68.20	-21.72	60.31	37.54	14.01	65.38	0.00	---	---	PEAK	2	15630.00	47.99	74.00	-26.01	54.50	40.13	17.69	64.33	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	10420.00	46.12	68.20	-22.08	59.95	37.54	14.01	65.38	0.00	---	---	PEAK																																																																																																																				
2	15630.00	47.49	74.00	-26.51	54.00	40.13	17.69	64.33	0.00	---	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	10420.00	46.48	68.20	-21.72	60.31	37.54	14.01	65.38	0.00	---	---	PEAK																																																																																																																				
2	15630.00	47.99	74.00	-26.01	54.50	40.13	17.69	64.33	0.00	---	---	PEAK																																																																																																																				







Mode	27																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5122.24</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>42.83</td><td>34.14</td><td>9.76</td><td>31.90</td><td>0.00</td><td>148</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.24	54.83	74.00	-19.17	42.83	34.14	9.76	31.90	0.00	148	360	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.83</td><td>-----</td><td>-----</td><td>86.23</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>148</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.83	-----	-----	86.23	34.52	9.89	31.81	0.00	148	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5122.24	54.83	74.00	-19.17	42.83	34.14	9.76	31.90	0.00	148	360	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5290.00	98.83	-----	-----	86.23	34.52	9.89	31.81	0.00	148	360	PEAK																																																																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5126.56</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>33.45</td><td>34.15</td><td>9.77</td><td>31.90</td><td>0.00</td><td>148</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.56	45.47	54.00	-8.53	33.45	34.15	9.77	31.90	0.00	148	360	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.15</td><td>-----</td><td>-----</td><td>78.60</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>148</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.15	-----	-----	78.60	34.48	9.88	31.81	0.00	148	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5126.56	45.47	54.00	-8.53	33.45	34.15	9.77	31.90	0.00	148	360	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5290.00	91.15	-----	-----	78.60	34.48	9.88	31.81	0.00	148	360	AVERAGE																																																																																												





Mode	27																																																										
	Band Edge - R																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.40</td><td>58.88</td><td>74.00</td><td>-15.12</td><td>46.11</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>148</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5364.40	58.88	74.00	-15.12	46.11	34.63	9.92	31.78	0.00	148	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5364.40	58.88	74.00	-15.12	46.11	34.63	9.92	31.78	0.00	148	360	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>50.16</td><td>54.00</td><td>-3.84</td><td>37.43</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>148</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.20	50.16	54.00	-3.84	37.43	34.60	9.91	31.78	0.00	148	360	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5350.20	50.16	54.00	-3.84	37.43	34.60	9.91	31.78	0.00	148	360	AVERAGE																																															



Mode	27																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.60</td><td>55.12</td><td>74.00</td><td>-18.88</td><td>43.13</td><td>34.14</td><td>9.76</td><td>31.91</td><td>0.00</td><td>100</td><td>56 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.60	55.12	74.00	-18.88	43.13	34.14	9.76	31.91	0.00	100	56 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.32</td><td>-----</td><td>-----</td><td>76.77</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>100</td><td>56 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.32	-----	-----	76.77	34.48	9.88	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5117.60	55.12	74.00	-18.88	43.13	34.14	9.76	31.91	0.00	100	56 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	89.32	-----	-----	76.77	34.48	9.88	31.81	0.00	100	56 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.96</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>33.46</td><td>34.18</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>56 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.96	45.53	54.00	-8.47	33.46	34.18	9.78	31.89	0.00	100	56 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>81.01</td><td>-----</td><td>-----</td><td>68.46</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>100</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	81.01	-----	-----	68.46	34.48	9.88	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5140.96	45.53	54.00	-8.47	33.46	34.18	9.78	31.89	0.00	100	56 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	81.01	-----	-----	68.46	34.48	9.88	31.81	0.00	100	56 AVERAGE																																																																																									







Mode	27																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																	
ANT	1																																																	
Pol.	Vertical						Fundamental																																											
Peak							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.70</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>40.84</td><td>34.62</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.70	53.60	74.00	-20.40	40.84
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5360.70	53.60	74.00	-20.40	40.84	34.62	9.92	31.78	0.00	100	56 PEAK																																							
Avg							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.80</td><td>44.76</td><td>54.00</td><td>-9.24</td><td>31.99</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.80	44.76	54.00	-9.24	31.99
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	5363.80	44.76	54.00	-9.24	31.99	34.63	9.92	31.78	0.00	100	56 AVERAGE																																							




Mode	27																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal								Vertical																																																																																																																																																
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.16</td><td>48.08</td><td>68.20</td><td>-20.12</td><td>65.15</td><td>35.71</td><td>11.60</td><td>64.38</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10500.00</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>58.59</td><td>37.62</td><td>14.08</td><td>65.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15870.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>53.04</td><td>40.26</td><td>17.90</td><td>64.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.16	48.08	68.20	-20.12	65.15	35.71	11.60	64.38	0.00	---	PEAK	2	10500.00	45.10	68.20	-23.10	58.59	37.62	14.08	65.19	0.00	---	PEAK	3	15870.00	46.79	74.00	-27.21	53.04	40.26	17.90	64.41	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.16</td><td>43.97</td><td>68.20</td><td>-24.23</td><td>61.04</td><td>35.71</td><td>11.60</td><td>64.38</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10500.00</td><td>45.23</td><td>68.20</td><td>-22.97</td><td>58.72</td><td>37.62</td><td>14.08</td><td>65.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15870.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>52.70</td><td>40.26</td><td>17.90</td><td>64.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.16	43.97	68.20	-24.23	61.04	35.71	11.60	64.38	0.00	---	PEAK	2	10500.00	45.23	68.20	-22.97	58.72	37.62	14.08	65.19	0.00	---	PEAK	3	15870.00	46.45	74.00	-27.55	52.70	40.26	17.90	64.41	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7053.16	48.08	68.20	-20.12	65.15	35.71	11.60	64.38	0.00	---	PEAK																																																																																																																																														
2	10500.00	45.10	68.20	-23.10	58.59	37.62	14.08	65.19	0.00	---	PEAK																																																																																																																																														
3	15870.00	46.79	74.00	-27.21	53.04	40.26	17.90	64.41	0.00	---	PEAK																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	7053.16	43.97	68.20	-24.23	61.04	35.71	11.60	64.38	0.00	---	PEAK																																																																																																																																														
2	10500.00	45.23	68.20	-22.97	58.72	37.62	14.08	65.19	0.00	---	PEAK																																																																																																																																														
3	15870.00	46.45	74.00	-27.55	52.70	40.26	17.90	64.41	0.00	---	PEAK																																																																																																																																														







Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.60</td><td>61.17</td><td>74.00</td><td>-12.83</td><td>48.15</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>146</td><td>360 PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>60.68</td><td>68.20</td><td>-7.52</td><td>47.60</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>146</td><td>360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.60	61.17	74.00	-12.83	48.15	34.77	9.99	31.74	0.00	146	360 PEAK	2	5468.72	60.68	68.20	-7.52	47.60	34.76	10.04	31.72	0.00	146	360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.22</td><td>-----</td><td>88.14</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>146</td><td>360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.22	-----	88.14	34.65	10.12	31.69	0.00	146	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5435.60	61.17	74.00	-12.83	48.15	34.77	9.99	31.74	0.00	146	360 PEAK																																																																																																						
2	5468.72	60.68	68.20	-7.52	47.60	34.76	10.04	31.72	0.00	146	360 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	101.22	-----	88.14	34.65	10.12	31.69	0.00	146	360 PEAK																																																																																																							
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>37.81</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>146</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.89	54.00	-3.11	37.81	34.78	10.03	31.73	0.00	146	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.03</td><td>-----</td><td>79.95</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>146</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.03	-----	79.95	34.65	10.12	31.69	0.00	146	360 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	50.89	54.00	-3.11	37.81	34.78	10.03	31.73	0.00	146	360 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	93.03	-----	79.95	34.65	10.12	31.69	0.00	146	360 AVERAGE																																																																																																							




Mode	28																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.16</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>42.88</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>146</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.16	55.95	68.20	-12.25	42.88	34.60	10.36	31.89	0.00	146	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5747.16	55.95	68.20	-12.25	42.88	34.60	10.36	31.89	0.00	146	360	PEAK																																											



Mode	28																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.72</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>41.34</td><td>34.73</td><td>9.96</td><td>31.75</td><td>0.00</td><td>279 311 PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>53.32</td><td>68.20</td><td>-14.88</td><td>40.24</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>279 311 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.72	54.28	74.00	-19.72	41.34	34.73	9.96	31.75	0.00	279 311 PEAK	2	5462.80	53.32	68.20	-14.88	40.24	34.77	10.03	31.72	0.00	279 311 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.65</td><td>-----</td><td>-----</td><td>81.57</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>279 311 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.65	-----	-----	81.57	34.65	10.12	31.69	0.00	279 311 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5416.72	54.28	74.00	-19.72	41.34	34.73	9.96	31.75	0.00	279 311 PEAK																																																																																																			
2	5462.80	53.32	68.20	-14.88	40.24	34.77	10.03	31.72	0.00	279 311 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	94.65	-----	-----	81.57	34.65	10.12	31.69	0.00	279 311 PEAK																																																																																																			
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.80</td><td>44.61</td><td>54.00</td><td>-9.39</td><td>31.53</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>279 311 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.80	44.61	54.00	-9.39	31.53	34.79	10.02	31.73	0.00	279 311 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>86.18</td><td>-----</td><td>-----</td><td>73.10</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>279 311 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	86.18	-----	-----	73.10	34.65	10.12	31.69	0.00	279 311 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5454.80	44.61	54.00	-9.39	31.53	34.79	10.02	31.73	0.00	279 311 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	86.18	-----	-----	73.10	34.65	10.12	31.69	0.00	279 311 AVERAGE																																																																																																			







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.68</td><td>55.20</td><td>68.20</td><td>-13.00</td><td>42.11</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>279</td><td>311</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.68	55.20	68.20	-13.00	42.11	34.60	10.35	31.86	0.00	279	311	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.68	55.20	68.20	-13.00	42.11	34.60	10.35	31.86	0.00	279	311	PEAK																																												




Mode	28																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.15</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>68.78</td><td>35.59</td><td>11.93</td><td>65.36</td><td>0.00</td><td>115</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>7373.15</td><td>48.96</td><td>54.00</td><td>-5.04</td><td>66.80</td><td>35.59</td><td>11.93</td><td>65.36</td><td>0.00</td><td>115</td><td>176</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>58.36</td><td>37.86</td><td>14.28</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>16590.00</td><td>47.17</td><td>68.20</td><td>-21.03</td><td>51.88</td><td>41.36</td><td>18.36</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7373.15	50.94	74.00	-23.06	68.78	35.59	11.93	65.36	0.00	115	176	PEAK	2	7373.15	48.96	54.00	-5.04	66.80	35.59	11.93	65.36	0.00	115	176	AVERAGE	3	11060.00	45.87	74.00	-28.13	58.36	37.86	14.28	64.63	0.00	---	---	PEAK	4	16590.00	47.17	68.20	-21.03	51.88	41.36	18.36	64.43	0.00	---	---	PEAK	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.15</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>61.90</td><td>35.59</td><td>11.93</td><td>65.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>59.03</td><td>37.86</td><td>14.28</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>16590.00</td><td>47.12</td><td>68.20</td><td>-21.08</td><td>51.92</td><td>41.30</td><td>18.33</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7373.15	44.06	74.00	-29.94	61.90	35.59	11.93	65.36	0.00	---	---	PEAK	2	11060.00	46.54	74.00	-27.46	59.03	37.86	14.28	64.63	0.00	---	---	PEAK	3	16590.00	47.12	68.20	-21.08	51.92	41.30	18.33	64.43	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	7373.15	50.94	74.00	-23.06	68.78	35.59	11.93	65.36	0.00	115	176	PEAK																																																																																																																																										
2	7373.15	48.96	54.00	-5.04	66.80	35.59	11.93	65.36	0.00	115	176	AVERAGE																																																																																																																																										
3	11060.00	45.87	74.00	-28.13	58.36	37.86	14.28	64.63	0.00	---	---	PEAK																																																																																																																																										
4	16590.00	47.17	68.20	-21.03	51.88	41.36	18.36	64.43	0.00	---	---	PEAK																																																																																																																																										
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	7373.15	44.06	74.00	-29.94	61.90	35.59	11.93	65.36	0.00	---	---	PEAK																																																																																																																																										
2	11060.00	46.54	74.00	-27.46	59.03	37.86	14.28	64.63	0.00	---	---	PEAK																																																																																																																																										
3	16590.00	47.12	68.20	-21.08	51.92	41.30	18.33	64.43	0.00	---	---	PEAK																																																																																																																																										







Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.76</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>42.09</td><td>34.75</td><td>9.97</td><td>31.74</td><td>0.00</td><td>140</td><td>0 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>56.35</td><td>68.20</td><td>-11.85</td><td>43.26</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>140</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.76	55.07	74.00	-18.93	42.09	34.75	9.97	31.74	0.00	140	0 PEAK	2	5466.16	56.35	68.20	-11.85	43.26	34.77	10.04	31.72	0.00	140	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.85</td><td>-----</td><td>-----</td><td>91.66</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>140</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.85	-----	-----	91.66	34.60	10.24	31.65	0.00	140
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5423.76	55.07	74.00	-18.93	42.09	34.75	9.97	31.74	0.00	140	0 PEAK																																																																																																					
2	5466.16	56.35	68.20	-11.85	43.26	34.77	10.04	31.72	0.00	140	0 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	104.85	-----	-----	91.66	34.60	10.24	31.65	0.00	140	0 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>33.10</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>140</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	46.18	54.00	-7.82	33.10	34.78	10.03	31.73	0.00	140	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.30</td><td>-----</td><td>-----</td><td>84.11</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>140</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.30	-----	-----	84.11	34.60	10.24	31.65	0.00	140	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.60	46.18	54.00	-7.82	33.10	34.78	10.03	31.73	0.00	140	0 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	97.30	-----	-----	84.11	34.60	10.24	31.65	0.00	140	0 AVERAGE																																																																																																					




Mode	29																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.08</td><td>61.61</td><td>68.20</td><td>-6.59</td><td>48.50</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>140</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.08	61.61	68.20	-6.59	48.50	34.60	10.35	31.84	0.00	140	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.08	61.61	68.20	-6.59	48.50	34.60	10.35	31.84	0.00	140	0 PEAK																																											




Mode	29																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5443.92</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>41.63</td><td>34.79</td><td>10.00</td><td>31.73</td><td>0.00</td><td>259 309 PEAK</td></tr> <tr> <td>2</td><td>5463.60</td><td>53.43</td><td>68.20</td><td>-14.77</td><td>40.35</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>259 309 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.92	54.69	74.00	-19.31	41.63	34.79	10.00	31.73	0.00	259 309 PEAK	2	5463.60	53.43	68.20	-14.77	40.35	34.77	10.03	31.72	0.00	259 309 PEAK	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5610.00</td><td>100.80</td><td>-----</td><td>87.58</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>259</td><td>309 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.80	-----	87.58	34.60	10.26	31.64	0.00	259	309 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5443.92	54.69	74.00	-19.31	41.63	34.79	10.00	31.73	0.00	259 309 PEAK																																																																																																			
2	5463.60	53.43	68.20	-14.77	40.35	34.77	10.03	31.72	0.00	259 309 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	100.80	-----	87.58	34.60	10.26	31.64	0.00	259	309 PEAK																																																																																																			
Avg	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5459.76</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>31.70</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>259 309 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	44.78	54.00	-9.22	31.70	34.78	10.03	31.73	0.00	259 309 AVERAGE	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>5610.00</td><td>92.59</td><td>-----</td><td>79.39</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>259</td><td>309 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.59	-----	79.39	34.60	10.25	31.65	0.00	259	309 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.76	44.78	54.00	-9.22	31.70	34.78	10.03	31.73	0.00	259 309 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	92.59	-----	79.39	34.60	10.25	31.65	0.00	259	309 AVERAGE																																																																																																			





Mode	29																																											
	Band Edge - R																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																											
ANT	1																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.96</td><td>56.30</td><td>68.20</td><td>-11.90</td><td>43.19</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>259 309 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.96	56.30	68.20	-11.90	43.19	34.60	10.35	31.84	0.00	259 309 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5725.96	56.30	68.20	-11.90	43.19	34.60	10.35	31.84	0.00	259 309 PEAK																																		






Mode	29																																																																																				
	Harmonic																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal																																																																																				
Peak Avg																																																																																					
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7479.81</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>67.73</td><td>35.60</td><td>11.97</td><td>65.69</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr><tr><td>2</td><td>7479.81</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>66.24</td><td>35.60</td><td>11.97</td><td>65.69</td><td>0.00</td><td>100</td><td>178 AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>58.91</td><td>37.90</td><td>14.40</td><td>64.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>16830.00</td><td>47.77</td><td>68.20</td><td>-20.43</td><td>52.25</td><td>41.50</td><td>18.45</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7479.81	49.61	74.00	-24.39	67.73	35.60	11.97	65.69	0.00	100	178 PEAK	2	7479.81	48.12	54.00	-5.88	66.24	35.60	11.97	65.69	0.00	100	178 AVERAGE	3	11220.00	46.77	74.00	-27.23	58.91	37.90	14.40	64.44	0.00	---	---	PEAK	4	16830.00	47.77	68.20	-20.43	52.25	41.50	18.45	64.43	0.00	---	---	PEAK
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
	1	7479.81	49.61	74.00	-24.39	67.73	35.60	11.97	65.69	0.00	100	178 PEAK																																																																									
2	7479.81	48.12	54.00	-5.88	66.24	35.60	11.97	65.69	0.00	100	178 AVERAGE																																																																										
3	11220.00	46.77	74.00	-27.23	58.91	37.90	14.40	64.44	0.00	---	---	PEAK																																																																									
4	16830.00	47.77	68.20	-20.43	52.25	41.50	18.45	64.43	0.00	---	---	PEAK																																																																									
Peak Avg																																																																																					
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7479.81</td><td>49.65</td><td>74.00</td><td>-24.35</td><td>67.77</td><td>35.60</td><td>11.97</td><td>65.69</td><td>0.00</td><td>111</td><td>283 PEAK</td></tr><tr><td>2</td><td>7479.81</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>64.98</td><td>35.60</td><td>11.97</td><td>65.69</td><td>0.00</td><td>111</td><td>283 AVERAGE</td></tr><tr><td>3</td><td>11220.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>58.89</td><td>37.90</td><td>14.40</td><td>64.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>16830.00</td><td>47.39</td><td>68.20</td><td>-20.81</td><td>51.87</td><td>41.50</td><td>18.45</td><td>64.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7479.81	49.65	74.00	-24.35	67.77	35.60	11.97	65.69	0.00	111	283 PEAK	2	7479.81	46.86	54.00	-7.14	64.98	35.60	11.97	65.69	0.00	111	283 AVERAGE	3	11220.00	46.75	74.00	-27.25	58.89	37.90	14.40	64.44	0.00	---	---	PEAK	4	16830.00	47.39	68.20	-20.81	51.87	41.50	18.45	64.43	0.00	---	---	PEAK
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
	1	7479.81	49.65	74.00	-24.35	67.77	35.60	11.97	65.69	0.00	111	283 PEAK																																																																									
2	7479.81	46.86	54.00	-7.14	64.98	35.60	11.97	65.69	0.00	111	283 AVERAGE																																																																										
3	11220.00	46.75	74.00	-27.25	58.89	37.90	14.40	64.44	0.00	---	---	PEAK																																																																									
4	16830.00	47.39	68.20	-20.81	51.87	41.50	18.45	64.43	0.00	---	---	PEAK																																																																									








Mode	28																																																																																																															
	30-1G																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal								Vertical																																																																																																							
Peak																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>108.57</td><td>25.72</td><td>43.50</td><td>-17.78</td><td>39.28</td><td>16.91</td><td>1.59</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>320.03</td><td>30.41</td><td>46.00</td><td>-15.59</td><td>40.46</td><td>19.38</td><td>2.74</td><td>32.17</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>384.05</td><td>33.87</td><td>46.00</td><td>-12.13</td><td>41.83</td><td>21.14</td><td>2.99</td><td>32.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>448.07</td><td>32.71</td><td>46.00</td><td>-13.29</td><td>38.99</td><td>22.80</td><td>3.23</td><td>32.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>752.65</td><td>28.47</td><td>46.00</td><td>-17.53</td><td>27.95</td><td>28.80</td><td>4.18</td><td>31.74</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>848.68</td><td>29.01</td><td>46.00</td><td>-16.99</td><td>26.49</td><td>29.58</td><td>4.43</td><td>31.49</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>																	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	108.57	25.72	43.50	-17.78	39.28	16.91	1.59	32.06	--	--	Peak	2	320.03	30.41	46.00	-15.59	40.46	19.38	2.74	32.17	--	--	Peak	3	384.05	33.87	46.00	-12.13	41.83	21.14	2.99	32.09	--	--	Peak	4	448.07	32.71	46.00	-13.29	38.99	22.80	3.23	32.31	--	--	Peak	5	752.65	28.47	46.00	-17.53	27.95	28.80	4.18	31.74	--	--	Peak	6	848.68	29.01	46.00	-16.99	26.49	29.58	4.43	31.49	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	108.57	25.72	43.50	-17.78	39.28	16.91	1.59	32.06	--	--	Peak																																																																																																					
2	320.03	30.41	46.00	-15.59	40.46	19.38	2.74	32.17	--	--	Peak																																																																																																					
3	384.05	33.87	46.00	-12.13	41.83	21.14	2.99	32.09	--	--	Peak																																																																																																					
4	448.07	32.71	46.00	-13.29	38.99	22.80	3.23	32.31	--	--	Peak																																																																																																					
5	752.65	28.47	46.00	-17.53	27.95	28.80	4.18	31.74	--	--	Peak																																																																																																					
6	848.68	29.01	46.00	-16.99	26.49	29.58	4.43	31.49	--	--	Peak																																																																																																					
Peak																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>54.25</td><td>33.33</td><td>40.00</td><td>-6.67</td><td>51.61</td><td>12.67</td><td>1.12</td><td>32.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>95.96</td><td>25.23</td><td>43.50</td><td>-18.27</td><td>40.35</td><td>15.40</td><td>1.50</td><td>32.02</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>23.32</td><td>43.50</td><td>-20.18</td><td>37.98</td><td>15.43</td><td>1.98</td><td>32.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>384.05</td><td>29.61</td><td>46.00</td><td>-16.39</td><td>37.57</td><td>21.14</td><td>2.99</td><td>32.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>448.07</td><td>26.59</td><td>46.00</td><td>-19.41</td><td>32.87</td><td>22.80</td><td>3.23</td><td>32.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>832.19</td><td>28.53</td><td>46.00</td><td>-17.47</td><td>27.25</td><td>28.47</td><td>4.38</td><td>31.57</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>																	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	54.25	33.33	40.00	-6.67	51.61	12.67	1.12	32.07	--	--	Peak	2	95.96	25.23	43.50	-18.27	40.35	15.40	1.50	32.02	--	--	Peak	3	169.68	23.32	43.50	-20.18	37.98	15.43	1.98	32.07	--	--	Peak	4	384.05	29.61	46.00	-16.39	37.57	21.14	2.99	32.09	--	--	Peak	5	448.07	26.59	46.00	-19.41	32.87	22.80	3.23	32.31	--	--	Peak	6	832.19	28.53	46.00	-17.47	27.25	28.47	4.38	31.57	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	54.25	33.33	40.00	-6.67	51.61	12.67	1.12	32.07	--	--	Peak																																																																																																					
2	95.96	25.23	43.50	-18.27	40.35	15.40	1.50	32.02	--	--	Peak																																																																																																					
3	169.68	23.32	43.50	-20.18	37.98	15.43	1.98	32.07	--	--	Peak																																																																																																					
4	384.05	29.61	46.00	-16.39	37.57	21.14	2.99	32.09	--	--	Peak																																																																																																					
5	448.07	26.59	46.00	-19.41	32.87	22.80	3.23	32.31	--	--	Peak																																																																																																					
6	832.19	28.53	46.00	-17.47	27.25	28.47	4.38	31.57	--	--	Peak																																																																																																					



Mode	30																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.20</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>41.06</td><td>34.49</td><td>10.35</td><td>31.87</td><td>0.00</td><td>291</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.02</td><td>68.50</td><td>-16.48</td><td>39.04</td><td>34.50</td><td>10.36</td><td>31.88</td><td>0.00</td><td>291</td><td>330</td><td>PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>68.25</td><td>109.11</td><td>-40.86</td><td>55.29</td><td>34.53</td><td>10.42</td><td>31.99</td><td>0.00</td><td>291</td><td>330</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>75.12</td><td>120.02</td><td>-44.90</td><td>62.10</td><td>34.55</td><td>10.43</td><td>31.96</td><td>0.00</td><td>291</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.20	54.03	68.20	-14.17	41.06	34.49	10.35	31.87	0.00	291	330	PEAK	2	5650.40	52.02	68.50	-16.48	39.04	34.50	10.36	31.88	0.00	291	330	PEAK	3	5713.60	68.25	109.11	-40.86	55.29	34.53	10.42	31.99	0.00	291	330	PEAK	4	5724.00	75.12	120.02	-44.90	62.10	34.55	10.43	31.96	0.00	291	330	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.00</td><td>-----</td><td>-----</td><td>98.90</td><td>34.58</td><td>10.44</td><td>31.92</td><td>0.00</td><td>291</td><td>330</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.00	-----	-----	98.90	34.58	10.44	31.92	0.00	291	330	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5645.20	54.03	68.20	-14.17	41.06	34.49	10.35	31.87	0.00	291	330	PEAK																																																																																																																																		
2	5650.40	52.02	68.50	-16.48	39.04	34.50	10.36	31.88	0.00	291	330	PEAK																																																																																																																																		
3	5713.60	68.25	109.11	-40.86	55.29	34.53	10.42	31.99	0.00	291	330	PEAK																																																																																																																																		
4	5724.00	75.12	120.02	-44.90	62.10	34.55	10.43	31.96	0.00	291	330	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	112.00	-----	-----	98.90	34.58	10.44	31.92	0.00	291	330	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.74</td><td>-----</td><td>-----</td><td>89.60</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>291</td><td>330</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.74	-----	-----	89.60	34.59	10.45	31.90	0.00	291	330	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	102.74	-----	-----	89.60	34.59	10.45	31.90	0.00	291	330	AVERAGE																																																																																																																																		



Mode	30																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5618.40</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>41.56</td><td>34.44</td><td>10.33</td><td>31.79</td><td>0.00</td><td>128</td><td>292 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>53.57</td><td>69.99</td><td>-16.42</td><td>40.60</td><td>34.50</td><td>10.36</td><td>31.89</td><td>0.00</td><td>128</td><td>292 PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>60.66</td><td>108.44</td><td>-47.78</td><td>47.72</td><td>34.52</td><td>10.42</td><td>32.00</td><td>0.00</td><td>128</td><td>292 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>61.96</td><td>110.90</td><td>-48.94</td><td>48.97</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>128</td><td>292 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5618.40	54.54	68.20	-13.66	41.56	34.44	10.33	31.79	0.00	128	292 PEAK	2	5652.40	53.57	69.99	-16.42	40.60	34.50	10.36	31.89	0.00	128	292 PEAK	3	5711.20	60.66	108.44	-47.78	47.72	34.52	10.42	32.00	0.00	128	292 PEAK	4	5720.00	61.96	110.90	-48.94	48.97	34.54	10.42	31.97	0.00	128	292 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.72</td><td>-----</td><td>-----</td><td>93.58</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>128</td><td>292 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	106.72	-----	-----	93.58	34.59	10.45	31.90	0.00	128	292 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5618.40	54.54	68.20	-13.66	41.56	34.44	10.33	31.79	0.00	128	292 PEAK																																																																																																								
2	5652.40	53.57	69.99	-16.42	40.60	34.50	10.36	31.89	0.00	128	292 PEAK																																																																																																								
3	5711.20	60.66	108.44	-47.78	47.72	34.52	10.42	32.00	0.00	128	292 PEAK																																																																																																								
4	5720.00	61.96	110.90	-48.94	48.97	34.54	10.42	31.97	0.00	128	292 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	106.72	-----	-----	93.58	34.59	10.45	31.90	0.00	128	292 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.15</td><td>-----</td><td>-----</td><td>86.01</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>128</td><td>292 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	99.15	-----	-----	86.01	34.59	10.45	31.90	0.00	128	292 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	99.15	-----	-----	86.01	34.59	10.45	31.90	0.00	128	292 AVERAGE																																																																																																								






Mode	30																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>68.31</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>65.64</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>55.31</td><td>74.00</td><td>-18.69</td><td>66.33</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>55.91</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>89</td><td>AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	50.12	74.00	-23.88	68.31	35.82	12.01	66.02	0.00	100	238	PEAK	2	7659.98	47.45	54.00	-6.55	65.64	35.82	12.01	66.02	0.00	100	238	AVERAGE	3	11490.00	55.31	74.00	-18.69	66.33	38.19	14.91	64.12	0.00	118	89	PEAK	4	11490.00	44.89	54.00	-9.11	55.91	38.19	14.91	64.12	0.00	118	89	AVERAGE	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>67.12</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>147</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>64.06</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>147</td><td>293</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>57.79</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	48.93	74.00	-25.07	67.12	35.82	12.01	66.02	0.00	147	293	PEAK	2	7659.98	45.87	54.00	-8.13	64.06	35.82	12.01	66.02	0.00	147	293	AVERAGE	3	11490.00	46.77	74.00	-27.23	57.79	38.19	14.91	64.12	0.00	---	---	PEAK
		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
	1	7659.98	50.12	74.00	-23.88	68.31	35.82	12.01	66.02	0.00	100	238	PEAK																																																																																																																																										
2	7659.98	47.45	54.00	-6.55	65.64	35.82	12.01	66.02	0.00	100	238	AVERAGE																																																																																																																																											
3	11490.00	55.31	74.00	-18.69	66.33	38.19	14.91	64.12	0.00	118	89	PEAK																																																																																																																																											
4	11490.00	44.89	54.00	-9.11	55.91	38.19	14.91	64.12	0.00	118	89	AVERAGE																																																																																																																																											
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	7659.98	48.93	74.00	-25.07	67.12	35.82	12.01	66.02	0.00	147	293	PEAK																																																																																																																																											
2	7659.98	45.87	54.00	-8.13	64.06	35.82	12.01	66.02	0.00	147	293	AVERAGE																																																																																																																																											
3	11490.00	46.77	74.00	-27.23	57.79	38.19	14.91	64.12	0.00	---	---	PEAK																																																																																																																																											






Mode	31																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7713.31</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>68.46</td><td>35.90</td><td>12.07</td><td>66.10</td><td>0.00</td><td>300</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>47.90</td><td>54.00</td><td>-6.02</td><td>66.11</td><td>35.90</td><td>12.07</td><td>66.10</td><td>0.00</td><td>300</td><td>273</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>50.34</td><td>74.00</td><td>-23.66</td><td>61.33</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>100</td><td>94</td><td>PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>41.05</td><td>54.00</td><td>-12.95</td><td>52.04</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>100</td><td>94</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.31	50.33	74.00	-23.67	68.46	35.90	12.07	66.10	0.00	300	273	PEAK	2	7713.31	47.90	54.00	-6.02	66.11	35.90	12.07	66.10	0.00	300	273	AVERAGE	3	11570.00	50.34	74.00	-23.66	61.33	38.27	14.97	64.23	0.00	100	94	PEAK	4	11570.00	41.05	54.00	-12.95	52.04	38.27	14.97	64.23	0.00	100	94	AVERAGE	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7713.31</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>60.11</td><td>35.90</td><td>12.07</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>58.25</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>47.67</td><td>38.26</td><td>14.96</td><td>64.22</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.31	41.98	74.00	-32.02	60.11	35.90	12.07	66.10	0.00	---	---	PEAK	2	11570.00	47.26	74.00	-26.74	58.25	38.27	14.97	64.23	0.00	300	0	PEAK	3	11570.00	36.67	54.00	-17.33	47.67	38.26	14.96	64.22	0.00	300	0	AVERAGE
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
	1	7713.31	50.33	74.00	-23.67	68.46	35.90	12.07	66.10	0.00	300	273	PEAK																																																																																																																																														
2	7713.31	47.90	54.00	-6.02	66.11	35.90	12.07	66.10	0.00	300	273	AVERAGE																																																																																																																																															
3	11570.00	50.34	74.00	-23.66	61.33	38.27	14.97	64.23	0.00	100	94	PEAK																																																																																																																																															
4	11570.00	41.05	54.00	-12.95	52.04	38.27	14.97	64.23	0.00	100	94	AVERAGE																																																																																																																																															
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	7713.31	41.98	74.00	-32.02	60.11	35.90	12.07	66.10	0.00	---	---	PEAK																																																																																																																																															
2	11570.00	47.26	74.00	-26.74	58.25	38.27	14.97	64.23	0.00	300	0	PEAK																																																																																																																																															
3	11570.00	36.67	54.00	-17.33	47.67	38.26	14.96	64.22	0.00	300	0	AVERAGE																																																																																																																																															





Mode	32																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>60.43</td><td>111.36</td><td>-50.93</td><td>46.91</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>101</td><td>308 PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>60.82</td><td>109.72</td><td>-48.90</td><td>47.27</td><td>34.86</td><td>10.53</td><td>31.84</td><td>0.00</td><td>101</td><td>308 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.41</td><td>68.64</td><td>-14.23</td><td>40.58</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>101</td><td>308 PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>41.52</td><td>35.16</td><td>10.57</td><td>31.87</td><td>0.00</td><td>101</td><td>308 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.80	60.43	111.36	-50.93	46.91	34.83	10.53	31.84	0.00	101	308 PEAK	2	5859.20	60.82	109.72	-48.90	47.27	34.86	10.53	31.84	0.00	101	308 PEAK	3	5924.40	54.41	68.64	-14.23	40.58	35.15	10.56	31.88	0.00	101	308 PEAK	4	5931.60	55.38	68.20	-12.82	41.52	35.16	10.57	31.87	0.00	101	308 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.95</td><td>-----</td><td>-----</td><td>97.43</td><td>34.80</td><td>10.52</td><td>31.80</td><td>0.00</td><td>101</td><td>308 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	110.95	-----	-----	97.43	34.80	10.52	31.80	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.80	60.43	111.36	-50.93	46.91	34.83	10.53	31.84	0.00	101	308 PEAK																																																																																																												
2	5859.20	60.82	109.72	-48.90	47.27	34.86	10.53	31.84	0.00	101	308 PEAK																																																																																																												
3	5924.40	54.41	68.64	-14.23	40.58	35.15	10.56	31.88	0.00	101	308 PEAK																																																																																																												
4	5931.60	55.38	68.20	-12.82	41.52	35.16	10.57	31.87	0.00	101	308 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	110.95	-----	-----	97.43	34.80	10.52	31.80	0.00	101	308 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.18</td><td>-----</td><td>-----</td><td>89.66</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>101</td><td>308 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	103.18	-----	-----	89.66	34.80	10.51	31.79	0.00	101	308 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	103.18	-----	-----	89.66	34.80	10.51	31.79	0.00	101	308 AVERAGE																																																																																																												







Mode	32																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>57.22</td><td>111.36</td><td>-54.14</td><td>43.70</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>55.11</td><td>105.36</td><td>-50.25</td><td>41.49</td><td>34.95</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.35</td><td>69.23</td><td>-15.88</td><td>39.52</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>42.21</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.80	57.22	111.36	-54.14	43.70	34.83	10.53	31.84	0.00	100	299 PEAK	2	5874.80	55.11	105.36	-50.25	41.49	34.95	10.54	31.87	0.00	100	299 PEAK	3	5923.60	53.35	69.23	-15.88	39.52	35.15	10.56	31.88	0.00	100	299 PEAK	4	5925.20	56.04	68.20	-12.16	42.21	35.15	10.56	31.88	0.00	100	299 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.41</td><td>-----</td><td>-----</td><td>92.89</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	106.41	-----	-----	92.89	34.80	10.51	31.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.80	57.22	111.36	-54.14	43.70	34.83	10.53	31.84	0.00	100	299 PEAK																																																																																																												
2	5874.80	55.11	105.36	-50.25	41.49	34.95	10.54	31.87	0.00	100	299 PEAK																																																																																																												
3	5923.60	53.35	69.23	-15.88	39.52	35.15	10.56	31.88	0.00	100	299 PEAK																																																																																																												
4	5925.20	56.04	68.20	-12.16	42.21	35.15	10.56	31.88	0.00	100	299 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	106.41	-----	-----	92.89	34.80	10.51	31.79	0.00	100	299 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.62</td><td>-----</td><td>-----</td><td>85.10</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>100</td><td>299 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	98.62	-----	-----	85.10	34.80	10.51	31.79	0.00	100	299 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	98.62	-----	-----	85.10	34.80	10.51	31.79	0.00	100	299 AVERAGE																																																																																																												






Mode	32																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>46.24</td><td>68.20</td><td>-21.96</td><td>64.41</td><td>35.90</td><td>12.12</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>59.47</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>38.97</td><td>54.00</td><td>-15.03</td><td>49.96</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	46.24	68.20	-21.96	64.41	35.90	12.12	66.19	0.00	---	---	PEAK	2	11650.00	48.48	74.00	-25.52	59.47	38.35	15.02	64.36	0.00	100	0	PEAK	3	11650.00	38.97	54.00	-15.03	49.96	38.35	15.02	64.36	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>42.50</td><td>68.20</td><td>-25.70</td><td>60.67</td><td>35.90</td><td>12.12</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>57.20</td><td>38.35</td><td>15.02</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	42.50	68.20	-25.70	60.67	35.90	12.12	66.19	0.00	---	---	PEAK	2	11650.00	46.21	74.00	-27.79	57.20	38.35	15.02	64.36	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	7766.65	46.24	68.20	-21.96	64.41	35.90	12.12	66.19	0.00	---	---	PEAK																																																																																																																																					
2	11650.00	48.48	74.00	-25.52	59.47	38.35	15.02	64.36	0.00	100	0	PEAK																																																																																																																																					
3	11650.00	38.97	54.00	-15.03	49.96	38.35	15.02	64.36	0.00	100	0	AVERAGE																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	7766.65	42.50	68.20	-25.70	60.67	35.90	12.12	66.19	0.00	---	---	PEAK																																																																																																																																					
2	11650.00	46.21	74.00	-27.79	57.20	38.35	15.02	64.36	0.00	---	---	PEAK																																																																																																																																					





Mode	33																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak	Level (dBuV/m)  Frequency (MHz)																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.40</td><td>54.29</td><td>68.20</td><td>-13.91</td><td>41.32</td><td>34.48</td><td>10.35</td><td>31.86</td><td>0.00</td><td>248</td><td>323 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.59</td><td>68.00</td><td>-15.21</td><td>40.61</td><td>34.50</td><td>10.36</td><td>31.88</td><td>0.00</td><td>248</td><td>323 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>67.17</td><td>110.90</td><td>-43.73</td><td>54.18</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>248</td><td>323 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>69.18</td><td>112.72</td><td>-43.54</td><td>56.19</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>248</td><td>323 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.40	54.29	68.20	-13.91	41.32	34.48	10.35	31.86	0.00	248	323 PEAK	2	5650.00	53.59	68.00	-15.21	40.61	34.50	10.36	31.88	0.00	248	323 PEAK	3	5720.00	67.17	110.90	-43.73	54.18	34.54	10.42	31.97	0.00	248	323 PEAK	4	5720.80	69.18	112.72	-43.54	56.19	34.54	10.42	31.97	0.00	248	323 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5642.40	54.29	68.20	-13.91	41.32	34.48	10.35	31.86	0.00	248	323 PEAK																																																																																	
2	5650.00	53.59	68.00	-15.21	40.61	34.50	10.36	31.88	0.00	248	323 PEAK																																																																																	
3	5720.00	67.17	110.90	-43.73	54.18	34.54	10.42	31.97	0.00	248	323 PEAK																																																																																	
4	5720.80	69.18	112.72	-43.54	56.19	34.54	10.42	31.97	0.00	248	323 PEAK																																																																																	
Avg	Level (dBuV/m)  Frequency (MHz)																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.81</td><td>-----</td><td>-----</td><td>97.67</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>248</td><td>323 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.81	-----	-----	97.67	34.59	10.45	31.90	0.00	248	323 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	110.81	-----	-----	97.67	34.59	10.45	31.90	0.00	248	323 PEAK																																																																																	
Blank	Level (dBuV/m)  Frequency (MHz)																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.89</td><td>-----</td><td>-----</td><td>89.75</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>248</td><td>323 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.89	-----	-----	89.75	34.59	10.45	31.90	0.00	248	323 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	102.89	-----	-----	89.75	34.59	10.45	31.90	0.00	248	323 AVERAGE																																																																																	
Avg	Level (dBuV/m)  Frequency (MHz)																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.89</td><td>-----</td><td>-----</td><td>89.75</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>248</td><td>323 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.89	-----	-----	89.75	34.59	10.45	31.90	0.00	248	323 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	102.89	-----	-----	89.75	34.59	10.45	31.90	0.00	248	323 AVERAGE																																																																																	



Mode	33																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak																																																																																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.40	54.10	68.20	-14.10	41.13	34.49	10.35	31.87	0.00	112	290	PEAK	2	5650.00	53.02	68.00	-15.78	40.04	34.50	10.36	31.88	0.00	112	290	PEAK	3	5720.00	63.99	110.90	-46.91	51.00	34.54	10.42	31.97	0.00	112	290	PEAK	4	5720.40	66.00	111.81	-45.81	53.01	34.54	10.42	31.97	0.00	112	290	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.65</td><td>-----</td><td>93.47</td><td>34.61</td><td>10.45</td><td>31.88</td><td>0.00</td><td>112</td><td>290</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.65	-----	93.47	34.61	10.45	31.88	0.00	112	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5646.40	54.10	68.20	-14.10	41.13	34.49	10.35	31.87	0.00	112	290	PEAK																																																																																																																						
2	5650.00	53.02	68.00	-15.78	40.04	34.50	10.36	31.88	0.00	112	290	PEAK																																																																																																																						
3	5720.00	63.99	110.90	-46.91	51.00	34.54	10.42	31.97	0.00	112	290	PEAK																																																																																																																						
4	5720.40	66.00	111.81	-45.81	53.01	34.54	10.42	31.97	0.00	112	290	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5745.00	106.65	-----	93.47	34.61	10.45	31.88	0.00	112	290	PEAK																																																																																																																							
Avg	Blank																																																																																																																																	
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.74</td><td>-----</td><td>85.60</td><td>34.59</td><td>10.45</td><td>31.90</td><td>0.00</td><td>112</td><td>290</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.74	-----	85.60	34.59	10.45	31.90	0.00	112	290	AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5745.00	98.74	-----	85.60	34.59	10.45	31.90	0.00	112	290	AVERAGE																																																																																																																							






Mode	33																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																																																																																	
ANT	1																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>69.91</td><td>35.76</td><td>12.06</td><td>66.02</td><td>0.00</td><td>245</td><td>263</td><td>PEAK</td></tr><tr><td>2</td><td>7659.81</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>68.03</td><td>35.76</td><td>12.06</td><td>66.02</td><td>0.00</td><td>245</td><td>263</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>60.91</td><td>37.99</td><td>14.60</td><td>64.12</td><td>0.00</td><td>245</td><td>263</td><td>PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>39.71</td><td>54.00</td><td>-14.29</td><td>51.24</td><td>37.99</td><td>14.60</td><td>64.12</td><td>0.00</td><td>245</td><td>263</td><td>AVERAGE</td></tr><tr><td>5</td><td>17235.00</td><td>49.68</td><td>68.20</td><td>-18.52</td><td>54.26</td><td>40.93</td><td>18.70</td><td>64.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	51.71	74.00	-22.29	69.91	35.76	12.06	66.02	0.00	245	263	PEAK	2	7659.81	49.83	54.00	-4.17	68.03	35.76	12.06	66.02	0.00	245	263	AVERAGE	3	11490.00	49.38	74.00	-24.62	60.91	37.99	14.60	64.12	0.00	245	263	PEAK	4	11490.00	39.71	54.00	-14.29	51.24	37.99	14.60	64.12	0.00	245	263	AVERAGE	5	17235.00	49.68	68.20	-18.52	54.26	40.93	18.70	64.21	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7660.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>64.41</td><td>35.76</td><td>12.06</td><td>66.02</td><td>0.00</td><td>300</td><td>125</td><td></td></tr><tr><td>2</td><td>11491.30</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>60.46</td><td>37.99</td><td>14.60</td><td>64.12</td><td>0.00</td><td>100</td><td>197</td><td>Peak</td></tr><tr><td>3</td><td>11491.30</td><td>40.58</td><td>54.00</td><td>-13.42</td><td>52.11</td><td>37.99</td><td>14.60</td><td>64.12</td><td>0.00</td><td>100</td><td>197</td><td>Average</td></tr><tr><td>4</td><td>17235.00</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>53.12</td><td>40.92</td><td>18.70</td><td>64.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7660.00	46.21	74.00	-27.79	64.41	35.76	12.06	66.02	0.00	300	125		2	11491.30	48.93	74.00	-25.07	60.46	37.99	14.60	64.12	0.00	100	197	Peak	3	11491.30	40.58	54.00	-13.42	52.11	37.99	14.60	64.12	0.00	100	197	Average	4	17235.00	48.53	68.20	-19.67	53.12	40.92	18.70	64.21	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	7659.81	51.71	74.00	-22.29	69.91	35.76	12.06	66.02	0.00	245	263	PEAK																																																																																																																																																																																						
2	7659.81	49.83	54.00	-4.17	68.03	35.76	12.06	66.02	0.00	245	263	AVERAGE																																																																																																																																																																																						
3	11490.00	49.38	74.00	-24.62	60.91	37.99	14.60	64.12	0.00	245	263	PEAK																																																																																																																																																																																						
4	11490.00	39.71	54.00	-14.29	51.24	37.99	14.60	64.12	0.00	245	263	AVERAGE																																																																																																																																																																																						
5	17235.00	49.68	68.20	-18.52	54.26	40.93	18.70	64.21	0.00	---	---	PEAK																																																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	7660.00	46.21	74.00	-27.79	64.41	35.76	12.06	66.02	0.00	300	125																																																																																																																																																																																							
2	11491.30	48.93	74.00	-25.07	60.46	37.99	14.60	64.12	0.00	100	197	Peak																																																																																																																																																																																						
3	11491.30	40.58	54.00	-13.42	52.11	37.99	14.60	64.12	0.00	100	197	Average																																																																																																																																																																																						
4	17235.00	48.53	68.20	-19.67	53.12	40.92	18.70	64.21	0.00	---	---	PEAK																																																																																																																																																																																						



Mode	34																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>51.15</td><td>74.00</td><td>-22.85</td><td>69.50</td><td>35.63</td><td>12.12</td><td>66.10</td><td>0.00</td><td>352</td><td>269 PEAK</td></tr><tr><td>2</td><td>7713.14</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>67.81</td><td>35.63</td><td>12.12</td><td>66.10</td><td>0.00</td><td>352</td><td>269 AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>57.41</td><td>38.07</td><td>14.66</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>17355.00</td><td>48.38</td><td>68.20</td><td>-19.82</td><td>52.96</td><td>40.74</td><td>18.78</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	51.15	74.00	-22.85	69.50	35.63	12.12	66.10	0.00	352	269 PEAK	2	7713.14	49.46	54.00	-4.54	67.81	35.63	12.12	66.10	0.00	352	269 AVERAGE	3	11570.00	45.91	74.00	-28.09	57.41	38.07	14.66	64.23	0.00	---	---	PEAK	4	17355.00	48.38	68.20	-19.82	52.96	40.74	18.78	64.10	0.00	---	---	PEAK	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>42.50</td><td>74.00</td><td>-31.50</td><td>60.85</td><td>35.63</td><td>12.12</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>59.00</td><td>38.07</td><td>14.66</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17355.00</td><td>48.85</td><td>68.20</td><td>-19.35</td><td>53.43</td><td>40.74</td><td>18.78</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.14	42.50	74.00	-31.50	60.85	35.63	12.12	66.10	0.00	---	---	PEAK	2	11570.00	47.50	74.00	-26.50	59.00	38.07	14.66	64.23	0.00	---	---	PEAK	3	17355.00	48.85	68.20	-19.35	53.43	40.74	18.78	64.10	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	7713.14	51.15	74.00	-22.85	69.50	35.63	12.12	66.10	0.00	352	269 PEAK																																																																																																																																									
2	7713.14	49.46	54.00	-4.54	67.81	35.63	12.12	66.10	0.00	352	269 AVERAGE																																																																																																																																									
3	11570.00	45.91	74.00	-28.09	57.41	38.07	14.66	64.23	0.00	---	---	PEAK																																																																																																																																								
4	17355.00	48.38	68.20	-19.82	52.96	40.74	18.78	64.10	0.00	---	---	PEAK																																																																																																																																								
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	7713.14	42.50	74.00	-31.50	60.85	35.63	12.12	66.10	0.00	---	---	PEAK																																																																																																																																								
2	11570.00	47.50	74.00	-26.50	59.00	38.07	14.66	64.23	0.00	---	---	PEAK																																																																																																																																								
3	17355.00	48.85	68.20	-19.35	53.43	40.74	18.78	64.10	0.00	---	---	PEAK																																																																																																																																								





Mode	35																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>60.68</td><td>113.18</td><td>-52.50</td><td>47.17</td><td>34.82</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.14</td><td>105.36</td><td>-50.22</td><td>41.52</td><td>34.95</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.66</td><td>68.35</td><td>-15.69</td><td>38.83</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr><tr><td>4</td><td>5989.20</td><td>55.59</td><td>68.20</td><td>-12.61</td><td>41.60</td><td>35.20</td><td>10.59</td><td>31.80</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	60.68	113.18	-52.50	47.17	34.82	10.53	31.84	0.00	100	307 PEAK	2	5874.00	55.14	105.36	-50.22	41.52	34.95	10.54	31.87	0.00	100	307 PEAK	3	5924.00	52.66	68.35	-15.69	38.83	35.15	10.56	31.88	0.00	100	307 PEAK	4	5989.20	55.59	68.20	-12.61	41.60	35.20	10.59	31.80	0.00	100	307 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.54</td><td>-----</td><td>-----</td><td>96.02</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	109.54	-----	-----	96.02	34.80	10.51	31.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	60.68	113.18	-52.50	47.17	34.82	10.53	31.84	0.00	100	307 PEAK																																																																																																												
2	5874.00	55.14	105.36	-50.22	41.52	34.95	10.54	31.87	0.00	100	307 PEAK																																																																																																												
3	5924.00	52.66	68.35	-15.69	38.83	35.15	10.56	31.88	0.00	100	307 PEAK																																																																																																												
4	5989.20	55.59	68.20	-12.61	41.60	35.20	10.59	31.80	0.00	100	307 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	109.54	-----	-----	96.02	34.80	10.51	31.79	0.00	100	307 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.46</td><td>-----</td><td>-----</td><td>87.94</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>100</td><td>307 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	101.46	-----	-----	87.94	34.80	10.51	31.79	0.00	100	307 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	101.46	-----	-----	87.94	34.80	10.51	31.79	0.00	100	307 AVERAGE																																																																																																												






Mode	35																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>57.70</td><td>113.18</td><td>-55.48</td><td>44.19</td><td>34.82</td><td>10.53</td><td>31.84</td><td>0.00</td><td>117</td><td>300 PEAK</td></tr><tr><td>2 5872.80</td><td>55.91</td><td>105.92</td><td>-50.01</td><td>42.30</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>117</td><td>300 PEAK</td></tr><tr><td>3 5923.20</td><td>54.39</td><td>69.53</td><td>-15.14</td><td>40.56</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>117</td><td>300 PEAK</td></tr><tr><td>4 5967.20</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>41.21</td><td>35.20</td><td>10.58</td><td>31.83</td><td>0.00</td><td>117</td><td>300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	57.70	113.18	-55.48	44.19	34.82	10.53	31.84	0.00	117	300 PEAK	2 5872.80	55.91	105.92	-50.01	42.30	34.94	10.54	31.87	0.00	117	300 PEAK	3 5923.20	54.39	69.53	-15.14	40.56	35.15	10.56	31.88	0.00	117	300 PEAK	4 5967.20	55.16	68.20	-13.04	41.21	35.20	10.58	31.83	0.00	117	300 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.77</td><td>-----</td><td>-----</td><td>93.25</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>117</td><td>300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.77	-----	-----	93.25	34.80	10.51	31.79	0.00	117
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	57.70	113.18	-55.48	44.19	34.82	10.53	31.84	0.00	117	300 PEAK																																																																																																																								
2 5872.80	55.91	105.92	-50.01	42.30	34.94	10.54	31.87	0.00	117	300 PEAK																																																																																																																								
3 5923.20	54.39	69.53	-15.14	40.56	35.15	10.56	31.88	0.00	117	300 PEAK																																																																																																																								
4 5967.20	55.16	68.20	-13.04	41.21	35.20	10.58	31.83	0.00	117	300 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	106.77	-----	-----	93.25	34.80	10.51	31.79	0.00	117	300 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.68</td><td>-----</td><td>-----</td><td>84.16</td><td>34.80</td><td>10.51</td><td>31.79</td><td>0.00</td><td>117</td><td>300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.68	-----	-----	84.16	34.80	10.51	31.79	0.00	117	300 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	97.68	-----	-----	84.16	34.80	10.51	31.79	0.00	117	300 AVERAGE																																																																																																																								




Mode	35																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>41.95</td><td>68.20</td><td>-26.25</td><td>60.27</td><td>35.70</td><td>12.17</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>57.97</td><td>38.25</td><td>14.71</td><td>64.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17475.00</td><td>48.56</td><td>68.20</td><td>-19.64</td><td>53.01</td><td>40.70</td><td>18.85</td><td>64.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	41.95	68.20	-26.25	60.27	35.70	12.17	66.19	0.00	---	---	PEAK	2	11650.00	46.57	74.00	-27.43	57.97	38.25	14.71	64.36	0.00	---	---	PEAK	3	17475.00	48.56	68.20	-19.64	53.01	40.70	18.85	64.00	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.47</td><td>42.83</td><td>68.20</td><td>-25.37</td><td>61.15</td><td>35.70</td><td>12.17</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>63.71</td><td>38.25</td><td>14.71</td><td>64.36</td><td>0.00</td><td>112</td><td>199</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>53.92</td><td>38.25</td><td>14.71</td><td>64.36</td><td>0.00</td><td>112</td><td>199</td><td>AVERAGE</td></tr><tr><td>4</td><td>17475.00</td><td>49.12</td><td>68.20</td><td>-19.08</td><td>53.57</td><td>40.70</td><td>18.85</td><td>64.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.47	42.83	68.20	-25.37	61.15	35.70	12.17	66.19	0.00	---	---	PEAK	2	11650.00	52.31	74.00	-21.69	63.71	38.25	14.71	64.36	0.00	112	199	PEAK	3	11650.00	42.52	54.00	-11.48	53.92	38.25	14.71	64.36	0.00	112	199	AVERAGE	4	17475.00	49.12	68.20	-19.08	53.57	40.70	18.85	64.00	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	7766.47	41.95	68.20	-26.25	60.27	35.70	12.17	66.19	0.00	---	---	PEAK																																																																																																																																																												
2	11650.00	46.57	74.00	-27.43	57.97	38.25	14.71	64.36	0.00	---	---	PEAK																																																																																																																																																												
3	17475.00	48.56	68.20	-19.64	53.01	40.70	18.85	64.00	0.00	---	---	PEAK																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1	7766.47	42.83	68.20	-25.37	61.15	35.70	12.17	66.19	0.00	---	---	PEAK																																																																																																																																																												
2	11650.00	52.31	74.00	-21.69	63.71	38.25	14.71	64.36	0.00	112	199	PEAK																																																																																																																																																												
3	11650.00	42.52	54.00	-11.48	53.92	38.25	14.71	64.36	0.00	112	199	AVERAGE																																																																																																																																																												
4	17475.00	49.12	68.20	-19.08	53.57	40.70	18.85	64.00	0.00	---	---	PEAK																																																																																																																																																												







Mode	36																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.33</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>42.38</td><td>34.40</td><td>10.31</td><td>31.74</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr><tr><td>2</td><td>5653.32</td><td>55.81</td><td>70.67</td><td>-14.86</td><td>42.84</td><td>34.50</td><td>10.36</td><td>31.89</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr><tr><td>3</td><td>5714.55</td><td>74.65</td><td>109.37</td><td>-34.72</td><td>61.69</td><td>34.53</td><td>10.42</td><td>31.99</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>74.06</td><td>111.19</td><td>-37.13</td><td>61.07</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.33	55.35	68.20	-12.85	42.38	34.40	10.31	31.74	0.00	238	325 PEAK	2	5653.32	55.81	70.67	-14.86	42.84	34.50	10.36	31.89	0.00	238	325 PEAK	3	5714.55	74.65	109.37	-34.72	61.69	34.53	10.42	31.99	0.00	238	325 PEAK	4	5720.13	74.06	111.19	-37.13	61.07	34.54	10.42	31.97	0.00	238	325 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.67</td><td>-----</td><td>-----</td><td>94.49</td><td>34.61</td><td>10.45</td><td>31.88</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	107.67	-----	-----	94.49	34.61	10.45	31.88	0.00	238	325 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5602.33	55.35	68.20	-12.85	42.38	34.40	10.31	31.74	0.00	238	325 PEAK																																																																																																																														
2	5653.32	55.81	70.67	-14.86	42.84	34.50	10.36	31.89	0.00	238	325 PEAK																																																																																																																														
3	5714.55	74.65	109.37	-34.72	61.69	34.53	10.42	31.99	0.00	238	325 PEAK																																																																																																																														
4	5720.13	74.06	111.19	-37.13	61.07	34.54	10.42	31.97	0.00	238	325 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	107.67	-----	-----	94.49	34.61	10.45	31.88	0.00	238	325 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.02</td><td>-----</td><td>-----</td><td>85.84</td><td>34.61</td><td>10.45</td><td>31.88</td><td>0.00</td><td>238</td><td>325 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.02	-----	-----	85.84	34.61	10.45	31.88	0.00	238	325 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	99.02	-----	-----	85.84	34.61	10.45	31.88	0.00	238	325 AVERAGE																																																																																																																														




Mode	36																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal						Fundamental																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.76</td><td>111.26</td><td>-57.50</td><td>40.24</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr><tr><td>2</td><td>5870.05</td><td>55.52</td><td>106.68</td><td>-51.16</td><td>41.92</td><td>34.92</td><td>10.54</td><td>31.86</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.06</td><td>68.60</td><td>-14.54</td><td>40.23</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr><tr><td>4</td><td>5929.72</td><td>54.94</td><td>68.20</td><td>-13.26</td><td>41.09</td><td>35.16</td><td>10.56</td><td>31.87</td><td>0.00</td><td>238</td><td>325 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	53.76	111.26	-57.50	40.24	34.83	10.53	31.84	0.00	238	325 PEAK	2	5870.05	55.52	106.68	-51.16	41.92	34.92	10.54	31.86	0.00	238	325 PEAK	3	5924.46	54.06	68.60	-14.54	40.23	35.15	10.56	31.88	0.00	238	325 PEAK	4	5929.72	54.94	68.20	-13.26	41.09	35.16	10.56	31.87	0.00	238	325 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5854.84	53.76	111.26	-57.50	40.24	34.83	10.53	31.84	0.00	238	325 PEAK																																																																						
2	5870.05	55.52	106.68	-51.16	41.92	34.92	10.54	31.86	0.00	238	325 PEAK																																																																						
3	5924.46	54.06	68.60	-14.54	40.23	35.15	10.56	31.88	0.00	238	325 PEAK																																																																						
4	5929.72	54.94	68.20	-13.26	41.09	35.16	10.56	31.87	0.00	238	325 PEAK																																																																						



Mode	36																																																																																																																																												
	Band Edge - L																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5611.78</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>41.94</td><td>34.42</td><td>10.32</td><td>31.77</td><td>0.00</td><td>105</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>5651.15</td><td>52.61</td><td>69.06</td><td>-16.45</td><td>39.63</td><td>34.50</td><td>10.36</td><td>31.88</td><td>0.00</td><td>105</td><td>299</td><td>PEAK</td></tr><tr><td>3</td><td>5709.28</td><td>66.54</td><td>107.90</td><td>-41.36</td><td>53.61</td><td>34.52</td><td>10.41</td><td>32.00</td><td>0.00</td><td>105</td><td>299</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>67.58</td><td>111.19</td><td>-43.61</td><td>54.59</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>105</td><td>299</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5611.78	54.91	68.20	-13.29	41.94	34.42	10.32	31.77	0.00	105	299	PEAK	2	5651.15	52.61	69.06	-16.45	39.63	34.50	10.36	31.88	0.00	105	299	PEAK	3	5709.28	66.54	107.90	-41.36	53.61	34.52	10.41	32.00	0.00	105	299	PEAK	4	5720.13	67.58	111.19	-43.61	54.59	34.54	10.42	31.97	0.00	105	299	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.56</td><td>-----</td><td>89.38</td><td>34.61</td><td>10.45</td><td>31.88</td><td>0.00</td><td>105</td><td>299</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.56	-----	89.38	34.61	10.45	31.88	0.00	105	299
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	5611.78	54.91	68.20	-13.29	41.94	34.42	10.32	31.77	0.00	105	299	PEAK																																																																																																																																	
2	5651.15	52.61	69.06	-16.45	39.63	34.50	10.36	31.88	0.00	105	299	PEAK																																																																																																																																	
3	5709.28	66.54	107.90	-41.36	53.61	34.52	10.41	32.00	0.00	105	299	PEAK																																																																																																																																	
4	5720.13	67.58	111.19	-43.61	54.59	34.54	10.42	31.97	0.00	105	299	PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5755.00	102.56	-----	89.38	34.61	10.45	31.88	0.00	105	299	PEAK																																																																																																																																		
Avg																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.77</td><td>-----</td><td>81.59</td><td>34.61</td><td>10.45</td><td>31.88</td><td>0.00</td><td>105</td><td>299</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.77	-----	81.59	34.61	10.45	31.88	0.00	105	299	AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5755.00	94.77	-----	81.59	34.61	10.45	31.88	0.00	105	299	AVERAGE																																																																																																																																		






Mode	36																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																							
ANT	1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.03</td><td>111.26</td><td>-57.23</td><td>40.51</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>105</td><td>299 PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>54.83</td><td>105.59</td><td>-50.76</td><td>41.22</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>105</td><td>299 PEAK</td></tr><tr><td>3</td><td>5922.12</td><td>55.92</td><td>70.33</td><td>-14.41</td><td>42.10</td><td>35.14</td><td>10.56</td><td>31.88</td><td>0.00</td><td>105</td><td>299 PEAK</td></tr><tr><td>4</td><td>5934.01</td><td>55.18</td><td>68.20</td><td>-13.02</td><td>41.31</td><td>35.17</td><td>10.57</td><td>31.87</td><td>0.00</td><td>105</td><td>299 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.84	54.03	111.26	-57.23	40.51	34.83	10.53	31.84	0.00	105	299 PEAK	2	5873.95	54.83	105.59	-50.76	41.22	34.94	10.54	31.87	0.00	105	299 PEAK	3	5922.12	55.92	70.33	-14.41	42.10	35.14	10.56	31.88	0.00	105	299 PEAK	4	5934.01	55.18	68.20	-13.02	41.31	35.17	10.57	31.87	0.00	105	299 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																														
1	5854.84	54.03	111.26	-57.23	40.51	34.83	10.53	31.84	0.00	105	299 PEAK																																																													
2	5873.95	54.83	105.59	-50.76	41.22	34.94	10.54	31.87	0.00	105	299 PEAK																																																													
3	5922.12	55.92	70.33	-14.41	42.10	35.14	10.56	31.88	0.00	105	299 PEAK																																																													
4	5934.01	55.18	68.20	-13.02	41.31	35.17	10.57	31.87	0.00	105	299 PEAK																																																													




Mode	36																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>51.15</td><td>74.00</td><td>-22.85</td><td>69.40</td><td>35.71</td><td>12.08</td><td>66.04</td><td>0.00</td><td>268</td><td>271</td><td>PEAK</td></tr><tr><td>2</td><td>7673.14</td><td>49.22</td><td>54.00</td><td>-4.78</td><td>67.47</td><td>35.71</td><td>12.08</td><td>66.04</td><td>0.00</td><td>268</td><td>271</td><td>AVERAGE</td></tr><tr><td>3</td><td>11510.00</td><td>47.36</td><td>74.00</td><td>-26.64</td><td>58.87</td><td>38.01</td><td>14.61</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>17265.00</td><td>48.55</td><td>68.20</td><td>-19.65</td><td>53.15</td><td>40.87</td><td>18.72</td><td>64.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.14	51.15	74.00	-22.85	69.40	35.71	12.08	66.04	0.00	268	271	PEAK	2	7673.14	49.22	54.00	-4.78	67.47	35.71	12.08	66.04	0.00	268	271	AVERAGE	3	11510.00	47.36	74.00	-26.64	58.87	38.01	14.61	64.13	0.00	---	---	PEAK	4	17265.00	48.55	68.20	-19.65	53.15	40.87	18.72	64.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7673.14	51.15	74.00	-22.85	69.40	35.71	12.08	66.04	0.00	268	271	PEAK																																																																																				
2	7673.14	49.22	54.00	-4.78	67.47	35.71	12.08	66.04	0.00	268	271	AVERAGE																																																																																				
3	11510.00	47.36	74.00	-26.64	58.87	38.01	14.61	64.13	0.00	---	---	PEAK																																																																																				
4	17265.00	48.55	68.20	-19.65	53.15	40.87	18.72	64.19	0.00	---	---	PEAK																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.14</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>60.78</td><td>35.71</td><td>12.08</td><td>66.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>58.08</td><td>38.01</td><td>14.61</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17265.00</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>52.79</td><td>40.91</td><td>18.71</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.14	42.53	74.00	-31.47	60.78	35.71	12.08	66.04	0.00	---	---	PEAK	2	11510.00	46.57	74.00	-27.43	58.08	38.01	14.61	64.13	0.00	---	---	PEAK	3	17265.00	48.21	68.20	-19.99	52.79	40.91	18.71	64.20	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7673.14	42.53	74.00	-31.47	60.78	35.71	12.08	66.04	0.00	---	---	PEAK																																																																																				
2	11510.00	46.57	74.00	-27.43	58.08	38.01	14.61	64.13	0.00	---	---	PEAK																																																																																				
3	17265.00	48.21	68.20	-19.99	52.79	40.91	18.71	64.20	0.00	---	---	PEAK																																																																																				






Mode	37																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5637.60</td><td>53.83</td><td>68.20</td><td>-14.37</td><td>40.84</td><td>34.48</td><td>10.35</td><td>31.84</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.93</td><td>68.20</td><td>-17.27</td><td>37.95</td><td>34.50</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>53.52</td><td>105.30</td><td>-51.78</td><td>40.65</td><td>34.50</td><td>10.40</td><td>32.03</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.46</td><td>110.90</td><td>-56.44</td><td>41.47</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5637.60	53.83	68.20	-14.37	40.84	34.48	10.35	31.84	0.00	300	332 PEAK	2	5650.00	50.93	68.20	-17.27	37.95	34.50	10.36	31.88	0.00	300	332 PEAK	3	5700.00	53.52	105.30	-51.78	40.65	34.50	10.40	32.03	0.00	300	332 PEAK	4	5720.00	54.46	110.90	-56.44	41.47	34.54	10.42	31.97	0.00	300	332 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.11</td><td>-----</td><td>-----</td><td>91.61</td><td>34.78</td><td>10.49</td><td>31.77</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	105.11	-----	-----	91.61	34.78	10.49	31.77	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5637.60	53.83	68.20	-14.37	40.84	34.48	10.35	31.84	0.00	300	332 PEAK																																																																																																								
2	5650.00	50.93	68.20	-17.27	37.95	34.50	10.36	31.88	0.00	300	332 PEAK																																																																																																								
3	5700.00	53.52	105.30	-51.78	40.65	34.50	10.40	32.03	0.00	300	332 PEAK																																																																																																								
4	5720.00	54.46	110.90	-56.44	41.47	34.54	10.42	31.97	0.00	300	332 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5795.00	105.11	-----	-----	91.61	34.78	10.49	31.77	0.00	300	332 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.13</td><td>-----</td><td>-----</td><td>83.58</td><td>34.80</td><td>10.50</td><td>31.75</td><td>0.00</td><td>300</td><td>332 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	97.13	-----	-----	83.58	34.80	10.50	31.75	0.00	300	332 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5795.00	97.13	-----	-----	83.58	34.80	10.50	31.75	0.00	300	332 AVERAGE																																																																																																								




Mode	37																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>55.62</td><td>112.27</td><td>-56.65</td><td>42.10</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>55.41</td><td>105.69</td><td>-50.28</td><td>41.80</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.01</td><td>68.94</td><td>-13.93</td><td>41.18</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>41.27</td><td>35.18</td><td>10.57</td><td>31.86</td><td>0.00</td><td>300</td><td>332 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	55.62	112.27	-56.65	42.10	34.83	10.53	31.84	0.00	300	332 PEAK	2	5873.60	55.41	105.69	-50.28	41.80	34.94	10.54	31.87	0.00	300	332 PEAK	3	5924.00	55.01	68.94	-13.93	41.18	35.15	10.56	31.88	0.00	300	332 PEAK	4	5938.80	55.16	68.20	-13.04	41.27	35.18	10.57	31.86	0.00	300	332 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5854.40	55.62	112.27	-56.65	42.10	34.83	10.53	31.84	0.00	300	332 PEAK																																																																								
2	5873.60	55.41	105.69	-50.28	41.80	34.94	10.54	31.87	0.00	300	332 PEAK																																																																								
3	5924.00	55.01	68.94	-13.93	41.18	35.15	10.56	31.88	0.00	300	332 PEAK																																																																								
4	5938.80	55.16	68.20	-13.04	41.27	35.18	10.57	31.86	0.00	300	332 PEAK																																																																								






Mode	37																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.60</td><td>54.44</td><td>68.20</td><td>-13.76</td><td>41.46</td><td>34.46</td><td>10.34</td><td>31.82</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr><tr><td>2 5650.40</td><td>51.16</td><td>68.50</td><td>-17.34</td><td>38.18</td><td>34.50</td><td>10.36</td><td>31.88</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr><tr><td>3 5700.80</td><td>53.58</td><td>105.52</td><td>-51.94</td><td>40.70</td><td>34.50</td><td>10.41</td><td>32.03</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr><tr><td>4 5720.00</td><td>53.75</td><td>110.90</td><td>-57.15</td><td>40.76</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5629.60	54.44	68.20	-13.76	41.46	34.46	10.34	31.82	0.00	126	291 PEAK	2 5650.40	51.16	68.50	-17.34	38.18	34.50	10.36	31.88	0.00	126	291 PEAK	3 5700.80	53.58	105.52	-51.94	40.70	34.50	10.41	32.03	0.00	126	291 PEAK	4 5720.00	53.75	110.90	-57.15	40.76	34.54	10.42	31.97	0.00	126	291 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>103.04</td><td>-----</td><td>-----</td><td>89.58</td><td>34.75</td><td>10.49</td><td>31.78</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	103.04	-----	-----	89.58	34.75	10.49	31.78	0.00	126
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5629.60	54.44	68.20	-13.76	41.46	34.46	10.34	31.82	0.00	126	291 PEAK																																																																																																																								
2 5650.40	51.16	68.50	-17.34	38.18	34.50	10.36	31.88	0.00	126	291 PEAK																																																																																																																								
3 5700.80	53.58	105.52	-51.94	40.70	34.50	10.41	32.03	0.00	126	291 PEAK																																																																																																																								
4 5720.00	53.75	110.90	-57.15	40.76	34.54	10.42	31.97	0.00	126	291 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5795.00	103.04	-----	-----	89.58	34.75	10.49	31.78	0.00	126	291 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>95.25</td><td>-----</td><td>-----</td><td>81.75</td><td>34.78</td><td>10.49</td><td>31.77</td><td>0.00</td><td>126</td><td>291 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	95.25	-----	-----	81.75	34.78	10.49	31.77	0.00	126	291 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5795.00	95.25	-----	-----	81.75	34.78	10.49	31.77	0.00	126	291 AVERAGE																																																																																																																								




Mode	37																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.48</td><td>111.36</td><td>-57.88</td><td>39.96</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>55.46</td><td>105.92</td><td>-50.46</td><td>41.85</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.15</td><td>68.35</td><td>-15.20</td><td>39.32</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>55.71</td><td>68.20</td><td>-12.49</td><td>41.82</td><td>35.18</td><td>10.57</td><td>31.86</td><td>0.00</td><td>126</td><td>291 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	53.48	111.36	-57.88	39.96	34.83	10.53	31.84	0.00	126	291 PEAK	2	5872.80	55.46	105.92	-50.46	41.85	34.94	10.54	31.87	0.00	126	291 PEAK	3	5924.80	53.15	68.35	-15.20	39.32	35.15	10.56	31.88	0.00	126	291 PEAK	4	5939.20	55.71	68.20	-12.49	41.82	35.18	10.57	31.86	0.00	126	291 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.80	53.48	111.36	-57.88	39.96	34.83	10.53	31.84	0.00	126	291 PEAK																																																																																	
2	5872.80	55.46	105.92	-50.46	41.85	34.94	10.54	31.87	0.00	126	291 PEAK																																																																																	
3	5924.80	53.15	68.35	-15.20	39.32	35.15	10.56	31.88	0.00	126	291 PEAK																																																																																	
4	5939.20	55.71	68.20	-12.49	41.82	35.18	10.57	31.86	0.00	126	291 PEAK																																																																																	

Mode	37																																																																																		
	Harmonic																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1</td><td>7726.47</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>69.60</td><td>35.65</td><td>12.13</td><td>66.13</td><td>0.00</td><td>264</td><td>270 PEAK</td></tr> <tr> <td>2</td><td>7726.47</td><td>49.28</td><td>54.00</td><td>-4.72</td><td>67.63</td><td>35.65</td><td>12.13</td><td>66.13</td><td>0.00</td><td>264</td><td>270 AVERAGE</td></tr> <tr> <td>3</td><td>11590.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>57.95</td><td>38.09</td><td>14.67</td><td>64.26</td><td>0.00</td><td>---</td><td>---</td></tr> <tr> <td>4</td><td>17385.00</td><td>47.55</td><td>68.20</td><td>-20.65</td><td>52.14</td><td>40.73</td><td>18.78</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td></tr> </tbody> </table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.47	51.25	74.00	-22.75	69.60	35.65	12.13	66.13	0.00	264	270 PEAK	2	7726.47	49.28	54.00	-4.72	67.63	35.65	12.13	66.13	0.00	264	270 AVERAGE	3	11590.00	46.45	74.00	-27.55	57.95	38.09	14.67	64.26	0.00	---	---	4	17385.00	47.55	68.20	-20.65	52.14	40.73	18.78	64.10	0.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	7726.47	51.25	74.00	-22.75	69.60	35.65	12.13	66.13	0.00	264	270 PEAK																																																																								
2	7726.47	49.28	54.00	-4.72	67.63	35.65	12.13	66.13	0.00	264	270 AVERAGE																																																																								
3	11590.00	46.45	74.00	-27.55	57.95	38.09	14.67	64.26	0.00	---	---																																																																								
4	17385.00	47.55	68.20	-20.65	52.14	40.73	18.78	64.10	0.00	---	---																																																																								






Mode	38																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.40</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>42.38</td><td>34.49</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr><tr><td>2</td><td>5656.40</td><td>58.67</td><td>72.97</td><td>-14.30</td><td>45.71</td><td>34.50</td><td>10.36</td><td>31.90</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>79.27</td><td>110.23</td><td>-30.96</td><td>66.29</td><td>34.54</td><td>10.42</td><td>31.98</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.49</td><td>110.90</td><td>-39.41</td><td>58.50</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.40	55.36	68.20	-12.84	42.38	34.49	10.35	31.86	0.00	100	311 PEAK	2	5656.40	58.67	72.97	-14.30	45.71	34.50	10.36	31.90	0.00	100	311 PEAK	3	5717.60	79.27	110.23	-30.96	66.29	34.54	10.42	31.98	0.00	100	311 PEAK	4	5720.00	71.49	110.90	-39.41	58.50	34.54	10.42	31.97	0.00	100	311 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.03</td><td>-----</td><td>-----</td><td>91.57</td><td>34.75</td><td>10.49</td><td>31.78</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.03	-----	-----	91.57	34.75	10.49	31.78	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5644.40	55.36	68.20	-12.84	42.38	34.49	10.35	31.86	0.00	100	311 PEAK																																																																																																																														
2	5656.40	58.67	72.97	-14.30	45.71	34.50	10.36	31.90	0.00	100	311 PEAK																																																																																																																														
3	5717.60	79.27	110.23	-30.96	66.29	34.54	10.42	31.98	0.00	100	311 PEAK																																																																																																																														
4	5720.00	71.49	110.90	-39.41	58.50	34.54	10.42	31.97	0.00	100	311 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	105.03	-----	-----	91.57	34.75	10.49	31.78	0.00	100	311 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.45</td><td>-----</td><td>-----</td><td>82.04</td><td>34.73</td><td>10.48</td><td>31.80</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.45	-----	-----	82.04	34.73	10.48	31.80	0.00	100	311 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	95.45	-----	-----	82.04	34.73	10.48	31.80	0.00	100	311 AVERAGE																																																																																																																														




Mode	38																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>69.56</td><td>112.27</td><td>-42.71</td><td>56.04</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>70.51</td><td>108.71</td><td>-38.20</td><td>56.95</td><td>34.88</td><td>10.53</td><td>31.85</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.77</td><td>68.94</td><td>-13.17</td><td>41.94</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr><tr><td>4</td><td>5929.20</td><td>55.94</td><td>68.20</td><td>-12.26</td><td>42.09</td><td>35.16</td><td>10.56</td><td>31.87</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	69.56	112.27	-42.71	56.04	34.83	10.53	31.84	0.00	100	311 PEAK	2	5862.80	70.51	108.71	-38.20	56.95	34.88	10.53	31.85	0.00	100	311 PEAK	3	5924.00	55.77	68.94	-13.17	41.94	35.15	10.56	31.88	0.00	100	311 PEAK	4	5929.20	55.94	68.20	-12.26	42.09	35.16	10.56	31.87	0.00	100	311 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	69.56	112.27	-42.71	56.04	34.83	10.53	31.84	0.00	100	311 PEAK																																																																								
2	5862.80	70.51	108.71	-38.20	56.95	34.88	10.53	31.85	0.00	100	311 PEAK																																																																								
3	5924.00	55.77	68.94	-13.17	41.94	35.15	10.56	31.88	0.00	100	311 PEAK																																																																								
4	5929.20	55.94	68.20	-12.26	42.09	35.16	10.56	31.87	0.00	100	311 PEAK																																																																								





Mode	38																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>55.61</td><td>68.20</td><td>-12.59</td><td>42.63</td><td>34.49</td><td>10.35</td><td>31.86</td><td>0.00</td><td>133</td><td>294 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.22</td><td>68.00</td><td>-14.58</td><td>41.24</td><td>34.50</td><td>10.36</td><td>31.88</td><td>0.00</td><td>133</td><td>294 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>74.68</td><td>110.12</td><td>-35.44</td><td>61.71</td><td>34.53</td><td>10.42</td><td>31.98</td><td>0.00</td><td>133</td><td>294 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>69.97</td><td>110.90</td><td>-40.93</td><td>56.98</td><td>34.54</td><td>10.42</td><td>31.97</td><td>0.00</td><td>133</td><td>294 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	55.61	68.20	-12.59	42.63	34.49	10.35	31.86	0.00	133	294 PEAK	2	5650.00	54.22	68.00	-14.58	41.24	34.50	10.36	31.88	0.00	133	294 PEAK	3	5717.20	74.68	110.12	-35.44	61.71	34.53	10.42	31.98	0.00	133	294 PEAK	4	5720.00	69.97	110.90	-40.93	56.98	34.54	10.42	31.97	0.00	133	294 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.49</td><td>-----</td><td>-----</td><td>86.08</td><td>34.73</td><td>10.48</td><td>31.80</td><td>0.00</td><td>133</td><td>294 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.49	-----	-----	86.08	34.73	10.48	31.80	0.00	133
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5644.00	55.61	68.20	-12.59	42.63	34.49	10.35	31.86	0.00	133	294 PEAK																																																																																																																													
2	5650.00	54.22	68.00	-14.58	41.24	34.50	10.36	31.88	0.00	133	294 PEAK																																																																																																																													
3	5717.20	74.68	110.12	-35.44	61.71	34.53	10.42	31.98	0.00	133	294 PEAK																																																																																																																													
4	5720.00	69.97	110.90	-40.93	56.98	34.54	10.42	31.97	0.00	133	294 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	99.49	-----	-----	86.08	34.73	10.48	31.80	0.00	133	294 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.04</td><td>-----</td><td>-----</td><td>77.63</td><td>34.73</td><td>10.48</td><td>31.80</td><td>0.00</td><td>133</td><td>294 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.04	-----	-----	77.63	34.73	10.48	31.80	0.00	133	294 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	91.04	-----	-----	77.63	34.73	10.48	31.80	0.00	133	294 AVERAGE																																																																																																																													



Mode	38																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>64.95</td><td>112.27</td><td>-47.32</td><td>51.43</td><td>34.83</td><td>10.53</td><td>31.84</td><td>0.00</td><td>133</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5861.20</td><td>67.39</td><td>109.16</td><td>-41.77</td><td>53.84</td><td>34.87</td><td>10.53</td><td>31.85</td><td>0.00</td><td>133</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.76</td><td>68.64</td><td>-13.88</td><td>40.93</td><td>35.15</td><td>10.56</td><td>31.88</td><td>0.00</td><td>133</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5944.80</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>43.43</td><td>35.19</td><td>10.57</td><td>31.86</td><td>0.00</td><td>133</td><td>294</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	64.95	112.27	-47.32	51.43	34.83	10.53	31.84	0.00	133	294	PEAK	2	5861.20	67.39	109.16	-41.77	53.84	34.87	10.53	31.85	0.00	133	294	PEAK	3	5924.40	54.76	68.64	-13.88	40.93	35.15	10.56	31.88	0.00	133	294	PEAK	4	5944.80	57.33	68.20	-10.87	43.43	35.19	10.57	31.86	0.00	133	294	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.40	64.95	112.27	-47.32	51.43	34.83	10.53	31.84	0.00	133	294	PEAK																																																																																					
2	5861.20	67.39	109.16	-41.77	53.84	34.87	10.53	31.85	0.00	133	294	PEAK																																																																																					
3	5924.40	54.76	68.64	-13.88	40.93	35.15	10.56	31.88	0.00	133	294	PEAK																																																																																					
4	5944.80	57.33	68.20	-10.87	43.43	35.19	10.57	31.86	0.00	133	294	PEAK																																																																																					





Mode	38																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.81</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>69.23</td><td>35.60</td><td>12.10</td><td>66.08</td><td>0.00</td><td>326</td><td>276 PEAK</td></tr><tr><td>2</td><td>7699.81</td><td>49.47</td><td>54.00</td><td>-4.53</td><td>67.85</td><td>35.60</td><td>12.10</td><td>66.08</td><td>0.00</td><td>326</td><td>276 AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>57.33</td><td>38.05</td><td>14.64</td><td>64.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>17325.00</td><td>48.18</td><td>68.20</td><td>-20.02</td><td>52.76</td><td>40.74</td><td>18.78</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7699.81	50.85	74.00	-23.15	69.23	35.60	12.10	66.08	0.00	326	276 PEAK	2	7699.81	49.47	54.00	-4.53	67.85	35.60	12.10	66.08	0.00	326	276 AVERAGE	3	11550.00	45.83	74.00	-28.17	57.33	38.05	14.64	64.19	0.00	---	---	PEAK	4	17325.00	48.18	68.20	-20.02	52.76	40.74	18.78	64.10	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7699.81	50.85	74.00	-23.15	69.23	35.60	12.10	66.08	0.00	326	276 PEAK																																																																																			
2	7699.81	49.47	54.00	-4.53	67.85	35.60	12.10	66.08	0.00	326	276 AVERAGE																																																																																			
3	11550.00	45.83	74.00	-28.17	57.33	38.05	14.64	64.19	0.00	---	---	PEAK																																																																																		
4	17325.00	48.18	68.20	-20.02	52.76	40.74	18.78	64.10	0.00	---	---	PEAK																																																																																		
																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.60</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>65.58</td><td>35.60</td><td>12.10</td><td>66.08</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>57.40</td><td>38.05</td><td>14.64</td><td>64.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17325.00</td><td>47.64</td><td>68.20</td><td>-20.56</td><td>52.24</td><td>40.74</td><td>18.77</td><td>64.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.60	47.20	74.00	-26.80	65.58	35.60	12.10	66.08	0.00	---	---	Peak	2	11550.00	45.90	74.00	-28.10	57.40	38.05	14.64	64.19	0.00	---	---	PEAK	3	17325.00	47.64	68.20	-20.56	52.24	40.74	18.77	64.11	0.00	---	---	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	7699.60	47.20	74.00	-26.80	65.58	35.60	12.10	66.08	0.00	---	---	Peak																																																																																		
2	11550.00	45.90	74.00	-28.10	57.40	38.05	14.64	64.19	0.00	---	---	PEAK																																																																																		
3	17325.00	47.64	68.20	-20.56	52.24	40.74	18.77	64.11	0.00	---	---	PEAK																																																																																		





Mode	33	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	The Horizontal polarization spectrum plot shows Level (dBuV/m) on the y-axis (0 to 120) versus Frequency (MHz) on the x-axis (18000 to 40000). It features a red line for 'U-NII-3' and a blue line for 'U-NII-3(AVG)'. The red line is mostly flat at 75.0 dBuV/m with some small dips and peaks. The blue line is mostly flat at 45.0 dBuV/m with some small peaks and dips.	The Vertical polarization spectrum plot shows Level (dBuV/m) on the y-axis (0 to 120) versus Frequency (MHz) on the x-axis (18000 to 40000). It features a red line for 'U-NII-3' and a blue line for 'U-NII-3(AVG)'. The red line is mostly flat at 75.0 dBuV/m with some small dips and peaks. The blue line is mostly flat at 45.0 dBuV/m with some small peaks and dips.




Mode	33																																																																																																										
	30-1G																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>109.54</td><td>25.22</td><td>43.50</td><td>-18.28</td><td>38.66</td><td>17.02</td><td>1.60</td><td>32.06</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>320.03</td><td>25.15</td><td>46.00</td><td>-20.85</td><td>35.20</td><td>19.38</td><td>2.74</td><td>32.17</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>384.05</td><td>36.21</td><td>46.00</td><td>-9.79</td><td>44.17</td><td>21.14</td><td>2.99</td><td>32.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>448.07</td><td>30.15</td><td>46.00</td><td>-15.85</td><td>36.43</td><td>22.00</td><td>3.23</td><td>32.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>767.20</td><td>29.43</td><td>46.00</td><td>-16.57</td><td>28.99</td><td>27.96</td><td>4.21</td><td>31.73</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>967.02</td><td>31.00</td><td>54.00</td><td>-23.00</td><td>26.00</td><td>30.79</td><td>4.72</td><td>30.51</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	109.54	25.22	43.50	-18.28	38.66	17.02	1.60	32.06	--	--	Peak	2	320.03	25.15	46.00	-20.85	35.20	19.38	2.74	32.17	--	--	Peak	3	384.05	36.21	46.00	-9.79	44.17	21.14	2.99	32.09	--	--	Peak	4	448.07	30.15	46.00	-15.85	36.43	22.00	3.23	32.31	--	--	Peak	5	767.20	29.43	46.00	-16.57	28.99	27.96	4.21	31.73	--	--	Peak	6	967.02	31.00	54.00	-23.00	26.00	30.79	4.72	30.51	--	--
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	109.54	25.22	43.50	-18.28	38.66	17.02	1.60	32.06	--	--	Peak																																																																																																
2	320.03	25.15	46.00	-20.85	35.20	19.38	2.74	32.17	--	--	Peak																																																																																																
3	384.05	36.21	46.00	-9.79	44.17	21.14	2.99	32.09	--	--	Peak																																																																																																
4	448.07	30.15	46.00	-15.85	36.43	22.00	3.23	32.31	--	--	Peak																																																																																																
5	767.20	29.43	46.00	-16.57	28.99	27.96	4.21	31.73	--	--	Peak																																																																																																
6	967.02	31.00	54.00	-23.00	26.00	30.79	4.72	30.51	--	--	Peak																																																																																																
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>53.28</td><td>32.93</td><td>40.00</td><td>-7.07</td><td>50.94</td><td>12.95</td><td>1.11</td><td>32.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>95.96</td><td>24.75</td><td>43.50</td><td>-18.75</td><td>39.87</td><td>15.40</td><td>1.50</td><td>32.02</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>174.53</td><td>22.82</td><td>43.50</td><td>-20.68</td><td>37.74</td><td>15.14</td><td>2.01</td><td>32.07</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>384.05</td><td>28.22</td><td>46.00</td><td>-17.78</td><td>36.18</td><td>21.14</td><td>2.99</td><td>32.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>448.07</td><td>26.47</td><td>46.00</td><td>-19.53</td><td>32.75</td><td>22.80</td><td>3.23</td><td>32.31</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>734.22</td><td>26.76</td><td>46.00</td><td>-19.24</td><td>26.75</td><td>27.85</td><td>4.12</td><td>31.96</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	53.28	32.93	40.00	-7.07	50.94	12.95	1.11	32.07	--	--	Peak	2	95.96	24.75	43.50	-18.75	39.87	15.40	1.50	32.02	--	--	Peak	3	174.53	22.82	43.50	-20.68	37.74	15.14	2.01	32.07	--	--	Peak	4	384.05	28.22	46.00	-17.78	36.18	21.14	2.99	32.09	--	--	Peak	5	448.07	26.47	46.00	-19.53	32.75	22.80	3.23	32.31	--	--	Peak	6	734.22	26.76	46.00	-19.24	26.75	27.85	4.12	31.96	--	--
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	53.28	32.93	40.00	-7.07	50.94	12.95	1.11	32.07	--	--	Peak																																																																																																
2	95.96	24.75	43.50	-18.75	39.87	15.40	1.50	32.02	--	--	Peak																																																																																																
3	174.53	22.82	43.50	-20.68	37.74	15.14	2.01	32.07	--	--	Peak																																																																																																
4	384.05	28.22	46.00	-17.78	36.18	21.14	2.99	32.09	--	--	Peak																																																																																																
5	448.07	26.47	46.00	-19.53	32.75	22.80	3.23	32.31	--	--	Peak																																																																																																
6	734.22	26.76	46.00	-19.24	26.75	27.85	4.12	31.96	--	--	Peak																																																																																																



Mode	39																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7626.48</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>69.96</td><td>35.71</td><td>12.03</td><td>65.96</td><td>0.00</td><td>263</td><td>271 PEAK</td></tr><tr><td>2 7626.48</td><td>49.74</td><td>54.00</td><td>-4.26</td><td>67.96</td><td>35.71</td><td>12.03</td><td>65.96</td><td>0.00</td><td>263</td><td>271 AVERAGE</td></tr><tr><td>3 11440.00</td><td>48.66</td><td>74.00</td><td>-25.34</td><td>60.34</td><td>37.94</td><td>14.56</td><td>64.18</td><td>0.00</td><td>263</td><td>271 PEAK</td></tr><tr><td>4 11440.00</td><td>39.23</td><td>54.00</td><td>-14.77</td><td>50.91</td><td>37.94</td><td>14.56</td><td>64.18</td><td>0.00</td><td>263</td><td>271 AVERAGE</td></tr><tr><td>5 17160.00</td><td>49.09</td><td>68.20</td><td>-19.11</td><td>53.76</td><td>40.96</td><td>18.65</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7626.48	51.74	74.00	-22.26	69.96	35.71	12.03	65.96	0.00	263	271 PEAK	2 7626.48	49.74	54.00	-4.26	67.96	35.71	12.03	65.96	0.00	263	271 AVERAGE	3 11440.00	48.66	74.00	-25.34	60.34	37.94	14.56	64.18	0.00	263	271 PEAK	4 11440.00	39.23	54.00	-14.77	50.91	37.94	14.56	64.18	0.00	263	271 AVERAGE	5 17160.00	49.09	68.20	-19.11	53.76	40.96	18.65	64.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7626.48</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>61.79</td><td>35.71</td><td>12.03</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 11440.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>57.94</td><td>37.94</td><td>14.56</td><td>64.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 17160.00</td><td>48.47</td><td>68.20</td><td>-19.73</td><td>53.16</td><td>40.95</td><td>18.65</td><td>64.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7626.48	43.57	74.00	-30.43	61.79	35.71	12.03	65.96	0.00	---	---	PEAK	2 11440.00	46.26	74.00	-27.74	57.94	37.94	14.56	64.18	0.00	---	---	PEAK	3 17160.00	48.47	68.20	-19.73	53.16	40.95	18.65	64.29	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 7626.48	51.74	74.00	-22.26	69.96	35.71	12.03	65.96	0.00	263	271 PEAK																																																																																																																																																														
2 7626.48	49.74	54.00	-4.26	67.96	35.71	12.03	65.96	0.00	263	271 AVERAGE																																																																																																																																																														
3 11440.00	48.66	74.00	-25.34	60.34	37.94	14.56	64.18	0.00	263	271 PEAK																																																																																																																																																														
4 11440.00	39.23	54.00	-14.77	50.91	37.94	14.56	64.18	0.00	263	271 AVERAGE																																																																																																																																																														
5 17160.00	49.09	68.20	-19.11	53.76	40.96	18.65	64.28	0.00	---	---	PEAK																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 7626.48	43.57	74.00	-30.43	61.79	35.71	12.03	65.96	0.00	---	---	PEAK																																																																																																																																																													
2 11440.00	46.26	74.00	-27.74	57.94	37.94	14.56	64.18	0.00	---	---	PEAK																																																																																																																																																													
3 17160.00	48.47	68.20	-19.73	53.16	40.95	18.65	64.29	0.00	---	---	PEAK																																																																																																																																																													



Mode	40																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal																																																																																																							
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>69.85</td><td>35.71</td><td>12.03</td><td>65.96</td><td>0.00</td><td>259</td><td>270 PEAK</td></tr><tr><td>2</td><td>7626.48</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>67.89</td><td>35.71</td><td>12.03</td><td>65.96</td><td>0.00</td><td>259</td><td>270 AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>60.49</td><td>37.94</td><td>14.56</td><td>64.18</td><td>0.00</td><td>259</td><td>270 PEAK</td></tr><tr><td>4</td><td>11440.00</td><td>39.10</td><td>54.00</td><td>-14.90</td><td>50.78</td><td>37.94</td><td>14.56</td><td>64.18</td><td>0.00</td><td>259</td><td>270 AVERAGE</td></tr><tr><td>5</td><td>17160.00</td><td>49.11</td><td>68.20</td><td>-19.09</td><td>53.79</td><td>40.95</td><td>18.65</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td> PEAK</tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	51.63	74.00	-22.37	69.85	35.71	12.03	65.96	0.00	259	270 PEAK	2	7626.48	49.67	54.00	-4.33	67.89	35.71	12.03	65.96	0.00	259	270 AVERAGE	3	11440.00	48.81	74.00	-25.19	60.49	37.94	14.56	64.18	0.00	259	270 PEAK	4	11440.00	39.10	54.00	-14.90	50.78	37.94	14.56	64.18	0.00	259	270 AVERAGE	5	17160.00	49.11	68.20	-19.09	53.79	40.95	18.65	64.28	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
	1	7626.48	51.63	74.00	-22.37	69.85	35.71	12.03	65.96	0.00	259	270 PEAK																																																																																												
	2	7626.48	49.67	54.00	-4.33	67.89	35.71	12.03	65.96	0.00	259	270 AVERAGE																																																																																												
3	11440.00	48.81	74.00	-25.19	60.49	37.94	14.56	64.18	0.00	259	270 PEAK																																																																																													
4	11440.00	39.10	54.00	-14.90	50.78	37.94	14.56	64.18	0.00	259	270 AVERAGE																																																																																													
5	17160.00	49.11	68.20	-19.09	53.79	40.95	18.65	64.28	0.00	---	---																																																																																													

Vertical																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			------	---------	--------	-------	--------	--------	--------	--------	--------	------	--------	-----		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	7626.48	43.69	74.00	-30.31	61.91	35.71	12.03	65.96	0.00	---	---											
2	11440.00	46.49	74.00	-27.51	58.17	37.94	14.56	64.18	0.00	---	---	PEAK																																																															
3	17160.00	48.21	68.20	-19.99	52.88	40.96	18.65	64.28	0.00	---	---	PEAK																																																															



Mode	41																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>7613.14</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>70.31</td><td>35.65</td><td>12.01</td><td>65.94</td><td>0.00</td><td>241 260 PEAK</td></tr><tr><td>2</td><td>7613.14</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>68.03</td><td>35.65</td><td>12.01</td><td>65.94</td><td>0.00</td><td>241 260 AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>58.35</td><td>37.92</td><td>14.55</td><td>64.20</td><td>0.00</td><td>--- --- PEAK</td></tr><tr><td>4</td><td>17130.00</td><td>48.07</td><td>68.20</td><td>-20.13</td><td>52.85</td><td>40.91</td><td>18.63</td><td>64.32</td><td>0.00</td><td>--- --- PEAK</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	7613.14	52.03	74.00	-21.97	70.31	35.65	12.01	65.94	0.00	241 260 PEAK	2	7613.14	49.75	54.00	-4.25	68.03	35.65	12.01	65.94	0.00	241 260 AVERAGE	3	11420.00	46.62	74.00	-27.38	58.35	37.92	14.55	64.20	0.00	--- --- PEAK	4	17130.00	48.07	68.20	-20.13	52.85	40.91	18.63	64.32	0.00	--- --- PEAK	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>7613.14</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>60.97</td><td>35.65</td><td>12.01</td><td>65.94</td><td>0.00</td><td>--- --- PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>60.54</td><td>37.92</td><td>14.55</td><td>64.20</td><td>0.00</td><td>100 311 PEAK</td></tr><tr><td>3</td><td>11420.00</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>52.28</td><td>37.92</td><td>14.55</td><td>64.20</td><td>0.00</td><td>100 311 AVERAGE</td></tr><tr><td>4</td><td>17130.00</td><td>47.94</td><td>68.20</td><td>-20.26</td><td>52.71</td><td>40.92</td><td>18.63</td><td>64.32</td><td>0.00</td><td>--- --- PEAK</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	7613.14	42.69	74.00	-31.31	60.97	35.65	12.01	65.94	0.00	--- --- PEAK	2	11420.00	48.81	74.00	-25.19	60.54	37.92	14.55	64.20	0.00	100 311 PEAK	3	11420.00	40.55	54.00	-13.45	52.28	37.92	14.55	64.20	0.00	100 311 AVERAGE	4	17130.00	47.94	68.20	-20.26	52.71	40.92	18.63	64.32	0.00
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
1	7613.14	52.03	74.00	-21.97	70.31	35.65	12.01	65.94	0.00	241 260 PEAK																																																																																																																																					
2	7613.14	49.75	54.00	-4.25	68.03	35.65	12.01	65.94	0.00	241 260 AVERAGE																																																																																																																																					
3	11420.00	46.62	74.00	-27.38	58.35	37.92	14.55	64.20	0.00	--- --- PEAK																																																																																																																																					
4	17130.00	48.07	68.20	-20.13	52.85	40.91	18.63	64.32	0.00	--- --- PEAK																																																																																																																																					
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
MHz	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
1	7613.14	42.69	74.00	-31.31	60.97	35.65	12.01	65.94	0.00	--- --- PEAK																																																																																																																																					
2	11420.00	48.81	74.00	-25.19	60.54	37.92	14.55	64.20	0.00	100 311 PEAK																																																																																																																																					
3	11420.00	40.55	54.00	-13.45	52.28	37.92	14.55	64.20	0.00	100 311 AVERAGE																																																																																																																																					
4	17130.00	47.94	68.20	-20.26	52.71	40.92	18.63	64.32	0.00	--- --- PEAK																																																																																																																																					




Mode	42																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.48</td><td>51.30</td><td>74.00</td><td>-22.70</td><td>69.59</td><td>35.60</td><td>12.00</td><td>65.89</td><td>0.00</td><td>235 262 PEAK</td></tr><tr><td>2</td><td>7586.48</td><td>50.23</td><td>54.00</td><td>-3.77</td><td>68.52</td><td>35.60</td><td>12.00</td><td>65.89</td><td>0.00</td><td>235 262 AVERAGE</td></tr><tr><td>3</td><td>11380.00</td><td>45.65</td><td>74.00</td><td>-28.35</td><td>57.48</td><td>37.90</td><td>14.52</td><td>64.25</td><td>0.00</td><td>--- --- PEAK</td></tr><tr><td>4</td><td>17070.00</td><td>47.94</td><td>68.20</td><td>-20.26</td><td>52.75</td><td>40.91</td><td>18.62</td><td>64.34</td><td>0.00</td><td>--- --- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.48	51.30	74.00	-22.70	69.59	35.60	12.00	65.89	0.00	235 262 PEAK	2	7586.48	50.23	54.00	-3.77	68.52	35.60	12.00	65.89	0.00	235 262 AVERAGE	3	11380.00	45.65	74.00	-28.35	57.48	37.90	14.52	64.25	0.00	--- --- PEAK	4	17070.00	47.94	68.20	-20.26	52.75	40.91	18.62	64.34	0.00	--- --- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	7586.48	51.30	74.00	-22.70	69.59	35.60	12.00	65.89	0.00	235 262 PEAK																																																																														
2	7586.48	50.23	54.00	-3.77	68.52	35.60	12.00	65.89	0.00	235 262 AVERAGE																																																																														
3	11380.00	45.65	74.00	-28.35	57.48	37.90	14.52	64.25	0.00	--- --- PEAK																																																																														
4	17070.00	47.94	68.20	-20.26	52.75	40.91	18.62	64.34	0.00	--- --- PEAK																																																																														
Vertical																																																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.48</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>59.81</td><td>35.60</td><td>12.00</td><td>65.89</td><td>0.00</td><td>--- --- PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>57.30</td><td>37.90</td><td>14.52</td><td>64.25</td><td>0.00</td><td>--- --- PEAK</td></tr><tr><td>3</td><td>17070.00</td><td>48.46</td><td>68.20</td><td>-19.74</td><td>53.27</td><td>40.90</td><td>18.62</td><td>64.33</td><td>0.00</td><td>--- --- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.48	41.52	74.00	-32.48	59.81	35.60	12.00	65.89	0.00	--- --- PEAK	2	11380.00	45.47	74.00	-28.53	57.30	37.90	14.52	64.25	0.00	--- --- PEAK	3	17070.00	48.46	68.20	-19.74	53.27	40.90	18.62	64.33	0.00	--- --- PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7586.48	41.52	74.00	-32.48	59.81	35.60	12.00	65.89	0.00	--- --- PEAK																																																																														
2	11380.00	45.47	74.00	-28.53	57.30	37.90	14.52	64.25	0.00	--- --- PEAK																																																																														
3	17070.00	48.46	68.20	-19.74	53.27	40.90	18.62	64.33	0.00	--- --- PEAK																																																																														

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.57	1.394	0.717	0.75KHz
802.11ac VHT20	97.31	1.312	0.762	0.82KHz
802.11ac VHT40	95.17	0.657	1.523	1.6KHz
802.11ac VHT80	90.73	0.326	3.067	3.3KHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

