

Test Method:	FCC Part 15 Subpart C, Spurious Case Radiated Emissions, Paragraph 15.209(a)						
Customer:	X-10 (USA) Inc.				Job No.	R-9132-1	
Test Sample:	434.1MHz Pulsed Transmitter						
Model No.:	UR84A				Serial No.	N/A	
Operating Mode:	Continuously transmitting a pulsed signal at 434.1MHz.						
Technician:	Peter Lananna				Date:	August 14, 2001	
Notes:	Test Distance: 3 Meters Temp:30C Humidity:43% Detector: Quasi-Peak Below 30 MHz to 1 GHz, Peak above 1 GHz						
Test Freq.	Antenna Position	EUT Orientation	Meter Readings	Correction Factor	Corrected Reading	Converted Reading	LIMIT
MHz	(V/H) / Meters	Degrees	dBuV	dB	dBuV/m	uV/m	uV/m
30.00							100
88.00							100
88.00							150
No emissions detected at specified test distance.							
216.00							150
216.00							200
960.00							200
960.00							500
31000.0							500
The EUT was scanned from 30 MHz to 3.1 GHz							
The emissions observed from the EUT do not exceed the specified limits. Emissions not recorded							
were more than 10dB under the specified limit							



Retlif Testing Laboratories

Retlif Job Number R-9132-1