




CONFIDENTIAL



INTERACTIVE TECHNOLOGIES INC.
2266 NORTH 2ND ST. NORTH ST. PAUL, MN. 55109

DRAWN
CHECKED
APPROVED

DECIMAL TOL.	FINAL ASSEMBLY NUMBER	SCALE	DRAWN BY
N/A	60-906-95	N/A	JGG

FRACT. TOL.	TITLE
N/A	319.5 MICRO PANIC
ANGULAR TOL.	DATE
N/A	5/21/04

PART NUMBER	REV.
52-781-95	E1

—○Z9


—○Z1

—○Z4

—○Z5

—○Z6

—○Z7



- NOTES:
- 1. 56-781-95-E CONTAINS EVERYTHING SHOWN ON THIS DRAWING. EXCEPT FOR BATTERY
 - 2. MAXIMUM LEAD LENGTH IS .062".
 - 3. ALL COMPONENTS MUST BE FLUSH TO THE PCB SURFACE.
 - 4. THE NEUMONIC "R55" IS ON Q2 TO SHOW POLARITY

CONFIDENTIAL

			DRAWN BY		INTERACTIVE TECHNOLOGIES INC.			
			CHECKED BY					
			APPROVED BY		DEC. TOL.	TOP LEVEL ASSY. #	SCALE	DRAWN BY
					N/A	60-906-95	2:1	JGG
					FRAC. TOL.	TITLE		
					N/A	319.5 MICRO PANIC TOP SIDE ASSY.		
					ANG. TOL.	DATE	SIZE	PART NUMBER (PG 1 OF 2)
					N/A	7/13/04	A	57- 781-95
								REV.
								E1

