

PULL

AAA
A 16

AAA
A 16

WARNING
AVERTISSEMENT
ADVERTENCIA

Model
Modèle
GLR

MOVING DOOR CAN CAUSE SERIOUS INJURY OR DEATH

FCC ID: 2ABQ-915LR

IC: 2113A-915LR



FCC Part 15 IC: RSS-210
THE GENIE COMPANY

ENERGIZER

AAA
A 16

REVISIONS				
EN	REV.	DESCRIPTION	DATE	APPROVAL
-	01	ORIGINAL ISSUE		

1. BLACK GRAPHICS
2. 3M LABEL MATERIAL 7816, 2.0MIL GLOSS WHITE POLYESTER FACESTOCK WITH 0.8MIL 310 ACRYLIC ADHESIVE
3. ORANGE BACKGROUND MATCH WITH PANTONE 151





THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE CONFIDENTIAL PROPRIETARY PROPERTY OF OVERHEAD DOOR CORPORATION, INCLUDING ITS AFFILIATED SUBSIDIARIES AND AFFILIATES. THIS DRAWING INFORMATION, IN WHOLE OR IN PART, MAY NOT BE COPIED IN ANY MANNER OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. DISCLOSURE OF ANY DRAWING OR INFORMATION IS INTENDED NOT TO AND SHALL NOT OPERATE AS A LICENSE OR AUTHORIZATION TO USE IT FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION.		UNLESS OTHERWISE SPECIFIED	APPROVALS
		INTERPRET DIMS & TOLS PER ASME Y14.5M	DATE
		ALL DIMS ARE IN MM	DRAWN DEFOND
		DO NOT SCALE	CHECKED - -
			APPROVED - -
			MATERIAL
		TOLERANCES:	
		X = ± 0.15	
		XX = ± 0.05	
		XXX = ± 0.03	
		ANGULAR = ± 1°	
		HOLES:	
		< 0.251 = ± .003	
		0.251-0.500 = ± .003	
		> 0.500 = ± .003	
		FEATURES & MUST MEET APPLICABLE IN-PROCESS INSPECTION STANDARDS.	
		ALL GEOMETRY GOVERNED BY 3D CAD DATABASE: XXXX	

	A SUBSIDIARY OF OVERHEAD DOOR CORPORATION ALLIANCE, OHIO	DESCRIPTION	FCC LABEL, ADAPTER	
			SIZE	DWG. NO.
C	37459	REV. 00	SCALE 4:1	SHEET 1 OF 1

REVISIONS				
EN	REV.	DESCRIPTION	DATE	APPROVAL
-	01	ORIGINAL ISSUE		

1. BLACK GRAPHICS
2. 3M LABEL MATERIAL 7816, 2.0MIL GLOSS WHITE POLYESTER FACESTOCK WITH 0.8MIL 310 ACRYLIC ADHESIVE
3. ORANGE BACKGROUND MATCH WITH PANTONE 151



<p>THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE CONFIDENTIAL PROPRIETARY PROPERTY OF OVERHEAD DOOR CORPORATION, INCLUDING ITS AFFILIATED SUBSIDIARIES AND AFFILIATES. THIS DRAWING INFORMATION, IN WHOLE OR IN PART, MAY NOT BE COPIED IN ANY MANNER OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. DISCLOSURE OF ANY DRAWING OR INFORMATION IS INTENDED NOT TO AND SHALL NOT OPERATE AS A LICENSE OR AUTHORIZATION TO USE IT FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION.</p>	UNLESS OTHERWISE SPECIFIED		APPROVALS	
	INTERPRET DIMS & TOLS PER ASME Y14.5M	TOLERANCES:	DRAWN	DEFOND
	ALL DIMS ARE IN MM	.X = ± 0.15	CHECKED	-
	DO NOT SCALE	.XX = ± 0.05	APPROVED	-
		.XXX = ± 0.03	MATERIAL	
		ANGULAR = ± 1°		
		HOLES:		
		< 0.251 = ± .003	FINISH	
		0.251-0.500 = ± .003		
		> 0.500 = ± .003		
		ALL GEOMETRY GOVERNED BY 3D CAD DATABASE: XXXX		

-02 Nov.02.2010 Added dash

 <p>A SUBSIDARY OF OVERHEAD DOOR CORPORATION ALLIANCE, OHIO</p>	<p>DESCRIPTION FCC LABEL, ADAPTER</p>	<p>SIZE DWG. NO. C 37459</p>	REV.
			00
		SCALE 4:1	
			SHEET 1 OF 1

