



► NOTES

1. BLACK GRAPHICS AND TYPE ON 2 MIL MYLAR WITH PRESSURE SENSITIVE PERMANENT ADHESIVE FOR USE ON ABS PLASTIC, 1 MIL CLEAR MYLAR OVERLAY.
2. COLOR PER ANSI Z535.1.

REVISIONS				
ER	REV	DESCRIPTION	DATE	APPROVAL
	0	PRELIMINARY		
	1	REMOVED HYPHEN FROM FCC ID		



Plotted 06-16-14 07:50

THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE CONFIDENTIAL AND PROPRIETARY PROPERTY OF OVERHEAD DOOR CORPORATION AND ITS AFFILIATED COMPANIES. THIS DRAWING AND INFORMATION, IN WHOLE OR IN PART, MAY NOT BE COPIED IN ANY MANNER OR DISCLOSED TO ANYONE WITHOUT THE PRIOR WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. NO DISCLOSURE OF ANY OF THIS DRAWING OR INFORMATION IS INTENDED TO OPERATE AS A LICENSE OR AUTHORIZATION TO USE IT FOR ANY PURPOSE WITHOUT THE SPECIFIC WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION.

		THIRD ANGLE PROJECTION		TOLERANCES UNLESS OTHERWISE SPECIFIED		FINISH		A Subsidiary of Overhead Door Corporation GENIE 22790 Lake Park Blvd. Alliance Ohio, 44601		NAME		DATE		DRAWING TITLE: LABEL, FCC/IC, WIRELESS KEYPAD	
		 ASME Y14.100 AND Y14.5 APPLY, UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. CUSTOMARY UNITS.		WHOLE NUMBERS: ±.25 .X ±.1 .XX ±.02 .XXX ±.010 ANGLES: ±1° HOLES: ±.003		UNIT OF MEASURE INCHES		MATERIAL: SEE NOTES		DRAWN BY: WDR		6/16/14			
										CHECKED BY:					
36137														APPROVED BY:	
REF DWG		USED ON										DRAWING NUMBER		B- 38940	
												SCALE: 4X		SHEET 1 OF 1	



Figure 1: GK-A Label Location




Figure 2: OKP-A Label Location